

**Polluted River Stretch Priority-II
(Pawana River, State - Maharashtra)**

Latest Water Quality As per Assessment Targeted (Characteristics of River)

2196 - Pawana River at Sangavigaon, Village- Sangavigaon, Taluka- Haweli, District- Pune.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.9	1.8	14.5	275	1800	Non Complying
	2018	7.7	4.8	6.4	200	1600	Non Complying
	2019	8.0	BDL	9.5	350	1800+	Non Complying
	2020	7	5.1	12	1800	1800	Non Complying
	2021	8.0	5.3	7.5	150	1600	Non Complying
	2022	7.2	4.4	9.0	45	900	Non Complying
	2023	7.1	4.3	16.5	12	425	Non Complying
February	2017	7.4	3.0	14.5			Non Complying
	2018	8.2	4.3	12.5	195	1600	Non Complying
	2019	8.2	1.7	7.4	275	1800+	Non Complying
	2020	8.2	6.7	3.0	10	200	Complying
	2021	7.8	5.1	8.6	170	900	Non Complying
	2022	7.3	4.1	9.5	17	350	Non Complying
	2023	7.4	3.8	18.8	15	350	Non Complying
March	2017	7.3	1.7	15.0			Non Complying
	2018	8.4	4.9	10.2	250	1800+	Non Complying
	2019	7.8	2.1	11.5	225	1800+	Non Complying
	2020	6.7	5.9	6	1800	1800+	Non Complying
	2021	7.2	4.8	8.2	195	1600	Non Complying
	2022	8.3	4.5	10	8	275	Non Complying
	2023	7.7	3.8	20	30	900	Non Complying
April	2017	7.9	2.4	14.0			Non Complying
	2018	7.9	4.0	15.0	140	900	Non Complying
	2019	7.3	BDL	10.5	120	1800+	Non Complying
	2020	6.91	5.2	21			Non Complying
	2021	6.9	4.6	13	200	1600	Non Complying
	2022	7.3	5.6	12	8	225	Non Complying
	2023	7	3.2	25	40	900	Non Complying
May	2017	7.7	0.8	18.0			Non Complying
	2018	8.4	4.6	11.5	170	1600	Non Complying
	2019	7.3	1.4	15.5	1800+	1800+	Non Complying
	2020						Lockdown
	2021	7.9	5.7	5.8	225	1600	Non Complying
	2022	7.3	4.4	10.5	12	250	Non Complying
	2023	7.9	3.2	24	65	1600	Non Complying
June	2017	8.1	0.8	16.5	200	1600	Non Complying
	2018	7.7	4.8	13.5	225	1600	Non Complying
	2019	7.6	1.2	15.0	1800+	1800+	Non Complying
	2020	8.2	5.8	6	425	1800	Non Complying
	2021	7.8	4.9	12.5	250	1600	Non Complying
	2022	7.8	3.2	14.5	12	425	Non Complying
	2023	7.2	3.1	26	70	1600	Non Complying

July	2017	7.2	5.5	8.4	275	1800+	Non Complying
	2018	7.1	3.9	10.5	195	1600	Non Complying
	2019	6.9	3.6	6.5	1800+	1800+	Non Complying
	2020	8.1	6.0	5.0	200	1800	Non Complying
	2021	7.46	5.5	6.4	225	1600	Non Complying
	2022	7.2	3.8	27	25	350	Non Complying
	2023	7.4	4.4	12	22	540	Non Complying
August	2017	8.0	6.3	7.0	225	1600	Non Complying
	2018	7.2	3.4	5.5	200	1800+	Non Complying
	2019	6.8	2.7	10.0	1600	1800	Non Complying
	2020	8.2	5.9	6.0	140	1600	Non Complying
	2021	7.8	5.3	6.4	195	900	Non Complying
	2022	7.5	4.9	7.8	20	425	Non Complying
	2023	7.5	4.4	14	25	550	Non Complying
September	2017	7.3	3.4	8.2	250	1800	Non Complying
	2018	7.6	3.1	10.4	550	1800	Non Complying
	2019	7.2	6.5	2.8	425	1800	Complying
	2020	7.7	5.6	7.0	175	1600	Non Complying
	2021	7.1	4.3	11.5	17	350	Non Complying
	2022	7.9	4.3	10	20	350	Non Complying
	2023	7.4	4.1	15	70	550	Non Complying
October	2017	7.6	4.7	11.0	250	1600	Non Complying
	2018	7.3	3.1	8.5	200	1800+	Non Complying
	2019	8.0	6.3	4.0	550	1800	Non Complying
	2020	8.0	5.4	10.0	140	1600	Non Complying
	2021	7.6	5.5	7.6	17	900	Non Complying
	2022	7	4.4	13	10	350	Non Complying
	2023	7.1	4.3	15	55	540	Non Complying
November	2017	8.4	4.6	10.5	195	1600	Non Complying
	2018	7.3	2.2	9.0	275	1800+	Non Complying
	2019	7.7	6.3	4.2	1800	1800	Non Complying
	2020	7.8	6.6	3.6	2	65	Non Complying
	2021	7.1	5.1	6.5	20	550	Non Complying
	2022	7.3	4.1	13.4	10	350	Non Complying
	2023	7.3	3.5	24	115	1600	Non Complying
December	2017	8.0	4.0	13.0	195	900	Non Complying
	2018	7.9	2.4	8.5	200	1600	Non Complying
	2019	8.1	4.5	20.0	1600	1800	Non Complying
	2020	7.2	5.7	7.5	140	1600	Non Complying
	2021	7.2	5.0	7.2	20	900	Non Complying
	2022	7.4	4.2	13.9	17	350	Non Complying
	2023	7	3.3	27	275	1600	Non Complying

2690 - Pawana River at Kasarwadi, Village- Kasarwadi, Taluka- Haweli, District- Pune.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8	1.5	15.0	140	1600	Non Complying
	2018	7.6	3.4	22.0	250	1800	Non Complying
	2019	7.9	BDL	10.5	350	1800+	Non Complying
	2020	7	4.9	14	900	1800	Non Complying
	2021	8.0	5.1	9.5	170	1600	Non Complying
	2022	7.2	4.1	8.5	35	900	Non Complying
	2023	7.1	4.2	17.4	12	425	Non Complying
February	2017	7.5	3.4	12.0			Non Complying
	2018	7.5	4.6	11.0	200	1800+	Non Complying
	2019	8.0	0.9	10.5	350	1800+	Non Complying
	2020	7.4	3.9	26.0	1600	1800	Non Complying
	2021	7.8	5.2	9	175	1800	Non Complying
	2022	7.3	4.1	9.5	20	425	Non Complying
	2023	7.4	3.7	19.8	17	550	Non Complying
March	2017	7.3	1.8	14.0			Non Complying
	2018	8.7	4.7	10.8	225	1600	Non Complying
	2019	7.6		14.5	350	1800+	Non Complying
	2020	6.7	5.4	10	900	1800+	Non Complying
	2021	7	4.9	8.5	195	1800	Non Complying
	2022	8.3	4.5	8.5	14	350	Non Complying
	2023	7.5	4	19	50	900	Non Complying
April	2017	7.8	1.9	13.5			Non Complying
	2018	8.0	5.6	15.0	250	1800+	Non Complying
	2019	7.6	BDL	12.5	275	1800+	Non Complying
	2020	6.88	2.4	28			Non Complying
	2021	6.9	4.8	11.5	200	1800	Non Complying
	2022	7.3	4.5	13.5	15	350	Non Complying
	2023	7.2	3.7	21	50	900	Non Complying
May	2017	7.9	Nil	21.0			Non Complying
	2018	8.51	4.5	12.0	250	1800+	Non Complying
	2019	7.72	0.8	16.0	350	1800+	Non Complying
	2020						Lockdown
	2021	7.9	4.3	12.5	225	1800	Non Complying
	2022	7.4	4.5	11.5	15	350	Non Complying
	2023	7.8	3.9	22	75	1600	Non Complying
June	2017	7.9	0.5	17.0	275	1800+	Non Complying
	2018	7.8	3.8	15.5	275	1800+	Non Complying
	2019	7.6	NIL	21.0	1800+	1800+	Non Complying
	2020	7.9	5.6	8	275	1600	Non Complying
	2021	7.7	4.9	13	275	1800	Non Complying
	2022	7.9	3.4	12.5	14	425	Non Complying
	2023	7.2	3.9	21	95	1800	Non Complying

July	2017	7.2	5	9.6	250	1800+	Non Complying
	2018	7.0	3.8	11.0	275	1800+	Non Complying
	2019	7.1	2.7	9.0	1600	1800+	Non Complying
	2020	7.7	5.5	8.0	170	1600	Non Complying
	2021	7.22	4.1	14.0	350	1600	Non Complying
	2022	7.3	3.9	23.5	25	425	Non Complying
	2023	7.5	4.3	13	25	540	Non Complying
August	2017	7.9	6.0	8.8	250	1800+	Non Complying
	2018	7.3	3.6	5.8	225	1800+	Non Complying
	2019	7	2.2	11.0	900	1800	Non Complying
	2020	7.8	5.7	8.5	150	1600	Non Complying
	2021	7.56	5.2	6.4	225	900	Non Complying
	2022	7.6	4.5	10.5	25	550	Non Complying
	2023	7.4	4.4	14	25	550	Non Complying
September	2017	7.3	4.0	6.2	275	1800.0	Non Complying
	2018	7.6	2.6	10.6	900	1800+	Non Complying
	2019	7.2	5.1	11.0	350	1600	Non Complying
	2020	7.7	5.0	11.0	170	1600	Non Complying
	2021	7.2	4.0	14.5	25	550	Non Complying
	2022	8	4.4	12.5	20	425	Non Complying
	2023	7.4	4.3	13	95	550	Non Complying
October	2017	7.5	6.8	5.4	275	1800+	Non Complying
	2018	7.6	2.6	9.2	275	1800+	Non Complying
	2019	7.2	5.5	9.0	350	1600	Non Complying
	2020	8.0	5.6	7.5	130	1600	Non Complying
	2021	7.5	4.8	11.5	30	1600	Non Complying
	2022	7.2	4.4	11.5	14	425	Non Complying
	2023	7.2	4.1	13.5	110	550	Non Complying
November	2017	8.2	3.8	16.5	250	1800+	Non Complying
	2018	7.3	2.0	11.0	275	1800+	Non Complying
	2019	7.6	5.0	9.0	1800	1800	Non Complying
	2020	7.5	5.5	9.0	140	1600	Non Complying
	2021	7.2	4.9	8.5	25	1600	Non Complying
	2022	7.4	4.2	12.4	12	425	Non Complying
	2023	7.4	3.8	22	120	1600	Non Complying
December	2017	7.9	3.8	14.5	275	1800+	Non Complying
	2018	7.84	1.6	10.5	275	1800+	Non Complying
	2019	7.7	4.5	20	900	1800	Non Complying
	2020	7.2	4.6	9.5	150	1600	Non Complying
	2021	7.3	5.6	4.5	25	900	Non Complying
	2022	7.4	4.1	16.9	20	425	Non Complying
	2023	7	3.7	24	195	900	Non Complying

2691 - Pawana River at Dapodi bridge, at Pawana- Mulla Sangam, Village- Dapodi, Taluka- Haweli, District- Pune.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.5	NIL	18.0	170.0	900.0	Non Complying
	2018	7.8	3.8	9.2	250	1800	Non Complying
	2019	7.9	BDL	11.5	350	1800+	Non Complying
	2020						No Flow
	2021	8.0	5.0	9.5	140	1600	Non Complying
	2022	7.2	4.8	7.5	40	900	Non Complying
	2023	7.3	3.9	20.3	17	550	Non Complying
February	2017	7.4	3.7	15.0			Non Complying
	2018	8.0	4.4	12.5	250	1800+	Non Complying
	2019	8.0	4.4	12.5	250	1800+	Non Complying
	2020	7.3	4.1	25.0	1800	1800	Non Complying
	2021	7.6	4.8	9.5	150	166	Non Complying
	2022	7.3	4.2	9	25	550	Non Complying
	2023	7.4	3.5	21.8	17	550	Non Complying
March	2017	7.3	1.2	15.5			Non Complying
	2018	8.4	4.7	10.6	195	1600	Non Complying
	2019	7.5	1.2	13.5	275	1800+	Non Complying
	2020	6.6	5.7	8	1800	1800+	Non Complying
	2021	7	5.1	8.6	170	1600	Non Complying
	2022	8.4	4.9	10	15	425	Non Complying
	2023	7.7	3.8	22	40	900	Non Complying
April	2017	7.9	1.6	15.0			Non Complying
	2018	7.8	3.9	14.5	200	1600	Non Complying
	2019	7.3	BDL	15.0	1800+	1800+	Non Complying
	2020	6.86	6.2	12			Non Complying
	2021	7	4.4	13.5	195	1800	Non Complying
	2022	7.5	4.3	13.5	14	275	Non Complying
	2023	7.2	3.6	23	70	1600	Non Complying
May	2017	8.0	0.7	18.5	130	1600	Non Complying
	2018	8.47	4.5	12.5	200	1800+	Non Complying
	2019	7.39	1.2	16.5	1800+	1800+	Non Complying
	2020						Lockdown
	2021	7.8	4.5	11.5	200	1800	Non Complying
	2022	7.3	4.4	10	11	350	Non Complying
	2023	7.9	2.9	27	170	1800	Non Complying
June	2017	8.2	0.7	18	275	1800+	Non Complying
	2018	7.7	4.8	15.5	250	1800+	Non Complying
	2019	7.4	NIL	26.0	1800+	1800+	Non Complying
	2020	8.9	5.8	7	550	1800	Non Complying
	2021	7.6	4.7	12.5	250	1800	Non Complying
	2022	7.8	3.1	15.5	15	550	Non Complying
	2023	7.2	3.2	28	195	1800	Non Complying

July	2017	7.3	5.3	7.8	250	1800+	Non Complying
	2018	7.4	3.2	12.5	250	1800+	Non Complying
	2019	6.7	2.9	8.5	1800+	1800+	Non Complying
	2020	8.2	5.9	6.0	350	1800	Non Complying
	2021	7.14	4.1	14.0	250	1600	Non Complying
	2022	7.4	4.1	17	25	350	Non Complying
	2023	7.3	4.3	13.5	14	540	Non Complying
August	2017	8.0	6.4	7.4	275	1800+	Non Complying
	2018	7.4	3.6	5.5	275	1800+	Non Complying
	2019	7.3	3.1	7.5	1800	1800	Non Complying
	2020	8.0	5.5	9.5	200	1800	Non Complying
	2021	7.62	5.3	5.8	200	900	Non Complying
	2022	7.5	5.1	7.2	25	550	Non Complying
	2023	7.4	4.3	15	25	550	Non Complying
September	2017	7.3	3.1	7.6	225	1800	Non Complying
	2018	7.4	0.9	14.5	1600	1800+	Non Complying
	2019	7.3	5.6	7.0	350	1800	Non Complying
	2020	7.6	5.2	10.5	250	1800	Non Complying
	2021	7.1	4.2	12.5	20	425	Non Complying
	2022	8.1	4.6	9.8	17	350	Non Complying
	2023	7.5	4.3	14	140	540	Non Complying
October	2017	7.7	4.3	12	275	1800+	Non Complying
	2018	7.4	2.9	9.5	250	1800+	Non Complying
	2019	7.1	6.5	3.0	275	1800	Complying
	2020	7.9	5.6	9.0	110	1600	Non Complying
	2021	7.6	5.3	8.6	25	1600	Non Complying
	2022	7.2	4.6	12.5	12	350	Non Complying
	2023	7.1	3.9	20	110	540	Non Complying
November	2017	8.5	4.4	11.5	275	1800+	Non Complying
	2018	7.2	2.0	7.5	350	1800+	Non Complying
	2019	7.7	6.2	4.6	1800	1800	Non Complying
	2020	7.8	5.4	9.5	120	1600	Non Complying
	2021	7.3	4.5	9.5	20	1600	Non Complying
	2022	7.3	4.2	12.4	11	350	Non Complying
	2023	7.4	3.3	27	140	1800	Non Complying
December	2017	8.0	4.1	13.0	250	1600	Non Complying
	2018	7.79	1.6	10.5	275	1800+	Non Complying
	2019	7.6	4.4	20	1600	1800	Non Complying
	2020	7.3	4.8	9.0	130	1600	Non Complying
	2021	7.2	5.2	6.6	35	900	Non Complying
	2022	7.4	4.4	15.4	20	425	Non Complying
	2023	7	3.6	22	95	900	Non Complying

2692 - Pawana River at Ravet Weir, Village- Ravet, Taluka- Haweli, District- Pune.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.1	5.8	5.0	12.0	550.0	Non Complying
	2018	8.1	6.4	2.6	5	14	Complying
	2019	7.9	6.8	2.0	8	550	Complying
	2020	7.1	6.6	3	10	550	Complying
	2021	8.2	6.2	3.2	2	175	Non Complying
	2022	7.7	6.6	2.4	8	120	Complying
	2023	7.1	6.5	2.4	10	275	Complying
February	2017	7.7	5.8	5.0			Non Complying
	2018	7.8	6.5	3.2	8	14	Non Complying
	2019	7.9	6.8	2.0	70	900	Complying
	2020	8.0	5.7	3	9	200	Complying
	2021	7.8	5.9	3.2	4	195	Non Complying
	2022	7.7	6.2	2.2	8	130	Complying
	2023	7.5	5.9	4.4	8	85	Non Complying
March	2017	7.3	5.7	5.5			Non Complying
	2018	7.9	6.4	2.8	9	20	Complying
	2019	8.2	6.8	2.5	50	550	Complying
	2020	7.1	6.6	3	10	550	Complying
	2021	7.3	5.3	7.6	6	200	Non Complying
	2022	8.2	5.9	2.2	6	115	Complying
	2023	7.9	5.8	3.4	4	95	Non Complying
April	2017	7.6	5.8	5.0			Non Complying
	2018	8.3	5.8	4.6	9	200	Non Complying
	2019	7.6	6.6	2.8	110	1800+	Complying
	2020	7.56	6.5	3			Complying
	2021	7.2	6.2	3.6	7	225	Non Complying
	2022	7.4	6.2	2.2	8	130	Complying
	2023	7	5.9	3.6	6	110	Non Complying
May	2017	8.1	5.6	5.0			Non Complying
	2018	8.34	6.5	2.8	8	225	Complying
	2019	7.82	5.9	2.8	10	550	Complying
	2020						Lockdown
	2021	8	6.4	2.8	9	225	Complying
	2022	7.9	6.1	2.2	7	140	Complying
	2023	7.8	6.2	3	7	115	Complying
June	2017	7.8	5.5	3.5	10	45	Non Complying
	2018	7.8	6.2	3.4	5	195	Non Complying
	2019	7.8	6.8	2.2	130	1800+	Complying
	2020	8.6	6.5	4	4	250	Non Complying
	2021	7.6	6.1	3.4	10	200	Non Complying
	2022	8.2	6	2.4	10	140	Complying
	2023	7.1	6.4	3.2	9	120	Non Complying

July	2017	7.4	6.3	3.4	5	20	Non Complying
	2018	7.4	6.8	2.5	7	200	Complying
	2019	7.4	6.5	2.5	350	1600	Complying
	2020	7.7	6.6	3	2	175	Complying
	2021	7.82	6.4	3.2	12	225	Non Complying
	2022	7.9	5.4	4.4	12	120	Non Complying
	2023	7.8	6.2	3.6	7	170	Non Complying
August	2017	8.1	7.3	4.6	10	200	Non Complying
	2018	7.7	6.8	2.2	9	225	Complying
	2019	7.1	6.2	2.2	550	1800	Complying
	2020	8.1	6.5	3.0	2	150	Complying
	2021	8.26	5.2	6.2	10	200	Non Complying
	2022	7.8	6.3	2.8	9	150	Complying
	2023	8	5.7	4	25	225	Non Complying
September	2017	8.1	7.1	3.2	6	40	Non Complying
	2018	7.8	5.8	4.4	110	900	Non Complying
	2019	7.3	6.8	2.4	10	350	Complying
	2020	7.3	6.4	3.5	2	140	Non Complying
	2021	7.7	6.3	2.8	8	25	Complying
	2022	8.3	5.6	4	8	110	Non Complying
	2023	7.5	5.4	4.8	30	175	Non Complying
October	2017	7.7	6.2	4.6	6	30	Non Complying
	2018	7.9	6.8	2.0	6	40	Complying
	2019	7.6	5.3	10.0	70	900	Non Complying
	2020	7.9	5.9	7.5	2	140	Non Complying
	2021	7.9	6.6	3.4	<1.8	4	Non Complying
	2022	7.4	5.4	4.8	8	115	Non Complying
	2023	7.6	5.8	4.4	13	170	Non Complying
November	2017	8.4	4.9	6.8	225	1600	Non Complying
	2018	7.6	6.6	2.2	7	250	Complying
	2019	7.9	6.6	3.2	20	550	Non Complying
	2020	8.1	6.3	3.2	2	150	Non Complying
	2021	7.3	6.2	2.5	<1.8	350	Complying
	2022	7.4	5.8	4.2	8	115	Non Complying
	2023	7.7	5.7	3.2	20	195	Non Complying
December	2017	7.4	6.6	2.8	4	20	Complying
	2018	7.61	6.9	2.0	7	200	Complying
	2019	8.1	6.2	4	35	350	Non Complying
	2020	7.1	6.3	3.2	2	170	Non Complying
	2021	7.4	6.8	2.2	6	85	Complying
	2022	8	6.3	2.2	8	120	Complying
	2023	7.6	5.3	4.2	17	130	Non Complying

2693 - Pawana River at Chinchwadgaon, Village- Chinchwadgaon, Taluka- Haweli, District- Pune.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.4	5.1	8.5	175	1800	Non Complying
	2018	8.2	4.4	7.2	250	1800	Non Complying
	2019	7.9	0.8	9.0	350	1800+	Non Complying
	2020	7	5.6	8	900	1800	Non Complying
	2021	8.0	5.0	8.2	175	1800	Non Complying
	2022	7.3	5.4	3.6	30	550	Non Complying
	2023	7.3	5.1	6.2	11	350	Non Complying
February	2017	7.4	5.2	10.0			Non Complying
	2018	7.9	5.2	6.5	195	1600	Non Complying
	2019	7.7	1.8	7.0	250	1800+	Non Complying
	2020	7.9	4.6	18.0	900	1800	Non Complying
	2021	7.7	5.1	8.2	195	1800	Non Complying
	2022	7.4	5.2	4.5	12	250	Non Complying
	2023	7.2	4.2	7.9	15	350	Non Complying
March	2017	7.3	3.9	9.0			Non Complying
	2018	8.1	5.3	7.2	200	1800+	Non Complying
	2019	8.6	1.3	11.0	275	1800+	Non Complying
	2020	6.9	5.9	7	900	1800+	Non Complying
	2021	7.1	5.9	3.2	200	1800	Non Complying
	2022	8.4	5.3	5.8	10	225	Non Complying
	2023	8	5	5	45	550	Non Complying
April	2017	7.6	4.5	8.0			Non Complying
	2018	8.2	5.0	7.4	225	1600	Non Complying
	2019	7.4	1.0	9.5	350	1800+	Non Complying
	2020	6.9	6.2	11			Non Complying
	2021	7.1	4.8	12.5	225	1800	Non Complying
	2022	7.5	4.2	14	9	250	Non Complying
	2023	7.4	5.8	4.8	45	550	Non Complying
May	2017	8.3	2.7	12.0			Non Complying
	2018	8.47	5.4	5.8	250	1800+	Non Complying
	2019	7.6	1.6	11.5	550	1800+	Non Complying
	2020						Lockdown
	2021	8.1	4.3	12.5	200	1800	Non Complying
	2022	7.3	4.6	9	11	275	Non Complying
	2023	7.6	5.1	6.5	50	900	Non Complying
June	2017	8.0	3.5	13.0	225	1600.0	Non Complying
	2018	7.8	3.9	15.5	225	1800+	Non Complying
	2019	8.1	2.1	12.5	900	1800+	Non Complying
	2020	8.2	6.1	5	140	1600	Non Complying
	2021	7.8	4.7	13	225	1800	Non Complying
	2022	8	5.9	3.5	10	275	Non Complying
	2023	6.9	5.1	8.6	70	1800	Non Complying

July	2017	7.8	5.4	7.4	200	1600	Non Complying
	2018	7.1	4.4	7.5	225	1800+	Non Complying
	2019	7.4	3.6	6.5	550	1800+	Non Complying
	2020	7.7	5.6	7.0	120	1600	Non Complying
	2021	7.58	4.3	13.5	200	1600	Non Complying
	2022	7.4	5.1	5.4	20	250	Non Complying
	2023	7.7	5.1	7.5	11	430	Non Complying
August	2017	8.0	5.6	11.5	225	1600	Non Complying
	2018	7.5	3.8	4.8	250	1800+	Non Complying
	2019	7	2.3	10.0	550	1800	Non Complying
	2020	7.9	5.4	10.0	200	1800	Non Complying
	2021	7.84	5.1	6.4	195	900	Non Complying
	2022	7.6	5.5	5.2	14	275	Non Complying
	2023	7.8	5.3	5	30	425	Non Complying
September	2017	8.0	4.2	5.2	350	1800	Non Complying
	2018	7.7	4.7	9.4	550	1800+	Non Complying
	2019	7.2	6.5	2.8	550	1800	Complying
	2020	7.6	5.3	9.5	110	1600	Non Complying
	2021	7.2	4.0	13.5	14	275	Non Complying
	2022	8.1	4.9	7.5	25	550	Non Complying
	2023	7.4	4.9	7.2	65	350	Non Complying
October	2017	7.6	5.8	5.6	275	1800+	Non Complying
	2018	8.0	3.1	8.0	250	1800+	Non Complying
	2019	7.6	6.1	5.0	550	1800	Non Complying
	2020	8.0	5.5	9.5	130	1600	Non Complying
	2021	7.6	5.4	8.8	15	350	Non Complying
	2022	7.2	5.2	5.6	10	275	Non Complying
	2023	7.4	5.1	8.5	17	350	Non Complying
November	2017	8.4	4.9	6.8	225	1600	Non Complying
	2018	7.5	1.8	7.5	250	1800+	Non Complying
	2019	7.8	6.1	5.0	900	1800	Non Complying
	2020	7.9	5.8	6.4	140	1600	Non Complying
	2021	7.1	5.6	3.5	12	350	Non Complying
	2022	7.3	5.4	6.2	9	275	Non Complying
	2023	7.3	4.8	8.5	95	900	Non Complying
December	2017	7.9	4.8	9.5	250	1800+	Non Complying
	2018	7.69	1.6	8.8	275	1800+	Non Complying
	2019	8.2	5.8	8	550	1800	Non Complying
	2020	7.2	5.1	8.2	150	1600	Non Complying
	2021	7.3	4.9	7.2	25	900	Non Complying
	2022	7.9	4.9	7.9	14	275	Non Complying
	2023	7	4.5	13	85	425	Non Complying

2694 - Pawana River at Pimprigaon, Village- Pimprigaon, Taluka- Haweli, District- Pune.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.9	1.2	13.0	40	1600	Non Complying
	2018	8.5	3.4	12.0	275	1800	Non Complying
	2019	8.0	0.9	9.0	275	1800+	Non Complying
	2020	7	5.3	10.0	1600	1800	Non Complying
	2021	8.0	5.3	8.5	250	1600	Non Complying
	2022	7.2	4.2	8.5	30	900	Non Complying
	2023	7.1	4.6	14.9	14	425	Non Complying
February	2017	7.5	2.8	11.5			Non Complying
	2018	8.3	4.3	13.0	170	1600	Non Complying
	2019	8.0	1.9	7.2	275	1800+	Non Complying
	2020	7.7	2.9	28.0	900	1800	Non Complying
	2021	7.7	5.2	8.4	275	1600	Non Complying
	2022	7.3	4.6	6.5	15	350	Non Complying
	2023	7.4	3.8	17.9	14	425	Non Complying
March	2017	7.3	2.1	13.5			Non Complying
	2018	8.2	4.6	10.5	225	1800+	Non Complying
	2019	7.8		13.5	275	1800+	Non Complying
	2020	6.7	6.7	6	1600	1800+	Non Complying
	2021	7.1	4.8	8.6	250	1600	Non Complying
	2022	8.2	4.8	9.5	12	250	Non Complying
	2023	7.4	3.9	20	30	900	Non Complying
April	2017	7.7	2.4	12.0			Non Complying
	2018	7.9	4.8	10.4	200	1600	Non Complying
	2019	7.3	0.9	10.5	275	1800+	Non Complying
	2020	7	1.8	23			Non Complying
	2021	7.1	4.4	13.5	225	1800	Non Complying
	2022	7.3	4.6	9.5	10	275	Non Complying
	2023	7	4	20	35	900	Non Complying
May	2017	8	0.6	16.0			Non Complying
	2018	8.55	4.2	13.0	200	1600	Non Complying
	2019	7.59	0.9	14.0	900	1800+	Non Complying
	2020						Lockdown
	2021	7.9	4.5	11.5	225	1800	Non Complying
	2022	7.2	4.7	9.5	14	350	Non Complying
	2023	7.9	3.8	21	55	900	Non Complying
June	2017	8.0	0.9	15.5	250	1800+	Non Complying
	2018	7.6	3.7	16.5	250	1800 +	Non Complying
	2019	7.8	1.1	18.5	1800+	1800+	Non Complying
	2020	8.9	5.4	9	350	1800	Non Complying
	2021	7.7	4.5	14	250	1600	Non Complying
	2022	7.9	5.5	4.8	12	350	Non Complying
	2023	7.1	4.2	16	80	1800	Non Complying

July	2017	7.8	5	10.0	155	1600	Non Complying
	2018	7.0	4.3	8.5	250	1800 +	Non Complying
	2019	7.3	3.2	7.0	900	1800+	Non Complying
	2020	7.9	5.7	7.0	110	1600	Non Complying
	2021	7.17	4.3	13.5	225	1600	Non Complying
	2022	7.3	4.1	15.5	25	275	Non Complying
	2023	7.8	4.9	9	21	540	Non Complying
August	2017	8.0	6.0	8.4	250	1600.0	Non Complying
	2018	7.4	3.5	5.0	275	1800+	Non Complying
	2019	7	2.2	12.5	900	1800	Non Complying
	2020	7.7	5.6	8.5	120	1600	Non Complying
	2021	7.59	4.9	7.4	140	900	Non Complying
	2022	7.5	4.2	14.5	17	350	Non Complying
	2023	7.2	4.6	12	20	550	Non Complying
September	2017	7.5	3.1	8.8	275	1800	Non Complying
	2018	7.6	2.7	11.2	550	1800+	Non Complying
	2019	7.1	5.8	5.6	425	1800	Non Complying
	2020	7.5	4.8	12.0	120	1600	Non Complying
	2021	7.9	4.9	9.5	17	350	Non Complying
	2022	8	4.5	10	17	275	Non Complying
	2023	7.3	4.2	16	140	900	Non Complying
October	2017	7.6	5.3	9.2	350	1800+	Non Complying
	2018	7.9	3.2	8.2	275	1800+	Non Complying
	2019	7.9	6.6	2.8	900	1800	Complying
	2020	8.1	5.7	7.0	250	1800	Non Complying
	2021	7.4	5.1	9.5	17	900	Non Complying
	2022	6.9	4.3	12.5	11	350	Non Complying
	2023	7.2	4	12	140	550	Non Complying
November	2017	8.0	4.1	12.5	225	1600	Non Complying
	2018	7.3	2.1	8.5	225	1800+	Non Complying
	2019	7.6	5.7	6.0	1600	1800	Non Complying
	2020	7.9	5.8	6.6	250	1800	Non Complying
	2021	7.1	4.8	7.5	14	900	Non Complying
	2022	7.3	4.1	13.4	9	275	Non Complying
	2023	7.2	3.4	27	250	1800	Non Complying
December	2017	7.8	4.8	11.5	225	1600	Non Complying
	2018	7.84	1.9	8.0	250	1800+	Non Complying
	2019	8	4.8	17	900	1800	Non Complying
	2020	7.3	5.0	8.5	275	1800	Non Complying
	2021	7.2	5.2	5.6	10	120	Non Complying
	2022	7.4	4.3	15.9	12	350	Non Complying
	2023	7.4	3.2	31	550	1600	Non Complying