

List of Cases to be submitted before 13th Consent Appraisal Committee Meeting of 2014-2015 scheduled on 14.08.2014 at 11:00 a.m. (Booklet No. 28)

Sr. No.	Name & Address	Capital Investment (Cr.)	Applied For	Section	Page No.	Remarks
Resubmission						
1	Mudra Lifestyle Ltd., D-1. MIDC Tarapur, Tal. Palghar, Dist. Thane	376.90	Plain Renewal	Jayant	R - 1 1 - 49	
Fresh						
1	Sahakarmaharshi Bhausaheb Thorat SSK Ltd., S. No. 92, At Amrutnagar, Post Sangamner, Tal. Sangamner, Dist. Ahmednagar	411.88	Establish (Expansion)	Ajit	F- 1 1 - 20	
2	Shree Vaishnav Metal & Power Pvt. Ltd., Gut No. 24, 45(1), 45(2), 46(1), 46(2), 46(3), 47, 48, 49, 50, 51(1), 51(2), 51(3), 52 & 57 at Bhaveghar, Tehsil Wada, Dist. Thane	197.77	Establish (Expansion)	Sandeep	F- 2 1 - 28	
3	Indian Sugar Manufacturing Co. Ltd. (Distillery Unit), (Unit No. II), S. No. 160, A/p. Turk Pimpri, Tal. Barshi, Dist. Solapur	60.53	Establish	Ajit	F- 3 1 - 36	
4	Shree Vaishnav Wire & Rod Pvt. Ltd., Gut No. 154 to 161, 163, 164 & 165, Aban Pada, Vill. Abitghar, Tal. Wada, Dist. Thane	93.00	Establish	Sandeep	F- 4 1 - 28	
5	New Holland Fiat India Pvt. Ltd., Plot No. A1/1, Phase II, MIDC Chakan Industrial Area, Village Shinde, Tal. Khed, Dist. Pune	550.00	Establish	Sandeep	F- 5 1 - 34	
6	Finolex Cables Ltd. (Urse Cable Div.), Gat No. 381, 342, Village Urse, Tal. Maval, Dist. Pune	412.65	1st Operate (Expansion)	Sandeep	F- 6 1 - 21	
7	Vitthal Corporation Ltd. (Textile Division), Post Mhaisgaon. Tal. Madha, Dist. Solapur	107.62 (Total C.I. 204.47)	1st Operate	Ajit	F- 7 1 - 39	
8	Vitthal Corporation Ltd. (IMFL Division), Post Mhaisgaon. Tal. Madha, Dist. Solapur	96.85	1st Operate	Ajit	F- 8 1 - 31	
9	Tarapur Atomic Power Station, Unit No. 3 & 4, Nuclear Power corporation of India Ltd., Revenue survey No. 11, 12, 13, Vill. Akkarpatti, Tal. Palghar, Dist. Thane	5699.40	Renewal	Jayant	F - 9 1 - 18	
10	Western Coal Fields Ltd., Ghuggus Opencast Project, At Ghuggus, Tal. & Dist. Chandrapur	152.19	Renewal (increase in C.I.)	Sandeep	F- 10 1 - 39	
11	Siyaram Silk Mills Ltd., Plot No. E-125, MIDC Tarapur	88.12	Renewal (increase in C.I.)	Jayant	F - 11 1 - 25	
12	Magneti Marelli Motherson Auto System Ltd., Gat No. 148 to 150, Village Ambethan, Talua Khed, Pune	115.03	Renewal (increase in C.I.)	Sandeep	F- 12 1 - 37	

13	Mungoli Open Cast Mine, Western Coalfields Ltd., Wani Area, At PO Sakhra, Tal. Wani, Dist. Yavatmal	110.81	Renewal (increase in C.I.)	Sandeep	F- 13 1 - 27	
14	Bombay Rayon Fashions Ltd., Plot No. G-95, MIDC Tarapur, Dist. Thane	263.80	Plain Renewal	Jayant	F - 14 1 - 29	
15	ISTA Hotel (A unit of IHHR Hospitality Pvt. Ltd.) S. No. 206, A/1, 206B, 206C, 206D, 206E, 217/2, Plot No. 88, Sub Plot No. 04, Pune-Nagar Road, Pune	204.28	Renewal	Ujwala	F - 15 1 - 28	
16	Jayaswal Neco Industries Ltd.-ACD, 29/8, Mile Stone, Mouza Ruikhari, Dist. Nagpur	177.16	Renewal (increase in C.I.)	Sandeep	F - 16 1 - 32	
17	Bombay Rayon Fashions Ltd., Plot No. C-6, C-7, MIDC Tarapur, Dist. Thane	791.39	Renewal	Jayant	F- 17 1-39	
18	Majalgaon SSK Ltd., Sundarnagar, Telgaon, Tal Majalgaon, Dist Beed	28.41	Renewal	Ajit	F- 18 1-15	

Review Item

1	Frigorifico Allana Ltd., G. No. 74 to 88, Vill. Georai, Palthan Road, Aurangabad	Proposal of approval for disposal of treated effluent to CETP		Ajit	RI-1 1 - 13	
---	--	---	--	------	----------------	--

Abstract

Name	No. of Proposals
Sandeep	8
Ajit	6
Ujwala	1
Jayant	5
Poonam	0
Total	20

Fresh							
Region : Thane		Section : CAC Cell		Date			
IIN no. SRO tarapur I/I/R/L/69407000				CAC Tag		Y	
Name & Address	M/s. Bombay Rayon Fashions Limited, Plot No.C6 & C7, MIDC,Tarapur, Tal - Palghar, Dist - Thane 401 506						
Industry Type	Yarn / textile processing						
Industry Category	R 84						
Project details	Renewal of consent to operate						
Consent applied for	Renewal of consent to operate		Applicati on date:	03.03.20 14	Date of receipt at CAC cell	12.05.2014	
	Capital Investment in Rs.			products & by-products name		Max qty	
	*Existing	Proposed	Total				
	791.39		791.39	1	Processed Fabrics (Including Yarn	9 Million Meter/M	
			2	Captive Power	8 MW		
Applicability of	CRZ Clearanc e	RRZ	Industrial location policy	Eco- sensitive	Moratoriu m	EC	Directions of MoEF for western ghats
	N	N	N	N	N	Y	N
	Creek/Se a 7 Km	River Surya 8 Km (class of river not mentione d)					EC Obtained for 8 MW CPP unit . EC Number is SEAC- 2010/CR. 206/TC2 dated 29th January, 2010
*Existing consent details	Sr. no.	Consent no.		Consent granted date	Validity	Capital Investment in Crs	

(Previous)	1	BO/JDWPC/EIC TN 4160-13/R/CAC-8033	26.09.2013	31.01.2014	791.39
Existing Production qty (Products & By-Products)	Cto O:- Processed Fabrics (Including Yarn Dyeing printing, finishing):- 9000000 Million Meter/M Captive Power Generation using imported Coal (Electricity):- 8 MW				
Compliance of Water Pollution Related Conditions					
Details of water consumption as applied :	Sr. No.	Purpose			Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler			3669
	2	Domestic purpose			391
	3	Processing whereby water gets polluted &			6490
	4	Processing whereby water gets polluted &			Nil
	5	Gardening			100
	Whether any deviation in		N	Remarks:	
Details of effluent generation as	1. Trade Effluent- 3274		3. Disposal Detail - 833 CMD recycled and		
	2. Treatment Steps: Textile		4. Adequate land available: NA		
	5. Domestic Effluent - 85 CMD		7. Disposal Detail - On land for gardening		
	6. Treatment Steps: Septic		8. Adequate land available: Yes 6.85 Acres		
	Whether any deviation in		Y	Remarks: Deviation in quantity	
Compliance of existing unit in case applied for expansion C to E/ O/R	Not-complied,				
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	No:- Tarapur Environment Protection Society CETP Design capacity 25 MLD	b) Performance of CETP	June 2013 to May 2014 pH:- 7.02 COD:-552.29 mg/lit BOD:- 219.68 mg/lit	

Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
	1	JVS Statement of JVS results enclosed.During April 2013 to April			

Compliance of Air Pollution Related Conditions

Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Boiler	1	Imported Coal	30 MT / day	48	Cyclone separator, Bag filter,
	2	Boiler	1	Imported Coal	204 MT / day	68	ESP
	3	D.G . Set	1	HSD	200 Ltr / day	8 Mtr above roof	Acoustic Enclosure
	Whether any deviation in fuel				Y	Remarks: 04 t/day	

Compliance of existing unit in case applied for expansion C to E/ O/R	Complied as per visit report of Field Officer dated 02.04.2014.						
---	---	--	--	--	--	--	--

Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
	1	21.03.2014		Y	Y (CPP boiler)
	2	21.03.2014		Y	N (TPM -681 mg/m3 of low pressure boiler)

Compliance of Haz. Waste Condition

Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	ETP Sludge	34.3	6 Tons / Month	Nil	CHWTS DF	
Whether any deviation in Hz waste					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Cardboard Waste	1.5 MT/ Month	Nil	Sale to Authorized Party		
	2	Fabric Waste	1.2 MT/ Month		Sale to Authorized Party		
	3	Fly Ash	14 MT / Day		Sale to Authorized		
Whether any deviation in Non-Hz				Y	Remarks: Cardboard		
Water Cess	Returns filed upto:	Nov-13			Paid Upto:		
Directions issued (if any)	Proposed direction issued vide letter no MPCB/AST/TS-PD/B-486 dated 28.10.2013.						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	Rs. 5.0 Lakhs	20.5.2014	Towards achieving 50% recycle within 1 year				
	Rs. 5.0 Lakhs	30.4.2013	Towards O& M of pollution control system				
Details of BG forfeited/enchased for non compliance, if any:	Yes, as per proposed direction dated 28.10.2013, the existing BG of Rs. 5 lakhs is being forfeited and directed to submit the fresh BG of Rs. 25 lakhs towards compliance of O&M of pollution control system. (PD copy enclosed). SRO submitted the compliance report vide email dated 08.08.2014 (copy enclosed)						
Submission of Environmental Statement	Y	Year	2013-14				

Detail of Fee paid	Amount:	Rs. 15,82,88 0/-	Terms:	one term	
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks :			
Recommendation	SRO: Industry has not provided flow meter at final disposal point of treated				
	RO: 1) Existing industry engaged in manufacturing of processed fabrics				

Fresh CAC Item –							
Region : Thane		Section : CAC Cell		Date		01.04.2014.	
IIN no. SRO Tarapur I/I/R/L/68942000						CAC Tag Y	
Name & Address	M/s. Bobmbay Rayon Fashions Ltd., Plot No. G-95, MIDC Tarapur, Dist. Thane						
Industry Type	Textile						
Industry Category	Red [R 84 Yarn / textile processing involving any effluent / emission.]						
Project details	Plain Renewal of existing Consent.						
Consent applied for	Renewal			Application date:	04.09.2013	Date of receipt at CAC cell	07.12.2013.
	Capital Investment in Rs.			products & by-products name		Max qty	
	*Existing	Proposed	Total				
	Rs. 263.80	Nil	Rs. 263.80	1	Fabrics (Only warping, sizing & weaving)	5 Million Meters/M	
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N	N	N	N	N	N
*Existing consent details (Previous)	Consent no.			Consent granted date	Validity	Capital Investment in Crs	
	C to O	BO/JD (WPC)/R/RO NG EIC /O/CC-CAC-438		07.06.2012	31.05.2013.	Rs. 263.80	
Existing Production qty (Products & By-Products)	As per C to O: Fabrics:- 5.0 Million Meters/M (Only warping, sizing & weaving activity)						
Compliance of Water Pollution Related Conditions							

Details of water consumption as applied :	Purpose		Water consumption in CMD				
	1	Industrial Cooling, spraying in mine pits or boiler	400				
	2	Domestic purpose	100				
	3	Processing whereby water gets polluted &	250				
	4	Processing whereby water gets polluted &	Nil				
Whether any deviation in		N	Remarks: NA				
Details of effluent generation as	1. Trade Effluent- 230.0 CMD		3. Disposal Detail - Recycled 100% to				
	2. Treatment Steps: Primary,		4. Adequate land available:- NA.				
	5. Domestic Effluent - 75.0		7. Disposal Detail - On land for				
	6. Treatment Steps: STP		8. Adequate land available:- Yes 7.5				
	Whether any deviation in		N	Remarks: NA.			
Compliance of existing unit in case applied for expansion C to E/ O/R	No						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	No, Tarapur Environment Protection Society CETP Design capacity 25 MLD	b) Performance of CETP	June 2013 to May 2014 pH:- 7.02 COD:-552.29 mg/lit BOD:- 219.68 mg/lit			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	Zero discharge hence results are not submitted.						
Compliance of Air Pollution Related Conditions							
Details of fuel consum	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail

ption and APC system as applied :-	1	Boiler (8 TPH)	1	Coal	2 MT/hr.	20 mtr.	Multicycl one dust collector
	2	DG of 1500 KVA	2	HSD	300 Ltrs./hr.	8.0 mtr.	---
	Whether any deviation in fuel				Y	Remarks: As per	

Complia nce of existing unit in case applied for expansio n C to E/ O/R	N As per the data base prepraed stack height shown 35 mtrs which is adequate but as per the Consent application stack height shown 20 mtrs. which is inadequate by 14 mtrs., as per the fuel consumption .						
--	--	--	--	--	--	--	--

Existing JVS results Air (Stack)	Sr.no.	Date of Visit	Board official's name:	Whether sample collecte d or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	Sample not collected . Zero discharge industry						

Compliance of Haz. Waste Condition

Complia nce of Haz. Waste Conditio n	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatmen t	Disposal	Submissi on of Annual return (FROM- IV)
	1	Textile Chemical residue	24.1	100 MT/M	---	CHWTS DF	Y
	Whether any deviation in Hz waste				N	Remarks: NA.	

Compliance of Non-Haz. Waste

Complia nce of Non-Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatmen t	Disposal
	1	Card Board Waste	2.5 MT/M		BY SALE
	2	FABRIC WASTE	2.0 MT/M		BY SALE
Whether any deviation in Non-Hz				N	Remarks: NA.

Water Cess	Returns filed upto:	Oct. 2013	Paid Upto:	Not submitte d details
---------------	---------------------	-----------	---------------	------------------------------

Directions issued (if any)	Proposed Directions issued vide no. 5160 dtd. 11/11/2013 on the basis of special survey & monitoring at Tarapur & Palghar area of Thane Region.			
BG Details	Amount validity	Validity	BG obtained towards compliance of	
	Rs. 5.0 Lacs	19.07.2014	a) consent condition To comply with the zero discharge.	b) directions NO
Details of BG forfeited/enchased for non compliance, if any:	No			
Submission of Environmental Statement	Y	Year	2012-2013.	
Detail of Fee paid	Amount:	Rs. 15,83,100/-	Terms:	3 Terms.
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:		

Fresh CAC Item –							
Region : Pune		Section : CAC		Date	08.08.2014		
IIN no. 95905000				CAC Tag	Y		
Name & Address	Finolex Cables Ltd. (Urse Cable Div) Gat No. 381, 342, Village Urse, Tal. Maval, Dist. Pune						
Industry Type	G-79						
Industry Category	Solar Power Generation						
Project details	Consent to 1st Operate for Expansion						
Consent applied for	Consent to 1st Operate for Expansion		Application date:	19.04.2014	Date of receipt at CAC cell	18.06.2014	
	Capital Investment in Rs.		products & by-products name		Max qty		
	*Existing	Proposed	Total	1	Solar Power	5 MW	
	374.15	38.5	412.65				
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	Y	N	N	N	N	N
		A-II, 2.10 Kms, Pawana River (Ambiguity in river distance)					
*Existing consent details (Previous)	Consent no.		Consent granted date	Validity	Capital Investment in Crs		
	C to O	CAC-318	22.02.2012	30.09.2013	136.57		
	C to O	CC-483	06.10.2012	31.10.2013	19		
	C to O	CC-613	06.11.2012	30.09.2013	83.91		
	C to O	Pune/383	05.08.2011	30.09.2013	25.89		
	C to O	CC-868	01.03.2013	31.12.2018	108.78		
Existing Production qty (Products & By-Products)	C to O: Electrical and communication cable-3000.00 MT/M Co-axial cable-300.00 MT/M PVC compound-2400.00 MT/M Pawana River Control Cable-1000.00 KM/Month						
Compliance of Water Pollution Related Conditions							
Details of water consumption as		Purpose				Water consumption in CMD	

applied :	1	Industrial Cooling, spraying in mine pits or boiler feed			1.8		
	2	Domestic purpose			0.5		
	3	Processing whereby water gets polluted & pollutants are					
	4	Processing whereby water gets polluted & pollutants are					
	Whether any deviation in water		Y	Remarks: Due to proposed expansion			
Details of effluent generation as applied :	1. Trade Effluent- Nil		3. Disposal Detail - NA				
	2. Treatment Steps: NA		4. Adequate land available: NA				
	5. Domestic Effluent - 0.40		7. Disposal Detail - On land for gardening				
	6. Treatment Steps: Septic		8. Adequate land available: 32.63 Acres				
	Whether any deviation in		Y	Remarks: Due to proposed expansion			
Compliance of existing unit in case applied for expansion C to E/ O/R	N (Industry had applied for C to E for the said activity in Oct 2013. However same is not granted till date)						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N	b) Performance of CETP	NA			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter)		
	1	25.04.2014	S.J. Shinde	N	NA		
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	Nil						
	Whether any deviation in fuel				N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/ O/R	N (Industry had applied for C to E for the said activity in Oct 2013. However same is not granted till date)						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter)		
	1	25.04.2014	S.J. Shinde	N	NA		
Compliance of Haz. Waste Condition							

Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Nil					
Whether any deviation in Hz waste					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Nil					
Whether any deviation in Non-Hz waste				N	Remarks:		
Water Cess	Returns filed upto:		Feb-2013 of Existing unit		Paid Upto:	Sept-2012 of existing unit	
Directions issued (if any)	N						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	Nil		-----				
Details of BG forfeited/ encashed for non compliance, if any:	N						
Submission of Environmental Statement	Y	Year	2012-2013				
Detail of Fee paid	Amount:	Rs. 75100/-	Terms:	One			
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	C to E is not issued to the industry. SRO reported that the installation work of plant is completed				
Recommendation of SRO/RO	SRO: Remark of FO may please be seen, application for consent to operate for Solar Power Generation of 5 MW capacity by the help with						

Fresh CAC Item –								
Region : Raigad		Section : CAC Cell			Date		12.08.2014.	
IIN no. SRO Raigad I/I/R/L/88248000					CAC Tag		Y	
Name & Address	M/S. Frigorifico Allana Limited, Village : Sarsan, Old Pan - Khonoli Road, Khonoli							
Industry Type	Agro Base							
Industry Category	RED [R -83 Solvent extraction]							
Project details	Existing project							
Consent applied for	Renewal of Consent with increase CI & expansion.			Application date:	28.03.2014	Date of receipt at CAC cell	04.06.2014.	
	Capital Investment in Rs.			products & by-products name		Max qty		
	*Existing	Proposed	Total					
	Rs. 199/-	Rs. 25.97/-	Rs. 224.97/-	Palmolein		30000 MT/M		
				Refined Sunflower Oil		4500 MT/M		
				Refined Soyabean Oil		4500 MT/M		
				Vanaspati		6000 MT/M		
Margarine & Shortening				6000 MT/M				
Spaicality Fats Based on Plam Kernel Oil		3000 MT/M						
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats	
	N	Y River Patalganga - A-II Class - 0.5 Km.	N	N	N	N	N	
*Existing consent details (Previous)	Consent no.			Consent granted date	Validity	Capital Investment in Crs		
	C to O	BO/JDWPC/EIC-RD-2548-13/O1st/CAC-5466		27.06.2013	31.03.2014	Rs. 199.0/-		
Existing Production qty (Products & By-Products)	1) Palmolein - 9000 MT/M; 2) Refined Sunflower Oil - 4500 MT/M; 3) Refined Soyabean Oil - 4500 MT/M; 4) Vanaspati - 6000 MT/M; 5) Margarine & Shortening - 6000 MT/M; 6) Spaicality Fats Based on Plam Kernel Oil - 3000 MT/M.							
Compliance of Water Pollution Related Conditions								

Details of water consumption as applied :	Purpose		Water consumption in CMD				
	1	Industrial Cooling, spraying in mine pits or boiler feed	515				
	2	Domestic purpose	20				
	3	Processing whereby water gets polluted & pollutants are	80				
	4	Processing whereby water gets polluted & pollutants are	Nil				
Whether any deviation in water		N	Remarks: NA.				
Details of effluent generation as applied :	1. Trade Effluent- 50 CMD.		3. Disposal Detail - 100 % recycle.				
	2. Treatment Steps: Primary,		4. Adequate land available:- NA as zero discharge				
	5. Domestic Effluent - 20 CMD		7. Disposal Detail - On land for gardening.				
	6. Treatment Steps: STP		8. Adequate land available:- Y. Total 10 acres				
	Whether any deviation in		N	Remarks: NA.			
Compliance of existing unit in case applied for expansion C to E/ O/R							
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	NA	b) Performance of CETP	NA			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	Results are not submitted.						
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Boiler (25 TPH)	1	Coal	120 T/D	45	Cyclon, Bag filters provided.
	2	Thermosyphon Heater (3 nos.)	1	FO / HSD	17.53 KL/D	35	
	5	DG set of 750 KVA	1	---	---	4.5	
	6	DG set of 200 KVA	1	---	---	4.5	
Whether any deviation in fuel				Y	Remarks: As per previous		

Compliance of existing unit in case applied for expansion C to E/ O/R					
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
Results not submitted.					

Compliance of Haz. Waste Condition

Compliance of Haz. Waste Condition.	Sr. no.	Type Of Waste	Categor y	Quantity & UoM	Treatme nt	Disposal	Submission of Annual return (FROM-IV)
	1	Spent Catalyst	34.3	360 MT/M	---	To authorized reprocessor.	Y
	2	Chemical Sludge from waste water treatment	34.3	25 MT/M	---	MWML	
	3	Spent Oil	5.1	2 MT/A	---	Sale to authorized party	
Whether any deviation in Hz waste					N	Remarks: NA	

Compliance of Non-Haz. Waste

Details of compliance of non-hazardous waste.	Sr. no.	Type Of Waste	Quantity & UoM	Treatme nt	Disposal	
Nil						
Whether any deviation in Non-Hz waste				N	Remarks: NA	

Water Cess	Returns filed upto:	Feb-14	Paid Upto:	Feb-14
------------	---------------------	--------	------------	--------

Directions issued (if any)	NO
----------------------------	-----------

BG Details	Amount validity	Validity	BG obtained towards compliance of	
			a) consent condition	b) directions
	Rs. 5.0 Lakh	31.07.2014	Towards O & M of ETP & APC devices so as to achieve the	

Details of BG forfeited/ encashed for non compliance, if any:	NA
---	-----------

Submission of Environmental Statement	---	Year	Details not submitted.	
Detail of Fee paid	Amount:	Rs.- 398000/- Rs.- 398000/- Rs.- 398000/- Rs.- 150000/- Rs. 155871/-	Terms:	Three Terms
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	NA	
Recommendation of SRO/RO	SRO:- Consent may be considered for plain renewal for existing products only. As the unit is located about 400 to 500 mtrs. from Patalganga River of			
Other Relevant Information	There is increase in CI by Rs. 25. 97 Cr. Industry has submitted justification for increase in CI as - CI is increased due to modernization of plant, machinery & construction of roads inside the plant.			

Report of Molasses base Distillery Cases in respect of Consent to Establish.

Sr. No.	Name of Distillery	Capacity of Distillery	Type of Distillery (Batch/Continuous)	Technology in case of continuous (for e.g. cascade or biostilln)	Total spent wash generation	Technology adopted for volume reduction in spentwash (for e.g. reboiler/reverse osmosis)	If Yes, then quantity of spent wash after volume reduction	Treatment & Disposal provided				Whether 30 days storage tank as per CREP provided Y/N	Details of fuel consumption stackwise (If stack is common for more than one boiler then please mention the combined fuel for that stack)	APC for independent boiler ESP/Bag Filters/Wet Scrubber	H2S Scrubber provided in case of gaseous fuel Y/N	JVS results of effluent meeting the standards Y/N	JVS results of stack meeting the standards Y/N	Non Compliance as per BG regime.
								Bio-digester (If spent wash is treated in biodigester and then disposed through part composting and part MEE. Provide bifurcation of quantity of spent wash disposed through composting and MEE/Incineration separately)	Followed by composting	If yes, then compost area								
1	M/s.Indian Sugar Manufacturing Co. Ltd., (Distillery Unit), (Unit No. II), S. No. 160, A/p - Turk Pimpri, Tal. Barshi, Dist. Solapur.	60	continuous	casecade	600	MEE Proposed	180	Bio-digester followed by MEE followed by Incineration Boiler to achieve zero discharge.	NA	NA	MEE / Incinerator Proposed	Proposed	Coal 2.5 MT/Hr & Conc. Spent wash - 7.8 MT/Hr. for incineration Boiler	ESP Proposed.	Proposed Unit	NA	NA	NA

Remarks	<p>Industry has applied for grant of Consent to Establish for the product Ethanol. Full fills the citing criteria of RRZ as per the processing report of SRO Solapur Sina River A-II class is about 3.0 Km but industry has submitted the distance certificate from EE, PWD department, Solapur for the distance of Sina River is 5.50 Km. Not comes under the Western Ghat area.</p> <p>Regional Officer Pune had issued letter regarding non submission of details of treatment of spent wash generation from the industry vide dtd. 21.02.2014. But industry has failed to submit the same.</p>
Resubmis	<p>Application of the industry was discussed in the CAC meeting held on 12.05.2014, during meeting it was decided to issue SCN for refusal of Consent to Establish as industry has not submitted reply of letter issued by RO-Pune and non-submission of details of treatment of spent wash.</p> <p>But SCN was not issued as RO Pune vide letter dtd. 16.05.2014 submitted reply of the industry alongwith details of the treatment of spent wash.</p> <p>By considering the reply of the industry we may consider the case for grant of Consent to Establish with a condition of EC & BG of Rs. 10 lacs for compliance of EC & C to E conditions.</p>
Resubmis	<p>Application of the industry was discussed in the CAC meeting held on 23.07.2014, during meeting it was decided to keep the case in abeyance & inform industry to submit river distance certificate in Board's prescribed format as per RRZ policy alongwith map within one month, thereafter revert to CAC.</p> <p>Now industry has submitted the River Distance certificate alongwith map vide e-mail dtd. 04.08.2014 (Photo copy of the same is enclosed).</p> <p>In view of above we may consider the case for grant of Consent to Establish with a condition of EC & BG of Rs. 10 lacs for compliance of EC & C to E conditions & a condition that - This Consent is issued on the basis of distance certificate issued by Executive Engineer, Irrigation Department Solapur, vide letter 4139 dtd. 30.07.2014 as per the RRZ Policy July 2009, stating that the distance from operational area to average HFL of River Sina A-II class is 5.50 Km.</p>

Fresh CAC Item –							
Region: Pune		Section : CAC Cell		Date			
IIN no. SRO Pune I//R/L/84983000					CAC Tag N		
Name & Address	ISTA Hotel (A unit of IHHR Hospitality Pvt. Ltd.),S. No. 206, A/1, 206B, 206C, 206D, 206E, 217/2, Plot No. 88, Sub-plot No. 04, Pune, Nagar						
Industry Type	Hotels (3 Star & above) and Hotels having 100 rooms and above						
Industry Category	Red 29						
Project details	Existing project						
Consent applied for	Renewal of C to O			Application date:	14.5.2014	Date of receipt at CAC cell	17.7.2014
	Capital Investment in Rs.			products & by-products name			Max qty
	*Existing	Proposed	Total				
	204.28		204.28	Hotel activity, with swimming pool & laundry activity on total			209 rooms
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N	N	N	N	Y	N
						EC already obtained on 24.7.2007 for hotel & mall project on total plot area of 25168.26 sq.m. & BUA as 32668.57 sq.m. This is a renewal case.	
*Existing consent details (Previous)	Consent no.			Consent granted date	Validity	Capital Investment in Crs	
	C To O	Format 1.0/BO/ROHQ/EIC-PN-		23.7.2013	31.5.2014	204.28	

Existing Production qty (Products & By-Products)	C To O : Hotel activity with swimming pool & Laundry activity on total plot area of 8251.77 sq.m. & total BUA of 12809.43 sq.m.						
Compliance of Water Pollution Related Conditions							
Details of water consumption as applied :		Purpose					Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed					15
	2	Domestic purpose					330
	3	Processing whereby water gets polluted & pollutants are					0
	4	Processing whereby water gets polluted & pollutants are					Nil
Whether any deviation in water		Y		Remarks: total water consumption			
Details of effluent generation as applied :	1. Trade Effluent- 5 CMD		3. Disposal Detail - Mixed with sewage for				
	2. Treatment Steps: NA		4. Adequate land available :- NA				
	5. Domestic Effluent -250		7. Disposal Detail - treated effluent is				
	6. Treatment Steps:		8. Adequate land available : 40000 sq.ft.				
Whether any deviation in		Y		Remarks: total effluent generation			
Compliance of existing unit in case applied for expansion C to E/ O/R	NA						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	NA	b) Performance of CETP	Satisfactory/ Not Satisfactory			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	1	23.7.2013	Jagannath Salunkhe	Y	Y		
	2	21.11.2013	FO Jayant Doke	Y	N (BOD exceeding by 48 mg/lit)		
	3	1.7.2014	FO Sandeep shinde	Y	Results awaited		
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height	APC system Detail
	1	DG set (1250 KVA) 2 Nos.	2	HSD	150 Ltr/day	5.5	Acoustic enclosure
	2	Boiler (2 nos)	1	HSD	400 Ltr/day	32	
	Whether any deviation in fuel				Y		Remarks: Boiler is

Compliance of existing unit in case applied for expansion C to E/ O/R	NA						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding	
	1				NA		
Compliance of Haz. Waste Condition							
Details of hazardous waste generated as applied	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	Nil						
Whether any deviation in Hz waste generation and its disposal, observed					NA	Remarks:	
Compliance of Non-Haz. Waste							
Details of non-hz waste generated as applied	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Kitchen waste	100Kg/Day	OWC	Used as manure		
	2	STP Suldge	25 kg/M		Used as manure		
Whether any deviation in Non-Hz waste generation and its disposal, observed				N	Remarks:		
Water Cess	Returns filed upto:	Not reported			Paid Upto:	Not reported	
Directions issued (if any)	RO-pune issued PD on 26.7.2013 (details in other relevant information)						
BG Details	Amount	Validity	NA				
			a) consent condition		b) directions		
	Rs. 5 lakh	not mentioned	O & m of pollution control system		-----		
Details of BG forfeited/ encashed for non compliance, if any:	NA						
Submission of Environmental Statement	Y	Year	2012-13				
Detail of Fee paid	Amount:	1225701 (now paid 1123560 + previous			Terms:	3 years	

In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:					
Recommendation of SRO/RO	SRO-Pune-I RO, Pune has issued proposed direction to the industry. Industry has provided ozonisation plant for treatment of sewage						

		Existing unit distance not mentioned by SRO				-	
*Existing consent details (Previous)		Consent no.		Consent granted date	Validity	Capital Investment in Crs	
	CtoO	BO/JD(APC)EIC No. EIC No. NG-8405-13/R/CAC-5887		10.07.2013	30.04.2014	168.79	
Existing Production qty (Products & By-Products)	Cast articals of Iron or Steel:- 41000 MT/Annum						
Compliance of Water Pollution Related Conditions							
Details of water consumption as applied :	Sr. No.	Purpose				Water consumption in CMD	
	1	Industrial Cooling, spraying in mine pits or boiler feed				7.5	
	2	Domestic purpose				25	
	3	Processing whereby water gets polluted & pollutants are easily biodegradable				5	
	4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic				Nil	
	5	Garden				6	
Whether any deviation in water		N		Remarks:			

	consumption observed compared to previous consent		
Details of effluent generation as applied :	1. Trade Effluent- Nil	3. Disposal Detail - NA	
	2. Treatment Steps: Primary treatment	4. Adequate land available: Effluent from scrubber 5 CMD is 100% recycle/reused	
	5. Domestic Effluent - 20 CMD	7. Disposal Detail - On land for gardening	
	6. Treatment Steps: STP provided which consist of primary and secondary treatment	8. Adequate land available: Industry has adequate land for disposal of D.E. (36.6 acres)	
	Whether any deviation in effluent generation observed compared to previous consent	N	Remarks: In previous consent trade effluent shown was 5 CMD now SRO reported that the same is 100% recycled Reused in process
Compliance of existing unit in case applied for expansion C to E/ O/R	NA		

In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load		NA		b) Performance of CETP		NA	
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	STP outlet							
	1	06.04.2013			Y	Y		
	2	01.10.2013			Y	Y		
Compliance of Air Pollution Related Conditions								
Details of fuel consumption and APC system as	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail	

applied :-

1	Cupola Furnace1 (Shed-I)	1	Coke	12 TPD	33 m	Wet Scrubber
2	Cupola Furnace 2 (Shed-I)	1	Coke	12 TPD	33 m	Wet Scrubber
3	Cupola Furnace1 (Shed-II)	1	Coke	12 TPD	33 m	Wet Scrubber
4	Cupola Furnace 2 (Shed-II)	1	Coke	12 TPD	33 m	Wet Scrubber
5	Induction Furnace Shed -I	1	Electricity	NA	12 m	Wet Scrubber
6	Induction Furnace Shed -II	1	Electricity	NA	12 m	Wet Scrubber
7	Shot Blast (2 Nos)	2	---	NA	9 m each	Bag Filter
8	Tar Dipping Tank	1	---		20 mtr	Wet Scrubber

	9	DG set (1 x 1000 KVA)	1	HSD	100 lph	7 m	NA
	Whether any deviation in fuel consumption and APC system observed compared to previous consent				N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/O/R	Y						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y/N/NA)	Whether results are confirming to standards or not:(Y/N/NA) (exceeding parameter with value)		
	1	05.04.20113	AAQM	Y	Enclosed (Exceeding RSPM 180 to 509 as against 100)		
	2	06.04.2013	Stack	Y	Enclosed (Exceeding SPM 182 as against 150)		
Compliance of Haz. Waste Condition							

Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Flue Gas cleaning residue	34.1	30 kg/M		CHWTSDF	
Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Slag	100MT/M		Sale to Brick manufacturing		
	2	Waste Sand	75 T/M		Landfill		
Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent				Y	Remarks: NHW was not shown in previous consent		
Water Cess	Returns filed upto:		Apr-14		Paid Upto:	Feb-13	
Directions issued (if any)	N						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition			b) directions	
	5 Lacks	30/4/2014	Compliance of consent conditions				

	2 lacs	31/8/2014	No grinding activity shall be carried out at the present location without proper shed and adequate APC system			
	2 lacs	31/8/2014	Towards O&M of pollution control system so as to achieve consented standards			
Details of BG forfeited/ enchased for non compliance, if any:	N					
Submission of Environmental Statement	Y	Year	2012-2013			
Detail of Fee paid	Amount:	Rs. 3,54,435/-	Terms:	One term		

In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks	
Recommendation of SRO/RO	SRO:- Case is kept before CAC cell for further orders please.		

2	M/s. Majalg aon Sahka ri Sakha r Karkh ana Ltd; Sunda rnagar , Telga on, Tq. Majalg aon, Dist: Beed	45 KLP D	continuou s	Casc ade	450	Bio- Digestor	450	Biodiges tor followed by Bio- Compost ing	Y	08 Acre s	N	Yes	Stea m taken from Suga r unit.	NA	N	Not sub mitt ed	D4 B; D5
Remarks	Industry has applied for grant of Renewal of Consent. Previous Consent was valid up to 31.07.2013. Then industry has applied for te Renewal same application was processed & submitted to HQ. Further application was not tracable hence photocopy was called from SRO. In view of above we may considere the case for grant of Renewal of Consent for a period up to 31.08.2014 as per sectoral instade of 31.07.2015, by imposing new BG regime prepared for the Distilleries.																	

Fresh CAC Item –							
Region : Pune		Section : CAC Cell			Date		08.08.2014
IIN no. 66744000					CAC Tag	Y	
Name & Address	MAGNETI MARELLI MOTHERSON Gat No. 148 to 150 , Taluka Khead, Pune 410 501, Maharashtra, India.			Auto System Village	Limited, Ambethan,		
Industry Type	R-36						
Industry Category	Metal Surface Treatment						
Project details	Renewal of consent with increase in Capital Investment						
Consent applied for	Renewal of consent with increase in Capital Investment			Application date:	03.04.2014	Date of receipt at CAC cell	10.06.2014
	Capital Investment in Rs. (Cr.)			products & by-products name			Max qty
	*Existing	Proposed	Total				
	86.69	28.34	115.03	1	Head Lamp LH & RH	40,000 Sets / Month	
				2	Tail Lamp LH & RH	54,000 Sets / Month	
				3	Break Pedal Assembly	35,000 Nos. / Month	
			4	Air Intake Manifold	35,000 Nos. / Month		
			5	Centered High Mounted Stop Lamp	35,000 Nos. / Month		

Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats	
	N	N	N	N	N	N	N	
		A-II, 3 Kms, Indrayani River						
*Existing consent details (Previous)		Consent no.			Consent granted date	Validity	Capital Investment in Crs	
	C to O	BOJD(APC)/EIC No. PN-14154-12/O-CC-733			10.12.2013	31.05.2014	86.69	
Existing Production qty (Products & By-Products)	C to O: 1) Head Lamp LH & RH 40,000 Sets / Month 2) Tail Lamp LH & RH 54,000 Sets / Month 3) Break Pedal Assembly 35,000 Sets / Month 4) Air Intake Manifold 35,000 Sets / Month 5) Centered High Mounted Stop Lamp 35,000 Sets / Month							
Compliance of Water Pollution Related Conditions								
Details of water consumption as applied :		Purpose					Water consumption in CMD	
	1	Industrial Cooling, spraying in mine pits or boiler feed					69	
	2	Domestic purpose					37.5	
	3	Processing whereby water gets polluted & pollutants are easily biodegradable					44	
	4	Gardening					18	
		Whether any deviation in water consumption observed compared to previous consent			Y	Remarks: Decrease in water consumption		
Details of effluent generation as applied :	1. Trade Effluent- 24 CMD			3. Disposal Detail - Reuse & on land for gardening				
	2. Treatment Steps: Primary, Secondary & Tertiary			4. Adequate land available: 2.47 acres seems adequate				
	5. Domestic Effluent - 20 CMD			7. Disposal Detail - On land for gardening				
	6. Treatment Steps: STP			8. Adequate land available: 2.47 seems adequate				
		Whether any deviation in effluent generation observed compared to			N	Remarks:		

	previous consent						
Compliance of existing unit in case applied for expansion C to E/ O/R	Y (However report of JVS ETP increasing)						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load		N	b) Performance of CETP		NA	
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y/N/NA)	Whether results are confirming to standards or not:(Y/N/NA) (exceeding parameter with value)	
	1	25.03.2014			Y	N (BOD 120 against 100 & COD 280 against 250)	
	2	02.05.2014			Y	N (pH 10.8 against 9)	
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	DG Set (750 KVA)	1	HSD	150 Liters / Hour	9	
	2	DG Set (750 KVA)	1	HSD	150 Liters / Hour	9	
	3	DG Set (320 KVA)	1	HSD	64 Liters / Hour	6	
				LPG	30 Kg/Hr		
Whether any deviation in fuel consumption and APC system observed compared to previous consent					Y	Remarks:Increase 1 DG Set & Fuel LPG as compared to existing consent	

Compliance of existing unit in case applied for expansion C to E/ O/R	Y						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y/N/NA)	Whether results are confirming to standards or not:(Y/N/NA) (exceeding parameter with value)	
	1	25.03.2014			N	NA	
	2	02.05.2014			N	NA	
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Waste Oil	5.1	1000 Lts. / Year	-	Send to Super Lubes	
	2	Empty tins & Chemical Waste	33.3	0.5 Kg/Day	-	Send to MEPL	
	3	Oil Soaked Cotton	5.2	0.75 Kg/Day	-	Send to MEPL	
	4	ETP Sludge	34.4	5.0 Kg/Day	-	Send to MEPL	
	Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent				Y	Remarks: Increase in 34.4 & decrease in 5.1 as compared to existing consent	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Wooden pallets / Boxes	455		By Sale		
	2	Corrugated Boxes	1.9		By Sale		

	3	Plastic Waste	19.75		By Sale		
	4	Empty Cans	4		By Sale		
	Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent			N	Remarks:		
Water Cess	Returns filed upto:		Mar-14		Paid Upto:	Nov-13	
Directions issued (if any)	N						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	500000	05.01.2015	For O & M of pollution control system		-----		
Details of BG forfeited/ encashed for non compliance, if any:	N						
Submission of Environmental Statement	Y	Year	2012-2013				
Detail of Fee paid	Amount:	Rs. 230170/- Rs. 75000/-	Terms:	One			
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:					
Recommendation of SRO/RO	SRO: Remark of FO may please be seen, application for renewal of consent. There is no change in existing production quantity. ETP and STP provided for the treatment of industrial as well as domestic effluent. As per existing consent condition industry has submitted BG of Rs. 5 lacs towards O & M of pollution control system which is valid upto 05.01.2015, industry has not submitted Board resolution but submitted undertaking on letter head signed by Chief operating office on 07.01.2013, copy enclosed. FO has visited to the industry on 02.05.2014, copy of visit report is enclosed. Upon scrutiny of application this office has issued query letter on 30.04.2014. Industry has not submitted reply to query letter till date also not submitted additional consent fee. As industry has not submitted reply to query letter, additional fee for						

	<p>capital addition, also the JVS analysis reports are exceeding the consented limit. In view of the above, the case may be considered and decided accordingly. RO: SRO's remarks may please be seen. This is a case of renewal of consent with capital addition. Industry has reported that, increased investment is due to atomization in existing plant & machinery, addition of new tools and jig fixtures. ETP & STP provided for treatment of trade & domestic effluent. Performance of ETP & STP is not satisfactory as JVS collected on 25/3/2014 shows parameters are exceeding the consented standards. Industry is member of CHWTSDF. Industry has submitted Bank Guarantee of Rs. 5.0 Lakh as stipulated in the consent towards O & M of pollution control systems. Industry has submitted undertaking of Chief Operating Officer instead of Board Resolution. SRO, Pune-II Called additional information including additional consent fee and same is received vide letter dated 06/5/2014 along with additional DD of Rs. 75000/- (DD No. 150976 Date: 05/5/2014 Bank- Axis Bank). In view of above, decision of grant of consent may be taken at HQ level by forfeiting appropriate Bank Guarantee as per legal matrix.</p>
<p>Recommendation of TAC</p>	<p>TAC: ETP: As per the information provided it seems to be in order provided proper operation and maintenance. STP: As per the information provided it seems to be in order provided proper operation and maintenance. APC: At powder coating section industry has provided water scrubber and for DG set industry has provided stack of adequate height.</p>

Resubmission:-							
Region : Thane		Section : CAC Cell			Date		11.08.2014
IIN no. SRO Tarapur I/I/R/L/86378000					CAC Tag		Y
Name & Address	M/s. Mudra Lifestyle Ltd., D-1, MIDC Tarapur, Tq. Palghar, Dist. Thane						
Industry Type	Yarn / textile processing involving any effluent / emission						
Industry Category	R 84						
Project details	Plain Renewal						
Consent applied for				Application date:	30.10.2012	Date of receipt at CAC cell	03.01.2014
	Capital Investment in Rs. (Cr.)			products & by-products name			Max qty
	*Existing	Proposed	Total				
	85.61	291.29	376.9	1	Yarn Dyeing	13,750 Kg/M	
				2	Fabrics Processing	3 Lac meter/M	
Applicability of	CRZ Clearance	RRZ	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N	N	N	N	N	N

	0 Km from Arabian Sea	8-9 Km from Surya River				As per application the Total BUA is 20,000 Sq. mtrs.	
*Existing consent details (Previous)	Sr. no.	Consent no.			Consent granted date	Validity	Capital Investment in Crs
	1	BO/RO-T/WPAE/2187-10/O/CC-253			16.11.2010	31.10.2012	85.61
Existing Production qty (Products & By-Products)	CtoO:- 1] Yarn Dyeing:- 13,750 Kg/M 2] Fabrics Processing:- 3 Lac meter/M						
Compliance of Water Pollution Related Conditions							
Details of water consumption as applied :	Sr. No.	Purpose					Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed					150
	2	Domestic purpose					38
	3	Processing whereby water gets polluted & pollutants are easily biodegradable					152
	4	Processing whereby water gets polluted & pollutants are not easily biodegradable and					Nil
	Whether any deviation in water consumption			Y	Remarks: for industrial cooling 30 CMD water		
Details of effluent generation as applied :	1. Trade Effluent- 115 CMD			3. Disposal Detail - To CETP			
	2. Treatment Steps: 02 treatment plants are			4. Adequate land available: NA			
	5. Domestic Effluent - 30 CMD			7. Disposal Detail - On land for gardening			
	6. Treatment Steps: Septic tank with soak pit			8. Adequate land available: Yes area of 10,000 Sq. mtrs land			

	Whether any deviation in effluent generation		Y	Remarks: Disposal of trade effluent given to	
Compliance of existing unit in case applied for expansion C to E/ O/R	Not complied				
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load		No, Tarapur Environment Protection Society CETP Design capacity 25 MLD	b) Performance of CETP	June 2013 to May 2014 pH:- 7.02 COD:-552.29 mg/lit BOD:- 219.68 mg/lit
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
	1	31.1.2014		Y	N (BOD-115 mg/lit agianst standards
	2	28.02.2014		Y	Y

	3	29.05.2014		Y	N (BOD-550 mg/lit against standards 100 mg/lit & COD-1824 mg/lit)		
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Boiler	1	Coal	30,000	37 mtr	machanical type dust collector followed by Bag filter
	2	Thermopack	1	Coal		37 mtr.	machanical type dust collector followed by Bag filter
	3	DG set (1500 KVA)	1	HSD	300 Lit/hr	7.9	
	Whether any deviation in fuel consumption and APC system				N	Remarks:	

Compliance of existing unit in case applied for expansion C to E/ O/R	Not complied industry has not provided scrubber to coal fired boiler as per visit report of field Officer dated 20.06.2014 (copy enclosed)						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	1	25.09.2014		Y	Y		
	2	17.02.2014		Y	Y		
	3	23.05.2014		Y	N (TPM 247 mg/m3)		
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	ETP Sludge	34.3	100 Kg/day		CHWTSDf	
	Whether any deviation in Hz waste generation and its disposal,				N	Remarks:	

Compliance of Non-Haz. Waste					
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
	1	Plastic Bags & Corrugated Boxes			Sale to authorized reprocessor
	Whether any deviation in Non-Hz waste generation and its			Y	Remarks: Non-HW not
Water Cess	Returns filed upto:			Paid Upto:	
Directions issued (if any)	Yes, 1] Closure Direction issued vide letter 08.03.2013. 2] Conditional Restart Direction issued vide letter dated 21.03.2013. 3] Show Cause vide letter dated 18.07.2013.				
BG Details	Amount validity	Validity	BG obtained towards compliance of		
			a) consent condition		b) directions
	Rs. 25 lakh	Valid			Curtail production quantity by 50%
	Rs. 50 lakh	Not submitted			up-gradation of primary, secondary and tertiary treatment system of existing ETP
	Rs. 25 lakh	Not submitted			Completion of total recycle system by 31.12.2013
	Rs. 25 lakh	Not submitted			Disposal of treated effluent into CETP drain only.

Details of BG forfeited/ enched for non compliance, if any:	No						
Submission of Environmental Statement	Y	Year					
Detail of Fee paid	Amount:	Rs. 7,53,720/-	Terms:	one term i.e. for the period upto 31.10.2013			
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:					

Fresh CAC Item –							
Region : Chandrapur		Section : CAC Cell			Date	16.07.2014	
IIN no. 95697000					CAC Tag	Y	
Name & Address	MUNGOLI OPEN WESTERN COALFIELDS LTD. AT.PO. SAKHRA. TAH. WANI - DIST YAVATMAL.				CAST WANI	MINE, AREA,	
Industry Type	R-49						
Industry Category	Mining & Ore Benification						
Project details	Renewal of consent with increase in capital investment						
Consent applied for	Renewal of consent with increase in capital investment			Application date:	27.11.2013	Date of receipt at CAC cell	127.83
	Capital Investment in Rs. (Crs.)			products & by-products name			Max qty
	*Existing	Proposed	Total				
	110.81	17.02	127.83	1	Coal		4 Million T/A
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	Y	N	N	N	N	N
		A-II, 1.5 Km, Painganga River					
*Existing consent details (Previous)		Consent no.			Consent granted date	Validity	Capital Investment in Crs

	C to O	BO/JD(APC)/EIC No CH-0651-11/R/CC-CAC-474	23.06.2012	31.12.2012	110.81
Existing Production qty (Products & By-Products)	C to O: Coal - 1.55 Million Ton/Year				
Compliance of Water Pollution Related Conditions					
Details of water consumption as applied :		Purpose			Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed			
	2	Domestic purpose			400
	3	Mine Discharge			211
	4	Praying dust suppression, Workshop			300
	Whether any deviation in water consumption observed compared to previous consent		N	Remarks:	
Details of effluent generation as applied :	1. Trade Effluent- 180 CMD		3. Disposal Detail - Spraying mine pits to maximum extent & excess to local nalla		
	2. Treatment Steps: Primary		4. Adequate land available: NA		
	5. Domestic Effluent - 2902 158.36 CMD		7. Disposal Detail - On land for gardening		
	6. Treatment Steps: Septic tank Soak pit		8. Adequate land available: Not mentioned		
	Whether any deviation in effluent generation observed compared to previous consent		N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/O/R	Y				

In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N	b) Performance of CETP		NA		
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y/N/NA)	Whether results are confirming to standards or not:(Y/N/NA) (exceeding parameter with value)		
	1	25.01.2007 to 13.04.2013 reports enclosed					
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Nil					
	Whether any deviation in fuel consumption and APC system observed compared to previous consent				N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/O/R	Y (However AAQM reports exceeding as reported by SRO)						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y/N/NA)	Whether results are confirming to standards or not:(Y/N/NA) (exceeding parameter with value)		
	1	AAQM reports enclosed					
Compliance of Haz. Waste Condition							

Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Used/Spent Oil	5.10	200 Ltr/day	-----	CPCB/SPCB/attorse/re-process or re-cycler	Submitted
	2	E.T.P Sludge	34.30	9.00 T/Year	-----	CHWSTDF Butibori, Nagpur	
Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent					Y	Remarks: HW not mentioned in existing consent	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Nil	Nil	Nil	Nil		
Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent				N	Remarks:		
Water Cess	Returns filed upto:		Mar-14		Paid Upto:		Dec-13
Directions issued (if any)	N (However C to E for Expansion Refused vide dtd 08.07.2013)						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	10.00 Lakhs	30.09.2014	For compliance of consent conditions		-----		

Details of BG forfeited/ enched for non compliance, if any:	Y (Rs. 5/-Lakhs Forfeited as per previous consent condition) (Ref No. 03461011 BG.019)						
Submission of Environmental Statement	Y	Year	2012-2013				
Detail of Fee paid	Amount:	Rs. 1855676/-	Terms:	1 Year			
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:					
Recommendation of SRO/RO	SRO: Consent to operate may be granted up to 31/12/2014 subject to the condition of forfeiture of BG of Rs. 10.0 Lacs and imposing suitable BG						

Fresh		CAC Item –	
Region : Pune		Section : CAC Cell	
IIN no. 02978000			
Name & Address		M/s. New Holland Fiat India Pvt. Ltd. Plot No. A1/1, Phase II, MIDC Chakan Industrial Area, Village – Shinde, Taluka – Khed, Dist. – Pune - 410501	
Industry Type		R-04	
Industry Category		Automobile	
Project details		Consent to Establish Greenfield Project	
Consent applied for		Consent to Establish Greenfield Project	
		Capital Investment in Rs. (Crs.)	
		*Existing	Proposed
		Nil	550
			Total
			550
Applicability of		CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)
		N	N
			A-II, 4 Kms, Indrayani River, 4.5 Bhama River
*Existing consent details (Previous)			Consent no.
		C to O	NA Proposed project
Existing Production qty (Products & By-Products)		C to O: Proposed Project	
Compliance of Water Poll			
Details of water consumption as applied :		Purpose	
		1	Industrial Cooling, spraying in mine pits or boiler feed
		2	Domestic purpose
		3	Processing whereby water gets polluted & pollutants are easily biodegradable
		4	Processing whereby water gets polluted & pollutants are not easily biodegradable
Whether any deviation in water consumption observed compared to previous consent			
Details of effluent generation as applied :		1. Trade Effluent- 264 CMD	
		2. Treatment Steps: Primary, Secondary & Tertiary	
		5. Domestic Effluent - 61 CMD	
		6. Treatment Steps: STP	

Whether any deviation in effluent generation observed compared to previous consent			
Compliance of existing unit in case applied for expansion C to E/ O/R	NA Proposed unit		
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N	
Existing JVS results Effluent	Sr.no.	Date of Visit	Board office
	Proposed Unit		
Compliance of Air Pollu			
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack
	1	Hot water generator	1
	2	DG Set (1250 KVA)	1
	3	DG Set (1250 KVA)	1
	4	DG Set (750 KVA)	1
	5	Pretreatment	1
	6	Pretreatment	1
	7	Dry Off Oven	1
	8	Dry Off Oven	1
	9	Dry Off Oven	1
	10	Dry Off Oven	1
	11	Spray Painting Booth	1
	12	Spray Painting Booth	1
	13	Top Coat Oven	1
	14	Top Coat Oven	1
	15	Top Coat Oven	1
	16	Top Coat Oven	1
	17	Hot water generator	1
Whether any deviation in fuel consumption and APC system observed compared to pre			
Compliance of existing unit in case applied for expansion C to E/ O/R	NA Proposed unit		
Existing JVS results Air	Sr.no.	Date of Visit	Board office
	Proposed Unit		

Compliance of Haz

Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category
	1	Chemical sludge from waste water treatment	12.9
	2	Wastes and residues	21.1
	3	Used /spent oil	5.1

Whether any deviation in Hz waste generation and its disposal, observed compared to pr

Compliance of I

Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste
	1	MS Steel Scrap
	2	Wooden Pallets
	3	Carton
	4	Plastic Drums and Barrels
	5	MS Drums
	6	Cotton waste, Polythene bags

Whether any deviation in Non-Hz waste generation and its disposal, observed compared to

Water Cess	Returns filed upto:	
-------------------	----------------------------	--

Directions issued (if any)	NA Proposed unit
-----------------------------------	------------------

BG Details	Amount validity	Validity
	N Proposed Unit	

Details of BG forfeited/ enchased for non compliance, if any:	NA Proposed unit
--	------------------

Submission of Environmental Statement	NA Proposed unit	Year	NA
--	------------------	-------------	----

Detail of Fee paid	Amount:	Rs. 1100100	Terms:
---------------------------	---------	-------------	--------

In case of 1st C to O, Compliance of C to E Conditions	NA Proposed unit	Remarks:	
---	------------------	-----------------	--

Recommendation of SRO/RO	SRO: Remark of FO may please be seen, application for consent to establish. Unit is located in MIDC Chakan, about		
---------------------------------	--	--	--

	Date	08.08.2014
	CAC Tag	Y

Application date:	23.04.2014	Date of receipt at CAC cell	09.07.2014
products & by-products name			Max qty
1	Sugarcane Harvesters		730Nos./Y
2	Cotton Picker		330Nos./Y
3	Header		970Nos./Y
4	Combines		970Nos./Y
Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
N	N	Y	N
		BUA more than 20000 Sq. Mtrs	
	Consent granted date	Validity	Capital Investment in Crs

ution Related Conditions

	Water consumption in CMD
	101
	77
	274
ble and are toxic	

NA	Remarks: Proposed Unit
3. Disposal Detail - On land for gardening	
4. Adequate land available: 20 Acres seems adequate	
7. Disposal Detail - On land for gardening	
8. Adequate land available: 20 Acres seems adequate	

NA	Remarks: Proposed Unit
----	------------------------

b) Performance of CETP		NA
fuel's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)

Operation Related Conditions

Fuel type	Quantity	Height - I,II,III	APC system Detail
propane	40 Kg/hr	14	
HSD	HSD 258 Lt/hr	30	acoustic enclosure will be provided
HSD	HSD 258 Lt/hr	30	acoustic enclosure will be provided
HSD	HSD 158 Lt/hr	6	acoustic enclosure will be provided
		14	Scrubber will be provided with vent
		14	Scrubber will be provided with vent
propane	30 Kg/hr	14	
propane	30 Kg/hr	14	
propane	30 Kg/hr	14	
propane	30 Kg/hr	14	
		14	Water curtain will be provided
		14	Water curtain will be provided
propane	40 Kg/hr	14	
propane	40 Kg/hr	14	
propane	40 Kg/hr	14	
propane	40 Kg/hr	14	
propane	40 Kg/hr	14	

previous consent	NA	Remarks: Proposed Unit
-------------------------	----	------------------------

fuel's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
---------------------	--	---

2. Waste Condition

Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
27Kg/Day	--	CHWTSDf Ranjangaon	NA
1237Kg/Day	--	CHWTSDf Ranjangaon	
14Kg/Day	--	To authorised reprocessor	

previous consent NA Remarks: Proposed Unit

Non-Haz. Waste

Quantity & UoM	Treatment	Disposal
83 MT/A	--	By Sale
180 MT/A	--	By Sale
150 MT/A	--	By Sale
8962 Nos./Y	--	By Sale
30375 Nos./Y	--	By Sale
36 MT/A	--	By Sale

previous consent NA Remarks: Proposed Unit

Proposed Unit **Paid Upto:** Proposed Unit

BG obtained towards compliance of

a) consent condition	b) directions

COU			
-----	--	--	--

4.0 Km away from River Indrayani and River Bhama about 4.5 Km away in A-II class, which satisfying the RRZ criteria. ETP and STP will be provided for the

1	M/s. Sahkarmaharshi Bhausah eb Thorat SSK Ltd., At-Amrutnagar, Post-Sangamner, Tal. Sangamner, Dist. Ahmednagar.	30	Y (as per the application submitted by the industry Pravara River is about 6.0 Km.)	Y	Y	Y	N	168	365	Comments of TAC:- Calculations based on the given data & comparing with the thumb rule of HRT it seems that proposed ETP is in order subject to proper O & M. Land available for disposal effluent is not given.	Y	Y As per the Consent application total 32 acres	ESP
	Remarks	Unit applied for Consent to Establish for expansion of Sugar from 3500 TCD to 5500 TCD & proposed Co Gen of 30 MW. Not comes under the Western Ghat. Board has granted Consent to the existing sugar unit having capacity 3500 TCD which was valid up to 31.07.2014. As per existing Consent ind. effluent generation is 350 CMD, now industry has mentioned that the total effluent generation from Sugar unit is 168 (Existing + Expansion)											

In view of above we may consider the case for grant of Consent to Establish for expansion with following conditions

- 1) Industry shall not take effective steps for implementation of the project before obtaining EC, also industry shall submit BG of Rs. 10 Lakhs for compliance of EC condition.
- 2) Industry should provide separate ETP for the treatment of effluent generation from DM plant.
- 3) Double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not right sized.

Fresh								CAC Item –									
Region : Kalyan				Section : CAC Cell				Date				11.08.2014					
IIN no. 02443000								CAC Tag				Y					
Name & Address		Shree Vaishnav Wire & Rod Pvt Ltd Gut No. 154,155,156,157,158,159,160,161,163,164 & 165, Aban Pada, Vill. Abitghar, Tal. Wada, Dist. Thane.															
Industry Type		R-37															
Industry Category		Iron & Steel															
Project details		Consent to Establish Greenfeild															
Consent applied for		Consent to Establish Greenfeild				Application date:		28.04.2014		Date of receipt at CAC cell		01.06.2014					
		Capital Investment in Rs. (Crs.)				products & by-products name				Max qty							
		*Existing		Proposed		Total		1		MS Ingots & Billets/Blooms etc & Hot rolled products		18000 MT/M					
				93		93											
Applicability of		CRZ Clearance		RRZ (i.e. site falls in no development zone as per RRZ policy)		Industrial location policy		Eco-sensitive		Moratorium		EC		Directions of MoEF for western ghats			
		N		N		N		N		N		Y		Y			
				A-II, 4 Kms, Vaiterna													
*Existing consent details (Previous)		Consent no.				Consent granted date		Validity		Capital Investment in Crs							
		C to O		Proposed Project													
Existing Production qty (Products & By-Products)		C to O: Proposed project															
Compliance of Water Pollution Related Conditions																	
Details of water consumption		Purpose								Water consumption in CMD							

as applied :	1	Industrial Cooling, spraying in mine pits or boiler feed			15		
	2	Domestic purpose			25		
	3	Processing whereby water gets polluted & pollutants are easily					
	4	Processing whereby water gets polluted & pollutants are not easily					
	Whether any deviation in water		NA	Remarks: Proposed unit			
Details of effluent generation as applied :	1. Trade Effluent- Nil CMD		3. Disposal Detail - NA				
	2. Treatment Steps: NA		4. Adequate land available: NA				
	5. Domestic Effluent - 20 CMD		7. Disposal Detail - On land for gardening				
	6. Treatment Steps: Septic Tank Soak pit		8. Adequate land available: 15.38 Acres seems adequate				
	Whether any deviation in effluent		NA	Remarks: Proposed unit			
Compliance of existing unit in case applied for expansion C to E/ O/R	NA Proposed unit						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N	b) Performance of CETP	NA			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	Proposed Unit						
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Furnace	Furnace	Electricity	1	30	Ventury Scrubber
	2	DG set	DG Set	HSD	2	3.5	Acoustic Enclosures
	Whether any deviation in fuel consumption and APC				NA	Remarks: Proposed unit	

Compliance of existing unit in case applied for expansion C to E/ O/R	NA Proposed unit						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
	Proposed Unit						
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Nil					
	Whether any deviation in Hz waste generation and its			NA	Remarks:		
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Metal Slag & fine dust	50 MT/D		By Sale		
	Whether any deviation in Non-Hz waste generation and			NA	Remarks: Proposed unit		
Water Cess	Returns filed upto:		Proposed Unit		Paid Upto:	Proposed Unit	
Directions issued (if any)	NA Proposed unit						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition			b) directions	
	NA Proposed unit					-----	
Details of BG forfeited/ enchased for non compliance, if any:	NA Proposed unit						

Submission of Environmental Statement	NA Proposed unit	Year					
Detail of Fee paid	Amount:	Rs. 100100/- + Rs. 25000/-	Terms:	CoU			
In case of 1st C to O, Compliance of C to E Conditions	NA Proposed unit	Remarks:					
Recommendation of SRO/RO	<p>FO: Application for consent to establish for manufacturing of M.S. Ingots & Billets/Blooms. After scrutiny this office has issued letter vide no 133 dtd 14/03/14 since the proposed site is under Ecologically Sensitive Area (ESA) of Western Ghat and as per Moef Notification dtd 13/11/2013 Red category of new and/or expansion projects shall be prohibited. Industry replied on 7/4/2014 that they have applied to SEAC on 25/04/2012 hence the case will not covered by said Notification (copy enclosed). The Capital investment is Rs 93.00 Cr. Industrial effluent is nil. For domestic effluent Septic tank and soak pit will be provided APC system consisting of wet scrubber & stack of 30 Mtrs to induction furnace will be provided.. No generation of hazardous waste. Industry has paid fees of Rs. 1,25,000/- against consent to establish. Built up area is more than 20000 sq.mtrs. Hence attracts environment clearance. In view of the above consent may granted up to commissioning of unit after clearance of above.</p> <p>SRO: Recommended the case for grant of consent to establish up to commissioning of unit after clearance of above raised points.</p>						

Fresh							
Region : Thane		Section : CAC Cell			Date		
IIN no. SRO tarapur I//R/L/88401000					CAC Tag	Y New entry	
Name & Address	M/s. Siyaram Silk Mills Ltd., Plot No. E-125, MIDC, Tarapur, Tal - Palghar, Dist - Thane 401 506						
Industry Type	R84						
Industry Category	Yarn/Textile Processing						
Project details	Renewal of consent with increased C.I.						
Consent applied for	Renewal of consent with increased C.I.			Application date:	04.01.2014	Date of receipt at CAC cell	28.02.2014
	Capital Investment in Rs. (Cr.)			products & by-products name			Max qty
	*Existing	Proposed	Total				
	86.66	1.46	88.12	1	Weaving of Fabrics	6 Lac meter/M	
			2	Weaving of Fabrics with Sizing	2 Lac meter/M (from existing above quantity)		

Applicability of	CRZ Clearance	RRZ	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
		N	N	N	N		N
		River Surya 8 km					
*Existing consent details (Previous)	Sr. no.	Consent no.			Consent granted date	Validity	Capital Investment in Crs
	1	BO/JD(WPC)/RO Thane 4592-13/CC-6860			16.08.2013	31.01.2014	86.66
Existing Production qty (Products & By-Products)	1] Weaving of Fabrics :-6 Lac meter/M 2] Weaving of Fabrics with Sizing:- 2 Lac meter/M (from existing above quantity)						
Compliance of Water Pollution Related Conditions							
Details of water consumption as applied :	Sr. No.	Purpose					Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed					92
	2	Domestic purpose					11
	3	Processing whereby water gets polluted & pollutants are easily biodegradable					2
	4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic					Nil
Whether any deviation in water				N	Remarks:		

	consumption observed compared to previous consent			
Details of effluent generation as applied :	1. Trade Effluent- 1 CMD		3. Disposal Detail - 100% Recycle	
	2. Treatment Steps: ETP provided which consist of primary & Secondary treatment system.		4. Adequate land available: NA	
	5. Domestic Effluent - 8 CMD		7. Disposal Detail - On land for gardening	
	6. Treatment Steps: Septic tank followed by soak pit		8. Adequate land available: Yes, adequate area of 8500 Sq. mtrs available for disposal.	
	Whether any deviation in effluent generation observed compared to previous consent		N	Remarks:
Compliance of existing unit in case applied for expansion C to E/ O/R	Complied as per visit report of Field Officer dated 05.02.2014 (copy enclosed). Flow meter provided. Effluent quantity is very less, effluent is generated only from sizing activity which is having starch content. There is no dyeing activity. 100% recycled/reused for toilet flushing.			
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	No:- Tarapur Environment Protection Society CETP Design capacity 25 MLD	b) Performance of CETP	June 2013 to May 2014 pH:- 7.02 COD:-552.29 mg/lit BOD:- 219.68 mg/lit

Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)	
	1						
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
		Boiler	1	FO	2500 lit/day	31	
	Whether any deviation in fuel consumption and APC system observed compared to previous consent				N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/ O/R	Complied.						

Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)	
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Used Oil/Spent Oil	5.1	5.0 Ltrs/M	Nil	Authorized Reprocessor	Yes
	2	ETP Sludge	34.3	2 Kg/M	Nil	CHWTSDf	
Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste		Quantity & UoM	Treatment	Disposal	
	1	Yarn Waste		150 Kg/M	---	Sale to Authorized Party	
Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent					Y	Remarks: Non-HW category added as compared to previous consent	

Water Cess	Returns filed upto:	Dec-13		Paid Upto:	
Directions issued (if any)	No				
BG Details	Amount validity	Validity	BG obtained towards compliance of		
			a) consent condition	b) directions	
	Rs. 5 lakhs	31.05.2014	100% recycle to treated effluent into the process		
Details of BG forfeited/ enched for non compliance, if any:	No				
Submission of Environmental Statement	Y	Year	2012-13		
Detail of Fee paid	Amount:	Rs. 3,75,100/-	Terms:	3 terms	
		Rs. 15,000/-			

In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	
Recommendation of SRO/RO	SRO: Consent may be granted upto 31.01.2017		

Renewal							
Region : Thane		Section : CAC Cell		Date	31.07.2014		
IIN no. SRO Tarapur II/I/R/L/69725000					CAC Tag	Y	
Name & Address	M/s. Tarapur Atomic Power Station, Unit No 3 & 4, Nuclear Power Corporation of India Ltd., Revenue Survey No 11, 12, 13, Vill. Akkarpatti,						
Industry Type	Nuclear Power Plant						
Industry Category	R52						
Project details	Renewal of consent to operate						
Consent applied for	Renewal of consent to operate		Application date:	26.02.2014	Date of receipt at CAC cell	05.06.2014	
	Capital Investment in Rs.			products & by-products name		Max qty	
	*Existing	Proposed	Total				
	5699.4		5699.4	1	Electricity Generation (Nuclear)	2 x 540 MWe	
Applicability of	CRZ Clearance	RRZ	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N	N	N	N	N	N
		plane renewal					
*Existing consent details (Previous)	Sr. no.	Consent no.		Consent granted date	Validity	Capital Investment in Crs	
	1	BO/JD(APC)/EIC No. TN-2793-11/R-CC-286		07.06.2011	31.03.2014	5699.4	
Existing Production qty (Products & By-Products)	1] Electricity Generation (Nuclear Energy Based Power Plant):- 2 x 540 MWe						
Compliance of Water Pollution Related Conditions							

Details of water consumption as applied :	Sr. No.	Purpose		Water consumption	
	1	Industrial Cooling, spraying in mine pits or boiler feed		276800M 3/hr	
	2	Domestic purpose		270	
	3	Processing whereby water gets polluted &		700	
	4	Processing whereby water gets polluted &		Nil	
	Whether any deviation in	N	Remarks:		
Details of effluent generation as	1. Trade Effluent-		3. Disposal Detail - Batchwise dispersal		
	2. Treatment Steps:		4. Adequate land available: NA		
	5. Domestic Effluent - 85 CMD		7. Disposal Detail - on land for gardening		
	6. Treatment Steps: Septic		8. Adequate land available:		
	Whether any deviation in	N	Remarks:		
Compliance of existing unit in case applied for expansion C to E/ O/R					
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	NA	b) Performance of CETP	NA	
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
	1				
Compliance of Air Pollution Related Conditions					

Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Main Reactor Plant	1	Natural Uranium	200 MT/Y	100 mtr (common for unit III & IV)	Pre filters, HEPA filters
	2	Auxiliary Boiler	1	LDO	476 kg/hr	45 mtr	
	3	DG set (2720 KVA x 8 Nos.)	8	HSD	700 lit/hr	12 mtr each	
Whether any deviation in fuel					N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/O/R	Y						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)		
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Used/Spent oil	5.1	124 KL/Y			

	2	Waste Container Oil/grease	5.2	1 MT/Y		Sale to authorized reprocessor
	3	Empty containers	33.3	1 MT/Y		
	4	Asbestos Containin g material	15.2	0.5 MT/Y		
	5	Lead Acid Scrap Batteries	B4	60 MT/Y		
	6	E Waste		10 MT/Y		
Whether any deviation in Hz waste				N	Remarks:	
Compliance of Non-Haz. Waste						
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatme nt	Disposal	
	1	Plastic Waste	0.5 MT/Y		Sale to authorized recycler	
	2	Metal scrap (not	2 MT/Y		Sale to authorized	
Whether any deviation in Non-Hz				N	Remarks:	
Water Cess	Returns filed upto:	Regularly			Paid Upto:	
Directio ns issued (if any)	No					
BG Details	Amount validity	Validity	BG obtained towards compliance of			
			a) consent condition		b) directions	
			No			
Details of BG forfeited/ enchased for non compliance, if any:	No					

Submission of Environmental Statement	Y	Year	2012-13				
Detail of Fee paid	Amount:	Rs. 3,41,96,400/-	Terms:	Three			
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:					

Fresh CAC Item –							
Region : Kalyan		Section : CAC Cell		Date		11.08.2014	
IIN no. 02442000					CAC Tag	Y	
Name & Address	SHREE VAISHNAV METAL & POWER PVT. LTD Gut No 24, 45(1), 45(2), 46(1), 46(2), 46(3), 47, 48, 49, 50, 51(1), 51(2), 51(3),52 &57.at Bhaveghar, Tehsil Wada, District - Thane, Maharashtra.						
Industry Type	R-37						
Industry Category	Iron & Steel						
Project details	Consent to Establish for Expansion						
Consent applied for	Consent to Establish for Expansion			Application date:	28.04.2014	Date of receipt at CAC cell	01.06.2014
	Capital Investment in Rs. (Cr.)			products & by-products name			Max qty
	*Existing	Proposed	Total				
	C to E 80 + C to O 24.77 = 104.77	93	197.77	1	MS Ingots & Billets/Blooms etc & Hot rolled products		1500 MT/M
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N	N	N	N	Y	N

		A-II, 3 Km, Tansa River			BuA more than 20000 Sq. Mtrs,	
*Existing consent details (Previous)		Consent no.		Consent granted date	Validity	Capital Investment in Crs
	C to O	BO/JD(APC)TB-4/EIC No. KN-6598- 14/R/CC-4375		07.05.2014	31.10.2015	24.77
	C to E	BO/APAE/EIC No. KN-5393-11/E/CC- 488		13.10.2011	CoU	80
Existing Production qty (Products & By-Products)	C to O: 1) Fabrication & Galvanizing 300 MT/D					
	C to E: 1) MS CTD Bars,Angles, Channels etc., 500 MT/D 2) Fabrication & Galvanizing 300 MT/D					
Compliance of Water Pollution Related Conditions						
Details of water consumption as applied :		Purpose				Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed				50
	2	Domestic purpose				50
	3	Processing whereby water gets polluted & pollutants are easily biodegradable				
	4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic				
	Whether any deviation in water consumption observed compared to previous consent		Y	Remarks: Due to proposed expansion water requirement will increase		
Details of effluent generation as applied :	1. Trade Effluent- Nil CMD		3. Disposal Detail - NA			
	2. Treatment Steps: NA		4. Adequate land available: NA			
	5. Domestic Effluent - 40 CMD		7. Disposal Detail - On land for gardening			
	6. Treatment Steps: Septic tank soak pit		8. Adequate land available: 17 acres			
	Whether any deviation in effluent generation observed compared to previous consent		Y	Remarks: Due to proposed expansion waste water generation will increase		

Compliance of existing unit in case applied for expansion C to E/ O/R	Y						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N		b) Performance of CETP		NA	
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)	
	Proposed unit details of existing unit not submitted						
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Induction Furnace	Furnace	Electricity	1	30	Ventury Scrubber
	2	DG set 2 x 125	DG Set	HSD	2	3.5	Acoustic Enclosures
	Whether any deviation in fuel consumption and APC system observed compared to previous consent					Y	Remarks: Due to proposed expansion increase in furnace, DG & fuel

Compliance of existing unit in case applied for expansion C to E/ O/R	Y						
Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)	
Proposed unit details of existing unit not submitted							
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Nil					
Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste		Quantity & UoM	Treatment	Disposal	
	1	Metal Slag & fine dust		50 MT/D		By Sale	
Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent					Y	Remarks: Due to proposed expansion increase in NHW	

Water Cess	Returns filed upto:	Proposed unit. Details of existing unit not submitted			Paid Upto:	Proposed unit. Details of existing unit not submitted	
Directions issued (if any)	N						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	1/- Lakhs	29.02.2018	Existing consent condition		-----		
Details of BG forfeited/ encashed/ for non compliance, if any:	N						
Submission of Environmental Statement	Y	Year	2012-2013				
Detail of Fee paid	Amount:	Rs. 100100/- + Rs. 25000/-	Terms:	CoU			

Fresh		CAC Item –						
Region : Pune		Section : CAC Cell			Date		11.08.2014.	
IIN no. SRO Solapur//R/L/92954000					CAC Tag		Y	
Name & Address		M/s. Vitthal Corporation Ltd. (IMFL Division) Post: Mhaisgaon 413 250 Tal- Madha, Dist- Solapur.						
Industry Type		Indian Made Foreign Liquor (IMFL Unit)						
Industry Category		Bottling activity						
Project details		Consent to 1st Operate.						
Consent applied for		Consent to 1st Operate.			Application date:	27.12.2013	Date of receipt at CAC cell	26.05.2014
		Capital Investment in Rs. (Cr.)			products & by-products name			Max qty
		*Existing	Proposed	Total				
Rs. 8.55/-	Nil	Rs. 8.55/- Total CI of the industry is Rs. 96.85 Cr.	Indian Made foreign Liquor (Various sized 90 ml, 180 ml, 375 ml, 750 ml)			5000 cases/D		
Applicability of		CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
		N	N River Sina- A-II Class - 04 Km.	N	N	N	N	N

*Existing consent details (Previous)		Consent no.	Consent granted date	Validity	Capital Investment in Crs
	C to O	BO/CAC-CELL/EIC No. PN-19325-13/O/ CAC-1348	11.02.2014	C to E	Rs. 8.50 Cr.
Existing Production qty (Products & By-Products)	Indian Made foreign Liquor - 5000 cases/D				
Compliance of Water Pollution Related Conditions					
Details of water consumption as applied :		Purpose			Water consumption in CMD
	1	Industrial Cooling, spraying in mine pits or boiler feed			0
	2	Domestic purpose			5
	3	Processing whereby water gets polluted & pollutants are easily biodegradable			40
	4	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic			Nil
	Whether any deviation in water consumption observed compared to previous consent		Y	Remarks: As per C to E sr. no. 2 is 3 CMD & sr. no. 3 is 50 CMD.	
Details of effluent generation as applied :	1. Trade Effluent- 8 CMD.		3. Disposal Detail -On land for gardening.		
	2. Treatment Steps: Primary treatment provided.		4. Adequate land available:- Y. Total 3.0 acres land available.		
	5. Domestic Effluent -4.0 CMD.		7.Disposal Detail - On land for gardening.		
	6.Treatment Steps: Septic tank & soak pit provided.		8. Adequate land available:- Y. Total 3.0 acres land available.		
	Whether any deviation in effluent generation observed compared to previous consent		Y	Remarks: As per C to E trade effluent is 10 CMD & Domestic effluent is 2 CMD.	

Compliance of existing unit in case applied for expansion C to E/O/R	As per report submitted by SRO unit is Complied. (Photo copy of the SRO report is enclosed)						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load		NA.		b) Performance of CETP		NA.
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:		Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)	
NA as indsutry applied for 1st C to O.							
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
NA.							
Whether any deviation in fuel consumption and APC system observed compared to previous consent					N	Remarks: NA	
Compliance of existing unit in case applied for expansion C to E/O/R	NA						

Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA) (exceeding parameter with value)
	NA				

Compliance of Haz. Waste Condition

Compliance of Haz. Waste Condition.	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	NA						
Whether any deviation in Hz waste generation and its disposal, observed compared to previous consent					N	Remarks: NA	

Compliance of Non-Haz. Waste

Details of compliance of non-hazardous waste.	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal	
	1	Scrap bottles & packing material	1 MT/M	---	By sale to authorized dealer.	
Whether any deviation in Non-Hz waste generation and its disposal, observed compared to previous consent				N	Remarks: NA.	
Water Cess	Returns filed upto:	Jun-14			Paid Upto:	30.06.2013
Directions issued (if any)	NO					
BG Details	Amount validity	Validity	BG obtained towards compliance of			
			a) consent condition	b) directions		
	NO					

Details of BG forfeited/ encashed for non compliance, if any:	NA			
Submission of Environmental Statement	NA	Year NA.		
Detail of Fee paid	Amount:	Rs.- Rs. 25000/-	Terms:	One Term
In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	---	
Recommendation of SRO/RO	<p>SRO:- Case may be considered accordingly for grant of Consent to 1st Operate, if approved.</p> <p>RO:- Remarks of SRO may please be seen. Earlier industry has applied for Consent to Establish dtd. 14.03.2011 & same was forwarded to HQ. Later on as per HQ instructions industry has resubmitted the case for mfg. of IMFL same is processed & submitted to HQ vide dtd. 14.08.2013. Now industry has applied for 1st Consent to Oeprate. SRO reported that industry was in operation during visit, visit report copy dtd. 11.12.2013 is enclosed. Industrial effluent generation from the process is 8 CMD for the same industry has provided ETP, SRO reported that ETP is inadequate & needs up gradation. This office has called detail proposal of ETP. Treated effluent will be used on land for gardening purpose within factory premises on 3 acres of land. In view of above case may be consider by imposing appropriate BG towards up-gradation of ETP alongwith time bound programme.</p>			

Fresh		CAC Item –					
Region : Pune		Section : CAC Cell			Date	11.08.2014.	
IIN no. SRO Solapur//O/L/59191010					CAC Tag	Y	
Name & Address	M/s. Vitthal Corporation Ltd. (Textile Division) Vitthalrao Shinde Nagar, Post: Mhaisgaon 413 250						
Industry Type	Spinning Mill						
Industry Category	O14 [Cotton Spinning & weaving (medium & Large Scale)]						
Project details	Consent to 1st Operate.						
Consent applied for	Consent to 1st Operate.			Application date:	27.12.2013	Date of receipt at CAC cell	26.05.2014
	Capital Investment in Rs.			products & by-products name			Max qty
	*Existing	Proposed	Total				
Rs. 107.62/-	Nil	Rs. 107.62/- Total CI of the industry is Rs. 204.47 Cr.	Yarn			474.10 MT/M	
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	N River Sina- A-II Class - 03 Km.	N	N	N	N total BUA of this unit is 18045 sq. mtr	N
*Existing consent details (Previous)	Consent no.			Consent granted date	Validity	Capital Investment in Crs	
	C to O	BO/MPCB/JD(WPC)/RO-PN/E/13/00446		14.01.2013	C to E	Rs. 108.62 Cr.	
Existing Production qty (Products & By-Products)	Yarn - 474.10 MT/M						
Compliance of Water Pollution Related Conditions							

Details of water consumption as applied :	Purpose		Water consumption in CMD				
	1	Industrial Cooling, spraying in mine pits or boiler feed	300				
	2	Domestic purpose	25				
	3	Processing whereby water gets polluted & pollutants are	Nil				
	4	Processing whereby water gets polluted & pollutants are	Nil				
Whether any deviation in water		N	Remarks: NA.				
Details of effluent generation as applied :	1. Trade Effluent- Nil CMD.		3. Disposal Detail - NA.				
	2. Treatment Steps: NA.		4. Adequate land available:- NA				
	5. Domestic Effluent - 21.0		7. Disposal Detail - On land for				
	6. Treatment Steps: Septic		8. Adequate land available:- Y.				
	Whether any deviation in		Y	Remarks: As per C to E			
Compliance of existing unit in case applied for expansion C to E/ O/R	NA						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	NA.	b) Performance of CETP	NA.			
Existing JVS results Effluent	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA)		
	NA as industry applied for 1st C to O.						
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	NA.						
	Whether any deviation in fuel				N	Remarks: NA	
Compliance of existing unit in case applied for expansion C to E/ O/R	Industry has provided Ultra Modern Air filtration as APC.						

Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA)
	NA				

Compliance of Haz. Waste Condition

Compliance of Haz. Waste Condition.	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	NA						
Whether any deviation in Hz waste					N	Remarks: NA	

Compliance of Non-Haz. Waste

Details of compliance of non-hazardous waste.	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal	
	1	Blow room dropping	3.4 MT/M	---	Sold to market	
	2	Flat Waste	2.04 MT/M	---	Sold to market	
	3	Comber noil	13.63 MT/M	---	Sold to market	
	4	Hard Waste	0.45 MT/M	---	Sold to market	
Whether any deviation in Non-Hz waste				N	Remarks: NA.	

Water Cess	Returns filed upto:	NA.	Paid Upto:	NA
------------	---------------------	-----	------------	----

Directions issued (if any)	NO
----------------------------	----

BG Details	Amount validity	Validity	BG obtained towards compliance of	
			a) consent condition	b) directions
	NO			

Details of BG forfeited/ encashed for non compliance, if any:	NA
---	----

Submission of Environmental Statement	NA	Year	NA.
---------------------------------------	----	------	-----

Detail of Fee paid	Amount:	Rs.- Rs. 2,15,500 /-	Terms:	One Term
--------------------	---------	-------------------------------	--------	----------

In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	---
Recommendation of SRO/RO	SRO:- Consent to 1st Operate may be granted, if approved. RO:- Remarks of SRO may please be seen. Previous Consent		
Other Relevant Information	Industry is located in the premises of Sugar - Co-gen, Distillery, IMFL unit. CI as per the CA certificate of the unit i.e. Sugar, Co-gen, Distillery, IMFL & Bio-gas plant is Rs. 96.85 Cr.		

Fresh		CAC Item –					
Region : Chandrapur		Section : CAC		Date	11.08.2014		
IIN no. 58972000				CAC Tag	Y		
Name & Address	M/s. Western Coal Fields Ltd. Ghuggus Opencast Project, At. Ghuggus, Tal. & Dist. Chandrapur.						
Industry Type	R-49						
Industry Category	Mining & Ore Benification						
Project details	Renewal of Consent with increase in capital investment						
Consent applied for	Renewal of Consent with increase in capital investment			Application date:	08.01.2014	Date of receipt at CAC cell	02.05.2014
	Capital Investment in Rs.			products & by-products name		Max qty	
	*Existing	Proposed	Total				
	139.73	12.46	152.19	1	Coal	1.9 Million Ton/Y	
Applicability of	CRZ Clearance	RRZ (i.e. site falls in no development zone as per RRZ policy)	Industrial location policy	Eco-sensitive	Moratorium	EC	Directions of MoEF for western ghats
	N	Y	N	N	Y	Y	N
		A-II, 0.30 Kms, Wardha River (However existing unit)			CEPI area existing unit	Existing unit	
*Existing consent details (Previous)	Consent no.			Consent granted date	Validity	Capital Investment in Crs	
	C to O	BO/PCI-II/ROCH/EIC No. CH-023-09/R/CC-260		07.07.2009	31.03.2014	139.73	
Existing Production qty (Products & By-Products)	C to O: Coal 1.9 Million Ton/A						
Compliance of Water Pollution Related Conditions							
Details of water consumption as applied :		Purpose				Water consumption in CMD	
	1	Industrial Cooling, spraying in mine pits or boiler feed					
	2	Domestic purpose				3870	

	3	Work Shop		20			
	4	Mine Spraying		641			
	Whether any deviation in water		N	Remarks:			
Details of effluent generation as applied :	1. Trade Effluent- 8100		3. Disposal Detail - Spraying mine				
	2. Treatment Steps: Primary		4. Adequate land available: NA				
	5. Domestic Effluent - 2902		7. Disposal Detail - On land for gardening				
	6. Treatment Steps: Septic		8. Adequate land available: Not				
	Whether any deviation in		N	Remarks:			
Compliance of existing unit in case applied for expansion C to E/ O/R	N (STP not provided for DE 2902 CMD)						
In case of proposed discharge to CETP for further treatment	a) CETP Capacity to handle additional load	N	b) Performance of CETP	NA			
Existing JVS results Effluent	Sr. no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA)		
	1	24/01/2014 & 25/01/2014	Field Officer	N	N		
	2	30/12/2013 & 31/12/2013	Field Officer	N	N		
Compliance of Air Pollution Related Conditions							
Details of fuel consumption and APC system as applied :-	Sr. no.	Source	Stack	Fuel type	Quantity	Height - I,II,III	APC system Detail
	1	Nil					
	Whether any deviation in fuel				N	Remarks:	
Compliance of existing unit in case applied for expansion C to E/ O/R	Y (However AAQM exceeding standards as reported by SRO)						

Existing JVS results Air	Sr.no.	Date of Visit	Board official's name:	Whether sample collected or not: (Y /N /NA)	Whether results are confirming to standards or not:(Y /N /NA)		
	1	18.10.2013		AAQM Y	N		
Compliance of Haz. Waste Condition							
Details of compliance of Haz. Waste	Sr. no.	Type Of Waste	Category	Quantity & UoM	Treatment	Disposal	Submission of Annual return (FROM-IV)
	1	Spent Oil/Used Oil	5.1	1680 ltr/day	CHWTS DF	CHWTS DF	--
	2	ETP Sludge	34.4	100 kg/day	CHWTS DF	CHWTS DF	--
Whether any deviation in Hz waste					N	Remarks:	
Compliance of Non-Haz. Waste							
Details of compliance of Non Haz. Waste	Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal		
	1	Nil	Nil	Nil	Nil		
Whether any deviation in Non-Hz waste					N	Remarks:	
Water Cess	Returns filed upto:		--		Paid Upto:	--	
Directions issued (if any)	SCN issued vide dtd 05.08.2013, 26.11.2013, 14.11.2013 (Copies enclosed)						
BG Details	Amount validity	Validity	BG obtained towards compliance of				
			a) consent condition		b) directions		
	2.0 lacs	28/01/2014			-----		
Details of BG forfeited/ enched for non compliance, if any:	N						
Submission of Environmental Statement	Y	Year	2012-2013				
Detail of Fee paid	Amount:	Rs. 3193140	Terms:				

In case of 1st C to O, Compliance of C to E Conditions	NA	Remarks:	
Recommendation of SRO/RO	SRO: Consent to Operate (Renewal) may be Refused. RO: Consent to Operate may be Refused		