

**List of Cases to be submitted before 16th Consent Committee Meeting of 2014-15  
scheduled on 17.10.2014 at 11:00 a.m. (Booklet No. - 29)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
	<b>Fresh Agenda</b>					
1	<b>Gharda Chemicals Limited (Sub Division),</b> Plot No. F-1/1, Lote Parshuram MIDC, Tal - Khed, Dist - Ratnagiri	49.55 Crs.	Establish	AS(T)	1 to 17	
2	<b>Sandeep Estate Development Pvt. Ltd.,</b> 1/531, 2/531, 531(pt), at Village, Dharavi Sub Division, Sion Bandra Link Road, Mumbai	105.67 Crs.	Establish	RO(HQ)	18 to 25	
3	<b>Reliable Builders and Developers, CTS No.</b> 1A(PT), S. No. 161(pt), Village Pahadi, Goregaon, Plot No. B-3 & B-4, at off New Link Road, Goregaon (W), Mumbai	95.45 Crs.	Establish	RO(HQ)	26 - 39	
4	<b>Earth Graphics, "Earth Enclave", C. S. No.</b> 683, 684, 685 of Girgaon Division, Building No. 114, 114(A), 114(B), (122B), 114C, 114E and 106-112, Bearing Cessed No. F-1582(3), D- 1581(1-3), D-1581(1-3), D-1581(4), D-1580(1), D-1714 & D-1579(3) Situated at V. P. Road, Mumbai	111.48 Crs.	Establish	RO(HQ)	40 - 52	
5	<b>Reliable Construction, C.S. No. 25(pt),</b> 55(pt), 62(pt) & 68(pt) to 70(pt) of Dharavi at Matunga Labour Camp, Dhraavi, G/N Ward, Mumbai	95.25 Crs.	Establish	RO(HQ)	53 - 61	
6	<b>Lake View Developers, on plot Bearing CTS</b> No. 22(pt), Village - Powai, Mumbai	40.10 Crs.	Establish	RO(HQ)	62 - 71	
7	<b>Vijay Nagar Corporation, "Yogi Nagar", CTS</b> No. 1723A, 1723B, 1723C, 1723/5 to 8, 1723/27, Eksar Village, Link Road, Borivali(W)	180 Crs.	Establish	RO(HQ)	72 - 99	
8	<b>Concorde Developers, "Cosmos Horizon",</b> Sr. No. 192/2A(P), 192/2B, 193/2B(P), 193/3B(P), Majiwada, Pokhran Road No. 2, Thane	150 Crs.	Establish	RO(HQ)	100 - 113	
9	<b>M. V. Sugar &amp; Infrastructure Pvt. Ltd., Gat</b> no. 71, 92, A/p- Chabukeshwarwadi, Tal - Miraj, Dist- Sangli	44 Crs.	Establish	JD(WPC)	114 - 130	
10	<b>Arihant Enterprises &amp; Dimpny Infra Centure</b> <b>Pvt. Ltd., "Arihant City Phase - II" Survey</b> No. 49/1, 49/2, 49/3 (pt), 50/1(pt), 52/1(pt), 53/1(pt), 53/2(pt), 55(pt), 56(pt), 57/3, 57/4(pt), 85/1(pt), 85/2(pt), 86/2, At Bhadwad, Bhiwandi, Dist: Thane	306.27 Crs.	Establish	RO(HQ)	131 - 142	
11	<b>Hastshilp Realty, "Vertical Alcinia", S. No.</b> 12, Village: Mohammadwadi, Tal - Haveli, Dist - Pune	41.25 Crs.	Establish	RO(HQ)	143 - 154	
12	<b>Gala Precision Technology Pvt. Ltd., Plot</b> No. - 295-III, Village - Vadavali, Post - Uchat, Tal - Wada, Dist - Thane	34.64 Crs.	Establish	JD(APC)	155 - 169	
13	<b>Taikisha Engineering India Ltd., Gut No.</b> 321/323, Kondhapuri, Tal - Shirur, Dist: Pune	51.5 Crs.	Establish (Expansion)	JD(APC)	170 - 184	
14	<b>Krohne Marshall Pvt. Ltd., A-36/B-14, H-</b> Block, MIDC Pimpri, Dist- Pune	40.39 Crs.	Establish (Expansion)	JD(APC)	185 - 205	
15	<b>Taleem Research Foundation, Plot No. 6,</b> CTS No. 4207(pt), Bandra, Mumbai	213 Crs.	Establish & Operate	RO(HQ)	206 - 222	

16	<b>Kandivali Kesar Ashish CHS Ltd.</b> , 17, S. No. 149(pt), CTS No. 1/C/1/1(pt), Mouze, Kandivali, Mumbai	53.55 Crs.	Establish & Operate	RO(HQ)	223 - 237	
----	--	------------	---------------------	--------	-----------	--

17	<b>Maharashtra Raja Sahkari Duh Mahasangh Mary Mumbai</b> , No. 2104(B), Village- Varvand, Tal - Daund, Dist - Pune	59.42 Crs.	1st Operate	JD(WPC)	238 - 248	
18	<b>Kumar Company, "Pebble Park"</b> , At Sr. No. 55, Hissa No. 1,2,3, Hadapsar, Dist: Pune	39.59 Crs.	1st Operate (Part)	RO(HQ)	249 - 262	
19	<b>Concorde Developers, "Cosmos Horizon"</b> , Sr. No. 192/2A(P), 192/2B, 193/2B(P), 193/3B(P), Majiwada, Pokhran Road No. 2, Thane	73.54 Crs	1st Operate (Part)	RO(HQ)	263 - 270	
20	<b>Dr. Acharya Laboratories Pvt. Ltd.</b> , Plot No. N 42, Additional MIDC, Anand Nagar, Ambernath (East)	39.42 Crs.	Renewal (with increase in C.I.)	AS(T)	271 - 292	
21	<b>Henkel Adhesive Technologies India Pvt. Ltd.</b> , Plot No. 1/1, Part-2, TTC Indl. Area, Kopar Khairi, Navi Mumbai	30 Crs.	Amendment (Additional Thermic Fluid Heater)	AS(T)	293 - 308	
22	<b>Bharat Petroleum Corporation Ltd.</b> , Plot No. F-5, MIDC Malegaon, Tal - Sinner, Dist - Nashik	47.28 Crs.	Renewal	AS(T)	309 - 323	
23	<b>Orient Press Ltd., (Flexible Packaging Div.)</b> , Plot No. G-7/3, MIDC Tarapur, Tal - Palghar, Dist - Thane.	57.28 Crs.	Renewal	AS(T)	324 - 339	
24	<b>Jiangyin Uni-Pol Vacuum Casting India Pvt. Ltd.</b> , Gut No. 55/2, Pimple Jagtap, Chakan Shirur Road, Tal: Shirur, Dist: Pune	28.74 Crs.	Renewal	JD(APC)	340 - 354	
25	<b>Metal Fab Hightech Pvt. Ltd.</b> , Plot No. R-21-25 and 33-B/2, MIDC Industrial Area hingna Road, Nagpur	47.44 Crs.	Renewal	JD(APC)	355 - 368	
26	<b>Mahale Filters (India) Pvt. Ltd.</b> , Gut No. 410/411, Mouje Rawale, Tal: Mulshi, Dist: Pune	29.84 Crs.	Renewal	JD(APC)	369 - 385	
27	<b>Kirloskar Brother Ltd.</b> , Gat No. 252/2, 254/2, Mauje Kondhapuri, Tal: Shirur, Dist: Pune	31.36 Crs.	Renewal (Amalgamation)	JD(APC)	386 - 399	
28	<b>Ador Welding Ltd.</b> , Sr. No. 147/2B/3CTC No. 5222, Akurdi, Shinchwadgaon, Pune	25.94 Crs.	Renewal (Amalgamation)	JD(APC)	400 - 417	
29	<b>3A Composites India Pvt. Ltd.</b> , B-32/1/1, MIDC Ranjangaon, Tal: Shirur, Dist: Pune	57.20 Crs.	Renewal	JD(APC)	418 - 444	
30	<b>Prathamesh Ceramics Pvt. Ltd.</b> , Gut No. 230, Village: Lakhmapur, Tal: Dindori, Dist: Nashik	73.43 Crs.	Renewal	JD(APC)	445 - 464	
31	<b>Classic City Investments Pvt. Ltd., (Hotel Sun &amp; Sand)</b> 262 Bundgarden, Pune	63.10 Crs.	Renewal	RO(HQ)	465 - 473	
32	<b>Ahmednagar Municipal Corporation</b> , S. No. 289, Sawedi, Tal & Dist. - Ahmednagar.	_____	_____	RO(HQ)	474 - 491	
33	<b>Kolhapur Municipal Corporation</b> , Kolhapur at Gut No. 520 & 565, At - Toap, Tal - Hatkananle, Dist - Kolhapur.	_____	_____	RO(HQ)	492 - 508	
<b>Fresh Agenda - New Entry to CC</b>						
1	<b>EFTEC (India) Pvt. Ltd.</b> , G-9, MIDC Ranjangaon, Pune	29.64 Crs.	Renewal (with increase in C.I.)	AS(T)	509 - 518	
	JD(WPC)	2				
	AS(T)	6				
	RO(HQ)	16				
	JD(APC)	10				
	PSO	0				
	Total	<b>34</b>				

# Maharashtra Pollution Control Board

## CC- Fresh Agenda

### Agenda no. 1

Region : SRO Chiplun	Section : AST		Date : 22.09.2014
Name & Address	M/s Gharda Chemicals Limited (Sub Divided) , Plot No-F-1/1, (Sub divided), Lote Parshuram MIDC, Tal-Khed, Dist. Ratnagiri		
Consent For	C to E		
Capital Investment	49.55 Crs.		
Previous Consent Validity	Proposed unit		
Industry Type	R34 Industries engaged in recycling /reprocessing/recovery /reuse		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( <input checked="" type="checkbox"/> )	
	Details :- Proposed to provide primary, secondary, tertiary and RO treatments, the treated effluent will be recycle, RO reject will be subjected to evaporation.		
Compliance of Air Pollution Related Conditions	No ( <input checked="" type="checkbox"/> )		
	Details: - Proposed to provide Alkali scrubber, HCL absorbing system and 30 meter chimney to melting Furness.		
Water Cess	Assessment Done : Proposed unit	Paid Upto :	
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>	
	<u>BG Obtained against :</u>		
	<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement	Period	Proposed unit	
Other Relevant Information	<p>Industry has applied for consent to establish.                      Industry has proposed to develop this Pilot Plant for recovery of Al, Ti &amp; Iron from Red mud at their existing 6.4 MW cogeneration plant at Plot No. F- I/I, MIDC Lote Tal- Khed Dist- Ratnagiri.                      Industry has approached to MIDC for sub dividing this plot and MIDC vide their letter no. NO/ROR/LTP/F-1/1/2713/2014 Dated- 09/06/2014 has re-designated as a demo Pilot Plant.                      Industry has develop this novel process for recovery of Al, Ti &amp; Iron from Red mud having capacity 1 TPD of Al &amp; 0.24 TPD of Ti 3.51 TPD of Iron by reduction, separation, carbochlorination &amp; separation process.                      The Pilot Plant also comprise of coal pyrolysis process which converts the volatiles and primary pyrolysis product such as chemical and solvents by cracking and generating cheap carbon source for metallurgical heating/reduction uses.                      For industry effluent 3.2 CMD industry proposed to provide primary, secondary, tertiary and RO treatments, the treated effluent will be recycle, RO reject will be subjected to evaporation.                      For APC industry has proposed to provide Alkali scrubber, HCL absorbing system and 30 meter chimney to melting Furness.                      For HW disposal industry has proposed for CHWTSDF membership.</p>		

## Maharashtra Pollution Control Board

<b>Recommendation of SRO/RO</b>	<p>Industry has proposed to develop this Pilot Plant at their existing 6.4 MW cogeneration plant at Plot No. F-II, MIDC Lote Tal- Khed Dist- Ratnagiri. Industry has approach MIDC for sub dividing this plot and MIDC vide their letter no. NO/RORILTP/F-111127 I 3/2014 Dated- 9106/2014 has re-designated as a demo Pilot Plant.</p> <p>Industry has develop this novel process for recovery of Al, Ti &amp; Iron from Red mud having capacity 1 TPD of Al &amp; 0.24 TPD of Ti 3.51 TPD of Iron by reduction, separation, carbochlorination &amp; separation process.</p> <p>The Pilot Plant also comprise of coal pyrolysis process which converts the volatiles and primary pyrolysis product such as chemical and solvents by cracking and generating cheap carbon source for metallurgical heating/reduction uses.</p> <p>For industry effluent 3.2 CMD, industry has proposed primary, secondary, tertiary and RO treatments, the treated effluent will be recycle, RO reject will be subjected to evaporation.</p> <p>For APC industry has proposed Alkali scrubber, HCL absorbing system and 30 meter chimney to melting Furness.</p> <p>For HW industry has proposed for CHWTSDF membership.</p> <p>In view up above recommended for consent to establish.</p>
---------------------------------	--

# Maharashtra Pollution Control Board

## Agenda no. 2

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>	<b>Date :SRO Date of receipt;- 17/7/2014 Ro (HQ) Date of receipt;- 10/09/2014</b>																	
<b>Name &amp; Address</b>	M/s.Sandeep Estate Development Pvt. Ltd., 1/531,2/531,531(pt), at village :Dharavi sub division, Sion Bandra Link Road,Mumbai																		
<b>Consent For</b>	C to E																		
<b>Capital Investment</b>	Rs.105.67Crore																		
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr																		
<b>Industry Category</b>	Orange																		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>																	
	<b>Details :-</b> Water Consumption :- 258 CMD , Effluent Generated :- 219 CMD Proposed STP Capacity :-165 & 85 CMD																		
<b>Water Cess</b>	<b>Assessment Done :-</b>	<b>Paid Upto :</b>																	
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>																	
	<b>BG Obtained against :</b>																		
	<b>Details of BG forfeited/encashed , if any :</b>																		
<b>Other Relevant Information</b>	<p>Application for consent to establish for construction of residential project cum commercial project under SRA Scheme</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;"><b>Applied for</b></td> <td style="width: 25%;">C to E</td> <td colspan="2"><b>Residential cum commercial project under SRA Scheme.</b></td> </tr> <tr> <td><b>Plot Area</b></td> <td>5,241.99 sq.mtrs</td> <td><b>Built up area</b></td> <td>35,792.96 sq. mtrs</td> </tr> <tr> <td><b>EC Status</b></td> <td>Not Obtained</td> <td><b>Dated</b></td> <td>11/06/2014</td> </tr> <tr> <td><b>Water</b></td> <td>258 CMD</td> <td><b>Effluent Generated</b></td> <td>219 CMD</td> </tr> </table>			<b>Applied for</b>	C to E	<b>Residential cum commercial project under SRA Scheme.</b>		<b>Plot Area</b>	5,241.99 sq.mtrs	<b>Built up area</b>	35,792.96 sq. mtrs	<b>EC Status</b>	Not Obtained	<b>Dated</b>	11/06/2014	<b>Water</b>	258 CMD	<b>Effluent Generated</b>	219 CMD
<b>Applied for</b>	C to E	<b>Residential cum commercial project under SRA Scheme.</b>																	
<b>Plot Area</b>	5,241.99 sq.mtrs	<b>Built up area</b>	35,792.96 sq. mtrs																
<b>EC Status</b>	Not Obtained	<b>Dated</b>	11/06/2014																
<b>Water</b>	258 CMD	<b>Effluent Generated</b>	219 CMD																

## Maharashtra Pollution Control Board

	<b>Consumption</b>			
	<b>STP Capacity</b>	160 CMD & 85 CMD		
	<b>Bio-degradable</b>	586 Kg/D	<b>Treatment</b>	Will be composted
	<b>Non-Bio degradable</b>	270 Kg/Day	<b>Treatment</b>	Will be given to authorized party.
	<b>No of DG Sets</b>	3 Nos	<b>Capacity</b>	320 KVA, 30 KVA, 500 KVA
	<b>Construction status</b>	started ,during visit demolition work & piling work is under progress.	<b>Date of Visit</b>	As per noting of SRO
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

## Maharashtra Pollution Control Board

### Agenda no. 3

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>		<b>Date :SRO Date of receipt;- 2/8/2014</b>	
	<b>Ro (HQ) Date of receipt;- 20/09/2014</b>			
<b>Name &amp; Address</b>	M/s. Reliable Builders and Developers. CTS No.1A(PT),S.No.161(pt),Village:Pahadi goregaon, Plot No.B-3 & B-4, at off New link road, Goregaon(W),Mumbai-400 104.			
<b>Consent For</b>	C to E			
<b>Capital Investment</b>	Rs.95.45 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Water Consumption :- 410 CMD , Effluent Generated :- 365 CMD Proposed STP Capacity: 240 CMD & 125 CMD.			
<b>Water Cess</b>	<b>Assessment Done :-</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>		<b>Validity :</b>	
	<b><u>BG Obtained against :</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Other Relevant Information</b>	Application for consent to establish for construction of residential project under SRA Scheme.			
	Applied for	C to E	Redevelopment Residential project under SRA Scheme.	
	Plot Area	8,166.5 sq.mtrs	Built up area	61,513.06 sq. mtrs
	EC Status	Not Obtained	Dated	applied



## Maharashtra Pollution Control Board

	<b>Water Consumption</b>	410 CMD	<b>Effluent Generated</b>	365 CMD
	<b>STP Capacity</b>	240 CMD & 125 CMD		
	<b>Bio-degradable</b>	898 Kg/D	<b>Treatment</b>	Will be treated in OWC.
	<b>Non-Bio degradable</b>	643 Kg/Day	<b>Treatment</b>	Will be given to authorized party.
	<b>No of DG Sets</b>	2 Nos	<b>Capacity</b>	180 KVA& 200 KVA
	<b>Construction status</b>	<b>Not started</b>	<b>Date of Visit</b>	11.9.2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

# Maharashtra Pollution Control Board

## Agenda no. 4

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>	<b>Date :SRO Date of receipt;- 2/8/2014 Ro (HQ) Date of receipt;- 10/09/2014</b>		
<b>Name &amp; Address</b>	M/s. Earth Graphics., "Earth Enclave" C.S.No.683,684,685 of Girgaon Division, Building No. 114,114(A),114(B),(122 B),114C,114E and 106-112, Bearing cessed No.D-1582(3),D-1581(1-3),D-1581(4),D-1580(1),D-1714 & D-1579(3) Situated at V.P Road,Mumbai-400 004.			
<b>Consent For</b>	C to E			
<b>Capital Investment</b>	Rs.111.48 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Water Consumption :- 112 CMD , Effluent Generated :- 96 CMD Proposed STP Capacity: 100 CMD			
<b>Water Cess</b>	<b>Assessment Done :-</b>	<b>Paid Upto :</b>		
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>		
	<b><u>BG Obtained against :</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Other Relevant Information</b>	Application for consent to establish for construction of residential project.			
	Applied for	C to E	Redevelopment Residential project.	
	Plot Area	2,882.32 sq.mtrs	Built up area	31,463.01 sq. mtrs
	EC Status	Not Obtained	Dated	Applied SEAC Minutes dated 17 <sup>th</sup> to 19 <sup>th</sup> June,2014

## Maharashtra Pollution Control Board

	Water Consumption	112 CMD	Effluent Generated	96 CMD
	STP Capacity	100 CMD		
	Bio-degradable	246 Kg/D	Treatment	Will be treated in OWC.
	Non-Bio degradable	115Kg/Day	Treatment	Will be given to authorized party.
	No of DG Sets	1 Nos	Capacity	650 KVA
	Construction status	Not started	Date of Visit	As per SRO noting.
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

## Maharashtra Pollution Control Board

### Agenda no. 5

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>		<b>Date :SRO Date of receipt;- 16/8/2014 Ro (HQ) Date of receipt;- 20/09/2014</b>	
<b>Name &amp; Address</b>	M/s. Reliable Construction, C.S.No.25(pt),55(pt),62(pt) and 68(pt) to 72(pt), Of Dharavi at Matunga Labour camp,Dhravi,G/NWard,Mumbai			
<b>Consent For</b>	C to E			
<b>Capital Investment</b>	Rs.95.25 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Water Consumption :- 388 CMD , Effluent Generated :- 334 CMD Proposed STP Capacity :-320 CMD & 50 CMD			
<b>Water Cess</b>	<b>Assessment Done :-</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>		<b>Validity :</b>	
	<b><u>BG Obtained against :</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Other Relevant Information</b>	Application for consent to establish for construction of redevelopment of residential project			
	<b>Applied for</b>	C to E	for construction of redevelopment of residential project	
	<b>Plot Area</b>	5,693.04 sq.mtrs	<b>Built up area</b>	35,054.62 sq. mtrs
	<b>EC Status</b>	Not Obtained	<b>Dated</b>	Applied(SEAC Minutes dated 25 <sup>th</sup> -27 <sup>th</sup> June ,2014 is attached

## Maharashtra Pollution Control Board

	<b>Water Consumption</b>	388 CMD	<b>Effluent Generated</b>	334 CMD
	<b>STP Capacity</b>	320 CMD & 50 CMD		
	<b>Bio-degradable</b>	872 Kg/D	<b>Treatment</b>	Will be treated in OWC
	<b>Non-Bio degradable</b>	390 Kg/Day	<b>Treatment</b>	Will be given to authorized party.
	<b>No of DG Sets</b>	2 Nos	<b>Capacity</b>	320 KVA and 400 KVA
	<b>Construction status</b>	started	<b>Date of Visit</b>	As mentioned in SRO.
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

## Maharashtra Pollution Control Board

### Agenda no. 6

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>		<b>Date :SRO Date of receipt;- 27/8/2014</b>	
			<b>Ro (HQ) Date of receipt;- 19/09/2014</b>	
<b>Name &amp; Address</b>	M/s.Lake View Developers on plot bearing CTS No.22(pt), Village: Powai,Mumbai			
<b>Consent For</b>	C to E			
<b>Capital Investment</b>	Rs.40.10 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Water Consumption :- 788.40 CMD , Effluent Generated :- 683.28 CMD Proposed STP Capacity :-700 CMD			
<b>Water Cess</b>	<b>Assessment Done :-</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>		<b>Validity :</b>	
	<b>BG Obtained against :</b>			
	<b>Details of BG forfeited/encashed , if any :</b>			
<b>Other Relevant Information</b>	Application for consent to establish for construction of <u>proposed temporary transit camp.</u>			
	<b>Applied for</b>	C to E	for construction of proposed temporary transit camp	
	<b>Plot Area</b>	6,147.41 sq.mtrs	<b>Built up area</b>	26,707.64 sq. mtrs
	<b>EC Status</b>	Not Obtained	Not submitted details by PP	
	<b>Water Consumption</b>	788.40 CMD	<b>Effluent Generated</b>	683.28 CMD
	<b>STP Capacity</b>	700 CMD		

## Maharashtra Pollution Control Board

	<b>Bio-degradable</b>	1576.8 Kg/D	<b>Treatment</b>	Will be disposed off through Municipal corporation
	<b>Non-Bio degradable</b>	1051.2 Kg/Day	<b>Treatment</b>	
	<b>No of DG Sets</b>	1 Nos	<b>Capacity</b>	300 KVA
	<b>Construction status</b>	started	<b>Date of Visit</b>	11/9/2014
	<p>Said project consist of 5 wings having 7 floors and PP has competed construction work of Wing A and Wing B is under progress Project representative reported that around 7,700 Sq. Mtrs work is completed.</p> <p>PP has not submitted,</p> <ol style="list-style-type: none"> <li>1) Details regarding PP has applied for EC towards GOM or not.</li> <li>2) Architect plan having area statement details for total construction BUA of 26,707.64 sq. mtrs.</li> <li>3)PP has submitted CA Certificate in which Land cost is not mentioned.</li> </ol>			
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish subject to obtaining EC.			

## Maharashtra Pollution Control Board

### Agenda no. 7

<b>Region : Mumbai</b>	<b>Section : RO(HQ)</b>		<b>Date :SRO Date of receipt;- 11/8/2014 Ro (HQ) Date of receipt;- 3/09/2014</b>	
<b>Name &amp; Address</b>	M/s. Vijay Nagar Corporation, "Yogi Nagar" CTS No.1723 A,1723 B,1723 C, 1723/ 5 to 8,1723/27,Eksar Village, Link Road,Boriwali(W).			
<b>Consent For</b>	C to E			
<b>Capital Investment</b>	Rs.180 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Water Consumption :- 142 CMD , Effluent Generated: - 118 CMD. Proposed STP Capacity :-130 CMD			
<b>Water Cess</b>	<b>Assessment Done :-</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>		<b>Validity :</b>	
	<b>BG Obtained against :</b>			
	<b>Details of BG forfeited/encashed , if any :</b>			
<b>Other Relevant Information</b>	Application for consent to establish for construction of residential redevelopment project			
	<b>Applied for</b>	C to E	<b>Residential</b> redevelopment project	
	<b>Plot Area</b>	5,020 Sq.mtrs	<b>Built up area</b>	36,295.70Sq.mtrs
	<b>EC Status</b>	obtained	<b>Present status</b>	Dated 14/3/2014
	<b>Plot Area</b>	5,020 Sq.mtrs	<b>Built up area</b>	36,295.70Sq.mtrs
	<b>Water Consumption</b>	142 CMD	<b>Effluent Generated</b>	118 CMD
	<b>STP Capacity</b>	130 CMD		



## Maharashtra Pollution Control Board

	<b>Bio-degradable</b>	290 Kg/D		<b>Treatment</b>	Will be treated in OWC
	<b>Non-Bio degradable</b>	200 Kg/D		<b>Treatment</b>	Will be given to authorized party.
	<b>No of DG Sets</b>	1 Nos		<b>Capacity</b>	600 KVA
	<b>Construction status</b>	started		<b>Date of Visit</b>	30/8/2014
	<p>SRO reported that said project consist of 1 residential building having 3 wings A,B,C(21 foors) and Wing A &amp; B Completed &amp; occupied in 2010 &amp; 2011, construction wing C upto 3 floors were completed.</p> <p>Env dept has issued SCN on 22.4.2013, which was withdrawn by them on 25.6.2013</p> <p>Now PP has obtained EC on 14/3/2014.</p>				
Recommendation of SRO/RO	SRO Recommended for grant of Consent to Establish				

# Maharashtra Pollution Control Board

## Agenda no. 8

Region : SRO Thane I		Section : RO(HQ)		Date :14/10/2014			
Name & Address		Concorde Developers, "cosmos Horizon" , Sr. No. 192/2A(P), 192/2B, 193/2B(P), 193/3B(P), Majiwada, Pokhran Road No.2, Thane					
Consent For		CE					
Capital Investment		15000 Lacs					
Previous Consent Validity							
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr					
Industry Category		Orange					
Compliance Of Water Pollution Related Conditions		YES ( ) N. A.		NO ( ) N. A.			
		Details :- ----- N. A. -----					
Water Cess		Assessment Done : --- N. A. ---		Paid Upto : --- N. A. ---			
<b><u>BG Details</u></b>		<b><u>Amount</u></b> --- N. A. ---		<b><u>Validity</u></b> : --- N. A. ---			
		<b><u>BG Obtained against</u></b> : Compliance of consent conditions.					
		<b><u>Details of BG forfeited/encashed , if any</u></b> : No.					
Submission of Environmental Statement		Period		--- N. A. ---			
Other Relevant Information		The application is for consent to establish for the residential cum commercial project with expansion and change in name.					
		Applied for		C to E		Residential cum commercial project.	
		Plot Area		26424.29 Sq. Mtrs.		Built up area 109543.71 Sq. Mtrs.	
		EC Status		obtained		Dated 06/02/2008	
		River Distance		N. A.		Name of River N. A.	
		CRZ applicability		N. A.		Type of CRZ N. A.	

## Maharashtra Pollution Control Board

	Water Consumption	601.0 CMD	Effluent Generated	462.0 CMD
	STP Capacity	480.0 CMD	Recycle Water	223.0 CMD
	Bio-Degradable	1325.0 Kgs/Day	Treatment	OWC
	Non-Bio degradable	869.0 Kgs/Day	Treatment	-----
	Nos of DG Sets	04	Capacity	500 KVA *2 and 200 KVA*2.
	Construction Status	Part construction completed	Date of visit	18/06/2014.
	<ul style="list-style-type: none"> <li>- <u>Previous EC and C to E was granted for the plot are 22705 Sq. Mtrs and TBUA 43396.94 Sq. Mtrs.</u></li> <li>- <u>Previous C to E was granted on 26/09/2008, which is expired.</u></li> <li>- <u>EC was granted 06/02/2008, which is also expired.</u></li> <li>- <u>Now application submitted for revalidation of previous C to E with expansion and change in name.</u></li> <li>- <u>Revalidated EC with expansion and change in name is not obtained.</u></li> </ul> <p><b><u>In view of above we may consider the case for grant of consent to establish with expansion and change in name, if approved.</u></b></p>			
<b>Recommendation of SRO/RO</b>	<p>C to E may be granted subject to the condition that, the PP shall obtain fresh EC as per actual area of plot &amp; construction. B.G. of suitable amount may be stipulated. Consent period applicable is 30.9.2018 as validity of previous consent is expired on 26.9.2013.</p>			

## Maharashtra Pollution Control Board

### Agenda no. 9

<b>Region :</b> SRO Sangli	<b>Section :</b> JD(WPC)		<b>Date :</b> 14/10/2014
<b>Name &amp; Address</b>	M.V. Sugar & Infrastructure Pvt Ltd , Gat No. 71, 92, A/p- Chabukeshwarwadi, Tal - Miraj, Dist - Sangli.		
<b>Consent For</b>	CE		
<b>Capital Investment</b>	4400 Lacs		
<b>Previous Consent Validity</b>	Proposed Unit.		
<b>Industry Type</b>	R74 Sugar (excluding Khandsari)		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details :-</b> <b>Industrial effluent Details:</b> Proposed Quantity: 215 CMD., Disposal: On land of about 15 Acres. <b>Domestic Effluent Details:</b> Quantity: 16 CMD; Treatment: Septic tank and soak Pit; Disposal: On land for irrigation.		
<b>Compliance Of Air Pollution Related Conditions</b>	Proposed ESP as an APC system to 2 Nos. of 30 TPH Boiler.		
<b>Water Cess</b>	<b>Assessment Done : NA</b>	<b>Paid Upto : NA</b>	
<b>BG Details</b>	<b>Amount : NA</b>	<b>Validity :</b>	
	<b>BG Obtained against :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	NA	
<b>Other Relevant Information</b>	3.7 Kms away from Agrani River (A-II Class).		
	ETP with primary and secondary treatment is proposed.		
<b>Recommendation of SRO/RO</b>	Consent to Establish may be granted.		

# Maharashtra Pollution Control Board

## Agenda no. 10

Region : Kalyan	Section : RO(HQ)	Date :SRO Date of receipt;- 30/07/2014 Ro (HQ) Date of receipt;- 06/09/2014	
Name & Address	<b>M/s Arihant Enterprises &amp; Dimpy Infra Venture Pvt. Ltd</b>  <b>“Arihant City Phase – II” Survey No. 49/1, 49/2, 49/3 (Pt), 50/1(Pt), 52/1 (Pt) 53/1(Pt), 53/2(Pt), 55(Pt), 56(Pt), 57/3, 57/4(Pt), 85/1(Pt), 85/2(Pt), 86/2</b>  <b>At Bhadwad, Bhiwandi District : Thane</b>		
Consent For	<b>C to E</b>		
Capital Investment	306.27 Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )	
	Details :-Water Consumption 1182.0 CMD, Effluent generated 932.0 CMD. STP Proposed of Capacity : 1000.0CMD		
Other Relevant Information	Applied for	C to E	Residential Project
	Plot Area	62150.0 sq.m	Built up area 137773.34 sq.mt
	EC Status	Applied (Approved in SEAC meeting 19 <sup>th</sup> June 2014)	
	River Distance	2.1 Km	Name of River Ulhas (A-II)
	Water Consumption	1182.0 CMD	Effluent Generated 932.0 CMD
	STP Capacity	1000.0CMD	Recycle water 839.0 CMD
	Bio-degradable	2433.0 Kg/D	Treatment OWC
	Non-Boi degradable	1104.0 Kg/D	Treatment Local Body
	No of DG Sets	4	Capacity 3X200 KVA + 250 KVA

## Maharashtra Pollution Control Board

	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;"><b>Construction status</b></td> <td style="width: 25%;"><b>Not Started</b></td> <td style="width: 25%;"><b>Date of Visit</b></td> <td style="width: 25%;">21/08/2014</td> </tr> </table> <p>Applicant has not started construction activity and applied for EC, satisfy RRZ/CRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 10 Lakhs for compliance of consent condition. And applicant shall install Bio-methanation plant as quantity of Bio-degradable waste is 2433.0Kg/Day (Same recommended by SEAC during 28<sup>th</sup> meeting held on 19<sup>th</sup> June 2014)</p>	<b>Construction status</b>	<b>Not Started</b>	<b>Date of Visit</b>	21/08/2014
<b>Construction status</b>	<b>Not Started</b>	<b>Date of Visit</b>	21/08/2014		
<b>Recommendation of SRO/RO</b>	AS the project site is recommended by SEAC we may consider consent to establish accordingly.				

# Maharashtra Pollution Control Board

## Agenda no. 11

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 30/07/2014 Ro (HQ) Date of receipt;- 06/09/2014		
Name & Address	M/s. Hasthshilp Reality, "Vertical Alcinia", S.No. 12, Village Mohammadwadi, Taluka:- Haveli, Dist. Pune			
Consent For	C to E			
Capital Investment	41.25 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption 216.5 CMD, Effluent generated 186.7 CMD. STP Proposed of Capacity : 187.0CMD			
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	17191.65 m <sup>2</sup>	Built up area	23580.44 m <sup>2</sup>
	EC Status	Applied (Approved in SEAC-III meeting 15 <sup>th</sup> meeting and recommended to SEIAA).		
	River Distance	7.0 Km	Name of River	Mula-Mutha (A-IV)
	Water Consumption	216.5 CMD	Effluent Generated	186.7 CMD
	STP Capacity	187.0 CMD	Recycle water	79.7 CMD
	Bio-degradable	409.0 Kg/D	Treatment	OWC
	Non-Boi degradable	298.0 Kg/D	Treatment	Local Body
	No of DG Sets	1	Capacity	160 KVA
	Construction status	<b>Not Started</b>	Date of Visit	13/09/2014
	PP has earlier initiated excavation work on some part of the project. During			

## Maharashtra Pollution Control Board

	<p>visit no excavation work was in progress. In view of above Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 10 Lakhs for compliance of consent condition.</p>
<b>Recommendation of SRO/RO</b>	<p>During visit it is observed that project proponent had initiated excavation work earlier, however now it is stopped. In view of above recommended the case for grant of consent to establish.</p>



## Maharashtra Pollution Control Board

### Agenda no. 12

CC Item -		
Region : Mumbai	Section : JD(APC)	Date:16.7.2014
Name & Address	<u>M/s.Gala Precision Technology Pvt Ltd ,</u> <u>Plot No-295-III Village Vadavali , Post , Uchat , Tal , Wada , Dist -</u> <u>Thane</u>	
Consent for	Application for consent to Establish	
Capital Investment	Total : 34.64 Crs. (Existing C.I.-Rs.14.40 Cr at plot No -295-I . + Establish C.I. - Rs.20.24 Cr. At plot No 295-III )	
Consent Valid upto	31/10/2015 (Existing) plot No 295-I	
Industry Type	R36 Industry or process involving metal surface treatment or pro	
Compliance of Water Pollution Related Conditions	Yes <input checked="" type="checkbox"/>	No
	Industrial effluent is 1.0 CMD – ETP provided Domestic effluent -3.0 CMD septic tank and soak pit provided.	
Water Cess	No	Paid upto: no
Submission of Environmental Statement	.....	
Compliance of Air Pollution Related Conditions	Yes <input checked="" type="checkbox"/>	No
	a) Stack of 15Mtrs height will be provided to Furnace . and 4 nos of D.G. set having 250, 200,125 25 KVA each as fuel .HSD used , for DG Set will be provided with acoustic enclosure	

## Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none"><li>1) Industry applied for to establish separately at plot no 295-III,for production quantity.<ol style="list-style-type: none"><li>a) Compressor Valves and assemblies-4000.00 Nos/M</li><li>b) Vale plates, spring plates, Sheet metal components, Turn parts, spare parts, Retainers -500000.00 Nos/M</li></ol></li><li>2) This office issued letter to industry on 23.07.2014 and SCN to 05.08.2014 for clarification of registration from industry department and location clearance and air pollution control arrangement</li><li>3) Industry submitted reply 25.08.2014,mentioned that they have applied for MSI certificate to industry department at New Delhi , Acknowledgment copy is submitted , DIC acknowledgment part-I</li><li>4) And also clarified that they obtained consent for plot no 295-I and valid up to 31.10.2015 and they are proposed to expansion for additional products at new plot 295-III .</li><li>5) Field officer visited on 10.9.2014 reported that units of plot no 295-I and 295-II and having valid consent are found in working condition and plot of 295-III is adjacent to it ,applied for consent to establish separately</li></ol>
Recommendation of SRO/RO	SRO Recommendation: recommended case for grant of consent to Establish up to commissioning of unit

## Maharashtra Pollution Control Board

### Agenda no. 13

<b>Region : SRO Pune-II.</b>	<b>Section : JD(APC) Section</b>		<b>Date : 22.09.2014.</b>
<b>Name &amp; Address</b>	M/s Taikisha Engineering India Ltd., Gut no.321/323, Kondhapuri Tal: Shirur, Dist: Pune- 412 209.		
<b>Consent For</b>	Consent to establish for expansion.		
<b>Capital Investment</b>	Total CI Rs.51.5 Crs [Existing-Rs.37.70 Crs + Proposed Rs.13.80 Crs]		
<b>Previous Consent Validity</b>	31.08.2017.		
<b>Industry Type</b>	Engineering		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( √ )</b>		
	<b>Details :-</b> Ind. Effluent: 1.0, Dom Eff: 1.0 CMD, ETP & STP provided.		
<b>Compliance Of Air Pollution Related Conditions</b>	Stacks to pre treatment, oven, water drying tank and powder coating section.		
<b>Water Cess</b>	<b>Assessment Done : ---</b>	<b>Paid Upto : ----</b>	
<b>BG Details</b>	<b>Amount</b> Rs.5.0 Lakhs	<b>Validity : 31.12.2017.</b>	
	<b>BG Obtained against : _</b> towards O & M of PCS.		
	<b>Details of BG forfeited/encashed , if any :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-13	
<b>Other Relevant Information</b>	1. Unit is located 5.0 Km from river Vel Satisfies RRZ. 2. Location is not covered under Western Ghat Ecology area declared by MoEF.		
<b>Recommendation of SRO/RO</b>	Recommended for grant of consent to establish.		

## Maharashtra Pollution Control Board

### Agenda no. 14

<b>Region : Pune</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	<b>M/s. Krohne Marshall Pvt. Ltd. A-36/B-14, H-Block, MIDC, Pimpri, Dist. Pune</b>		
<b>Consent For</b>	C to E (Expansion)		
<b>Capital Investment</b>	20.00 Crs		
<b>Previous Consent Validity</b>	30/04/2016		
<b>Industry Type</b>	O23 Engineering and Fabrication		
<b>Industry Category</b>	Orange		
<b>Compliance Of Water Pollution Related Conditions</b>	Yes		
	<b>Details :-</b> Sewage – 06.40 CMD STP Provided.		
<b>Compliance Of Air Pollution Related Conditions</b>	Yes- Industry has proposed filters to paint booth and stack to D.G. section.		
<b>Water Cess</b>	<b>Assessment Done :---</b>	<b>Paid Upto : -----</b>	
<b>BG Details</b>	<b>Amount : Rs. -----</b>	<b>Validity : -----</b>	
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-13	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. Industry has applied for Consent to Establish for expansion.</li> <li>2. <b>Earlier consent obtained vide No.</b> BO/JD(APC)/EIC No. PN-20983-14/O/- CC- 9342 dated 09.10.2014 valid upto 30.04.2016 under Red Category.[CI-20.39 Crs]</li> <li>3. Total CI Rs.40.39 [Existing 20.39 Crs+ Establish Rs.20.00 Crs]</li> <li>4. Location 1.50 Km away from River Pawana A-4 Class.[Satisfies RRZ]</li> <li>5. Unit not covered in Western Ghat area.</li> </ol>		
<b>Recommendation of SRO/RO</b>	RO Pune has commented that the industry has applied for C to E for expansion with increased CI 12.02 Crs. Decision may be taken at H.Q. level.		

# Maharashtra Pollution Control Board

## Agenda no. 15

<b>Region :</b> Mumbai	<b>Section :</b> RO(HQ)	<b>Date :</b> SRO Date of receipt;- 23/6/2014 Ro (HQ) Date of receipt;- 10/09/2014		
<b>Name &amp; Address</b>	M/s.Taleem Research Foundation., Plot No.6,CTS No.4207(pt) Bandra, Mumbai.			
<b>Consent For</b>	C to E and Operate			
<b>Capital Investment</b>	Rs.213 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>		
	<b>Details :-</b> Water Consumption :- 485 CMD , Effluent Generated :- 226 CMD Proposed to provide STP Capacity :226CMD <b><u>PP has not provided STP.</u></b>			
<b>Water Cess</b>	<b>Assessment Done :-</b>	<b>Paid Upto :</b>		
<b><u>BG Details</u></b>	<b><u>Amount :</u></b>	<b><u>Validity :</u></b>		
	<b><u>BG Obtained against :</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Other Relevant Information</b>	Application for <b><u>consent to establish and operate</u></b> for construction of proposed educational institute			
	<b>Applied for</b>	C to E & O	for construction of proposed educational institute	
	<b>Plot Area</b>	5,900sq. mtrs	<b>Built up area</b>	46,295 sq. mtrs
	<b>EC Status</b>	Obtained	<b>Dated</b>	20/05/2011
	<b>Plot Area</b>	5,900sq. mtrs	<b>Built up area</b>	46,295 sq. mtrs

**Maharashtra Pollution Control Board**

	<b>Water Consumption</b>	258 CMD	<b>Effluent Generated</b>	219 CMD
	<b>STP Capacity</b>	226 CMD Proposed <b><u>not provided STP</u></b>		
	<b>Bio-degradable</b>	721 Kg/D	<b>Treatment</b>	<b><u>Not provided OWC.</u></b>
	<b>Non-Bio degradable</b>	1266 Kg/Day	<b>Treatment</b>	Will be given to authorized party.
	<b>No of DG Sets</b>	3 Nos	<b>Capacity</b>	1500 KVA
	<b>Construction status</b>	<b>started</b>	<b>Date of Visit</b>	26/6/2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish and operate at HQ Level.			

Said project consist of 1 no of building with 14 foors.

SRO reported that PP has completed construction work upto 5floors and during visit occupancy observed in said building (Jr. Kg to 4<sup>th</sup> Standard)

**For grant of C to Operate**

PP has not submitted area statement for construction competed area in the case for granting part Consent to Operate.

PP has not provided STP and OWC as mentioned conditions in EC.

## Maharashtra Pollution Control Board

### Agenda no. 16

<b>Region :</b> Mumbai	<b>Section :</b> RO(HQ)	<b>Date :</b> SRO Date of receipt;- 3/7/2014 Ro (HQ) Date of receipt;- 16/7/2014	
<b>Name &amp; Address</b>	M/s.Kandivali Kesar Ashish CHS Ltd., 17,S.No.149(pt),CTS No.1/C/1/1(pt), Mouze, Kandivali,Mumbai		
<b>Consent For</b>	C to E & O		
<b>Capital Investment</b>	Rs.53.55 Crore		
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr		
<b>Industry Category</b>	Orange		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>
	<b>Details :-</b> Water Consumption :-169.50 CMD , Effluent Generated :- 143.40 CMD <b>STP provided :-150 CMD</b>		
<b>Water Cess</b>	<b>Assessment Done :-</b>	<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>	
	<b>BG Obtained against :</b>		
	<b>Details of BG forfeited/encashed , if any :</b>		
<b>Other Relevant Information</b>	Application for consent to establish & Operate for construction of residential cum commercial project.		
	<b>Applied for</b>	C to E & O	residential cum commercial project.
	<b>Plot Area</b>	8,976 sq.mt	<b>Built up area</b> 50,086.28 sq.mt
	<b>EC Status</b>	Obtained	<b>Dated</b> 18/11/2009
	<b>Plot Area</b>	8,976 sq.mt	<b>Built up area</b> 48,692.80 sq.mt
	<b>EC Status</b>	Obtained	<b>Dated</b> 18/11/2009

## Maharashtra Pollution Control Board

	<b>Plot Area</b>	8,976 sq.mt	<b>Built up area</b>	48,692.80 sq.mt
	<b>Amended EC S</b>	Obtained	<b>Dated</b>	25/7/2013
	<b>Plot Area</b>	8,976 sq.mt	<b>Built up area</b>	50,086.28 sq.mt
	<b>Water Consumption</b>	169.50 CMD	<b>Effluent Generated</b>	143.40 CMD
	<b><u>STP provided</u></b>	150 CMD		
	<b>Bio-degradable</b>	322 Kg/D	<b>Treatment</b>	<u>Provided OWC</u>
	<b>Non-Bio degradable</b>	240 Kg/D	<b>Treatment</b>	given to authorized party.
	<b>Construction status</b>	completed	<b>Date of Visit</b>	25/7/2014
	PP has submitted commencement Certificate dated 20/2/2007			
Recommendation of SRO/RO	SRO Recommended grant of Consent to operate at HQ level.			



## Maharashtra Pollution Control Board

### Agenda no. 17

Region : SRO Pune I		Section : JD WPC.		Date : 30.09.2014
Name & Address		M/s. Maharashtra Rajya Sahkari Dudh Mahasangh Mary Mumbai , No.2104(B),Village Varvand,Tal-Daund,Dist-Pune.		
Consent For		Applied for- 1st consent to operate for same production qty. with increase in C.I.		
Capital Investment		<b>Capital investment details-</b> a) As per previous consent C.I. of Rs. 41.60 Cr. b) <u>Enhanced C.I. of Rs. 17.82 Cr.</u> (justification not given) c) <b>Total C.I. of Rs.59.42 Cr.</b>		
Previous Consent Validity		Previous consent detail- granted on 04.09.2013 for commissioning of the unit.		
Industry Type		R47 Milk processing and dairy products (Integrated project)		
Industry Category		Red/LSI.		
Compliance Of Water Pollution Related Conditions		YES <b>Details :- ETP status-</b> ETP comprising primary, secondary & tertiary treatment provided, with <b>18 acres land available for disposal of treated effluent which is adequate.</b>		
Compliance Of Air Pollution Related Conditions		<b>APC status</b> -boiler with chimney height 40 mtr. provided.  The consent to establish was granted subject to condition that industry shall submit the Board Resolution from Company Board by 25.09.2013 towards starting of construction and installation of boiler without obtaining consent to establish from the M.P.C. Board, thus violated the provisions of Environmental Laws and in future they will not do such violations and submit Bank Guarantee of Rs. 2.0/- Lakhs towards submission of Board resolution in favor of Regional Officer, Pune.  Accordingly, industry has submitted the Board resolution but not submitted Bank		

## Maharashtra Pollution Control Board

	Guarantee of Rs.2.0/-Lakhs.	
<b>Water Cess</b>	<b>Assessment Done : ---</b>	<b>Paid Upto : ---</b>
<b><u>BG Details</u></b>	<b><u>Amount</u> : Rs. 2.0/- Lahs not submitted.</b>	<b><u>Validity</u> : -----</b>
	<b><u>BG Obtained against</u> : ----</b>	
	<b><u>Details of BG forfeited/encashed , if any :</u></b>	
<b>Submission of Environmental Statement</b>	<b>Period</b>	-----
<b>Other Relevant Information</b>	<p>The consent to establish was granted subject to condition that industry shall submit the Board Resolution from Company Board by 25.09.2013 towards starting of construction and installation of boiler without obtaining consent to establish from the M.P.C. Board, thus violated the provisions of Environmental Laws and in future they will not do such violations and submit Bank Guarantee of Rs. 2.0/- Lakhs towards submission of Board resolution in favor of Regional Officer, Pune.</p> <p>Industry has submitted the Board resolution but not submitted Bank Guarantee of Rs.2.0/-Lakhs.</p>	
<b>Recommendation of SRO/RO</b>	<p><b>SRO-</b> reported decision for 1st consent to operate may be taken at higher level, by forfeiting B.G. of Rs. 2.0/- Lakhs after submission of B.G. and by imposing further appropriate B.G., if approved.</p>	

# Maharashtra Pollution Control Board

## Agenda no. 18

Region : RO Pune	Section :RO(HQ)	SRO Date:- 19/ 07/ 2014 RO HQ Date:- 16/ 09/ 2014
Name & Address	<b>M/s. Kumar Company, "Pebble Park", At, Sr. No. 55, Hissa No 1,2,3 hadapsar, Dist. Pune.</b>	
Consent For	<b>C to O (Part).</b>	
Capital Investment	<b>39.59 Cr</b>	
Previous Consent Validity	<b>COU</b>	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )
	<b>Details :-Water Consumption;- 162.0 CMD, Effluent generated 130.0 CMD Provided STP capacity 300.0 CMD</b>	
BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<ol style="list-style-type: none"> <li>1. PP has applied for <b>consent to 1<sup>st</sup> Operate (Part)</b></li> <li>2. The Residential project covering total area of around <b>86600.0 sq.mtrs</b> with total built up area of <b>106119.98 sq mtrs</b></li> <li>3. PP has <b>obtained environment clearance</b> From GoM on 17/01/2011 and Consent to establish from Board on 08/11/2011 for same plot area and BUA.</li> <li>4. Now applicant has completed construction of Phase-I having 3 buildings and BUA 19798.13 sq.mtrs. and applied for operate for the same.</li> <li>5. Total water consuming for this phase <b>162.0 m3/day</b> &amp; generating about <b>130.0 m3/day</b> of sewage, which PP has provided <b>STP of capacity 300.0 m3/day</b>,</li> <li>6. Vermicomposting pits provided by PP for bio-degradable waste, Non-biodegradable waste will send to authorized vender.</li> <li>7. <b>2 no. of DG</b> sets each having capacity of 125 + 180.0 KVA.</li> <li>8. The cost of the part project is <b>Rs 39.59 Crore</b> for which they have paid Rs. 75000.0 as</li> </ol>	

## Maharashtra Pollution Control Board

	<p>consent fees for 1<sup>st</sup> Operate part.</p> <p>9. SRO Pune-I has recommended for grant of part consent to operate, if approved In view of above part consent to operate may be considered with BG for O&amp;M of STP and MSW.</p>
<b>Recommendation of SRO/RO</b>	SRO Pune-I has recommended for grant of part consent to operate, if approved

# Maharashtra Pollution Control Board

## Agenda no. 19

Region : SRO Thane I		Section : RO(HQ)		Date :25/09/2014	
Name & Address		M/s. Concorde Developers, "cosmos Horizon" , Sr. No. 192/2A(P), 192/2B, 193/2B(P), 193/3B(P), Majiwada, Pokhran Road No.2, Thane.			
Consent For		CO (Part)			
Capital Investment		73.54 Crores			
Previous Consent Validity					
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category		Orange			
Compliance Of Water Pollution Related Conditions		YES ( ) N. A.		NO ( ) N. A.	
		Details :- ----- N. A. -----			
Water Cess		Assessment Done : --- N. A. ---		Paid Upto : --- N. A. ---	
<b>BG Details</b>		<b>Amount</b> --- N. A. ---		<b>Validity</b> : --- N. A. ---	
Submission of Environmental Statement		Period	--- N. A. ---		
<b>Other Relevant Information</b>		The application is for consent to part operate for the residential cum commercial project.			
		Applied for	C to O	Residential cum commercial project.	
		Plot Area	26424.29 Sq. Mtrs.	Built up area	47706.91 Sq. Mtrs.
		EC Status	obtained	Dated	06/02/2008
		River Distance	N. A.	Name of River	N. A.
		CRZ applicability	N. A.	Type of CRZ	N. A.
		Water Consumption	210.0 CMD	Effluent Generated	168.0 CMD

## Maharashtra Pollution Control Board

	STP Capacity	180.0 CMD	Recycle Water	60.0 CMD
	Bio-Degradable	480.0 Kgs/Day	Treatment	OWC
	Non-Bio degradable	300.0 Kgs/Day	Treatment	-----
	Nos of DG Sets	04	Capacity	200 KVA, 75 KVA*3
	Construction Status	Completed more than consented quantity.	Date of visit	04/07/2014.
	<ul style="list-style-type: none"> <li>- <u>Previous EC and C to E was granted for the plot are 22705 Sq. Mtrs and TBUA 43396.94 Sq. Mtrs.</u></li> <li>- <u>Previous C to E was granted on 26/09/2008, which is expired.</u></li> <li>- <u>EC was granted 06/02/2008, which is also expired.</u></li> <li>- <u>Now application submitted for Part C to O with expansion and change in name.</u></li> <li>- <u>Revalidated EC with expansion and change in name is not obtained.</u></li> <li>- <u>Separate application for obtaining revalidated C to E with expansion and change in name is filed by PP.</u></li> </ul> <p><u>In view of above, we may show cause notice for refusal of application, as PP has violated the consent condition and not obtained revalidated EC, if approved.</u></p>			
Recommendation of SRO/RO	C to O may be granted for a period upto 31.7.2016 subject to the condition that, the PP shall obtain fresh EC as per actual area of plot & construction. B.G. of suitable amount may be stipulated.			

## Maharashtra Pollution Control Board

### Agenda no. 20

Region : SRO Kalyan II	Section : AST		Date : 22.09.2014
Name & Address	Dr. Acharya Laboratories Pvt. Ltd , Plot no N 42,Additional MIDC , Anand Nagar,Ambarnath (East)		
Consent For	Consent to Renewal with increase in CI Rs. 7.59 Crs.		
Capital Investment	39.42 Lacs		
Previous Consent Validity	30/04/2014		
Industry Type	R60 Pharmaceuticals (excluding formulation).		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )	
	Details :- Industry has provided primary, secondary & tertiary treatment facility to ETP. <b>Called Water analysis reports from SRO</b>		
Water Cess	Assessment Done : March 2014	Paid Upto : April 2012	
<b>BG Details</b>	<b>Amount : NA</b>	<b>Validity : NA</b>	
	<b>BG Obtained against : NA</b>		
	<b>Details of BG forfeited/encashed , if any : NA</b>		
Submission of Environmental Statement	Period	2013-2014	
Compliance of Air Pollution Related Conditions	YES ( )	NO ( )	
	Industry has provided adequate stack height to Boiler. Industry has provided NH3 & HCL scrubber as APC to process emission. <b>Called Air analysis reports from SRO.</b>		
Other Relevant Information	<ol style="list-style-type: none"> <li>1. Industry has applied for consent to renewal with increase in CI Rs. 7.59Cr.</li> <li>2. Industry is engaged in manufacturing Bulk drug intermediates.</li> <li>3. Domestic effluent is 8.0 CMD and Industrial effluent is 92.00 CMD for that industry has provided primary, secondary and tertiary treatment facility to treat the IE treated effluent is disposed to CETP.</li> <li>4. Industry has provided two boiler stacks and three scrubbers as APC,</li> <li>5. Capital investment is increase from 31.83 Cr to 39.42 Cr in Building/ premises for construction of new office, canteen, quality control lab, pollution control equipments providing acid/alkali proof tilling, providing walkway and other related accessories painting etc., Industry has submitted the Form-IV , Cess details.</li> <li>6. Industry has paid Rs. 4, 05,100/- fees for five years with fees for increase in CI.</li> <li>7. SRO has recommended considering the case for renewal of consent to operate upto 30.04.2017.</li> </ol>		
Recommendation of SRO/RO	The Industry is engaged in mfg. of Bulk drug intermediate they have obtained EC, The products & Pollution load is as per E.C. and industry had provided adequate APC & WPC systems. In view of above we may consider the case for renewal of consent to operate 30.04.2017, if approved.		

# Maharashtra Pollution Control Board

## Agenda no. 21

Region : SRO Navi Mumbai II	Section : AST		Date : 22.09.2014
Name & Address	M/s. Henkel Adhesive Technologies India Pvt. Ltd. , Plot No. 1/1, Part-2, TTC Indl. Area, Kopar Khairne, Navi Mumbai		
Consent For	Amendment of consent for addition of Thermic fluid heater with shed for training purpose.		
Capital Investment	30.0 Crs. (proposed- 2.59 Crs and existing 27.41 Crs)		
Previous Consent Validity	30.09.2017		
Industry Type	R05 Basic Chemicals and electro chemicals and its derivatives in		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (✓)	NO ( )	
	Details: - Industry has provided primary, secondary & tertiary treatment for generated effluent and treated effluent send to CETP for further treatment. From JVS report of water it seems that all parameters within the consented standards.		
Water Cess	Assessment Done : 31.07.2014	Paid Upto : 30.11.2012	
	<b>BG Details</b>		<b>Validity : 07.08.2014</b>
	<b>BG Obtained against : Towards O &amp; M of PCS</b>		
	<b>Details of BG forfeited/encashed , if any :</b>		
Submission of Environmental Statement	Period	2012-2013	
	YES ( )	NO ( )	
Compliance of Air Pollution Related Conditions	Details: Industry has provided adequate stack to Boiler and Thermic fluid heater. From JVS report of air it seems that total particulate matter exceeds the consented standards.		
	<p>It is cc case. Industry is covered under Red category.</p> <p>Industry has applied for amendment in existing consent for addition of Thermic fluid heater with shed for training purpose not for production activity.</p> <p>There is no change in production quantity.</p> <p>Industry has proposed to use 0.3 CMD water for cooling purpose and 0.5 CMD for domestic purpose. Domestic eff. will be 0.2 CMD. I.E. is Nil</p> <p>Industry has provided primary, secondary &amp; tertiary treatment for generated effluent and treated effluent send to CETP for further treatment.</p> <p>JVS analysis reports of waters are within the consented standards but from the analysis results of stack it observed that particulate matter exceed the consented standards limits.</p> <p>Unit has provided 30 mtr stack to new Thermic fluid heater.</p> <p>Capital investment for proposed expansion is 2.59 Crs Existing Capital investment is 27.41 Crs. . Total capital investment will be 30.00 Crs.</p> <p>Industry has paid Rs. 60,200/- fees.</p> <p>Industry has submitted BG of Rs. 5.0 Lakhs towards O &amp; M valid upto 07.08.2014.</p> <p>Unit has submitted water cess returns up to 31.07.2014 and paid up to 30.11.2012. Unit has submitted form IV and V to Boards office.</p>		
Other Relevant Information			
Recommendation of SRO/RO	Amendment of consent may be granted up to validity of existing consent i.e. 30.09.2017 if approved.		



# Maharashtra Pollution Control Board

CC Item –

## **Agenda no. 22**

## Maharashtra Pollution Control Board

<b>Region : Nashik</b>	<b>Section : AS(T)</b>		<b>Date: /10/2014</b>
<b>Name &amp; Address</b>	M/s Bharat Petroleum Corporation Ltd., Plot No. F-5, MIDC Malegaon, Tal. Sinnner, Dist. Nashik.		
<b>Consent for</b>	Renewal of Consent to Operate		
<b>Capital Investment</b>	Total C.I. Rs. 47.28 Crs		
<b>Consent Valid upto</b>	30/09/2014		
<b>Industry Type</b>	<u>LPG Bottle Refilling</u>		
<b>Industry Category</b>	<u>Red</u>		
<b>Compliance of Water Pollution Related Conditions</b>	<b>YES (-)</b>	<b>NO (-)</b>	
	<b>Details:</b> Provided ETP of capacity 10 CMD consisting of primary followed by tertiary treatment for the treatment of 8 CMD of industrial effluent. After treatment, treated effluent is applied on land for gardening/irrigation on 17 acres of land within premise. Industry has provided septic tank followed by soak pit for the treatment of 12 CMD sewage; overflow is utilized on land for gardening.  JVS result of treated effluent dtd. 23/08/2014 shows that concentrations of all the parameters are within Consented limits.		
<b>Compliance of Air Pollution Related Conditions</b>	<b>YES (-)</b>	<b>NO (-)</b>	
	<b>Details :-</b> Provided exhaust chimneys/stack to D.G. Sets as per standard.		
<b>Water Cess</b>	<b>Assessment done: Returns filed upto March 2014</b>		<b>Paid upto: --</b>
<b>BG Details</b>	<b>Amount:</b>		<b>Validity-</b>
	<b>BG obtained against:</b>		
	<b>Details of BG forfeited/ enchased, if any:</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	<b>2012-13</b>	
<b>Other Relevant Information</b>	i) Existing industry engaged in refilling of domestic LPG Cylinder (14,000 MT/M). ii) Board has granted Consent to Operate to the industry which expired on 30/09/2014. +141 iii) Now, industry has applied grant of plain renewal Consent to Operate for period upto		

## Maharashtra Pollution Control Board

	30/09/2017. iv) Industry has provided ETP comprising of primary followed by tertiary treatment for the treatment of 8 CMD industrial effluent arising from leak testing of cylinders.
<b>Recommendation of SRO/RO</b>	S.R.O. has recommended to grant renewal of Consent to Operate for the period of 3 years.

### Agenda no. 23

CC Item –		
<b>Region : Thane</b>	<b>Section : AS(T)</b>	<b>Date: /10/2014</b>
<b>Name &amp; Address</b>	<b>M/s Orient Press Ltd. (Flexible Packaging Div.), Plot No. G-7/3, MIDC Tarapur, Tal. Palghar, Dist. Thane.</b>	
<b>Consent for</b>	Renewal of Consent to Operate	
<b>Capital Investment</b>	Existing - Rs. 57.28 Crores (Previous - Rs. 49.91 Crores)	
<b>Consent Valid upto</b>	Upto 31/08/2014.	
<b>Industry Type</b>	<b>Printing Press (including Ni/ Cu/ Cr plating of Rotograve printing cylinder)</b>	
<b>Industry Category</b>	<b>RED</b>	
<b>Compliance of Water Pollution Related Conditions</b>	<b>YES (-)</b>	<b>NO (-)</b>
	<b>Details:</b> Provided ETP consisting of primary treatment for the treatment of industrial effluent. After treatment, partially treated effluent is discharged into CETP for further treatment.	
<b>Compliance of Air Pollution Related Conditions</b>	<b>YES (-)</b>	<b>NO (-)</b>
	<b>Details :-</b> Boiler is provided with chimney of height 30 mtrs.	
<b>Water Cess</b>	<b>Assessment Done: Returns submitted upto March 2014</b>	<b>Paid upto: --</b>
<b>BG Details</b>	<b>Amount: Rs. 2.0 Lakh</b>	<b>Validity- 31/08/2014.</b>
	<b>BG obtained against: Submission of Water CESS Returns, Env. Statement &amp; H.W. Annual Returns before 13/08/2013.</b>	
	<b>Details of BG forfeited/ enchased, if any: --</b>	

## Maharashtra Pollution Control Board

<b>Submission of Environmental Statement</b>	<b>Period</b>	<b>2012-13</b>
<b>Other Relevant Information</b>	<p>1. Existing industry engaged in mfg. of rotograve printing cylinders &amp; printed packaging materials.</p> <p>2. Capital investment of the industry is increased in 2013-14 by Rs. 7.37 Crores on account of replacement of old machineries.</p> <p>3. As reported by SRO, industry has submitted Water CESS Returns, Env. Statement &amp; H.W. Annual Returns in the Board in compliance of the Consent condition No. (13). Also, submitted B.G. of Rs. 2.0 Lakh with the validity which expired on 31/08/2014 towards compliance of the above condition.</p> <p>4. SRO has not submitted analysis results of JVS of treated effluent.</p>	
<b>Recommendation of SRO/RO</b>	SRO has recommended to grant of renewal of Consent to Operate.	

## Maharashtra Pollution Control Board

### Agenda no. 24

<b>Region : Pune</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	<b>M/s. Jianguyin Uni-Pol Vaccum Casting India Pvt. Ltd</b> Gut no.55/2, Pimple Jagtap, Chakan Shirur Road, Tal: Shirur, Dist: Pune.		
<b>Consent For</b>	Applied for renewal of consent to operate.		
<b>Capital Investment</b>	Rs 28.74 Crs		
<b>Previous Consent Validity</b>	31.07.2014		
<b>Industry Type</b>	R-36 industry or process involving metal surface treatment.		
<b>Industry Category</b>	Red /LSI		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>No.</b>		
	<b>Details: -</b> Industrial Effluent: 0.75 CMD ETP provided. Domestic Effluent: 10.0 CMD, Septic tank and soak pit Provided. JVS results of dated 04.06.2014 are exceeding the limits.		
<b>Compliance Of Air Pollution Related Conditions</b>	Yes. Dust collector provided to shot blasting and sand blasting section.		
<b>Water Cess</b>	<b>Assessment Done: ---</b>	<b>Paid Up to : -----</b>	
<b><u>BG Details</u></b>	<b><u>Amount</u> : Rs. 5.0 Lakhs.</b>	<b><u>Validity</u> : -----</b>	
	<b><u>BG Obtained against</u> :</b> Towards operation and maintenance of pollution control system.		
	<b><u>Details of BG forfeited/encashed , if any</u> :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-2013	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. Applied for renewal of consent to operate.</li> <li>2. Earlier CI was Rs.18.60 Crs Now Industry has shown CI- Rs. 28.74 Crs. Due to modernization and provided new machines and heating furnaces for better quality.</li> <li>3. Industry has submitted BG of Rs.5.0 Lakhs as per earlier consent condition.</li> </ol>		
<b>Recommendation of SRO/RO</b>	- RO Pune has recommended case for grant consent to operate		

# Maharashtra Pollution Control Board

## Agenda no. 25

<b>Region : SRO Nagpur II</b>		<b>Section : JD APC</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>		M/s. Metal Fab Hightech Pvt. Ltd, Plot No.E-21-25 and 33-B/2, MIDC Industrial Area Hingna Road, Nagpur.		
<b>Consent For</b>		CR		
<b>Capital Investment</b>		Rs. 47.44 Cr		
<b>Previous Consent Validity</b>		31/07/2014		
<b>Industry Type</b>		R27 Heavy engineering including ship building.		
<b>Industry Category</b>		Red /LSI		
<b>Compliance Of Water Pollution Related Conditions</b>		Details :- NA		
<b>Water Cess</b>		Assessment Done: Water cess returns submitted up to Mar-2014.	Paid Upto : April-2012	
<b>BG Details</b>		Amount : Rs. 3 Lakhs	Validity : 01/06/2015	
		<b>BG Obtained against :</b> Interim directions issued on 8.5.2014 for the non compliance observed.		
		<b>Details of BG forfeited/encashed , if any : NA</b>		
<b>Submission of Environmental Statement</b>		Period	2013-2014	
<b>Other Relevant Information</b>		<p>1] Capital investment increased from Rs. 37.18 Cr to Rs. 47.44 Cr for purchase of ancillary machinery and civil work for shed and compound wall however production capacity remains same.</p> <p>2] Consent Fees paid for three terms upto: 31/07/2017 and for increase in investment.</p> <p>3] Industry has submitted self monitored analysis reports for DG set emissions &amp; ambient air monitoring which revels parameters within limits.</p> <p>4] Sand/grit blasting is done in closed area provided with bag filters as APC system. Spray painting is done in closed shed provided with filter pads with exhaust blower as APC system.</p>		
<b>Recommendation of SRO/RO</b>		Recommended case for grant of renewal of consent for the period up to 31/07/2017.		

## Maharashtra Pollution Control Board

### Agenda no. 26

<b>Region : Pune</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	<b>M/s. Mahale Filters (India) Pvt. Ltd.</b> Gut no.410/411, Mouje Rawale, Tal. Mulshi, Dist. Pune.		
<b>Consent For</b>	Applied for renewal of consent to operate.		
<b>Capital Investment</b>	Rs 29.84 Crs		
<b>Previous Consent Validity</b>	28.02.2014.		
<b>Industry Type</b>	R-36 industry or process involving metal surface treatment.		
<b>Industry Category</b>	Red /LSI		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>No</b>		
	a. Domestic Effluent – 25.70 CMD, STP Provided. b. Industrial Effluent – 5.50 CMD, ETP Provided.  <b><u>Analysis results are exceeding the consented limits.</u></b>		
<b>Compliance Of Air Pollution Related Conditions</b>	Yes. Stack provided to DG sets.		
<b>Water Cess</b>	<b>Assessment Done:</b> June-2014	<b>Paid Up to : -----</b>	
<b><u>BG Details</u></b>	<b><u>Amount : Rs.</u></b> 2.0 lakhs	<b><u>Validity : -----</u></b>	
	<b><u>BG Obtained against:</u></b> As per the consent condition.		
	<b><u>Details of BG forfeited/encashed , if any :</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-2013	
<b>Other Relevant Information</b>	4. Applied for renewal of consent to operate. 5. Earlier consent obtained vide no. BO/JD (APC)/EIC No. PN-14879-12-10/O-CC-594 dated 21.09.2012 valid till 31.10.2014. 6. Industry has submitted BG of Rs.2.0 Lakhs as per earlier consent condition.		
<b>Recommendation of SRO/RO</b>	- SRO Pune II has recommended to forfeit BG for exceeding the JVS limit.		

## Maharashtra Pollution Control Board

### Agenda no. 27

<b>Region : Pune</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	M/s. Kirloskar Brother Ltd., Gat no.252/2,254/2, Mauje Kondhapuri, Tal, Tal: Shirur, Dist: Pune.		
<b>Consent For</b>	Renewal of consent to operate with amalgamation.		
<b>Capital Investment</b>	- The total CI of the plant is Rs.31.36 Crs.		
<b>Previous Consent Validity</b>	31.07.2014 and Establish obtained.		
<b>Industry Type</b>	R35 Foundary operation.		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES</b>		
	<b>Details:</b> - Domestic Effluent: 7.0 CMD STP Provided. Industrial Effluent: 3.66 CMD ETP Provided. JVS results are within prescribed limits.		
<b>Compliance Of Air Pollution Related Conditions</b>	Dust collector to greed blasting section. And water curtain system provided to the paint booth section.		
<b>Water Cess</b>	<b>Assessment Done : ----</b>	<b>Paid Upto : -----</b>	
<b>BG Details</b>	<b>Amount : -----</b>	<b>Validity : -----</b>	
	<b><u>BG Obtained against : Consent Conditions</u></b>		
	<b><u>Details of BG forfeited/encashed , if any :</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-13	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. Industry has applied for grant of renewal of consent to operate with amalgamation.</li> <li>2. Earlier consent obtained vide No.: EIC No.:PN-111465-11/O/CC-500-1070Dated 03.06.2013 valid upto 31.07.2014 and Consent to establish obtained vide No.: EIC No.:PN-20898-14/R/CC-8192Dated 04.09.2014.</li> </ol>		
<b>Recommendation of SRO/RO</b>	- SRO Pune-2 has recommended case for renewal with amalgamation		



## Maharashtra Pollution Control Board

### Agenda no. 28

<b>Region : Nashik</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	M/s. Ador Welding Ltd., Sr. no. 147/2B/3CTC No.5222, Akurdi, Chinchwadgaon, Pune-19		
<b>Consent For</b>	Renewal of consent to operate with amalgamation		
<b>Capital Investment</b>	25.94 Crs.		
<b>Previous Consent Validity</b>	C to E obtained and 31.08.2014.		
<b>Industry Type</b>	R27 Heavy Engineering including Ship Building		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( ✓ )</b>		
	<b>Details :-</b> domestic effluent : 29.60 CMD STP Provided, Industrial 4.70 CMD ETP provided.		
<b>Compliance Of Air Pollution Related Conditions</b>	<b>Bag filter and dust collector to powder coating section.</b>		
<b>Water Cess</b>	<b>Assessment Done : ---</b>	<b>Paid Upto :---</b>	
<b>BG Details</b>	<b>Amount : Rs. 2 Lakhs</b>	<b>Validity :31.12.2014</b>	
	<b>BG Obtained against :</b> Compliances of consent conditions.		
	<b>Details of BG forfeited/encashed , if any : -----</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-.13	
<b>Other Relevant Information</b>	<p>1. <b>Industry has</b> applied for Renewal of consent to operate with amalgamation</p> <p>2. establish vide no. BO/JD (APC)/EIC No.PN-20503-14/R/CC-5804 dated 19.06.2014 and operate vide no. BO/JD (APC)/EIC No.PN-20420-14/R/CC-3047 dated 28.03.2014 valid till 31.08.2014.</p>		
<b>Recommendation of SRO/RO</b>	SRO Pune has recommended grant of consent to operate upto 31.08.2017		

## Maharashtra Pollution Control Board

### Agenda no. 29

<b>Region : Pune</b>	<b>Section : JD(APC)</b>		<b>Date : /09/2014</b>
<b>Name &amp; Address</b>	M/s. 3A Composites India Pvt. Ltd. B-32/1/1, MIDC, Ranjangaon, Tal. Shirur, Dist. Pune.		
<b>Consent For</b>	Renewal of consent to operate.		
<b>Capital Investment</b>	57.20 Crs		
<b>Previous Consent Validity</b>	28/02/2014		
<b>Industry Type</b>	R36 Industry or process involving metal surface treatment or Process		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>Yes</b>		
	<b>Details :-</b> Sewage – 2.60 CMD Septic tank & Soak Pit Provided Effluent – 1.50 CMD ETP Provided		
<b>Water Cess</b>	<b>Assessment Done : ----</b>	<b>Paid Upto : ----</b>	
<b>BG Details</b>	<b>Amount : Rs. 5,00,000/-</b>	<b>Validity : 31.08.2014.</b>	
	<b>BG Obtained against : O&amp; M of pollution control system.</b>		
	<b>Details of BG forfeited/encashed , if any :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-2013	
<b>Other Relevant Information</b>	1. <b>Earlier consent obtained in the name M/s. Durabuild Technologies Pvt. Ltd. vide No. BO/JD(APC)/TB-4/EIC No. PN-17121-13-/R/CAC-5847 dated 10/07/2013 valid till 28/02/2014</b> 2. Now Industry has applied for renewal of consent with change in name. The earlier consent granted by CAC. Now the plot is divided in three sub plots. CI decreased from 81.61 Crs. To 57.20 Crs. 3. This case was discussed in the CAC meeting held on 26.08.2014. In this meeting it was decided to transfer this case to CC as per the delegation of power[ C.I.was decreased due to sub divisions of plots]		
<b>Recommendation of SRO/RO</b>	RO Pune has commented that the propane gas is used for boiler & incineration of VOCs.		

## Maharashtra Pollution Control Board

### Agenda no. 30

<b>Region : Nasik</b>	<b>Section : JD(APC)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	<b>M/s. Prathamesh Ceramics Pvt. Ltd.</b> Gut no.230, Village: Lakhmapur,Tal: Dindori Dist: Nashik		
<b>Consent For</b>	Renewal of consent to operate.		
<b>Capital Investment</b>	Rs 73.43 Crs		
<b>Previous Consent Validity</b>	31.01.2014.		
<b>Industry Type</b>	Ceramics, Refractories.		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>Yes</b>		
		a. Domestic Effluent – 04.00 CMD Septic tank followed by soak pit provided. b. Industrial Effluent – 75.00 CMD [100% reuse in the process]	
<b>Compliance Of Air Pollution Related Conditions</b>	No. Dampers are provided to kiln and Thermopack section. Industry is using <b><u>pet coke as a fuel without permission from the Board.</u></b>		
<b>Water Cess</b>	<b>Assessment Done : -----</b>	<b>Paid Up to : -----</b>	
<b>BG Details</b>	<b>Amount : Rs. 5.0 Lakhs</b>	<b>Validity : -----</b>	
	<b>BG Obtained against :</b> Not submitted BG due to financial condition		
<b>Submission of Environmental Statement</b>	<b>Period</b>	-----	
<b>Other Relevant Information</b>	7. Industry has applied for renewal of consent. 8. Earlier consent obtained vide No. BO/JD (APC)/EIC No. NK-12218-13/O/CC-2913 dated 06.04.2013 valid till 31/01/2014. 9. Earlier CI was Rs.69.70 Crs. Now declared CI RS.73.43 Crs. [increased by Rs.3.73 crs] Justification not submitted by the industry. 10. As per the earlier consent condition industry has not submitted BG of Rs. 5.0 lakhs.		
<b>Recommendation of SRO/RO</b>	SRO Nashik has recommended case for renewal up to 31.01.2015.Also submitted proposal along with application to initiate against industry i.e. To stop use of pet coke and submit distance certificate and obtain BG against the same.		

## Maharashtra Pollution Control Board

### **Agenda no. 31**

<b>Region : SRO Pune-I</b>		<b>Section : RO(HQ)</b>		<b>Date : /10/2014</b>
<b>Name &amp; Address</b>	Classic City Investments Pvt. Ltd.(Hotel Sun & Sand),262,Bundgarden,Pune.			
<b>Consent For</b>	CR			
<b>Capital Investment</b>	63.10 Crs			
<b>Previous Consent Validity</b>	31/03/2014			
<b>Industry Type</b>	R29 Hotels (3 star & above) and Hotels having 100 rooms and above			
<b>Industry Category</b>	Red			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Provided ETP for laundry effluent having capacity 10 CMD which consist of primary, secondary and tertiary treatment facility.STP not provided.			
<b>Water Cess</b>	<b>Assessment Done :April 2013.</b>		<b>Paid Upto : April 2012</b>	
<b>BG Details</b>	<b>Amount :---</b>		<b>Validity : ---</b>	
	<b>BG Obtained against : ---</b>			
	<b>Details of BG forfeited/encashed , if any :</b>			
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-13		
<b>Other Relevant Information</b>	<p><b>M/s.Classic City investment Pvt. Ltd.(Hotel Sun &amp; Sand),262,Bundgarden Road,Pune has applied for renewal of consent – For hotel activity with 139 rooms (with Swimming Pool &amp; laundry activity ).</b></p> <p><b>Earlier consent granted in Orange category vide No.: MPCB/RO(HQ)/PN-17998-13/CR/CC-8761 dated 17/10/2013 valid upto 31/03/2014.</b></p> <p>Now as per new categorization dtd.25/06/2012 ,hotel falls under Red category.</p> <p><b>CI- Rs.63.10 Crs. Fees Paid-Rs.3,00,000 /-</b></p> <p><b>Details of water consumption and generation:</b>  <b>Domestic – 80.00 CMD</b></p>			

## Maharashtra Pollution Control Board

	<p style="text-align: center;"><b>Sewage – 80.00 CMD</b>  <b>Industrial – 25.00 CMD (for laundry)</b>  <b>Effluent – 10.00 CMD</b></p> <p>Provided <b>ETP of 10.00 CMD</b> Capacity for laundry effluent which consist of primary, secondary and tertiary treatment facility. Treated effluent is being used for flushing, cooling tower &amp; gardening purpose.</p> <p><b>STP not provided.</b> Domestic effluent discharged to sewerage system of corporation.</p> <p>SRO,Pune-I office issued letter regarding not provided STP on 01/04/2014.<b>Industry</b> stated in their <b>reply dtd.05/04/2014</b> that <b>hotel was constructed in 1997 and there is no provision of space for STP construction as per fire norms &amp; there was restriction due to FSI limitation.</b></p> <p><b>Provided Organic Waste Convertor for Bio degradable Waste .</b>  <b>Non Biodegradable waste</b> is handed over to <b>Municipal Council.</b></p> <p><b>2 nos. of D.G.Set-500 KVA.</b>  <b>2 nos. of HSD fired Boiler.</b></p> <p><b>Provided Chlorination &amp; Ozonization to swimming pool</b></p> <p><b>SRO Pune-I reported</b> that decision about grant of consent renewal may be taken at higher level as hotel has not provided STP.</p> <p><b>As hotel falls under Red category and capital investment of hotel is Rs.63.10 crs,</b> it is proposed to place application <b>before Consent Committee of the MPC Board for further discussion</b></p> <p><b>Submitted for your approval please.</b></p>
<p><b>Recommendation of SRO/RO</b></p>	<p><b>SRO Satara has recommended that consent may be renewed by forfeiting B.G. of Rs. 5 lakhs as sometimes the JVS results of STP are exceeding the consented parameters.</b></p>

## Maharashtra Pollution Control Board

### Agenda no. 32

<b>Region : Nashik</b>	<b>Section :RO(HQ)</b>	<b>Date : 13/10/2014</b>
<b>Name &amp; Address of the Municipal Corporation</b>	<b>Ahmednagar Municipal Corporation,S.No.289,Sawedi,Tal &amp; Dist-Ahmednagar.</b>	
<b>Class &amp; Population</b>	<b>'C' Class. Population- 3,46,755 (As per census 2011)</b>	
<b>Authorisation For</b>	<b>To set up processing facility-Windrows Composting.</b>	
<b>Previous Authorisation Validity</b>	<b>New</b>	
<b>Whether Site is approved by DCC or Not</b>	<b>Yes</b>	
<b>MSW Generation</b>	<b>60 MTD</b>	
<b>Treatment Facility</b>	<b>Proposed Site</b>	
<b><u>BG Details</u></b>	<b><u>Amount :</u></b>	<b><u>Validity :</u></b>
	<b><u>BG Obtained against :</u></b>	
	<b><u>Details of BG forfeited/encashed , if any :</u></b>	
<b>Other Relevant Information</b>	<ul style="list-style-type: none"> <li>➤ Applied for authorization for setting up &amp; operation of waste processing facility-Composting at site at Sr.No.289,Sawedi,Tal &amp; Dist-Ahmednagar.</li> <li>➤ Total quantity of waste generation-60MTD</li> <li>➤ Site is approved by district site selection committee.</li> <li>➤ Area of Site- 3.9 Hector</li> <li>➤ Earlier authorisation granted for the site at Sr.No.34,Vill-Burudgaon,Tal &amp; Dist-Ahmednagar which is valid upto 31/12/2014.</li> <li>➤ Presently MSW i.e 125 MTD is dumped in unscientific manner at Sr.no.34,Vill-Burudgaon,Tal &amp; Dist-Ahmednagar.</li> <li>➤ Proposed site is approx 2 km away from Village-Burudgaon,approx.2 km away from River Sina.</li> <li>➤ The matter is under consideration at NGT court, Pune.</li> <li>➤ NGT,Pune ordered on 17/09/2014 &amp; directed that to AMC for making application to the MPCB for authorisation at site Savedi &amp; if so required,for upgrading the site of burudgaon.</li> <li>➤ Application shall be prepared &amp; filed with a period of 2 weeks,henceforth &amp; shall be processed &amp; consider on merits,thereon,within period of two week.</li> </ul>	

## Maharashtra Pollution Control Board

	<ul style="list-style-type: none"> <li>➤ AMC prepared Action plan for development of Burudgaon site which was submitted to NGT in the form of affidavit</li> <li>➤ AMC has not submitted BG.of Rs. 25 lacs towards O &amp; M of processing facility &amp; adhere with MSW Rules,2000</li> </ul>
<b>Recommendation of SRO/RO</b>	Ro Nashik recommended that initially they prepared to upgrade the Burudgaon site for which authorisation is granted & is Valid.
<b>Recommendation of MSW Committee</b>	<p>The proposal was discussed in the 4<sup>th</sup> MSW Committee Meeting held on 30/09/2014(MOM attached) and the committee has recommended to grant of authorisation to set up processing facility for 60 MT/D MSW for the period of 1 year by imposing following conditions:</p> <ul style="list-style-type: none"> <li>• Inert material i.e 25 % shall be disposed scientifically to sanitary landfill site</li> <li>• Sanitary landfill site shall be developed suitable for 25 years</li> <li>• All mitigation measures like odour,smoke,fire,dust,nuisance etc. shall be taken by corporation.</li> <li>• EMP and DMP shall be implemented by corporation.</li> </ul>
<b>Authorisation Recommended Upto</b>	31/10/2015

## Maharashtra Pollution Control Board

### Agenda no. 33

Region : Kolhapur	Section :RO(HQ)	Date :13 /10/2014
Name & Address of the Municipal Corporation	Kolhapur Municipal Corporation, Kolhapur at Gat No.520 & 565,At-Toap,Tal-Hatkanangle,Dist- Kolhapur.	
Class & Population	'C' Class. Population-5,49,283 (As per 2011 census)	
Authorisation For	Land filling site at Gat No.520 & 565,At-Toap,Tal-Hatkanangle,Dist-Kolhapur.	
Previous Authorisation Validity	New Site	
Whether Site is approved by DCC or Not	Approved	
MSW Generation	165 MTD	
Treatment Facility	Only land filling.	
<b>BG Details</b>	<b>Amount : Rs.</b>	<b>Validity :</b>
	<b>BG Obtained against :</b>	
	<b>Details of BG forfeited/encashed , if any :</b>	
<b>Other Relevant Information</b>	<ul style="list-style-type: none"> <li>➤ Applied for authorization for sanitary landfill site at G.No.520 &amp; 565 at Toap Village,Tal-Hatkanangle,Dist-Kolhapur.</li> <li>➤ Total quantity of waste disposed by landfilling-100 TPD.</li> <li>➤ Site is approved by district site selection committee.</li> <li>➤ Area of Site- 7.03 hecters.KMC is going to develop 0.37 hecters in first phase development &amp; subsequent development will be started after completion of this site.</li> <li>➤ Presently MSW i.e 180 MTD is dumped in unscientific manner at S No.842, C.S. No. 206, Near KMC STP. Kasaba Bawada</li> <li>➤ Proposed landfill site is approx. 2.5 to 2.7 km away from the river Panchganga,approx 1 km away from Village Toap,approx.200-300 mtrs away from NH-4,approx.12 to 14 km away from Kolhapur Airport.</li> <li>➤ Presently no activities are observed at the site.</li> <li>➤ The Villagers of village Toap are opposing for the development of landfill site at Toap.</li> <li>➤ The matter is under consideration at NGT court, Pune.</li> </ul>	



## Maharashtra Pollution Control Board

	<ul style="list-style-type: none"> <li>➤ NGT,Pune ordered on 26/08/2014 &amp; directed that MPCB should process the application at the earliest after receiving their application.</li> <li>➤ KMC has not submitted BG.of Rs. 36 lakhs &amp; Rs.15 lakhs towards directions.</li> <li>➤ NOC from Airport Authority is called from SRO Kolhapur as site is located at distance 12-14 kms from airport.</li> </ul>
<b>Recommendation of SRO/RO</b>	<b>SRO Kolhapur</b> reported that the site seems to satisfy with the site selection criteria check list communicated by the Board and decision regarding that grant of authorisation may be taken at higher level
<b>Recommendation of MSW Committee</b>	<p>The proposal was discussed in the 4<sup>th</sup> MSW Committee Meeting held on 30/09/2014 (MOM attached) and the committee has recommended to grant of authorisation for the MSW sanitary landfill site for the period of 1 year by imposing following conditions:</p> <ul style="list-style-type: none"> <li>• Raw waste material shall not be dumped/stored temporary at this site.</li> <li>• All recycler material shall be segregated before receiving waste at site</li> <li>• only inert material i.e 100 MTD shall be disposed scientifically at this site ,as per the MSW Rules,2000.</li> <li>• Sanitary landfill site shall be established and developed as per the MSW Rules,2000.</li> <li>• All mitigation measures like odour,smoke,fire,dust,nuisance etc. shall be taken by the corporation.</li> <li>• EMP and DMP shall be implemented by the corporation.</li> </ul> <p><b>Considering the urgency matter due to NGT case, the authorisation is granted to the corporation on 07/10/2014 with imposing BG of Rs. 25 lakhs .</b></p> <p><b>The application is placed for post factor approval.</b></p>
<b>Authorisation Recommended Upto</b>	31/10/2015

**Maharashtra Pollution Control Board**

**CC-Fresh Agenda – New Entry**

**Agenda no. 1**

CC -Item		
Region : Pune	Section : AS(Tech)	Date :- Oct 2014
Name & Address	M/s. EFTEC (India) Pvt Ltd.G-9,MIDC Ranjangaon, Pune	
Consent to	Renewal of consent to operate with increase in capital investment	
Capital Investment	Previous Rs.15.50 Cr ,Increase CI- Rs. 14.14 Cr. Total CI – Rs. 29.64 Cr	
Consent Valid upto	31/06/2014	
<b>Industry Type</b>	<b>Chemical</b>	
<b>Industry Category</b>	<b>RED/LSI</b>	
<b>Compliance of Water Pollution Related Conditions</b>	Yes	
	Details:- IE -Nil CMD ,DE-3.92 CMD .Septic tank provided.	
<b>Water Cess</b>	<b>Assessment Done:</b> - ....	<b>Paid upto-</b> July 2014
<b>Compliance of Water Pollution Related Conditions</b>	Yes	
	Bag filters are provided at Feeding section of mixture	
<b>BG Details</b>	<b>Amount:</b> --- Nil	<b>Validity :</b> - NA
	<b>BG obtained against:</b> --- NA	
<b>Submission of Environmental Statement</b>	2012-13	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. Applied for Renewal of consent with increase in CI . from Rs. 15.50 Cr to Rs.29.64 Cr.</li> <li>2. Industry has submitted justification towards increase in CI stating that, CI increased due to construction of building &amp; shed.</li> <li>3. Industry has submitted their reply for query letter issued by SRO.</li> <li>4. The justification submitted by industry towards increase in CI is not saticefactory as one side industry has reported that CI</li> </ol>	

## Maharashtra Pollution Control Board

	<p>increased due to construction of building &amp; shed, however the actual cost of building is given only Rs.11.77 Cr. in CA certificate submitted by industry.</p> <p>5. Industry has not submitted balance sheet to calculate actual fees.</p>
<b>Recommendation of SRO</b>	<p>SRO has reported that there is not addition of production capacity, the process is of physical blending type and recommended to consider the case for grant of renewal of case with increase in capital investment.</p>