

**List of Cases to be submitted before 18th Consent Committee Meeting of 2014-15
scheduled on 27.11.2014 at 03:30 p.m. (Booklet No. - 34)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Common Effluent Treatment Plant Textile Park, Additional Industrial Area MIDC Nandgaon Peth, Dist Amravati (5 MLD)	62.28 Crs.	Establish	JD(WPC)	1 to 28	
2	Karwa & Kewal Kiran Realtors, F. P. No. 482 of TPS IV, Bhavani Shankar Road know as Padhewadi, Mahim Division, Dadar	6.14 Crs.	Establish	RO(HQ)	29 to 42	
3	Indospace Industrial Park Pune Pvt. Ltd., MIDC Plot D/223-, Chakan Industrial Area, Phase II, Bhamboli Village, Taluka: Khed, District: Pune	66 Crs.	Establish	RO(HQ)	43 - 67	
4	Miracle Habitat Pvt. Ltd., S. No. 240, Village Jambhul, Tal: Maval, Dist: Pune	46.58 Crs.	Establish	RO(HQ)	68 - 87	
5	Lake View Developers on plot bearing CTS No. 22(pt), Village: Powai. Mumbai	40.10 Crs.	Establish	RO(HQ)	88 - 110	
6	Indapur Dairy & Milk Products Ltd., vill. Gokhali, Tal. Indapur, Dist - Pune	41.35 Crs.	Establish (Expansion)	JD(WPC)	111 - 122	
7	Ruby Mill Ltd., Khursundi Village, Khalapur, Dist - Raigad	48 Crs.	1st Operate	JD(WPC)	123 - 152	
8	Thermax Ltd., Plot No. 81, 90, 91, 92, 97, MIDC Bhosari, Pune	40 Crs.	1st Operate	RO(HQ)	153 - 167	
9	Evershine Global City, Old S. no. 1, 5 to 8, 10 to 16, 67 to 69, 71, 92 to 93.172 to 178, 185, 190 to 211, 219 to 224, 1A, New S. No. 5, 5B, 5F, 5G, 5D, Village - Fongare, Tal - Vasai, Dist - Thane	125 Crs.	1st Operate (Part)	RO(HQ)	168 - 180	
10	Honest Derivatives Pvt. Ltd., G. No. 50, 38/1, 38/2, 38/3, Factory - Maldabhadi, Jamner Jalgaon	51.51 Crs.	Renewal & 1st Operate (Expansion)	JD(WPC)	181 - 191	
11	EFTEC (India) Pvt. Ltd., G-9, MIDC Ranjangaon, Pune	29.64 Crs.	Renewal (with increase in C.I.)	AS(T)	192 - 216	
12	Indospace Rohan Logistic Park, Sr. No. 428, 427/3, Mahalunge Ingle, Taluka: Khed, Dist: Pune	198.62 Crs.	Operate (Part) (Amalgamation)	RO(HQ)	217 - 232	
Fresh Agenda						
1	Symantic Software (India) Pvt. Ltd., Wing 1 & 2, (Cluster B) wing 4 clusterA, Eon Kharadi Infrastructure P L, Plot No. 1, S. No. 77, MIDC Kharadi, Pune	329.32 Crs.	Establish & Operate	RO(HQ)	232 - 239	
2	Prithvi Shelters, Sai Velocity Phase - II, Durvey No. 77/4, 77/5, 77/6, 79/4, 78/5 Bavdhan, Tehsil - Mulshi, Dist - Pune	105.86 Crs.	Establish	RO(HQ)	240 - 245	
3	Sharada Erectors Pvt. Ltd., "Sharada Myria", Gat no. 74, Kirkatwadi, Near DSK Vishwa, Pune	69.15 Crs.	Establish	RO(HQ)	246 - 257	
4	Pimpri Chinchwad Municipal Corporation, Milindnagar Project, S. no. 12, 13, 14(P), Milind Nagar at Pimpri	21.49 Crs.	1st Operate (Part)	RO(HQ)	258 - 270	
5	Pimpri Chinchwad Municipal Corporation, Vetalnagar Project, S. No. 100, Vetalnagar, Pimpri	29.83 Crs.	1st Operate (Part)	RO(HQ)	271 - 282	
6	H.B. Fuller India Ashesives Pvt. Ltd., (Shirwal), Plot no. 1-E, Gat No. 1140, 1295 and 1296, A/p Shirwal, Tal - Khandala	57.75 Crs.	Renewal (with increase in C.I.)	AS(T)	283 - 305	

7	Bharat Petroleum Corporation Ltd., Wadi Bunder Indtallation, Mallet Road, Mumbai	61.08 Crs.	Amendment	AS(T)	306 - 321	
8	Raja Kaimoor Breweries Pvt. Ltd., Plot No. K-39, MIDC Butibori, Nagpur	45.69 Crs.	Renewal (with increase in C.I.)	JD(WPC)	322 - 330	
9	Viraj Alcohols and Allied Industries Ltd., Gat No. - 511, A/p - Kapari, Dist - Sangli	40.96 Crs.	Renewal	JD(WPC)	331 - 342	
10	Kumuda Sugar & Agro Products Ltd., Unit No. 3, At - Shewalewadi (Mhasoli), Tal - Karad, Dist - Satara	44.68 Crs.	Renewal	JD(WPC)	343 - 350	
11	Adiwasi Sahakari Sakhar Karkhana Navapur, Nandurbar Vibhag Ltd., Dikare, Navapur, Nandurbar	34.06 Crs.	Renewal	JD(WPC)	351 - 360	
12	Pannageshwar Sugar Mills, Vill. Pangaon, Tal - Rampur	36.69.3	Renewal	JD(WPC)	361 - 369	
13	Shree Saibaba Sugar Ltd., Gut No. 55, 57 & 59, Vill. Gondri, Shivani, AUSA, Latur	42.66 Crs.	Renewal	JD(WPC)	370 - 378	
14	Priyadarshini SSK Ltd., Tondar, Udgir	71.75 Crs.	Renewal	JD(WPC)	379 - 389	
15	ESAB India Ltd., Plot No: B-28, MIDC Industrial Area Kalmeshwar, Dist - Nagpur	49.40 Crs.	Renewal	JD(APC)	390 - 403	
16	Kolhapur Municipal Corporation, Kolhapur at S. No. 842, C.S. No. 206, Near KMC STP, Kasaba Bawada, Kolhapur	_____	Authorization	RO(HQ)	404 - 414	
	JD(WPC)	11				
	AS(T)	3				
	RO(HQ)	13				
	JD(APC)	1				
	PSO	0				
	Total	28				

CC- Resubmission Agenda

Agenda no. 1

Region : SRO Amravati I		Section : JD(WPC)		Date :17/09/2014	
Name & Address		Common Effluent Treatment Plant Textile Park , Additional Industrial Area MIDC Nandgaon peth, Dist. Amravati (5 MLD)			
Consent For		CE			
Capital Investment		6228 Lacs			
Previous Consent Validity		Proposed Unit			
Industry Type		R14 Common treatment and disposal facilities (CETP, TSDF, E-Waste)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Proposed CETP of 5 MLD at Addl. MIDC Nandgaon Peth, Dist.- Amravati. Proposed Disposal: As per the applicant i) About 2.7 MLD (60%) effluent shall be recycled / reused to make ZLD after tertiary treatment (RO System). ii) About 1.8 MLD (36 %) shall be treated through Primary, Secondary and ACF & PCF and proposed disposal is on SSHEHS (Soil sand High Efficiency Hybrid System). iii) About 0.5 MLD Dye Bath shall be treated through RO system for recycle and reuse to make ZLD.			
Water Cess		Assessment Done :		Paid Upto :	
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>	
		<u>BG Obtained against :</u>			
		<u>Details of BG forfeited/encashed , if any :</u>			

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	Proposed Unit
Other Relevant Information	<ul style="list-style-type: none"> ○ Pedhi river (Notified A-II Class) approx 8 Km away from the project. • SRO reported that the land marked by MIDC for the HRTS is about 75 Ha as per the proposal initially 10 Ha will be developed for SSHEHS. For the disposal of the 36% of treated effluent i.e 1.8 MLD it seems to be adequate. However for the total quantum of treated effluent disposal it seems to be inadequate. <p>Resubmission Note:</p> <ul style="list-style-type: none"> - As per the decision of the CC meeting dtd.24.09.2014 letter was issued to MIDC on dt.01.10.2014. - The Point wise reply of MIDC is enclosed. 	
Recommendation of SRO/RO	<p>SRO opined that if CETP adopt HRTS system for the disposal of treated effluent after few years water logging capacity of soil will totally disturb and it may create chances to surface runoff to adjacent nalla which ultimately meets to Pedhi River (Notified A-II Class), therefore the treated effluent shall be given to the respective industries only and after MEE crystallizer HW can be sent to CHWTSDF Butibori. Recommended subject to Zero Discharge of effluent.</p>	

Maharashtra Pollution Control Board

Agenda no. 2

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 2/4/2014 Ro (HQ) Date of receipt;- 22/04/2014
Name & Address	M/s. Karwa & Kewal Kiran Realtors., F.P.No.482 of TPS IV, Bhavani Shankar road known as Padhewadi, Mahim Division,Dadar	
Consent For	C to E	
Capital Investment	Rs.6.14Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 136CMD , Effluent Generated :-123 CMD Proposed STP Capacity(2 Nos) :-77 CMD & 46 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Other Relevant Information	Resubmission: The application was discussed in CC Meeting dated 24/9/2014 and It was decided to issue SCN for refusal of consent to establish as PP has failed to submit reply for verification of C.I. & SCN issued to PP Dated 8/10/2014 which is communicated to PP vide mail dated 10/10/2014 but till date reply from PP not received.	
Recommendation of SRO/RO	SRO Recommended consent may be refused.	

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;-30/08/2014 Ro (HQ) Date of receipt;- 29/09/2014
Name & Address	M/s Indospace Industrial Park Pune Pvt. Ltd. MIDC Plot D/223-1, Chakan Industrial Area, Phase II, Bhamboli Village, Taluka : Khed, District : Pune	
Consent For	C to E	
Capital Investment	66.00 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
CC Date	17/10/2014	
CC decision	It was decided to keep case in abeyance and put up in next CC after obtaining verification from PP regarding BUA, type of unit and proposed STP & MSW plant.	
Reply	<p>1) Detail About BUA Total Plot area :-47500.0 sq.mtrs., Permissible BUA:-18,575.57 sq.mtrs Total BUA:-19548.0 Sq.mtrs (18360 sq.mtrs + 1188 sq.mtrs =19548 sq.mtrs)</p> <p>2) Detail about STP PP has proposed to provide STP of capacity 65 CMD for 62 CMD generation. 38 CMD will be used for flushing & 22 CMD will be used for gardening</p> <p>3) Detail about MSW Biodegradable waste 190 Kg/day will be disposed through OWC & Non Biodegradable 76Kg/Day will be disposed through Authorized Vender</p> <p>4) Proposed units in industrial building The major activities include Light and Heavy Engineering Industries, Automobile and Automobile Ancillary Manufacturing Industries, Electronics and Consumable Durables, IT Hardware, Packaging Industry, R&D Facilities, Industrial Storage, Industrial Assembly Units etc. limited to industries not requiring prior Environmental Clearance as per EIA Notification 2006 and its amendments.</p>	

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;-08/08/2014 Ro (HQ) Date of receipt;- 25/09/2014
Name & Address	M/s. Miracle Habitat Pvt Ltd., S.No. 240, Village Jambhul, Taluka Maval, Dist. Pune.	
Consent For	C to E	
Capital Investment	46.58 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Resubmission		
CC	17/10/2014	
CC Decision	It was decided to issue SCN for Refusal of Consent to Establish as PP has not submitted approved plan in view of HPCL letter to District Collector.	
SCN Issued	11/11/2014	
Reply	Applicant has submitted reply after hosting minutes of meeting on website. In reply PP stated that "We have received N.A. Permission from Sub-Divisional Officer, Maval-Pune, As per HPCL permission and N.A. permission we are not carrying out any construction activity on 10meter radius and 18meter ROU boundary of HPCL petrol pipeline" Applicant has submitted NA order and Approved plan.	

Maharashtra Pollution Control Board

Agenda no. 5

Region : Mumbai	Section : RO(HQ)	Date : SRO Date of receipt;- 27/8/2014 Ro (HQ) Date of receipt;- 19/09/2014
Name & Address	M/s.Lake View Developers on plot bearing CTS No.22(pt), Village: Powai,Mumbai	
Consent For	C to E	
Capital Investment	Rs.40.10 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 788.40 CMD , Effluent Generated :- 683.28 CMD Proposed STP Capacity :-700 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Other Relevant Information	<p><u>Resubmission:</u> The case was discussed in CC Meeting dated 17/10/2014 and it was decided to issue SCN for final refusal of consent to establish & stop work as PP has started construction without C to E & EC.</p> <p>SCN issued to PP dated 7/11/2014 & PP has submitted reply in which PP has submitted, 1) Acknowledgement copy of application of EC to GOM. 2) CA Certificate. 3) Architect plan. 4) PP has reported that PP has rehab transit camp & PP has constructed around 5,040 Sq.Mtrs & as per GOM issued circular, starting redevelopment, rehabilitation of tenant in SRA/Dilapidated/ Cess building is involved construction of rehab component may not be consider as EIA Violation.</p>	
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish subject to obtaining EC.	

Maharashtra Pollution Control Board

Agenda no. 6

Region : RO Pune		Section : JD (WPC)			Date :	
Name & Address	M/s. Indapur Dairy & Milk Products Ltd. , Vill.Gokhali,Tal.Indapur,Dist-Pune.					
Consent For	Applied for C to E Expansion					
Capital Investment	Existing consented C.I. of Rs. 7.0 Cr. <u>C to E expansion C.I. of Rs. 34.35 Cr.</u> Total C.I. of Rs. 41.35 Cr.					
Previous Consent Validity	Previous consent dtd. 17.05.2013 valid upto: 30.04.2014, again renewal of consent granted on 16.09.2014 valid upto: 30.04.2015.					
Industry Type	R47 Milk processing and dairy products (Integrated project)					
Industry Category	Red/LSI.					
Compliance Of Water Pollution Related Conditions	YES	Sr. No.	Effl. qty.	Existing	Proposed.	Total
		1.	I.E.	170	495	665 CMD
		2.	D.E.	3	12	15 CMD
	Details :- Industry has provided ETP for existing unit having capacity 600 CMD. C to E expansion, effluent will be treated in existing ETP. 25 acres land available for disposal of treated effluent					
Compliance Of Air Pollution Related Conditions	Boiler – 2 nos. provided with dust collector.					
Water Cess	Assessment Done :-			Paid Upto :		
BG Details	Amount : Rs. 5.0/- Lakhs			Validity : 30.04.2014.		
	BG Obtained against : towards O & M of pollution control system,					
	Details of BG forfeited/encashed , if any :					
Submission of Environmental Statement	Period	---				
Other Relevant	1) JVS result dated 21.10.2013 & 20.12.2013, BOD and COD exceeds the limit. 2) Case of the existing unit with expansion was discussed in CC meeting dtd. 6.05.2013 and it was decided to grant plain renewal of consent only.					

Maharashtra Pollution Control Board

<p>Information</p>	<p>Also decided to issue SCN for refusal for expansion with stop work order for carrying out expansion without C to E and violation of provision of law.</p> <p>Copy of CC minute enclosed.</p> <p>3) Accordingly, RO had issued CD on 22.05.2013 for expansion activity. 4) RO/SRO reported that industry operating, existing unit without expansion. 5) RO called information from SRO in respect of present status of expansion activity. 6) Location of the unit is about 4.0 Km away from A-II Class of River Bhima. 7) Total construction BUA of existing unit with C to E expansion is not submitted</p>
<p>Re-submitted</p>	<p>The case of the industry was discussed in CC meeting dated 31.07.2014 and Not Approved Establish (Expansion). It was decided to issue SCN for refusal of consent to establish for expansion as industry has inadequate land for disposal of effluent.</p> <p>Accordingly, SCN for refusal of consent issued on 19.08.2014. Thereafter SRO has submitted information /report on 20.11.2014, as below.</p> <p>Sub-Regional Officer Pune –I, has submitted information by mail on 20.11.2014 stating that, industry has provided total land 39.80 Acres (own land 29.875 Acres and lease land 9.925 Acres) land for disposal of treated effluent, which is adequate.</p>
<p>Recommendation of SRO/RO</p>	<p>SRO recommended- In view of above consent to establish may be granted with imposing appropriate Bank Guarantee towards operation & maintenance.</p>

Maharashtra Pollution Control Board

Agenda no. 7

Region: SRO Raigad I	Section: JD (WPC) Section		Date:
Name & Address	Ruby Mill Ltd. Khursundi Village, Khalapur, Dist. – Raigad.		
Consent For	C to O (First)		
Capital Investment	48.00 Cr.		
Previous Consent Validity	C to E was issued dt. MPCB/PCI-III/ EIC No. RD-910-08/257 dt. 06.09.2008 valid up to commissioning of unit.		
Industry Type	R84 Yarn/ textile processing involving any effluent/ emission		
Industry Category	Red		
Compliance of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - <ul style="list-style-type: none"> Water Consumption – 1350 CMD IE – 850 CMD shall be treated into ETP comprising of Primary Secondary and Tertiary Treatment. 100% Recycle/ reuse treated effluent in the process. Till erecting and commissioning 100% recycle system, treated effluent shall be disposed into PRIA CETP. DE – 140 CMD shall be treated into STP and treated effluent shall be use for gardening only. ESP as APC system shall be installed to Boiler (coal fired) however industry has installed Multicyclone and wet scrubber. 		
Water Cess	Assessment Done : Not submitted		Paid up to :
BG Details	Amount :		Validity : ---
	Rs. 25 Lakhs		
	Rs. 5 Lakhs		
	<u>BG Obtained against :</u>		
	<ul style="list-style-type: none"> Not submitted BG of Rs. 5 Lakhs towards compliance and ID issued dt. 19.10.2011 by RO Raigad. Not submitted BG of 25 Lakhs towards compliance of RRZ MoM dt.10.05.2012. 		
	<u>Details of BG forfeited/ encashed, if any : ---</u>		
Submission of Environmental	Period	Not submitted.	

Maharashtra Pollution Control Board

Statement		
Other Relevant Information		<ul style="list-style-type: none"> • Industry is located adjacent to River Patalganga (A-II Class) • The Board has issued SCN dt. 10.02.2010 by JD (WPC) • PD was issued by RO Raigad dt. 11.02.2011 • ID was issued by RO Raigad dt. 19.10.2011 • Stop work orders issued by the Member Secretary then 12.04.2010 letter issued by RO Raigad for not to take commercial production dt. 19.03.2010 Board. • SRO Raigad has submitted the present status report vide no. 141004 ft 0087 dt. 01.10.2014. • RO Raigad has submitted proposal for initiate action against the industry vide no. 140915 ft 0114 dt. 25.08.2014.
Recommendation of SRO/RO		<ul style="list-style-type: none"> • SRO reported non compliance of consent conditions and not recycle/reuse 100% treated effluent in the process, not installed ESP, not using gas fuel for boiler & thermopac and installed additional thermopac without obtaining consent to Establish from the Board and recommended to issue closure direction to industry in spite of compliance made by industry against points raised in RRZ meeting dt. 11.05.2012 • RO proposed to issue Closer direction u/s 33A of water (P&CP) act 1974 and u/s 31A of the Air (P & CP) Act 1981.

Maharashtra Pollution Control Board

Agenda no. 8

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 03/10/2013 Ro (HQ) Date of receipt;- 10/01/2014																																													
Name & Address	M/s. Thermax Ltd. Plot No. 81, 90, 91, 92, 97, MIDC Bhosari, Pune 411026																																														
Consent For	C to O (1 st)																																														
Capital Investment	40.0 Crore																																														
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																														
Industry Category	Orange																																														
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																												
	Details :- Water Consumption :- 75 CMD , Effluent Generated :- 60 Proposed STP Capacity :-60.0 CMD																																														
Water Cess	Assessment Done :-		Paid Upto :																																												
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Applied for</th> <th style="width: 25%;">C to O</th> <th colspan="2" style="width: 50%;">Office building (MIDC area)</th> </tr> </thead> <tbody> <tr> <td>Plot Area</td> <td>13,853.0 m²</td> <td>Built up area</td> <td>9594.7m²</td> </tr> <tr> <td>C to E</td> <td>Obtained</td> <td>Dated</td> <td>01/10/2011</td> </tr> <tr> <td>Plot area as per CE</td> <td>13,853.0 m²</td> <td>BUA as per CE</td> <td>9594.7 m²</td> </tr> <tr> <td>EC Status</td> <td>Not required</td> <td>Dated</td> <td>---</td> </tr> <tr> <td>Water Consumption</td> <td>75 CMD</td> <td>Effluent Generated</td> <td>60.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>60.0 CMD</td> <td>Recycle water</td> <td>24.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>---Kg/D</td> <td>Treatment</td> <td>---</td> </tr> <tr> <td>Non-Boi degradable</td> <td>300.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>380.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>Completed</td> <td>Date of Visit</td> <td>21/10/2013</td> </tr> </tbody> </table>			Applied for	C to O	Office building (MIDC area)		Plot Area	13,853.0 m ²	Built up area	9594.7m ²	C to E	Obtained	Dated	01/10/2011	Plot area as per CE	13,853.0 m ²	BUA as per CE	9594.7 m ²	EC Status	Not required	Dated	---	Water Consumption	75 CMD	Effluent Generated	60.0 CMD	STP Capacity	60.0 CMD	Recycle water	24.0 CMD	Bio-degradable	---Kg/D	Treatment	---	Non-Boi degradable	300.0 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	380.0 KVA	Construction status	Completed	Date of Visit	21/10/2013
	Applied for	C to O	Office building (MIDC area)																																												
	Plot Area	13,853.0 m ²	Built up area	9594.7m ²																																											
	C to E	Obtained	Dated	01/10/2011																																											
	Plot area as per CE	13,853.0 m ²	BUA as per CE	9594.7 m ²																																											
	EC Status	Not required	Dated	---																																											
	Water Consumption	75 CMD	Effluent Generated	60.0 CMD																																											
	STP Capacity	60.0 CMD	Recycle water	24.0 CMD																																											
	Bio-degradable	---Kg/D	Treatment	---																																											
	Non-Boi degradable	300.0 Kg/D	Treatment	Local Body																																											
	No of DG Sets	2	Capacity	380.0 KVA																																											
	Construction status	Completed	Date of Visit	21/10/2013																																											
	Applicant has applied for consent to operate for office building having builtup area																																														

Maharashtra Pollution Control Board

	<p>below 20,000 m².</p> <p>Resubmission:-</p> <ul style="list-style-type: none">• Applicant has submitted clarification on 27/09/2014 along with MIDC amalgamation letter of plot No 81,90,91,92,97, issued on 08/09/2011. Applicant requested to issue consent to operate or issue us letter stating that consent is not required since construction is less than 20,000 sq.mtrs in plot no 81,90,91,92,97.• M/s Thermax having 81,90,91,92,&97,93,&94 plots named as 97E. MIDC has issued de- amalgamation letter to industry two plots i.e 81,90,91,92 & 97 one plot having plot area 13853.0sq.mtrs & second plot 93&94 having plot area 3881.0 sq.mtrs• Field officer visited and conformed that plot no 93& 94 are donated for chemical division earlier it eas 97E plot no 81,90,91,92& 97 for existing office building, Earlier office building was in plot no 90+91+92, & 81+ 97 for engaged for storage activity.
--	--

Agenda no. 9

CC Agenda (Resubmission)

Region : Thane	Section :RO(HQ)	SRO Date :- 08/08/2014 RO(HQ) Date :- 29/09/2014
Name & Address	M/s Evershine Global City,Old S.No.1,5 to 8,10 to 16,67 to 69,71,92 to 93,172 to 178,185,190 to 211,219 to 224,1A,New S.No.5,5B,5F,5G,5D,Village-Dongare,Tal-Vasai,Dist-Thane.	
Consent For	1 st C to O (Part)	
Capital Investment	Rs.125.0 Crs.	
Industry Type	O08 Building and Construction projects more than 20,000 sq.mtr.	
Industry Category	Orange	

Resubmission

CC Date	31/10/2014
CC decision	It was decided to issue SCN for refusal of consent to 1 st operate as PP has not provided treatment facility for organic solid waste & not having valid C to E & EC
SCN Issued on	31/10/2014.
Reply received on	14/11/2014.
Reply	<ul style="list-style-type: none"> ➤ PP has applied for revalidation of C to E & EC (copy enclosed) also submitted copy of conveyance deed for changed in Name. Provided OWC at site for treatment of organic solid waste.
FO	<ul style="list-style-type: none"> ➤ Applied for revalidation of C to E at SRO Thane-II office on 10/11/2014 (copy enclosed) ➤ Applied for revalidation of EC on 25/07/2014 (copy enclosed) ➤ Submitted copy of conveyance deed for changed in Name. ➤ Provided OWC for treatment of organic solid waste ➤ We may place case before CC for further decision.
RO(HQ)	<ul style="list-style-type: none"> ➤ SCN refusal of consent to part operate issued on 31/10/2014 for non provision of MSW facility & not having valid C to E & EC ➤ PP replied to SCN on 11/11/2014 stated that <ul style="list-style-type: none"> a) Applied for revalidation of C to E along with necessary fees on 16/10/2014 at RO, Thane office. b) Applied for revalidation of EC on 24/7/2014. Acknowledgement copy is enclosed. c) Provided OWC. ➤ In view of above we may consider part C to O with BG of Rs. 5 lakh & affidavit about area of part C to O is as per EC & C to E.

Maharashtra Pollution Control Board

Agenda no. 10

Region : SRO Jalgaon I		Section : JD-WPC		Date : 24.11.2014
Name & Address		M/s. Honest Derivatives Pvt Ltd. , G No.50, 38/1, 38/2, 38/3, Factory-Maldabhadi, Jamner, Jalgaon.		
Consent For		consent to Renewal with first consent to operate for Expansion		
Capital Investment		51.51 Crores		
Previous Consent Validity		31/05/2013		
Industry Type		R46 Manufacturing of Starch/Sago		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		Details :- Present I.E. generation = 492 CMD and D.E. Generation = 12 CMD After expansion I.E.generation=806 CMD and D.E. generation=13 CMD Total I.E. generation will be=1298 CMD and D.E.generation =25 CMD Industry has provided ETP which comprises of Primary,secondary and tertiary treatment arrangement for untreated effluent.		
Water Cess		Assessment Done : Feb-2013		Paid Upto : 31.08.2012
BG Details		Amount : NA		Validity :
		BG Obtained against :		
		Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement		Period	submitted for the period of April-2011 to March 2012.	
Other Relevant Information		1) SCN was issued to the Industry for not meeting with consented standards , inadequate land for disposal,non-submission of cess and environment statement. 2) In view of SCN industry submitted that		

Maharashtra Pollution Control Board

	<p>a) They have acquired the land from neighbor farmers 101.3 acres + own land 26.42 acres=127.45 acres,the agreement copy of the same is submitted.</p> <p>b) Total effluent generation is 1298 CMD, the said land is sufficient for disposal of treated effluent.</p> <p>c) Photographs submitted for upgradation of existing ETP upto RO level.</p> <p>d) They have also submitted copies of environmental statement and cess returns till Jan-2014</p>
Recommendation of SRO/RO	Case may be consider with amalgamation and renewal of consent to operate upto period 31.05.2016.

Maharashtra Pollution Control Board

Agenda no. 11

CC -Item (Resubmission)		
Region : Pune	Section : AS(Tech)	Date :- Nov 2014
Name & Address	M/s. EFTEC (India) Pvt Ltd.G-9,MIDC Ranjangaon, Pune	
Consent to	Renewal of consent to operate with increase in capital investment	
Capital Investment	Previous Rs.15.50 Cr ,Increase CI- Rs. 14.14 Cr. Total CI – Rs. 29.64 Cr	
Consent Valid upto	31/06/2014	
Industry Type	Chemical	
Industry Category	RED/LSI	
Compliance of Water Pollution Related Conditions	Yes	
	Details:- IE -Nil CMD ,DE-3.92 CMD .Septic tank provided.	
Water Cess	Assessment Done: -	Paid upto- July 2014
Compliance of Water Pollution Related Conditions	Yes	
	Bag filters are provided at Feeding section of mixture	
BG Details	Amount: --- Nil	Validity : - NA
	BG obtained against: --- NA	
Submission of Environmental Statement	2012-13	
Other Relevant Information	<p>1. As per decision of CC meeting dtd.17/10/2014 SCN was issued on 21/10/2014 for carrying out construction of building and shed without obtaining consent from Board and wrong justification.</p> <p>2. PP has submitted reply for SCN stating that CI increased due to construction of additional storage shed ,additional aging tank (to increase aging period from 8 hrs. To 32 hrs as per customer requirement).Further reported that there is no change in process as well as product quantity.PP has apologise for doing modification & increase in CI without permission of Board & assured that in future they will obtain prior permission from Board for modification /expansion.</p>	

Maharashtra Pollution Control Board

	3. As per processing sheet & application current BUA is less than 20000M ²
Recommendation of SRO	SRO has reported that there is not addition of production capacity, the process is of physical blending type and recommended to consider the case for grant of renewal of case with increase in capital investment.

Maharashtra Pollution Control Board

Agenda no. 12

Region : RO Nagpur	Section :RO(HQ)	SRO Date :- 12/08/2014 RO HQ Date :- 25/09/2014
Name & Address	M/s. Indospace Rohan Logistic Park., Sr. No.428, 427/3, Mahalunge Ingle Taluka Khed, Dist. Pune	
Consent For	C to O (part) with amalgamation with existing two part operate.	
Capital Investment	198.62 Cr	
Previous Consent Validity	COU	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
CC Date	17/10/2014	
CC decision	It was decided keep the case in abeyance and put up in CC after decision of categorization.	
FO	<p>In CAC minutes of meeting dated 13/10/2014 decided that</p> <p>“CAC decided that proposed Industrial estates/Parks/SEZ with green & orange industries and without generation of industrial effluent and air emissions as claimed by Project Proponent shall be granted Consent to Establish in RED category as per CPCB categorization of industries irrespective of the category of individual industry without industrial effluent generation and air emissions”</p> <p>As per minutes this is applicable for Proposed park, this application for third operate and amalgamation of existing two parts</p> <p>Or We may consider in Red Category as per CAC minutes.</p>	
Validity		

* Board has granted two separate part operate for building B-1 & B4 having BUA 40,673.88 on 1/04/2013 and for B-3 & B-8 having BUA 30,264.49 sq.mtrs on 03/06/2013. Both consents are valid upto 30/11/2014 & 31/01/2015 respectively.

Maharashtra Pollution Control Board

Detail of Existing Consent

Details	1st (B1 & B-4)	2nd (B-3 & B-8)	Now applied for (B-1A & B-8)	Combine Consent
BUA	40673.88 m2	30264.49 m2	28863.14 m2	99801.51 m2
Domestic Effluent	52	63	40	155.0
Investment	54.39Cr	82.12Cr	62.11Cr	198.62Cr
Consent Validity	30/11/2014	31/01/2015	Applied	--

CC-Fresh Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;-24/06/2014 Ro (HQ) Date of receipt;- 03/09/2014
Name & Address	M/s. Symantic Software (India) Pvt Ltd., Wing 1 &2 (Cluster B) wing 4 Cluster A, Eon Kharadi Infrastructure P L, Plot No1 S.No. 77 MIDC, Kharadi, Pune.	
Consent For	C to E & O	
Capital Investment	329.32 Crore	
Industry Type	IT & ITES Activity	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 130.0 CMD, Effluent generated130.0 CMD. STP Proposed of Capacity : 200.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. IT & ITES industry applied for consent to establish and operate.2. PP has taken premises on lease in IT SEZ area developed by Eon Kharadi Infrastructure Pvt Ltd.3. Eon Kharadi Infrastructure obtained part consent to operate for B,C,& D pod, and applied for consent to operate for A pod & pending at HQ.4. Developer as has provided all infrastructures for IT SEZ.5. PP has submitted CA certificate showing capital investment 329.32 Cr, Accordingly PP has paid Rs 6,58,742.0 for establish and Rs. 13,17,484.0 for four year operate.6. The project located about 340mtrs from River Mula-Mutha.7. As industry located in approved IT-SEZ area.8. We may keep the case in abeyance for Policy decision of IT & ITES rental building.
Recommendation of SRO/RO	<p>M/s. Eon Kharadi Infrastructure Pvt Ltd has obtained C to O for POD B,C,D also already applied for C to O for Pod A. In view of above C to E may be granted if approved.</p>

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt ;-28/08/2014 Ro (HQ) Date of receipt:- 17/10/2014																																									
Name & Address	M/s. Prithvi Shelters, Sai Velocity Phase-II, Survey No. 77/4, 77/5, 77/6, 78/4, 78/5 Bavdhan, Tehsil-Mulshi, Dist-Pune.																																										
Consent For	C to E																																										
Capital Investment	105.86 Crore																																										
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																										
Industry Category	Orange																																										
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																								
	Details :-Water Consumption 351.0 CMD, Effluent generated 283.30 CMD. STP Proposed of Capacity : 285.0 CMD																																										
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2" style="width: 50%;">Residential Project</td> </tr> <tr> <td>Plot Area</td> <td>10,586.0 sq.m</td> <td>Built up area</td> <td>35,266.63 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Date</td> <td>23/06/2014</td> </tr> <tr> <td>River Distance</td> <td>4.5 Km</td> <td>Name of River</td> <td>Mula</td> </tr> <tr> <td>Water Consumption</td> <td>351.0 CMD</td> <td>Effluent Generated</td> <td>283.30 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>285.0 CMD</td> <td>Recycle water</td> <td>95.7 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>719.82 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>479.88 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>180 + 30 KVA</td> </tr> <tr> <td>Construction status</td> <td>Not Started</td> <td>Date of Visit</td> <td>06/09/2014</td> </tr> </table>			Applied for	C to E	Residential Project		Plot Area	10,586.0 sq.m	Built up area	35,266.63 sq.mt	EC Status	Applied	Date	23/06/2014	River Distance	4.5 Km	Name of River	Mula	Water Consumption	351.0 CMD	Effluent Generated	283.30 CMD	STP Capacity	285.0 CMD	Recycle water	95.7 CMD	Bio-degradable	719.82 Kg/D	Treatment	OWC	Non-Boi degradable	479.88 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	180 + 30 KVA	Construction status	Not Started	Date of Visit	06/09/2014
	Applied for	C to E	Residential Project																																								
	Plot Area	10,586.0 sq.m	Built up area	35,266.63 sq.mt																																							
	EC Status	Applied	Date	23/06/2014																																							
	River Distance	4.5 Km	Name of River	Mula																																							
	Water Consumption	351.0 CMD	Effluent Generated	283.30 CMD																																							
	STP Capacity	285.0 CMD	Recycle water	95.7 CMD																																							
	Bio-degradable	719.82 Kg/D	Treatment	OWC																																							
	Non-Boi degradable	479.88 Kg/D	Treatment	Local Body																																							
	No of DG Sets	2	Capacity	180 + 30 KVA																																							
	Construction status	Not Started	Date of Visit	06/09/2014																																							
<p>Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 5 Lakhs for compliance of consent</p>																																											

Maharashtra Pollution Control Board

	<p>condition.</p> <p>Project Located in Grampanchyat area Bavdhan</p>
Recommendation of SRO/RO	In view of above, Consent to establish may be granted by imposing condition not to take any effective step until obtain Environmental Clearance.

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt :- 17/09/2014 Ro (HQ) Date of receipt :- 29/10/2014																																								
Name & Address	M/s. Sharada Erectors Pvt. Ltd. "Sharada Myria", Gat No. 74, Kirkatwadi, Near DSK Vishwa, Pune 411024																																									
Consent For	C to E																																									
Capital Investment	69.15 Crore																																									
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																									
Industry Category	Orange																																									
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																								
	Details :-Water Consumption: CMD, Effluent generated 842.0 CMD. STP Proposed of Capacity : 850.0 CMD																																									
Water Cess	Assessment Done :-	Paid Upto :																																								
BG Details	Amount :	Validity :																																								
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Applied for</td> <td>C to E</td> <td colspan="2">Residential Project</td> </tr> <tr> <td>Plot Area</td> <td>15200.0 sq.mt</td> <td>Built up area</td> <td>27681.63 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>17/02/2014</td> </tr> <tr> <td>River Distance</td> <td>1.8 Km</td> <td>Name of River</td> <td>Mutha (A-II)</td> </tr> <tr> <td>Water Consumption</td> <td>234.59 CMD</td> <td>Effluent Generated</td> <td>191.50 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>195.0 CMD</td> <td>Recycle water</td> <td>86.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>450.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>313.10 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>3</td> <td>Capacity</td> <td>160x2 +50 KVA</td> </tr> <tr> <td>Construction status</td> <td>Not Started</td> <td>Date of Visit</td> <td>14/10/2014</td> </tr> </table>		Applied for	C to E	Residential Project		Plot Area	15200.0 sq.mt	Built up area	27681.63 sq.mt	EC Status	Applied	Dated	17/02/2014	River Distance	1.8 Km	Name of River	Mutha (A-II)	Water Consumption	234.59 CMD	Effluent Generated	191.50 CMD	STP Capacity	195.0 CMD	Recycle water	86.0 CMD	Bio-degradable	450.0 Kg/D	Treatment	OWC	Non-Boi degradable	313.10 Kg/D	Treatment	Local Body	No of DG Sets	3	Capacity	160x2 +50 KVA	Construction status	Not Started	Date of Visit	14/10/2014
	Applied for	C to E	Residential Project																																							
	Plot Area	15200.0 sq.mt	Built up area	27681.63 sq.mt																																						
	EC Status	Applied	Dated	17/02/2014																																						
	River Distance	1.8 Km	Name of River	Mutha (A-II)																																						
	Water Consumption	234.59 CMD	Effluent Generated	191.50 CMD																																						
	STP Capacity	195.0 CMD	Recycle water	86.0 CMD																																						
	Bio-degradable	450.0 Kg/D	Treatment	OWC																																						
	Non-Boi degradable	313.10 Kg/D	Treatment	Local Body																																						
	No of DG Sets	3	Capacity	160x2 +50 KVA																																						
Construction status	Not Started	Date of Visit	14/10/2014																																							

Maharashtra Pollution Control Board

	<p>Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 5 Lakhs for compliance of consent condition.</p>
<p>Recommendation of SRO/RO</p>	<p>During visit it is observed that there is only open plot at present. In view of above recommended the case for grant of consent to Establish.</p>

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune		Section :		RO Pune:- 15/08/2014
				RO(HQ) :- 14/10/2014
Name & Address		Pimpri Chinchwad Municipal Corporation, <u>Milindnagar Project</u> , S.No. 12,13,14 (P) Milind Nagar at Pimpri		
Consent For		CO		
Capital Investment		4.16Cr.		
Previous Consent Validity		31/01/2015		
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category		Orange		
Compliance Of Water Pollution Related Conditions		YES ()	NO ()	
Water Cess		Assessment Done :		Paid Upto :
BG Details		<u>Amount : 05.0 lakhs</u>		<u>Validity :1 yr</u>
		<u>BG Obtained against : compliance of consent condition.</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Other Relevant Information		<p>PCMC has proposed Slum Rehabilitation Project at Milind Nagar Nagar having total 12 nos. of building for C to Operate for</p> <p>Total Plot Area - 24054.65 Sq. mtr</p> <p>Total built up area - 50,844.75 Sq. mtr</p> <p>PCMC has obtained Consent to Establish dated 11/1/2012</p> <p>Total Plot Area - 24054.65 Sq. mtr</p> <p>Total Construction BUA - 50,844.75 Sq. mtr.</p> <p>PCMC has obtained Environmental Clearance from GOM Dated 10/10/2011</p> <p>Total Plot Area - 24054.65 Sq. mtr</p>		

Maharashtra Pollution Control Board

	<p>Total Construction BUA - 50,844.75 Sq. mtr.</p> <p>PCMC has obtained part consent to operate on 18/01/2014</p> <p>BUA for operate 8329.725 sq.mtrs (2 Buildings)</p> <p>Now PCMC has applied for one building (3rd Building name Ag)</p> <p>BUA for 5th building - 2641.0 sq. mtrs</p> <p>PCMC has submitted copy of Tharav No 305 passed in PCMC General Body meeting No 18 (20/06/2013) in respect to lifetime responsibility of treatment of sewage generated from project and treatment of municipal solid waste.</p> <p>We may consider with amalgamation with existing part. After conformation of BG submission as per C to O condition.</p>
Recommendation of SRO/RO	

Maharashtra Pollution Control Board

Agenda no. 5

Region : Pune	Section :RO(HQ)		RO Pune:- 15/08/2014 RO(HQ) :- 14/10/2014
Name & Address	Pimpri Chinchwad Municipal Corporation <u>Vetalnagar Project</u> , S.No. 100, Vetalnagar, Pimpri		
Consent For	1 st C to O (Part operate for one building)		
Capital Investment	25.82 +4.01= 29.83Cr.		
Previous Consent Validity	31/01/2015 (For 5 buildings)		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr.		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Total water consumption - 75.60 CMD +378 =453.6 CMD and sewage generation - 68.48 CMD.310 = 378.48 CMD PCMC has connected sewage generated from this project to their Sewage Treatment Plant located at Chinchwad Link Road (i.e. Phase-II).		
BG Details	<u>Amount : 05.0 lakhs</u>		<u>Validity : one yr.</u>

Maharashtra Pollution Control Board

Other Relevant Information	<p>PCMC has proposed Slum Rehabilitation Project at Vetar Nagar having total 13 nos. of building.</p> <p>Total Plot Area- 23417.14 Sq. mtr ,</p> <p>Total built up area 55062.01 Sq. mtr</p> <p>PCMC has obtained Consent to Establish dated 11/1/2012</p> <p>Total Plot Area - 23417.14 Sq. mtr</p> <p>Total Construction BUA - 55,062.01 Sq. mtr.</p> <p>PCMC has obtained Environmental Clearance from GOM Dated 7/10/2011</p> <p>Total Plot Area - 23417.14 Sq. mtr</p> <p>Total Construction BUA - 55,062.01 Sq. mtr.</p> <p>PCMC has obtained part consent to operate on 06/06/2014</p> <p>BUA for operate 19641.96 sq.mtrs (5 Buildings)</p> <p>Now PCMC has applied for one building (6th Building name Ag)</p> <p>BUA for 5th building - 3628.63 sq.mtrs</p> <p>PCMC has submitted copy of Tharav No 305 passed in PCMC General Body meeting No 18 (20/06/2013) in respect to lifetime responsibility of treatment of sewage generated from project and treatment of municipal solid waste.</p> <p>We may consider with amalgamation with existing part. After conformation of BG submission as per C to O condition. overriding effect of earlier consent.</p>
----------------------------	---

Maharashtra Pollution Control Board

Agenda no. 6

CC -Item		
Region : Pune	Section : AS(Tech)	Date :- Nov 2014
Name & Address	H.B. Fuller India Adhesives Pvt. Ltd.,(Shirwal) , Plot No. 1-E, Gat No. 1140, 1295 and 1296, A/p. Shirwal Tal. Khandala	
Consent to	Applied for renewal of consent with increase in capital investment.	
Capital Investment	Current CI- Rs. 57.75 Cr. Previous Ci-Rs.40.02 Cr.	
Consent Valid upto	31/07/2014	
<u>Industry Type</u>	Chemicals	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	Yes	
	IE- 4.00 CMD, DE- 7.50 CMD. full-fledged ETP of 5 CMD is provided .Disposal on land for gardening. JVS reports are within limit .	
Water Cess	Assessment Done: - May-2014	Paid upto-
Compliance of Air Pollution Related Conditions	Yes	
	Adequate APCS is provided.	
<u>BG Details</u>	<u>Amount:</u> --- Nil	<u>Validity :</u> - N.A.
	<u>BG obtained against:</u> --- N.A.	
Submission of Environmental Statement	Yes 2012- 2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. Application received at SRO 11.06.2014 , SRO has wrongly marked same application to CAC cell & same has been received at HQ 25.08.2014 in CAC cell. CAC cell has forward the same case to AS(T) section on 11.11.2014 as this application is in purview of CC. 2. PP has reported that Capital investment is increased due to civil work, interior works etc in administrative building., HV & AC system, Modernization work, etc. 	
Recommendation of SRO	SRO has recommended for grant of consent renewal of consent imposing operational BG for period upto 31.07.2017.	

Maharashtra Pollution Control Board

Agenda no. 7

CC -Item		
Region : Mumbai	Section : AS(Tech)	Date :- Nov 2014
Name & Address	Bharat Petroleum Corporation Ltd , Wadi Bunder Installation, Mallet Road, Wadi Bunder, Mumbai 400009	
Consent to	Amendment in consent in respect of increase in generation of Hazardous waste quantity.	
Capital Investment	6108 Lacs	
Consent Valid upto	31/08/2017	
Industry Type	R44 Manufacturing of Lubricating oils, greases or petroleum base	
Industry Category	RED/LSI	
Compliance of Water Pollution Related Conditions	Yes	
	As per existing consent IE -3.0 CMD, DE-35 CMD. Industry has reported that due to close loop technology there is no generation of trade effluent. SRO also verified the same.	
Water Cess	Assessment Done: -	Paid upto- 31.03.2012
Compliance of Water Pollution Related Conditions	Yes	
	Stack of adequate height is provided.	
BG Details	Amount: --- Nil	Validity : - Nil
	<u>BG obtained against:</u> --- N.A.	
Submission of Environmental Statement	Not submitted	
Other Relevant Information	1. Existing consent valid up to 31.08.2017 for blending of lubricating oil. 2. In previous consent the hazardous waste category 4.1,4.2 i.e.Oily sludge /emulsion ,slop oil was mentioned ,now PP has reported that in addition to consented category they want to add oil soaked saw dust, cotton waste, oily hand gloves etc.& same will be disposed to CHWTSDF Taloja. Also	

Maharashtra Pollution Control Board

	<p>reported that the increase in hazardous waste quantity is due to handling of lubricating oil & there is no increase in pollution.</p> <p>3. Vide email dtd. 29/09/2014,10/10/2014 & 12/11/2014 This office has call details of treatment provided to treat trade effluent, JVS report, details of form 4, Form V,& cess, copy of CHWTSDf membership, Clarification from industry regarding new HW generation i.e. why this category was not reported by industry during previous consent application,& if that category generated from commissioning then its generation & disposal record.</p> <p>4. Vide email dtd 20.11.2014 SRO has submitted industries say about above query. Industry has reported that there is no industrial effluent generated due to close loop technology. Industry is submitting the cess returns regularly. They have applied for the membership to the CHWTSDf for the disposal of contaminated gloves and leather, oil contaminated saw dust. Also reported that, without increase in the products, the Hazardous waste like saw dust /cotton waste is generated due to replacement of washable type cloths which was used for wiping of waste oil. previously they was used leather hand gloves but now they are going to discontinue of recycling the hand gloves. Now, they are proposed to dispose the same to CHWTSDf.</p>
Recommendation of SRO	SRO has recommended to amend the consent for increase in generation of HW quantity in existing consent.

Maharashtra Pollution Control Board

Agenda no. 8

Region : SRO Nagpur II		Section : JD (WPC)		Date : 21.11.2014.	
Name & Address		M/s. Raja Kaimoor breweries Pvt. Ltd., Plot No. K-39, MIDC Butibori Nagpur.			
Consent For		Applied for -renewal of consent with same production qty. with increase in C.I.			
Capital Investment		Capital investment- a) Previous Consented C.I. of Rs. 43.12 Cr. b) Enhanced C.I. of Rs. 2.57 Cr. c) Total C.I. of Rs. 45.69 Cr.			
Previous Consent Validity		Previous consent details- granted on 10.12.2013 valid upto: 31.08.2014.			
Industry Type		R15 Distillery including Fermentation industry			
Industry Category		Red/LSI			
Compliance Of Water Pollution Related Conditions		YES			
		Details :- ETP comprise primary & secondary treatment provided, treated effluent discharges to CETP. JVS result- information not submitted. (mail sent to SRO for submission of JVS results)			
Compliance Of Air Pollution Related Conditions		APC status- Cyclone dust collector followed by pulse jet type bag filter provided.			
Water Cess		Assessment Done :-		Paid Upto :-	
BG Details		Amount : BG detail not submitted		Validity :	
		BG Obtained against : Detail not submitted.			
		Details of BG forfeited/encashed , if any :			

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	Information not submitted.
Other Relevant Information	Bank Guarantee status- as per previous consent dtd. 10.12.2013 B.G. of Rs. 5.0/- Lakhs imposed towards O & M of pollution control system. But information regarding BG details not submitted. mail sent on 21.11.2014 to SRO for submission of required information.	
Recommendation of SRO/RO	submitted for further order.	

Maharashtra Pollution Control Board

Agenda no. 9

Region : SRO Sangli	Section : JD(WPC)		Date : 20.11.2014
Name & Address	Viraj Alcohols and Allied Industries Ltd , Gat No-511, A/p-Kapari, Dist.- Sangli.		
Consent For	CR		
Capital Investment	4096 Lacs		
Previous Consent Validity	31/08/2014		
Industry Type	R15 Distillery including Fermentation industry		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Total Water consumption is 585.7 CMD. Industrial effluent Details: Quantity: 70 CMD. Treatment: ETP provided comprising Primary & Secondary treatment. Disposal: On land of about 2.5 Hectors, this seems to be adequate. ETP provided comprising Primary & Secondary treatment. SRO reported that ETP is not working properly and it needs upgradation.		
Compliance Of Air Pollution Related Conditions	Dust collector as an APC to Bagasse fired Boiler. JVS Air Status: JVS analysis results are exceeding limits with respect to TPM.		
Water Cess	Assessment Done : 31.05.2014	Paid Upto : 31.08.2012	
BG Details	Amount : Rs.5.0 Lakhs	Validity : 15.02.2014	
	BG Obtained against : ID issued dtd.09.07.2013.		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	<ul style="list-style-type: none"> • SRO reported that ETP is not working properly and it needs upgradation. • JVS Water Status: JVS results are exceeding w.r.t BOD, COD and SS. • JVS Air Status: JVS analysis results are exceeding limits with respect to TPM. • Industry has done expansion, after issuance of P.D and I.D, industry has applied for C to E, the application of C to E for expansion was discussed in the CC meeting dtd.17.10.2015 and it was decided to issue SCN for refusal of consent to establish for expansion as per the non compliance / violation. 		
Recommendation of SRO/RO	Industry has done expansion, after issuance of P.D and I.D, industry has applied for C to E, In view of above renewal may be decided at Consent committee.		

Maharashtra Pollution Control Board

Agenda no. 10

Region : SRO Satara		Section : JD (WPC)		Date : 20.11.2014	
Name & Address		M/s. Kumuda Sugar & Agro Products Ltd. , Unit No-3, At- Shewalewadi (Mhasoli), Tal-Karad, Dist. Satara.			
Consent For		Applied for renewal of consent with same production qty. Crushing capacity of sugar unit is 2500 TCD.			
Capital Investment		Rs. 44.68 Cr.			
Previous Consent Validity		Previous consent details-granted on 26.08. 2014 valid upto: 30.08.2014			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI			
Compliance Of Water Pollution Related Conditions		<p>YES</p> <p>Details :- ETP comprising Bar screen, oil & grease trap, equalization, primary clarifier, Aeration tank, secondary clarifier, treated sump, Holding tank, sand filter & SDB provided. 75 acres land available for disposal of treated effluent.</p>			
Compliance Of Air Pollution Related Conditions		Multi Cyclone type fly ash arrester & in house made wet scrubber provided (not designed in well engineering manner).			
Water Cess		Assessment Done : done		Paid Upto : Nov. 2012	
BG Details		As per Previous consent dtd. 31.12.2013 valid up to: 31.12.2013.industry has submitted following BG.			
		A) <u>Amount</u> : Rs. 5.0/- Lakhs		<u>Validity</u> : 26.04.2015	
		B) <u>Amount</u> : Rs. 2.0/- Lkahs.		<u>Validity</u>: 26.04.2015.	

Maharashtra Pollution Control Board

	C) <u>Amount</u> : Rs. 4.0/- Lkhs.		<u>Validity:</u> 26.04.2015
	As consent dated 26.08. 2014 valid upto: 30.08.2014 Bank Guarantee of Rs. 21.10./- Lakhs not submitted.		
	A) <u>BG Obtained against</u> : O & M of ETP & air pollution control system.		
	B) <u>BG Obtained against</u> : Providing necessary arrangement to cover the effluent collection system.		
	C) <u>BG Obtained against</u> : Towards the compliance of CREP norms.		
	<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement	Period	September 2014.	
Other Relevant Information	1) 75, acres land available for disposal of treated effluent which is adequate.. 2) Multi Cyclone type fly ash arrester & in house made wet scrubber provided (not designed in well engineering manner). 3) Crushing capacity of sugar unit is 2500 TCD. 4) Industry has provided wire mesh on gutter to avoid ingress of bagasse. 5) At inlet of ETP digital flow meter not provided. 6) Industry has reduced waste water generation 100 liter per ton of cane crushed.		
Recommendation of SRO/RO	Decision regarding grant of consent may be taken at HQ level.		

Maharashtra Pollution Control Board

Agenda no. 11

Region : SRO Dhule		Section : JD-WPC		Date : 24.11.2014	
Name & Address		Adiwasi Sahakari Sakhar Karkhana Navapur Nandurbar Vibhag Ld , Dikare, Navapur, Nandurbar.			
Consent For		CR			
Capital Investment		34.06 Crores			
Previous Consent Validity		28/02/2005			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Industrial water consumption is 125 CMD whereas I.E. generation is 125 CMD.Domestic water consumption is 50 CMD whereas D.E. generation is 40 CMD. Industry has provided ETP which comprises of Screen Chamber, Oil & Grease trap,Equalization tank cum neutralization tank, flash mixer, primary clarifier, aeration tank,secondary clarifier,SDB.			
Water Cess		Assessment Done : June-2014		Paid Upto : August-2011.	
BG Details		Amount :		Validity :	
		1. Rs. 01.0/- Lacs		1. 30.11.2014	
		2. Rs. 10.0/- Lacs		2. 30.11.2014	
		3. Rs. 05.0/- Lacs		3. 30.11.2014	
		4. Rs. 08.0/- Lacs		4. 30.11.2014	
		5. Rs. 10,000/-		5. 30.11.2014	
		6. Rs. 05.0/- Lacs		6. 30.11.2014	
		BG Obtained against :			
		1.Industry to provide flow meter and data logger for recording purpose at the inlet of ETP of Sugar & Co-gen Units.			

Maharashtra Pollution Control Board

	<p>2.It was noted that as per the design data submitted by the industry all units of existing ETP are oversized for hydraulic retention time as per the thumb rule. The ETP is inadequately designed for it to achieve desired levels of standards. The industry must upgrade & make the ETP operational with improvement to meet the standards.</p> <p>3.Make arrangement to cover the effluent collection & carrying system to avoid the ingress of Bagasse & other material.</p> <p>4.Industry shall upgrade existing Air Pollution Control System by providing ESP/Bag Filters/ Wet Scrubbers as per CREP conditions.</p> <p>5.Plans to be submitted for utilization of fly ash & bottom ash as per fly ash Notification.</p> <p>6.O & M for acheving consented standards of effluent.</p> <p>7.O & M for acheving consented standards of stack emission.</p>	
	<p><u>Details of BG forfeited/encashed , if any :</u></p>	
<p>Submission of Environmental Statement</p>	<p>Period</p>	<p>April-2013 to March 2014</p>
<p>Other Relevant Information</p>	<p>New BG regime for sugar has been imposed in previous consent but Industry has only submitted B.G. of Rs.8.0/- Lacs for providing wet scrubber instead of Rs. 29.10/- Lacs</p> <p>The indsutry shall reduce waste water generation to 100 ltrs./ton of cane crushed.= Complied (1250 TCD crushing and eff generation 125 CMD)</p> <p>Industry shall upgrade existing Air Pollution Control System by providing ESP/Bag Filters/ Wet Scrubbers as per CREP conditions =Not Complied.</p> <p>The ETP is inadequately designed for it to achieve desired levels of standards(JVS results are exceeding).= Not complied (JVS water & Air results are not meeting the consented standards.)</p>	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	<p>1) Factory has not submitted Bank Guarantee as per BG regime but industry submitted BG of Rs. 8.0 Lakhs for providing of Wet Scrubber.</p> <p>2) Industry has given work order to M/s. Sai-Jal Corporation, Navsari, Gujrat for installation flow meter at ETP inlet.</p> <p>3) Industry has given work order to M/s. Sai-Jal Corporation, Navsari, Gujrat for up-gradation of existing ETP.</p> <p>4) Factory has covered the effluent collection and carrying system to avoid the ingress of bagasse and other material.</p> <p>5) BG of Rs. 8.0 Lakhs for providing of Wet Scrubber submitted on 29/09/2014 to RO, Nashik.</p> <p>6) Industry has submitted plan for utilization of fly ash and bottom ash.</p> <p>This office has submitted proposal to RO, Nashik on 12/09/2014 for non-compliances of consent conditions and not achieving the JVS results as per the consented standards.</p> <p>Industry has submitted fees of Rs.50,0000/- and as per previous consent Rs.25,000/- balance with the Board. Hence total fees of Rs.75,000/- which is for one term.</p> <p style="text-align: center;">In view of above decision regarding Renewal of Consent to Operate shall be taken at HQ Level.</p>
---------------------------------	---

Maharashtra Pollution Control Board

Agenda no. 12

Region : SRO Latur		Section : JD-WPC		Date :24.11.2014
Name & Address		Pannageshwar Sugar Mills , Vill. Pangaon, Tal. Rampur		
Consent For		CR		
Capital Investment		3669.3 Lacs		
Previous Consent Validity		31.07.2014		
Industry Type		R74 Sugar (excluding Khandsari)		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		<p>Industrial water consumption is 300 CMD whereas I.E. generation is 200 CMD. Domestic water consumption is 30 CMD whereas D.E. generation is 25 CMD.</p> <p>Industry has provided ETP which comprises of Screen Chamber, Oil & Grease trap, Equalization tank cum neutralization tank, flash mixer, primary clarifier, aeration tank, secondary clarifier, SDB.</p>		
Water Cess		Assessment Done : June-2014.		Paid Upto : May-2008.
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>
		<u>BG Obtained against :</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period	April-2012 to March 2013.	
Other Relevant Information		<p>Industry has applied for renewal of consent with increase in capital investment by 4.01 crores, due to purchase of land, building, furniture, vehicle etc..Industry has paid the additional consent fees for the same.Industry has paid the BG as per consent condition. Industry has not installed wet scrubber/ESP as per consent condition.</p> <p>1. The industry shall reduce waste water generation to 100 ltrs./ton of cane</p>		

Maharashtra Pollution Control Board

	<p>crushed.=Complied</p> <ol style="list-style-type: none">2. Industry shall upgrade existing Air Pollution Control System by providing ESP/Bag Filters/ Wet Scrubbers as per CREP conditions =Not Complied.3. The ETP is inadequately designed for it to achieve desired levels of standards(JVS results are exceeding).= Not complied
Recommendation of SRO/RO	Industry has applied for renewal of consent with increased in capital investment. Industry has submitted BG as per consent conditions. No BG is imposed as per new BG regime. Compliance report is enclosed herewith. Industry has not installed wet scrubber/ESP as per consent conditions.

Maharashtra Pollution Control Board

Agenda no. 13

Region : SRO Latur		Section : JD-WPC		Date :24.11.2014	
Name & Address		Shree Saibaba Sugar Ltd. , Gut No. 55, 57 & 59, Vill. Gondri, Shivani, Ausa, Latur.			
Consent For		CR			
Capital Investment		42.66 Crores			
Previous Consent Validity		31.07.2014			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Industrial water consumption is 400 CMD whereas I.E. generation is 350 CMD.Domestic water consumption is 40 CMD whereas D.E. generation is 30 CMD. Industry has provided ETP which comprises of Screen Chamber, Oil & Grease trap,Equalization tank cum neutralization tank, flash mixer, primary clarifier, aeration tank,secondary clarifier,SDB.			
Water Cess		Assessment Done : May-2014		Paid Upto :	
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>	
		1. Rs. 5.0/- Lacs		1. 30.11.2014	
		2. Rs. 3.0/- Lacs		2. 30.11.2014	
		3. Rs. 2.0/- Lacs		3. 30.11.2014	
		<u>BG Obtained against :</u>			
		<u>1.</u> Towards O & M of Pollution control System <u>2.</u> Towards provision of necessary APC system(CREP) <u>3.</u>Towards necessary arrangements to cover the effluent collection			

Maharashtra Pollution Control Board

	system and to avoid ingress of bagasse and other material.	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	April-2013 to March 2014
Other Relevant Information	<p>The industry shall reduce waste water generation to 100 ltrs./ton of cane crushed.=Not Complied (1250 TCD crushing and eff generation 350 CMD)</p> <p>Industry shall upgrade existing Air Pollution Control System by providing ESP/Bag Filters/ Wet Scrubbers as per CREP conditions =Not Complied.</p> <p>The ETP is inadequately designed for it to achieve desired levels of standards(JVS results are exceeding).= Partly complied (Water results exceeding and stack results within limit)</p>	
Recommendation of SRO/RO	<p>Industry has applied for renewal of consent. Industry has submitted BG as per consent conditions. No BG is imposed as per new BG regime. Compliance report is enclosed herewith. Industry has not installed wet scrubber/ESP as per consent conditions.</p>	

Maharashtra Pollution Control Board

Agenda no. 14

Region : SRO Latur		Section : JD-WPC		Date : 24.11.2014
Name & Address		M/s. Priyadarshini SSK Ltd. , Tondar, Udgir		
Consent For		CR		
Capital Investment		71.75 Crores		
Previous Consent Validity		31.12.2006		
Industry Type		R74 Sugar (excluding Khandsari)		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		Details :- Industrial water consumption is 300 CMD whereas I.E. generation is 250 CMD. Domestic water consumption is 35 CMD whereas D.E. generation is 30 CMD. Industry has provided ETP which comprises of Bar Screen Chamber, O & G chamber, Equalization cum neutralization tank, Primary Clarifiers, Aerations Tank, Secondary Clarifier & SDB. Up gradation work of ETP is in progress.		
Water Cess		Assessment Done :		Paid Upto :
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>
		<u>BG Obtained against :</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period		
Other Relevant Information		Previously the said industry was taken on lease basis for two year i.e from Sept 2011 to June 2013 by M/s. Manjara SSK Ltd , Vaishalinagar, Latur. Now the said industry was purchase by M/s. Vikas SSK Ltd , Nilvli, Tal & Dist-Latur from Maharashtra State Co-Op Bank Ltd. Previously M/s. Manjara SSK Ltd applied for consent to renewal. Board has refused the consent on 3/9/2013 due to non-submission of lapse		

Maharashtra Pollution Control Board

	consent fee & noncompliance of consent conditions. Previous consent granted by the Board to M/s. Priyadarshini SSK Ltd was valid upto 31.12.2006. The capital investment of the industry is Rs. 71.75 Crs.,as per C.I Industry has paid the consent fees for 1 term only. They have not paid the lapse period fees.
Recommendation of SRO/RO	During visit of industry the work of upgradation of ETP & installation of wet scrubber is in progress which will be completed upto 30.9.2014 as per industry assurance & also industry has ready to pay the lapse consent fee. In view of above consent to renewal may be consider at HQ level.

Maharashtra Pollution Control Board

Agenda no. 15

Region : SRO Nagpur I		Section : JD (APC)		Date : /11/2014	
Name & Address		M/s. ESAB India Ltd, Plot no: B-28,MIDC Industrial Area Kalmeshwar, Dist: Nagpur			
Consent For		CR			
Capital Investment		4940 Lacs			
Previous Consent Validity		31/10/2014			
Industry Type		R37 Iron and Steel			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES (Y)			
		Details: - For trade effluent treatment industry has provided Effluent Treatment Plant consists of primary, secondary and tertiary treatment.			
Water Cess		Assessment Done : August-2014		Paid Upto: December 2013.	
BG Details		Amount : 1] Rs. 5.00 Lakhs 2] Rs. 4.00 Lakhs		Validity : 1] 31/01/2015 2] 31/07/2015	
		BG Obtained against : 1] Towards O & M of pollution control system. 2] Rs. 4.00 Lakhs – Towards provision of ARP			
		<u>Details of BG forfeited/encashed , if any : NIL.</u>			
Submission of Environmental Statement		Period	2013-2014		
Other Relevant Information		02-nos of scrubbers provided for pickling section and 02-nos of pulse jet type bag filters provided as air pollution control arrangements.			
Recommendation of SRO/RO		SRO-I, Nagpur recommended that considering previous fees balance towards Board and present fees paid by the applicant we may grant consent to Operate for the period upto 31.10.2018			

Maharashtra Pollution Control Board

Agenda no. 16

Region : Kolhapur	Section :RO(HQ)	Date :20 /11/2014
Name & Address of the Municipal Corporation	Kolhapur Municipal Corporation, Kolhapur at S No. 842, C.S. No.206, Near KMC STP, Kasaba Bawada, Kolhapur.	
Class & Population	'C' Class. Population-5,49,283 (As per 2011 census)	
Authorisation For	Processing facility (Waste to Energy) at S No. 842, C.S. No.206, Near KMC STP, Kasaba Bawada, Kolhapur.	
Previous Authorisation Validity	31.03.2011	
Whether Site is approved by DCC or Not	Approved	
MSW Generation	165 MTD	
Treatment Facility	Proposed Waste to Energy Plant.	
BG Details	Amount : Rs.	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :	
Other Relevant Information	<p>MSW authorization for Proposed Project</p> <ol style="list-style-type: none"> 1) Application of MSW authorization for setting up waste to energy plant of capacity 180 TPD at existing site at S No. 842, C.S. No.206, Near KMC STP, Kasaba Bawada, Kolhapur. 2) Earlier authorization for site at S No. 842, C.S. No.206, Near KMC STP, Kasaba-Bawada, Kolhapur was valid upto 31/03/2011. 3) Site is approved by district site selection committee. 4) Quantity of MSW generated is 165 TPD. Quantity of MSW collected is 155 TPD. Quantity of waste disposed by land filling is 100 TPD. 5) Area of Site- 6 Acers. 6) Presently MSW is land filling in unscientific manner at S No.842, C.S. No. 206, Near KMC STP. Kasaba Bawada, 7) KMC appointed the agency namely M/s Kolhapur Green Energy Pvt. Ltd. for for setting up waste to energy plant of capacity 180 TPD. Technology to be adopted for proposed project is Concord Blue System(CBS).It is multi stage process, beginning with pyrolysis to create a product gas and char. Some of the char is then combusted to create the heat needed for process, making the plant self-sustaining. The syngas is then reformed with steam input in a second stage & further refined to produce a very high quality gas product to produce energy. 8) The process reject generated will be 15 % of the total MSW. <p>Present Status:</p> <ol style="list-style-type: none"> 1.Board has granted authorization for new land filling site at Takala Lake, near Rajarampuri, Kolhapur on 22/01/2014 which is valid upto 31/06/2015. 	

Maharashtra Pollution Control Board

	<p>2. At this site activity is still not yet started due to villagers complaint.</p> <p>3. Board has granted authorization for new land filling site at Toap on 22/01/2014 which is valid upto 31/10/2015</p> <p><u>Legal Action:</u></p> <ol style="list-style-type: none"> 1. Sub-Regional Officer, Kolhapur issued non-compliance letter vide no. MPCB/SRO/KOP/784/2014 dated 07.03.2014 2. D.O letter issued vide letter no. MPCB/MS/MSW/2013/85 dated 24.09.2013. 3. Letter issued by the Regional Officer Kolhapur vide letter no. 2137 dated 26.07.2013. 4. Prosecution notice issued by Regional Officer, Kolhapur vide letter no. MPCB/RO/KOP/1784/13 dated 28.06.2013. 5. Letter issued by Member Secretary vide letter no. BO/P&L Divn/B-2322 dated 17.05.2013. 6. Letter issued by the Regional Officer Kolhapur vide letter no.958 dated 30.04.2013. 7. Prosecution notice issued letter issued by Member Secretary vide letter no. BO/P&L Division/B-2644 dated 24.04.2012. 8. Directions issued by the Board vide letter no. BO/P&L DivB-30 dated 12.03.2013. 9. Proposed directions issued by Regional Officer, Kolhapur vide letter no. MPCB/RO/KOP/4065/12 dated 21.11.2012. 10. Prosecution proposal submitted to HQ on 21.03.2014. <ul style="list-style-type: none"> ➤ Numerous complaints of smell/smoke nuisance from nearby residences due to no buffer zone from the boundary of MSW Site. ➤ Prosecution proposal for non-compliance of MSW Rules provision submitted by Kolhapur Office.
<p>Recommendation of SRO/RO</p>	<p><u>RO Kolhapur has recommended</u> that proposal of MSW processing by setting up waste to energy plant may be considered subject to fulfill compliance of the MSW(M&H) Rules,2000,taking appropriate Bank Guarantee with execution project in time bound manner and requirement of EC if applicable.</p>
<p>Recommendation of MSW Committee</p>	<p>The proposal was discussed in the 5th MSW Committee Meeting held on 01/11/2014 (MOM attached) and the committee has recommended to grant of authorisation to set up only processing facility(waste to energy) for 165 MT/D for the period of the 1 yr at the site proposed by imposing following conditions:</p> <ul style="list-style-type: none"> ➤ All recyclable material shall be segregated at source & before receiving waste at disposal site ➤ Process remediates and inert material up to i.e.25 % of the waste received for processing shall be disposed scientifically to sanitary landfill site. ➤ All mitigation measures like odour, smoke, fire, dust, nuisance etc. shall be taken by the corporation. ➤ EMP & DMP shall be prepared & implemented by the corporation