

**List of Cases to be submitted before 19th Consent Committee Meeting of 2014-15
scheduled on 12.12.2014 at 01:00 p.m. (Booklet No. - 37)**

| Sr. No. | Name & Address | Capital Investment | Applied For | Section | Page No. | Remarks |
|---------------------|---|--------------------|---|---------|-----------|---------|
| Resubmission | | | | | | |
| 1 | Kokan Barge Builders Pvt. Ltd., At - Kurul, Tal - Alibaug, Dist - Raigad | 57.85 Crs. | Establish | JD(APC) | 1 to 25 | |
| 2 | Nagpur Fastner Industries Ltd., Plot No. T-40, MIDC Hingna, Nagpur | 35.67 Crs. | Renewal | JD(APC) | 26 to 42 | |
| 3 | Mantri Metallics Pvt. Ltd., (Expansion), Plot No. D-5, Five Star MIDC Kagal, Hatkanangale, Tal - | 45.16 Crs. | Renewal | JD(APC) | 43 - 62 | |
| 4 | KSL and Industries Ltd., C. S. No. 101/1,2,3,4,5, Empress City, Nr. Gandhi Sagar, Dist - Nagpur | 99.53 Crs. | Operate (Amalgamation) | RO(HQ) | 63 - 90 | |
| 5 | Clean Science & Technology Pvt. Ltd., D-28, MIDC Area Kurkumbh, Pune | 49.34 Crs. | Renewal (Expansion) (with increase in C.I.) | AS(T) | 91 - 111 | |
| Fresh Agenda | | | | | | |
| 1 | Concorde Realty, S. No. 155/1/B, 155/4/1/B, 156/2, 157/1/B, 157/2, 162/1 at Village - Khidkali, Dist - | 60 Crs. | Establish | RO(HQ) | 112 - 125 | |
| 2 | Jindal Mittal Graha Nirman Pvt. Ltd., "Sun Exotica", At S. No. 10/2/4, 10/4/1 & 12, Yewalewadi, Pune | 90 Crs. | Establish | RO(HQ) | 126 - 138 | |
| 3 | Mont Vert Estates, Gat No. 422, 423, 424, Village: Urwade, Tal. | 180 Crs. | Establish | RO(HQ) | 139 - 150 | |
| 4 | Siddharth Properties, "Saarthi Souvenir", S. No. 15/6/1 to 15/6/20 & S. No. 15/3(P), Village - Mauze Mahalunge, Tal - Mulshi, Dist- Pune | 55.18 Crs. | Establish | RO(HQ) | 151 - 158 | |
| 5 | Siddharth Properties, S. No. 75/2/2A, Village: Varale, Tal: Maval, | 79.99 Crs. | Establish | RO(HQ) | 159 - 165 | |
| 6 | Saarthi Realty & Infra L.L.P and Siddhartha Propoerties, S. No. 60/1(P) & S. No. 4/1, 4/2, 4/3/1/4/4(p) at Mauje Mahalunge, | 161.18 Crs. | Establish | RO(HQ) | 166 - 173 | |
| 7 | Platinum Properties " Grassland", Sr. No. 15/9, 15/10/1, 15/10/2, 15/11/1, 15/11/2A, 15/11/2B, 15/11/3, 15/12/1, 15/12/2, 15/12/3 & 15/12/4, Kolhewadi, Khadakwasala, Sinhagad Road, Taluka Haveli, Dist: | 39.96 Crs. | Establish | RO(HQ) | 174 - 182 | |
| 8 | Serene Developers, "Swiss County", S. No. 11/1, 11/2, 11/3, 37/1, 37/3, 37/4, 37/5, Bhoirwadi, Taluka: Mulshi, Dist: Pune | 220 Crs. | Establish | RO(HQ) | 183 - 194 | |
| 9 | The Manjri Stud Farm Pvt. Ltd., "SP Infocity", (Old S. No. 170, 171, 172 & 173) New S. No. 209 (H. No. 1a+1b+1c+1d +1e+2, 4+5a, 5b+6 +7+8a+8b, 3, 9) H. No. 1a+2a+2b+2c/1=4a+1a, S. No. 212, S. No. 210 to 212, H. No. 1a+1b+2, 1d, 1e, 4, 1c,3, Next to Satyapuram Society, Pune Saswad ROad | 91.96 Crs. | Establish | RO(HQ) | 195 - 206 | |
| 10 | Sharp Realtors (Deepak Shah Developers Phase-I), at S. no. 49, 50, 51, 52, 53, 54, 55, 56, 57 & 77, Village - Vasai, Dist - Thane | 129.90 Crs. | 1st Operate (Part) | RO(HQ) | 507 - 221 | |

| | | | | | | |
|--------------------|--|-------------|-----------------------------------|---------|-----------|--|
| 11 | Kolte Patil Real Estate Pvt. Ltd., "Kharadi 53 & 54", S. No. 53(p) & 54(p), Kharadi, Pune | 73.21 Crs. | 1st Operate (Part) | RO(HQ) | 222 - 235 | |
| 12 | Kolte Patil Real Estate Pvt. Ltd., "Kharadi 58/3A, 58/1/1A, 58/1, Kharadi Pune, S. No. 53(p) & 54(p), | 33.52 Crs. | 1st Operate (Part) | RO(HQ) | 236 - 248 | |
| 13 | Arun Sheth & Co. "Sanskriti", S. No. 222/1, 222/2, 222/3, 222/4, 222/5, 222/6, 223/1, 223/2, 223/3, 228/5, 228/6, Kaspatewasti, Wakad, Tal. Mulshi, Dist: Pune | 30 Crs. | Operate (Amalgamation - Phase-II) | RO(HQ) | 249 - 262 | |
| 14 | Venkateshwara Hatcheries Pvt. Ltd., (Ventri Bio Vaccine Division), Plot No. 20, Rajiv Gandhi ITBT Park, Hinjewadi, Vill. Mann, Tal - Mulshi, | 72.12 C rs. | 1st Operate (Amalgamation) | AS(T) | 263 - 278 | |
| 15 | Hindalco Industries Limited, Durgmanwadi, Durgamanwadi Mine, At Post - Radhanagari, Tal - | 41.60 Crs. | Renewal | JD(APC) | 279 - 294 | |
| 16 | Tata Chemicals Ltd., MIDC Krushnoor, Tal - Naigaon, Dist. - | 54.04 Crs. | Renewal | JD(WPC) | 295 - 310 | |
| 17 | Morya Grain Distilleries Pvt. Ltd., Plot No. - A-96, MIDC Area Paithan, Dist - Aurangabad. | 51.84 Crs. | Renewal | JD(WPC) | 311 - 325 | |
| 18 | Bhaurao Chavan SSK Ltd., Unit No. - 2, Dongarkada, Kalamnuri, Hingoli. | 36.09 Crs. | Renewal | JD(WPC) | 326 - 333 | |
| 19 | ADM Agro Industries Kota & Akola Pvt. Ltd., P. No. N-55-58 & 67, MIDC Phase IV, Akola. | 47.14 Crs. | Renewal | JD(WPC) | 334 - 350 | |
| 20 | Shivruth Dudh Utpadak Sahakari Sangh Maryadit, Vijaynagar, Vizori, Post Yashwanthnagar, Tal - Malshiras, Dist. Solapur | 43.59 Crs. | Renewal (with increase in C.I.) | JD(WPC) | 351 - 367 | |
| 21 | Dhaval Pratapsingh Mohite Patil Agro Industries Ltd., Malshirus, Dhavalnagar, Pune | 34.87 Crs. | Renewal (with additional product) | JD(WPC) | 368 - 374 | |
| 22 | K. Raheja Corp Pvt. Ltd., (Phase-I Commerzone), S. No. 144 & 145, CTS No. 2648, 2649, Vill - Yerwada, Near Yerwada Jail, Pune | 244.46 Crs. | Renewal | RO(HQ) | 375 - 388 | |
| Review Item | | | | | | |
| 1 | Gagan RK Reality, "Valencia", S.. No. 37, Keshavnagar - Mundhwa, | _____ | _____ | RO(HQ) | 389 - 407 | |
| 2 | Sugar Industry Consent Applications for Renewal of consent | _____ | _____ | JD(WPC) | 408 - 416 | |
| 3 | State of Municipal Corporation STP for considering of grant of consent | _____ | _____ | JD(WPC) | 417 - 418 | |
| 4 | Kelkars Metals Coats Pvt. Ltd., Manipar, Sr. No. 134/2, Plot No. - 4, Kandolpada Ganjad, Tal - Dahnu, | 1.06 Crs. | Renewal | JD(APC) | 419 - 441 | |
| JD(WPC) | | | | | | |
| 6 | | | | | | |
| AS(T) | | | | | | |
| 2 | | | | | | |
| RO(HQ) | | | | | | |
| 15 | | | | | | |
| JD(APC) | | | | | | |
| 4 | | | | | | |
| PSO | | | | | | |
| 0 | | | | | | |
| Total | | | | | | |
| 27 | | | | | | |

Maharashtra Pollution Control Board

CC- Resubmission Agenda

Agenda no. 1

| CC Item - | | |
|--|---|------------------|
| Region : Raigad | Section : JD(APC) | Date |
| Name & Address | M/s. Konkan Barge Builders Pvt.Ltd., At-Kurul,Tal-Alibaug,Dist-Raigad. | |
| Consent for | Consent to Establish | |
| Capital Investment | Rs. - 57.85 Crs. | |
| Consent Valid upto | First time applied | |
| Industry Type | R27 | |
| Industry Category | RED | |
| Compliance of Water Pollution Related Conditions | YES (√) | NO () |
| | Incl. Eff -3.0 CMD-ETP proposed & Dom Eff – 20 CMD -Septic tank provided. | |
| Compliance of Air Pollution Related Conditions | YES () | NO (√) |
| | Stack provided to 320+20 KVA D.G. sets. Others sources not reported. | |
| Water Cess | Assessment Done: Nil | Paid upto:-- Nil |
| BG Details | Amount: not imposed: Nil | Validity – Nil |
| Submission of Environmental Statement | Period | --- |
| Other Relevant Information | <ul style="list-style-type: none"> Case was discussed in CC meeting dtd. 24/9/2014 and it was decided to keep case in abeyance and put up in next meeting after verification of CRZ all details of project.HOD-to issue letter to MMB regarding Verification issued by them. This office has issued letter to Chief Executive Officer, MMB Mumbai. till date no reply received from them. Industry has submitted letter alongwith supporting documents in this regards vide letter dtd.1/10/2014,11/11/2014,27/11/2014 (Copy enclosed) | |
| Recommendation of SRO | We may consider the request of industry and grant consent to operate for existing activities for production of-Fabrication of barges 06 Nos/A for period upto 31/10/2018 & consent to establish for expansion project i.e. repairing & production of barges,tugs,coastal ship, offshore vessels-2400 MT/A, If approved. | |

Maharashtra Pollution Control Board

Agenda no. 2

| | | | | |
|--|--|--|----------------------|------------------------------|
| Region : SRO Nagpur II | | Section : JD (APC) | | Date : /12/2014 |
| Name & Address | | M/s. Nagpur Fastner Industries Ltd. Plot No: T-40, MIDC Hingna, Nagpur | | |
| Consent For | | CR | | |
| Capital Investment | | 3567.6 Lacs | | |
| Previous Consent Validity | | 31/05/2014 | | |
| Industry Type | | R35 Foundry operations | | |
| Industry Category | | Red | | |
| Compliance Of Water Pollution Related Conditions | | YES (Y) | | NO (N) |
| | | Details :- Unit has installed seven tank phosphating process units without consent to establish. For the additional activity ETP is not provided. | | |
| Water Cess | | Assessment Done : | | Paid Upto : |
| <u>BG Details</u> | | <u>Amount : Rs. 5.0 Lakhs</u> | | <u>Validity : 31/07/2014</u> |
| | | <u>BG Obtained against</u> : Towards O & M of pollution control system. | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | |
| Submission of Environmental Statement | | Period | 2012-2013 submitted. | |
| Other Relevant Information | | <p>1] Common STP is provided for plot No. T-40 and unit on Plot No. T-41/42 a sister concern.</p> <p>2] Industry is not in regular operation. Stack monitoring is done during visit of Board officials on 27.6.2014. Results are awaited.</p> <p>3] Unit has installed seven tank phosphating process unit without consent to establish. For the additional activity ETP as well as APC system i.e scrubber is not provided. During visit it was not in operation.</p> <p>4] The case was discussed in CC Meeting dt: 11/08/2014 and it was decided to issue SCN for refusal as installed phosphating units without consent from</p> | | |

Maharashtra Pollution Control Board

| | |
|--|--|
| | <p>Board & not provided ETP & APC system for phosphating units. SCN for refusal issued vide dt: 21/08/2014.</p> <p>5] Industry replied to SCN for refusal through SRO-II Nagpur, dt: 11/09/2014 and states that they have not installed phosphating unit just kept machinery for customer inspection and assured that they will install after obtaining valid consent from Board.</p> <p>6] The case was discussed in Board's CC Meeting, dt: 24/09/2014 and it was decided to keep case in abeyance and put up after verification of JD (APC). JD (APC) to verify installation of ETP & APC as well as phosphating units.</p> <p>7] JD (APC) visited said industry on dt: 10/10/2014 along with industry representatives Shri. Kukday S.M.(Manager P&A) and Shri. Ahuja (Plant In-charge) to verify the installation of phosphating plant.</p> <p>During visit following observations are made.</p> <ol style="list-style-type: none">1) Unit is engaged in manufacturing of Aluminum pressure die casting products and machining activity. During visit only machining section found in operation. Aluminum casting section was not in operation.2) For melting of Aluminum, unit has installed three oil fired furnaces. Individual Fume extraction hood with common blower and stack is provided as APC system. As reported only furnace 1 & 2 are in used having adequate APC system. However furnace 3 is not in use and it is observed that the size of fume extraction hood is inadequate.3) Unit has installed seven tank phosphating plant with piping and crane arrangement. The chemical solutions required for phosphating are filled in these tanks. Scrubber as APC system and ETP is not installed. As informed by the representative, they have taken trial of phosphating plant one and half month back. The jobs undergone phosphating process was observed in store room.4) The unit representative has informed that the untreated effluent from phosphating unit will be transported through tankers to the adjacent unit M/s. NHSL Ltd, Plot No: T-44 & 45, MIDC Hingana for further treatment which has adequate capacity to handle this extra effluent load. <p>8] The case was further discussed in Board's CC meeting, dt: 17/10/2014 and it was decided to issue SCN for refusal as industry has provided misleading information to Board regarding installation of</p> |
|--|--|

Maharashtra Pollution Control Board

| | |
|---------------------------------|---|
| | <p>phosphating plant. Thus SCN for refusal issued vide dt: 05/11/2014.</p> <p>9] In response to SCN for refusal issued, applicant submitted reply dt: 13/11/2014 and stated that the equipment for phosphating unit has been kept in packed condition and not established and not in operation presently & can be verified from Boards official at any time. Industry further assured that phosphating unit will not be established & operated only after obtaining valid consent from Board.</p> |
| Recommendation of SRO/RO | Recommended to forfeit BG of Rs. 3.0 lacs from existing Rs. 5.0 lacs BG submitted. |

Maharashtra Pollution Control Board

Agenda no. 3

| | | | | |
|--|--|--|-----------|---------------------|
| Region : SRO Kolhapur | | Section :JD APC | | Date : |
| Name & Address | | Mantri Metalics Pvt Ltd (Expansion) , Plot No-D-5, Five Star MIDC, Kagal-Hatkanangale, Tal-Kagal | | |
| Consent For | | CR | | |
| Capital Investment | | 4516 Lacs | | |
| Previous Consent Validity | | 30/6/2014 | | |
| Industry Type | | R35 Foundry operations | | |
| Industry Category | | Red | | |
| Compliance Of Water Pollution Related Conditions | | NO | | |
| | | Details :- Industrial effluent is 1.8 CMD, provided ETP. D.E. is 2.5 CMD provided STP. JVS results dated 10/07/13 and 30/04/13 are exceeding for the parameter pH. | | |
| Compliance Of Air Pollution Related Conditions | | No | | |
| | | Details:- Stack results dated 23/04/13, 07/06/13, 22/08/13, 20/09/2013, 29/10/13, 12/11/13 are exceeding the consented limits. | | |
| Water Cess | | Assessment Done :Sept-2013 | | Paid Upto :Dec-2013 |
| <u>BG Details</u> | | <u>Amount : Nil</u> | | <u>Validity :NA</u> |
| | | <u>BG Obtained against : NA</u> | | |
| | | <u>Details of BG forfeited/encashed , if any :NA</u> | | |
| Submission of Environmental Statement | | Period | 2012-2013 | |
| Other Relevant Information | | Case discussed in CC dated 24/9/2014, according to CC decision SCN was issued for non compliances such as have installed three nos. of new furnaces, changed the fuel pattern from electricity to Coal, carrying out Powder coating, painting and zinc coating activities without permission of Board. Also the JVS results of trade effluent and the Stack air monitoring are exceeding the consented limits. Now reply is received from industry stating have not changed fuel pattern, do not carry out zinc plating activity, furnaces are included in consent renewal application. | | |
| Recommendation of SRO/RO | | Decision regarding consent may be taken at higher level in line with the directions to be issued to the industry | | |

Maharashtra Pollution Control Board

Agenda no. 4

CC Agenda (Resubmission)

| | | |
|---------------------------|--|---|
| Region : Nagpur | Section : RO(HQ) | SRO Date :- 30/11/2013 RO(HQ) Date :- 10/03/2014 |
| Name & Address | M/s. KSL and Industries Ltd.,C.S. No.101/1,2,3,4,5,Empress City,Nr. Gandhi Sagar,Dist-Nagpur | |
| Consent For | CO with Amalgamation | |
| Capital Investment | 99.53 Crs. | |
| Industry Type | O08 Building and Construction projects more than 20,000 sq.mtr. | |
| Industry Category | Orange | |

Resubmission

| | | | | | | | | | | | | | | | | | | |
|--------------------------|--|----------------------------|------------------|-----------------------|-----------------|------------------|-----------------|--------------------|-----------------|------------------|---------------|-----------|----------|--------------------|---------------|-----------|----------------|-----------------|
| CC Date | 30/05/2014,26/08/2014 & 05/11/2014 | | | | | | | | | | | | | | | | | |
| CC decision | It was decided to keep the case in abeyance as PP has replied to SCN which is received on 05/11/2014 & it was decided to examine the reply received & revert back to CC. | | | | | | | | | | | | | | | | | |
| SCN Issued on | 05/09/2014 & E-mail on 21/10/2014 | | | | | | | | | | | | | | | | | |
| Reply received on | 29/09/2014 & 30/10/2014 | | | | | | | | | | | | | | | | | |
| Reply | <p>PP has submitted information which are as below:</p> <p>1. As per sanction plan dated 2/7/2009 (copy attach), details of Plot area and Built-up area as under:-</p> <p>a) Plot no. 1 & 2 (Residence + IT Park)</p> <table style="margin-left: 40px;"> <tr> <td>Built-up area</td> <td>Plot Area</td> </tr> <tr> <td>75631.48</td> <td>30252.59 sq. mtrs.</td> </tr> </table> <p>b) Plot No. 5 (Shopping Mall)</p> <table style="margin-left: 40px;"> <tr> <td>Built up area</td> <td>Plot Area</td> </tr> <tr> <td>31076 sq. mtrs</td> <td>25119 sq. mtrs.</td> </tr> </table> <p>Total built-up/constructed area of Plot No. 1, 2, & 5 is 106707 sq. mtrs.</p> <p>As per proposed amalgamation of plot no. 1 to 5 the total plot area is 75332 sq. mtrs and Total permissible built-up area is 150621.14 sq. mtrs. as per changes in FSI 0.5 for commercial & 1.50 for residential (copy attached for your reference) Amalgamation plan final approval stage at Town Planning Dept. NMC, Nagpur.</p> <p>2. Regarding STP, They have proposed 4 Nos of STP and construction work is at ending stage and 80% civil work is completed. (copy of plan enclosed)</p> <p>3. Regarding MSW, they have management through Nagpur Municipal Corporation.</p> | | | | | | | | | | Built-up area | Plot Area | 75631.48 | 30252.59 sq. mtrs. | Built up area | Plot Area | 31076 sq. mtrs | 25119 sq. mtrs. |
| Built-up area | Plot Area | | | | | | | | | | | | | | | | | |
| 75631.48 | 30252.59 sq. mtrs. | | | | | | | | | | | | | | | | | |
| Built up area | Plot Area | | | | | | | | | | | | | | | | | |
| 31076 sq. mtrs | 25119 sq. mtrs. | | | | | | | | | | | | | | | | | |
| FO | The detail statement of Project with C to E & EC details are as below: | | | | | | | | | | | | | | | | | |
| | Sr. No. | Name of the Project | Addresses | Date of C TO E | TPA sq.m | TBUA sq.m | C.I Crs. | Water Cons. | D. E. CM | EC Status | | | | | | | | |

Maharashtra Pollution Control Board

| | | | | | | | | CMD | D | |
|--------------|---|-------------------|------------|------------------|--------------------|-------|------|------|--|--|
| 1. | M/s. KSL & Industries, | CTS No. 101/1 & 2 | 24/02/2009 | 44,627 | 1,17,970.60 | 93.47 | 212 | 128 | EC copy not submitted after several times communication with PP & SRO. Only 1 st page Of EC submitted | |
| 2. | M/s. KSL & Industries Ltd. (Convenient Shopping Mall cum Residential), | CTS No. 101/3 | 08/08/2008 | 9,689.5 | 30,866.41 | 48.12 | 375 | 310 | EC for C.S.NO. 101/3,101/4, 101/5 dtd. 21/04/2008 for TPA-48,526 | |
| 3. | M/s. KSL & Industries (Shopping Mall), | CTS No. 101/5 | 04/09/2008 | 25,119.25 | 97,965.07 | 86.0 | 725 | 580 | .946 sq.m & TBUA-1,63,831.0 | |
| 4. | M/s. KSL & Industries Ltd.(Hotel), | CTS No. 101/4 | 08/08/2008 | Not Mention | Not Mention | 37.9 | 312 | 210 | | |
| Total | | | | 79,435.75 | 2,46,802.08 | 265.4 | 1624 | 1228 | | |
| RO(HQ) | <ul style="list-style-type: none"> ➤ The case was discussed in CC meeting dtd.05/11/2014 & decided to keep the case in abeyance as PP has replied to SCN which is received on 05/11/2014 & it was decided to examine the reply received & revert back to CC. ➤ Reply of PP is examined ➤ PP submitted application for amalgamation of IT & ITES project located at CTS No. 101/1 & 2, Shopping Mall Cum Commercial located at CTS No.101/3, Shopping Mall at CTS No.105. ➤ The detail statement of project with C to E & EC details is as per above. ➤ 80 % work of 4 Nos. of STP is completed. ➤ MSW is management through Nagpur Municipal Corporation However as per EC, | | | | | | | | | |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <p>they have to provide vermicomposting.</p> <ul style="list-style-type: none">➤ Application for amalgamation is received at SRO office on 30/11/2013.➤ Validity of two C to E i.e plot no. 101/3 & plot no.101/5 is expired on 7/8/13 & 3/9/13. (Just Three months earlier that submission of application)➤ In View of the above we may consider C to O with amalgamation of three project after Obtaining full copy of EC for plot no. 101/1 & 2 + BG of Rs.10 lakh for compliance of C to O + BG of Rs.3 lakh for compliance of STP within two months + Rs.2 lakh for OWC within two months. |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 5

| | | | | | |
|---|--|---|--|------------------------------|--|
| Region : Pune | | Section : AST | | Date : Dec 2014 | |
| Name & Address | | M/s Clean Science & Technology Pvt.ltd. ,D -28 ,MIDC Area Kurkumbh, Pune | | | |
| Consent For | | Renewal of consent with increase in Capital Investment & Consent to establish for expansion | | | |
| Capital Investment | | Existing CI : Rs.5.38 Cr. , Current CI : Rs.49.34 Cr | | | |
| Previous Consent Validity | | 31/12/2013 | | | |
| Industry Type | | R-5 chemicals | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | Yes | | | |
| | | Details :- Existing IE-13.3 CMD & DE-4.5 CMD, applied for proposed IE-43.50 CMD, DE-16.0 CMD. Total IE : 56.8 CMD ,DE : 20.5 CMD .Industry has already provided ETP comprising primary & secondary treatment, Treated effluent sent to CETP . JVS reports submitted are within consented limit . | | | |
| Water Cess | | Assessment Done : Sept -2013 | | Paid Upto : Sept-2013 | |
| Compliance Of Air Pollution Related Conditions | | Yes | | | |
| | | Industry has provided dust collector, cyclone separator to boiler .Also reported that there are no process emissions . | | | |
| BG Details | | Amount : Nil | | Validity : NIL | |
| | | BG Obtained against : NA | | | |
| | | Details of BG forfeited/encashed , if any : NA | | | |
| Submission of Environmental Statement | | Period | | 2012-2013 | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | <ol style="list-style-type: none">1. Industry has applied for C to R with increase in CI & increase in effluent quantity without change in product quantity. Industry has separately applied for C to E without increase in production & increase in effluent quantity with proposed CI 41.20 Cr. same application is clubbed herewith.2. Case was discussed in CC dtd.31/07/2014 & it was decided to call clarification of abnormal increase in capital investment, applicability of EC & present status of expansion.3. Accordingly SRO has submitted investigation report on 16/09/2014 along with clarification of industry regarding abnormal increase in capital investment, applicability of EC & present status of expansion.4. Case was again discussed in CC meeting dtd 24/09/2014 & minutes of case are kept in abeyance.5. In mean time PP has submitted their further clarification regarding abnormal increase in capital investment: & applicability of EC Vide letter dtd 24/11/2014 (ANNEXURE- I) |
| Recommendation of SRO/RO | RO has recommended for grant of plain renewal & reported that attracts EC & CETP is not working satisfactorily hence C to E granted with condition to achieve ZLD & not to take effective steps of until obtaining EC . |

Maharashtra Pollution Control Board

CC-Fresh Agenda

Agenda no. 1

| | | | | |
|---|---|--|------------------------------------|--|
| Region : Thane | Section : RO(HQ) | SRO Date of receipt:- 24/09/2014 RO (HQ) Date of receipt:- 28/11/2014 | | |
| Name & Address | M/s. Concorde Realty, S.No.155/1/B,155/4/1/B,156/2,157/1/B,157/2,162/1 at Village-Khidkali,Dist-Thane | | | |
| Consent For | C to E | | | |
| Capital Investment | Rs.60.0 Crs. | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | | NO () | |
| | Details :- Water Consumption :- 357 CMD , Effluent Generated :- 275 CMD, Proposed STP Capacity :- 280 CMD | | | |
| Water Cess | Assessment Done :- --- | Paid Upto : --- | | |
| BG Details | Amount : --- | Validity : --- | | |
| | BG Obtained against : --- | | | |
| | Details of BG forfeited/encashed , if any : | | | |
| Other Relevant Information | Application for grant of Consent to Establish for construction of residential cum commercial project. | | | |
| | Applied for | Consent to Establish | Residential Cum commercial Project | |
| | Plot Area | 16,370.0 sq.m | Built up area | 29,001.38 sq.m |
| | | | | |
| | EC Status | Obtained from GOM | Dated | 05/09/2014 |
| | Plot Area | 16,370.0 sq.m | Built up area | 29,001.38 sq.m |
| | | | | |
| | Bio-degradable | 705 Kg/D | Treatment | Proposed to provide Mechanical Composter |

Maharashtra Pollution Control Board

| | | | | |
|--------------------------|--|-------------|--|--|
| | | | | |
| | Non-Bio degradable | 463 Kg/D | | Treatment Will be given to authorized party. |
| | STP Sludge | 8.19 Kg/D | | Used as manure |
| | No of DG Sets | 1 nos. | | Capacity 380 KVA |
| | Construction Status | Not started | | Date of Visit __/__/2014 |
| Recommendation of SRO/RO | <p>SRO Thane-I reported that there is no any construction activities observed at site during visit. C to E may be granted subject to EC conditions.</p> <p>RO Thane has recommended that C to E shall be considered stipulating appropriate BG for compliance of consent conditions.</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 2

| | | | | |
|---|--|--|--|------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt :- 26/08/2014 | | |
| | | Ro (HQ) Date of receipt :- 27/11/2014 | | |
| Name & Address | M/s. Jindal Mittal Graha Nirman Pvt. Ltd.' "Sun Exotica", At. S.No. 10/2/4, 10/4/1 & 12, Yewalewadi, Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 90.0 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-233.0 CMD, Effluent generated:-204.0 CMD. STP Proposed of Capacity :-210.0 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| BG Details | Amount : | Validity : | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 18,100.0 sq.m | Built up area 40,996.95 sq.mt | |
| | EC Status | Applied | Dated 08/05/2013 | |
| | River Distance | 10.0 Km | Name of River Mula-Mutha (A-IV) | |
| | Water Consumption | 233.0 CMD | Effluent Generated 204.0 CMD | |
| | STP Capacity | 210 CMD | Recycle water | 93 CMD |
| | | | Excess treated | 111 CMD |
| | Bio-degradable | 445.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 297.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 1 | Capacity | 62.50 KV |

Maharashtra Pollution Control Board

| | | | | |
|--|--|--------------------|----------------------|------------|
| | Construction status | Not Started | Date of Visit | 19/11/2014 |
| | <p>FO visited site and observed that PP has not started construction activity. In view of above Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 5.0 Lakhs for compliance of consent condition.</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 3

| | | | | |
|---|---|---|---|-----------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 09/10/2014 | | |
| | | Ro (HQ) Date of receipt;- 17/11/2014 | | |
| Name & Address | M/s. Mont Vert Estates, Gat No. 422, 423,424, Village Urwade, Tal. Mulshi, Dist. Pune | | | |
| Consent For | C to E | | | |
| Capital Investment | 180.0 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-1100.0 CMD, Effluent generated:-756.0 CMD. STP Proposed of Capacity :-760.0 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| BG Details | Amount : | Validity : | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 61,025.0 sq.m | Built up area 92,812.81 sq.mt | |
| | EC Status | Applied | Dated 04/06/2013 | |
| | River Distance | 3.5 Km | Name of River Mula (A-II) | |
| | Water Consumption | 1100.0 CMD | Effluent Generated 756.0 CMD | |
| | STP Capacity | 760.0 CMD | Recycle water | 408.0 CMD |
| | | | Excess treated | 348.0 CMD |
| | Bio-degradable | 1925 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 825.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 3 | Capacity | 140 x2 + 200 KV |

Maharashtra Pollution Control Board

| | | | | | |
|---------------------------------|--|----------------------------|--------------------|----------------------|------------|
| | <table border="1" style="width: 100%;"> <tr> <td style="width: 33%;">Construction status</td> <td style="width: 33%;">Not Started</td> <td style="width: 33%;">Date of Visit</td> <td style="width: 33%;">19/10/2014</td> </tr> </table> | Construction status | Not Started | Date of Visit | 19/10/2014 |
| Construction status | Not Started | Date of Visit | 19/10/2014 | | |
| Recommendation of SRO/RO | <p>FO visited site and observed that PP has not started construction activity. In view of above Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 10 Lakhs for compliance of consent condition.</p> <p>In view of above consent to establish may be granted by Imposing condition not to take any effective steps until obtain environmental clearance, if approved.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 4

| | | | | |
|--|--|--|---------------------|----------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 07/10/2014 Ro (HQ) Date of receipt;- 18/11/2014 | | |
| Name & Address | M/s. Siddharth Properties, "Saarrthi Souvenir", S.no.15/6/1 to 15/6/20 & s.no.15/3(P) , Village-Mauze Mahalunge, Tal-Mulshi,Dist-Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 55.18 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-220.29 CMD, Effluent generated:-187.45 CMD. STP Proposed of Capacity :-200 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 15154.53 sq.m | Built up area | 33259.57 sq.mt |
| | EC Status | Applied | Dated | 14/02/2014 |
| | River Distance | 1.2 Km | Name of River | Mula (A-II) |
| | Water Consumption | 198.50 CMD | Effluent Generated | 187.50 CMD |
| | STP Capacity | 200 CMD | Recycle water | 93.5 CMD |
| | | | Excess treated | 94.08 CMD |
| | Bio-degradable | 441.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 294.0 Kg/D | Treatment | Local Body |

Maharashtra Pollution Control Board

| | | | | |
|--|----------------------------|--------------------|----------------------|------------|
| | No of DG Sets | 1 | Capacity | 100 KVA |
| | Construction status | Not Started | Date of Visit | 12/11/2014 |
| <p>FO visited site and observed that PP has completed construction of A-I & A-II building and Building C-I & C-II upto 12th floor civil work completed. Also completed Civil work of STP. PP has applied for Environment Clearance.</p> <p>In view of above we may issue SCN for refusal of consent to establish as PP has started construction without C to E and environment clearance.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 5

| | | | | |
|---|--|---|--|-----------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 20/09/2014 | | |
| | | Ro (HQ) Date of receipt;- 17/11/2014 | | |
| Name & Address | M/s. Siddharth Properties , S.no. 75/2/2A, village: Varale, Tal:Maval,Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 79.99 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:- 407.0 CMD, Effluent generated:- 350.0 CMD. STP Proposed of Capacity :-350.0 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| BG Details | Amount : | Validity : | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 26418.0 sq.m | Built up area 45786.17 sq.mt | |
| | EC Status | Applied | Dated 27/08/2013 | |
| | River Distance | 0.0 Km | Name of River Indrayani (A-II) | |
| | Water Consumption | 407.0 CMD | Effluent Generated 350.0 CMD | |
| | STP Capacity | 350.0 CMD | Recycle water | 157.0 CMD |
| | | | Excess treated | 193.0 CMD |
| | Bio-degradable | 791.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 486.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 4 | Capacity | 62.5 x3 +200KVA |

Maharashtra Pollution Control Board

| | | | | |
|--|----------------------------|--------------------|----------------------|------------|
| | Construction status | Not Started | Date of Visit | 11/11/2014 |
| <p>FO visited site and observed that there is only open plot. And proposed site is located on the bank of River Indrayani in A-II class, which does not satisfy the RRZ criteria. In view of above we may consider SCN for refusal of consent to Establish as proposed site does not satisfy RRZ criteria.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 6

| | | | | |
|--|--|--|---------------------|---------------------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 10/10/2014 Ro (HQ) Date of receipt;- 17/11/2014 | | |
| Name & Address | M/s. Saarrthi Realty & Infra L.L.P and Siddhartha properties, S.no.60/1(P) & S.no.4/1,4/2,4/3/1/4/4 (p) at Mauje Mahalunge, Tal-Mulshi, Dist-Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 161.18 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-555.0 CMD, Effluent generated:-517.0 CMD. STP Proposed of Capacity :-520.0 CMD | | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 37,689.0 sq.m | Built up area | 1,00,590.95m ² |
| | EC Status | Not submitted | Dated | -- |
| | River Distance | 0.1 Km | Name of River | Mula (A-II) |
| | Water Consumption | 555.0 CMD | Effluent Generated | 517.0 CMD |
| | STP Capacity | 520.0 CMD | Recycle water | 230 CMD |
| | | | Excess treated | 287 CMD |
| | Bio-degradable | 1230.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 820.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 2 | Capacity | 100 +180 KVA |
| | Construction status | Started | Date of Visit | 14/10/2014 |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <ul style="list-style-type: none">• Site located about 100 mtrs from Mula river, applicant has submitted Irrigation department certificate about STP location 142 mtrs from HFL of Mula river• FO visited site and observed that sample flat & site office basement construction work was found in operation & also excavation work of land found in operation without obtaining C to E & environment clearance. In view of above we may issue SCN for refusal of consent to establish as PP has starting construction work of sample flat and site office and not submitted OWC location. |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 7

| | | | | |
|--|---|---|---------------------|----------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt :-01/10/2014 Ro (HQ) Date of receipt :- 28/11/2014 | | |
| Name & Address | M/s. Platinum Properties "Grassland", Sr.No.15/9,15/10/1,15/10/2,15/11/1,15/11/2A,15/11/2B,15/11/3,15/12/1,15/12/2, 15/12/3, & 15/12/4, Kolhewadi, Khadakwasala, Sinhagad Road, Taluka Haveli, Dist. Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 39.96 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-174.50 CMD, Effluent generated:- 174.0 CMD. STP Proposed of Capacity :-175.0 CMD | | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 11549.0 sq.m | Built up area | 31.032.0 sq.mt |
| | EC Status | Applied | Dated | 24/06/2014 |
| | River Distance | 1.50 Km | Name of River | Mutha (A-II) |
| | Water Consumption | 174.0 CMD | Effluent Generated | 174.0 CMD |
| | STP Capacity | 175.0 CMD | Recycle water | 81.0 CMD |
| | | | Excess treated | 94.0 CMD |
| | Bio-degradable | 212.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 212.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 1 | Capacity | 62.50 KV |
| | Construction status | Started | Date of Visit | 06/11/2014 |

Maharashtra Pollution Control Board

| | |
|--|--|
| | <p>FO visited site and observed that PP has started construction activity at present construction work upto plinth level is completed & during the visit no any civil activity work found not in operation.</p> <p>In view of above Applicant has started construction activity without C to E and EC we may issued SCN for refusal of consent to establish. Or we may consider consent to establish as no any civil work found in operation with BG + BR and not to take any effective step condition</p> |
|--|--|

Maharashtra Pollution Control Board

Agenda no. 8

| | | | | |
|---|---|---|---|-----------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 07/10/2014 | | |
| | | Ro (HQ) Date of receipt;- 18/11/2014 | | |
| Name & Address | M/s. Serene Developers, "Swiss County", S.no. 11/1,11/2,11/3,37/1,37/3,37/4,37/5 Bhoirwadi, Taluka Mulshi, Dist. Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 220.0 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-519.0 CMD, Effluent generated:-467.77 CMD. STP Proposed of Capacity :-470.0 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| BG Details | Amount : | Validity : | | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 44000.0 sq.m | Built up area 95119.0 sq.mt | |
| | EC Status | Applied | Dated 29/04/2014 | |
| | River Distance | 2.1 Km | Name of River Mula (A-II) | |
| | Water Consumption | 519.0 CMD | Effluent Generated 467.77 CMD | |
| | STP Capacity | 470.0 CMD | Recycle water | 228.0CMD |
| | | | Excess treated | 216.0 CMD |
| | Bio-degradable | 450.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 313.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 3 | Capacity | 160 x2 + 50 KVA |

Maharashtra Pollution Control Board

| | | | | |
|--|----------------------------|--------------------|----------------------|------------|
| | Construction status | Not Started | Date of Visit | 14/10/2014 |
| <p>FO visited site and observed that PP has completed construction of Wall Compound and internal road & excavation work of land. Applicant has not started construction activity and applied for EC, satisfy RRZ criteria we may consider consent to establish with condition not to take any effective step prior to EC and BG of Rs. 10 Lakhs for compliance of consent condition.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 9

| | | | | |
|---|--|---|----------------------------|-------------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 07/10/2014 | | |
| | | Ro (HQ) Date of receipt;- 18/11/2014 | | |
| Name & Address | M/s. The Manjri Stud Farm Pvt. Ltd, "SP Infocity", (Old S.No 170,171,172 & 173) New S.No. 209 (H No. 1a+1b+1c+1d+1e+2, 4+5a-5b+6 +7+8a+8b,3,9) H.No. 1a+2a+2b+2c/1=4a+1a, S.No. 212, S.No. 210 to 212 H.No. 1a+1b+2,1d,1e,4,1c,3, Next to Satyapuram Society, Pune Saswad Road Phursungi, Taluka Haveli, Pune. | | | |
| Consent For | C to E | | | |
| Capital Investment | 91.96 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :-Water Consumption:-553.0 CMD, Effluent generated:- 270.0 CMD. STP Proposed of Capacity :-300.0 CMD | | | |
| Water Cess | Assessment Done :- | | Paid Upto : | |
| BG Details | Amount : | | Validity : | |
| Other Relevant Information | Applied for | C to E | Residential Project | |
| | Plot Area | 3,19,900 sq.m | Built up area | 105565.23 sq.mt |
| | EC Status | Obtained | Dated | 04/09/2014 |
| | River Distance | 4.2 Km | Name of River | Mula-mutha (A-IV) |
| | Water Consumption | 553.0 CMD | Effluent Generated | 270.0 CMD |
| | STP Capacity | 300.0 CMD | Recycle water | 104.0CMD |
| | | | Excess treated | 166.0 CMD |
| | Bio-degradable | 693.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 462.0 Kg/D | Treatment | Local Body |

Maharashtra Pollution Control Board

| | | | | |
|---------------------------------|--|----------------|----------------------|------------|
| | No of DG Sets | 1 | Capacity | 125.0 KVA |
| | Construction status | Started | Date of Visit | 14/10/2014 |
| | <p>Applicant has started construction of B2 to B4 buildings. PP has obtained EC for construction of residential project. In view of above we may consider consent to establish with Board Resolution for starting contraction without C to E. with BG of Rs 5Lakhs for compliance of consent to establish condition.</p> | | | |
| Recommendation of SRO/RO | <p>During the visit it was observed that construction activity of building no. B2, B3, & B4 i.e 3 nos of buildings has completed without obtaining consent to establish, PP has not submitted plan of STP, Proposed site satisfactory RRZ criteria. In view of above case may be consider accordingly.</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 10

| | | | |
|---|--|---|---------------------------------------|
| Region : Thane | Section : RO(HQ) | SRO Date of receipt:- 22/09/2014 | |
| | | Ro (HQ) Date of receipt:- 28/11/2014 | |
| Name & Address | M/s.Sharp Realtors (Deepak Shah Developers-Phae-I),at S. No. 49, 50, 51, 52, 53, 54, 55,56,57 & 77, Village-Achole, Tal-Vasai, Dist-Thane | | |
| Consent For | C to 1 st O (Part) | | |
| Capital Investment | Rs.129.90 Crs. | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | |
| Industry Category | Orange | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details :- Water Consumption :- 1472 CMD , Effluent Generated :- 1238 CMD, Proposed STP Capacity :- 1350 CMD | | |
| Water Cess | Assessment Done :- --- | Paid Upto : --- | |
| BG Details | Amount : Rs.10 Lakh | Validity : 13/08/2014 | |
| | BG Obtained against : Towards the compliance of consent conditions. | | |
| | Details of BG forfeited/encashed , if any : | | |
| Other Relevant Information | Application for grant of Consent to 1 st Operate (part) for construction of residential cum commercial building project. | | |
| | Applied for | Consent to 1 st Operate (Part) | Residential Cum Commercial Project |
| | Plot Area | 2,60,680 sq.m | Built up area 1,87,853.03 sq.m |
| | EC Status | Obtained from GOM | Dated 07/12/2010 |
| | Plot Area | 2,60,680 sq.m | Built up area 2,21,794.30 sq.m |
| | Previous Consent | C to E | Dated 23/06/2011 |
| | Plot Area | 2,60,680 sq.m | Built up area 3,27,053.27 sq.m |

Maharashtra Pollution Control Board

| | | | | | |
|--------------------------|--|------------------|--|----------------------|------------------------------------|
| | Bio-degradable | 3218.6 Kg/D | | Treatment | OWC |
| | Non-Bio degradable | 2106.9 Kg/D | | Treatment | Will be given to authorized party. |
| | STP Sludge | 63.55 Kg/D | | | Used as manure |
| | No of DG Sets | 5 nos. | | Capacity | 760 KVA each |
| | Construction status | Completed | | Date of Visit | 16/10/2014 |
| Recommendation of SRO/RO | <p><u>SRO,Thane-II</u> reported that PP has completed construction work of 26 Nos. of building having G+7 floor Provided STP of capacity 1350 CMD. Provided Rain Harvesting System In view of above,C to O (Part) may be granted.</p> <p><u>RO,Thane</u> recommended that part C to O shall be considered stipulating appropriate BG for compliance of consent conditions.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 11

| | | |
|--|---|--|
| Region : RO Pune | Section :RO(HQ) | SRO Date:-19/09/2014 RO HQ Date:-28/11/2014 |
| Name & Address | M/s. Kolte Patil Real Estate Pvt Ltd, "Kharadi 53 & 54", S.No. 53 (p) & 54 (p), Kharadi, Pune. | |
| Consent For | C to O (Part) | |
| Capital Investment | 73.21 Cr | |
| Previous Consent Validity | COU | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption:- 186.45 CMD, Effluent generated 160.79 CMD Provided STP capacity 160.0 CMD | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for consent to 1st Operate (Part) 2. The Residential project covering total area of around 1,33,600.0 sq.mtrs with total built up area of 1,54,271.0 sq mtrs 3. PP has obtained environment clearance From GoM on 13th September 2011 for plot area 1,33,600.0 sq.mtrs and BUA 1,54,271.0 sq.mtrs 4. PP has obtained consent to establish from Board on 27/08/2010 for same plot area and BUA 1,25,221.5 sq.mtrs. (we may consider as per EC i.e BUA 1,25,221.5 sq.mtrs) 5. Total water consuming for this phase 186.45 m3/day & generating about 160.79 m3/day of sewage, which PP has provided STP of capacity 160.0 m3/day, Treated 92.0 m3/day waste water will be used for utilities and remaining will be discharge to sewer line.. 6. PP has provided OWC for composting of Bio-degradable waste., Non-biodegradable waste will send to authorized vender. 7. 1 no. of DG sets each having capacity of 160.0 KVA. 8. The cost of the part project is Rs 33.50 Crore for which they have paid Rs. 75100.0 as consent fees for 1st Operate part. | |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <p>9. PP has completed construction of built up area 28,381.0 sq. meter out of total built up area 1,54,271.0sq. meter (6 residential building)</p> <p>10. In view of above we may consider consent to operate (part) with BG of Rs 5 lakh for O & M of STP & MSW facility and part operate affidavit.</p> |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 12

| | | |
|--|---|--|
| Region : RO Pune | Section :RO(HQ) | SRO Date:-19/09/2014 RO HQ Date:-28/11/2014 |
| Name & Address | M/s. Kolte Patil Real Estate Pvt Ltd, "Kharadi 58", S.No. 58/3A,58/2/1A,58/1, Kharadi, Pune. | |
| Consent For | C to O (Part) (Amalgamation with existing part) | |
| Capital Investment | 33.52 Cr | |
| Previous Consent Validity | COU | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption:-125.78 CMD, Effluent generated 106.72 CMD Provided STP capacity 110.0 CMD | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for consent to 1st Operate (Part) 2. The Residential project covering total area of around 47,743.85 sq.mtrs with total built up area of 67450.76 sq mtrs 3. PP has obtained environment clearance From GoM on 8th June 2011 for plot area 47743.85 sq.mtrs and BUA 67,450.76 sq.mtrs 4. PP has obtained consent to establish from Board on 02/08/2010 for same plot area and BUA 54,676 sq.mtrs. (We may consider as per EC i.e. BUA 67,450.76 sq.mtrs). 5. PP has obtained 1st consent to operate Part for BUA 13,295.43sq.mtrs. on 04/10/2013 valid upto 31/01/2015. 6. Total water consuming for this phase 125.78 m3/day & generating about 106.72 m3/day of sewage, which PP has provided STP of capacity 110.0 m3/day, Treated 63.0 m3/day waste water will be used for utilities and remaining will be discharge to sewer line.. 7. PP has provided OWC for composting of Bio-degradable waste., Non-biodegradable waste will send to authorized vender. 8. 1 no. of DG sets each having capacity of 160.0 KVA. 9. The cost of the part project is Rs 33.50 Crore for which they have paid Rs. 75100.0 as consent fees for 1st Operate part. 10. PP has completed construction of built up area 16328.98 sq. meter with existing completed area i.e 13,295.43 sq.mtrs out of total built up area 67450.76 sq. meter. | |

Maharashtra Pollution Control Board

| | |
|--|--|
| | <p>11. In view of above we may consider consent to operate (part) with overriding earlier part c to O with BG of Rs 3 lakh for O & M of STP & MSW facility and part operate affidavit.</p> |
|--|--|

Maharashtra Pollution Control Board

Agenda no. 13

| | | |
|---|--|---|
| Region : RO PUNE | Section :RO(HQ) | SRO Date :- 30.09.2014 ROHQ Date :- 30.10.2014 |
| Name & Address | M/s Arun Sheth & Co. "Sanskriti" S. No. 222/1, 222/2, 222/3, 222/4, 222/5, 222/6, 223/1, 223/2, 223/3, 228/5, 228/6 of Kaspatewasti, Wakad, Tal : Mulshi, Dist : Pune | |
| Consent For | C to O (With amalgamation of existing Phase-I) | |
| Capital Investment | 30.00 Cr | |
| Previous Consent Validity | COU | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 459.00 CMD, Effluent generated 352.00 CMD. STP provided of Capacity : 300.00 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP applied for consent to operate for second Phase having plot area 11400.0 sq.mtrs and BUA 15356.25 sq.mtrs. 2. PP has obtained consent to establish on 13/03/2012 for same area. 3. PP has obtained consent to operate for 1st phase having plot area 26089.0 sq.mtrs and BUA 31,401.0sq.mtrs on 05/10/2011 which is valid upto 31/11/2012. 4. PP obtained EC and C to E for phase-I, for 26,089 sq.mtrs & BUA 31,401.0 sq.mtrs. 5. PP has obtained expansion in EC for Phase II & Phase-III, As per EC Total BUA of all phase is 74600.31 sq.mtrs and Proposed expansion 25747 sq.mtrs. 6. PP has completed construction of 2nd phase having BUA 15356.25 sq.mtrs. 7. Now applied for 1st phase renewal and 2nd phase 1st operate having combine BUA 46757.25 sq.mtrs out of 74600.31 sq.mtrs. 8. PP has provided two STP for two phase having capacity 300 CMD & 100 CMD. 9. Bio-degradable waste generated about 780 Kg/day for which PP has provided Vermi-Composting, But hand over to PCMC collection & disposal. 10. PP has paid fees of Rs 3,42,403.0 for operate 2 years. 11. PP has submitted BG of Rs 5 Lakhs as per consent to establish condition & 3 lakhs as per consent to operate condition both BG are valid for period upto 19/09/2015. | |

Maharashtra Pollution Control Board

| | |
|--|--|
| | 12. In view of above we may consider Consent to Operate for second phase along with amalgamation of existing phase having total BUA 46,757.25 m ² out of 74600.31m ² With BG and part operate affidavit. |
|--|--|

Maharashtra Pollution Control Board

Agenda no. 14

| CC -Item | | |
|---|---|---------------------------------------|
| Region : Pune | Section : AS(Tech) | Date :- Dec. 2014 |
| Name & Address | M/s Venkateshwara Hatcheries Pvt.Ltd. (Ventri Bio.Vaccine Div) , Plot No.20, Rajiv Gandhi ITBT Park, Hinjewadi, Vill. Mann, Tal - Mulshi, Dist - Pune | |
| Consent to | 1st consent to operate for expansion & amalgamation with existing consent | |
| Capital Investment | 72.12 Cr. (Existing CI Rs. 9.68 Cr. + Expansion Rs. 62.44 Cr.) | |
| Consent Valid upto | 31/01/2015 | |
| <u>Industry Type</u> | R 85 Chemical based R& D | |
| <u>Industry Category</u> | Red | |
| Compliance of Water Pollution Related Conditions | Yes | |
| | <p>Existing:- IE-43 CMD,DE- 8 CMD ; After expansion:- IE – 50.0 CMD & DE -8.0 CMD.</p> <p>Details of treatment: Combine ETP comprising Primary secondary & tertiary treatment is provided. Disposal on land for gardening. Land available for disposal of treated effluent is 15374 Sq.Meter JVS reports are within the limit.</p> | |
| Water Cess | Assessment Done: - 31.05.2014 | Paid upto- 31.08.2013 |
| Compliance of Water Pollution Related Conditions | No | |
| | Venturi Scrubber is provided tas APCS. stack & incinerator monitoring report dtd 29.05.2014 are exceeding the prescribed standards. | |
| <u>BG Details</u> | <u>Amount:</u> --- Rs. 2 lakh | <u>Validity :</u> - 20.11.2014 |
| | <u>BG obtained against:</u> --- Towards submission of Board resolution | |
| Submission of Environmental Statement | 2013-14 | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. Existing consent valid up to 31/01/2015. Consent to establish for expansion granted on 27/08/2013. 2. As per C to E condition, Board resolution & BG of Rs. 2 lakh submitted towards compliance of same. | |

Maharashtra Pollution Control Board

| | |
|------------------------------|---|
| | <ol style="list-style-type: none">3. JVS report of stack monitoring exceeding the prescribed standards also there is no operational BG.4. PP has submitted Board resolution as per C to E condition. |
| Recommendation of SRO | Recommended to consider case accordingly. |

Maharashtra Pollution Control Board

Agenda no. 15

| | | | | |
|--|--|--|-------------------|--------|
| Region : RO Kolhapur | | Section :JD APC | | Date : |
| Name & Address | | Hindalco Industries Limited.Durgmanwadi , Durgamanwadi Mine,At/Post-Radhanagari,Tal-Radhanagari | | |
| Consent For | | CR | | |
| Capital Investment | | 4160 Lacs | | |
| Previous Consent Validity | | 31/03/2014 | | |
| Industry Type | | R49 Mining and ore beneficiation | | |
| Industry Category | | Red | | |
| Compliance Of Water Pollution Related Conditions | | YES | | |
| | | Details :- Indl effluent is NIL, domestic is 6 CMD, provided septic tank, 60 CMD is required for spraying in mine pits. | | |
| Compliance Of Air Pollution Related Conditions | | Yes | | |
| | | Details:- Have got mobile crusher, is with inbuilt dust collection arrangement. Provided check dams, carried out aforesation. | | |
| Water Cess | | Assessment Done :No | Paid Upto :- | |
| <u>BG Details</u> | | <u>Amount : -Rs.5.0 lacs</u> | <u>Validity :</u> | |
| | | <u>BG Obtained against : O & M</u> | | |
| | | <u>Details of BG forfeited/encashed , if any :Nil</u> | | |
| Submission of Environmental Statement | | Period | 2012-2013 | |
| Other Relevant Information | | Applied for renewal of consent. Is a existing Bauxite mine having lease area of 182.23 Ha. Existing consent valid upto 31/3/2014. CI is Rs. 41.60 crs., existing CI was also the same. It is noted that SRO/ RO has not given any comments regarding the submission of BG of Rs. 5.0 lacs as per previous consent condition. Also the fees of Rs. 345600/- per year as per the fees schedule for mining industries is not submitted by industry. | | |
| Recommendation of SRO/RO | | Grant of renewal of consent | | |

Maharashtra Pollution Control Board

Agenda no. 16

| | | | | | |
|---|--|--|------------|-------------------------------------|--|
| Region : SRO Nanded | | Section : JD-WPC | | Date : 09.12.2014 | |
| Name & Address | | Tata Chemicals Ltd. , MIDC,Krushnoor, Tq, Naigaon, | | | |
| Consent For | | CR | | | |
| Capital Investment | | 5404.8 Lacs | | | |
| Previous Consent Validity | | 31/08/2014 | | | |
| Industry Type | | R15 Distillery including Fermentation industry | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO () | |
| | | Details :- Industrial water consumption is 635 CMD whereas I.E. generation is 176 CMD Domestic water consumption is 30 CMD whereas D.E. generation is 20 CMD. | | | |
| Water Cess | | Assessment Done : | | Paid Upto : | |
| <u>BG Details</u> | | <u>Amount : 2.0 Lacs</u> | | <u>Validity : 31.08.2014</u> | |
| | | <u>BG Obtained against :</u> | | | |
| | | 1. compliance of CREP norms in previous consent. | | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | | |
| Submission of Environmental Statement | | Period | 2010-2011. | | |
| Other Relevant Information | | Plant was not in operation since 2011 due to insufficient availability of raw material and deficient rain in last two season. Industry has applied for consent to renewal without any change | | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|---|
| Recommendation of SRO/RO | Industry has applied for consent to renewal without any change previous consent validity is 31/08/2014 this office has issued query letter on 08-sept-2014 regarding CA certificate in prescribed format, ETP Size, Annual returns, Water budget Industry reply copy enclosed. Industry not submitted water cess and annual returns Industry is not in operation since-2011 due to raw material availability. Industry has submitted consent renewal fees of Rs. 100000/- for one term. In view of above it is recommended to grant consent to operate for the period up to 31/08/2015. |
|---------------------------------|---|

Maharashtra Pollution Control Board

Agenda no. 17

| | | | | | |
|---|--|--|--|--------------------------------------|--|
| Region : SRO Aurangabad I | | Section : JD-WPC | | Date : 12.12.2014 | |
| Name & Address | | Morya Grain Distilleries Pvt. Ltd. , MIDC Area, Paithan | | | |
| Consent For | | CR | | | |
| Capital Investment | | 51.84 crores | | | |
| Previous Consent Validity | | 31/07/2014 | | | |
| Industry Type | | R15 Distillery including Fermentation industry | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO () | |
| | | Details :- Industrial water consumption is 468 CMD whereas I.E. generation is 385 CMD. Domestic water consumption is 6.50 CMD whereas D.E. generation is 5.20 CMD. | | | |
| Water Cess | | Assessment Done : March-2014 | | Paid Upto : | |
| BG Details | | Amount : <u>Rs.2.0/- Lakhs</u> | | Validity : <u>31.09.20169</u> | |
| | | BG Obtained against : towards continuous compliance of CREP norms | | | |
| | | Details of BG forfeited/encashed , if any : | | | |
| Submission of Environmental Statement | | Period | | 2012-2013. | |
| Other Relevant Information | | The CI is increased by Rs. 9.26 Cr. i.e. from Rs. 42.58 Cr. to Rs. 51.84 Cr and accordingly paid consent fees towards increase in CI. The investment is increased for certain changes in machinery and others, however, there is no any change in existing production capacity. Unit is not in operation on regular basis except trials. | | | |
| Recommendation of SRO/RO | | The consent may be renewed upto 31/07/2015 | | | |

Maharashtra Pollution Control Board

Agenda no. 18

| | | | | |
|--|--|--|--|-------------------|
| Region : SRO Parbhani | | Section : JD-WPC | | Date : |
| Name & Address | | Bhaurao Chavan SSK Ltd , Unit No.2, Dongarkada,Kalamnuri, Hingoli | | |
| Consent For | | CR | | |
| Capital Investment | | 36.09 Crores | | |
| Previous Consent Validity | | 31.07.2013 | | |
| Industry Type | | R74 Sugar (excluding Khandsari) | | |
| Industry Category | | Red | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO () |
| | | Details :- Industrial water consumption is 225 CMD whereas I.E. generation is 175 CMD .Domestic water consumption is 50 CMD whereas D.E. generation is 40 CMD. | | |
| Water Cess | | Assessment Done : July-2013. | | Paid Upto : |
| <u>BG Details</u> | | <u>Amount :</u> | | <u>Validity :</u> |
| | | <u>BG Obtained against :</u> | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | |
| Submission of Environmental Statement | | Period 2012-2013 | | |
| Other Relevant Information | | The industry shall reduce waste water generation to 100 ltrs./ton of cane crushed.= Not Complied (1250 TCD crushing and eff generation 175 CMD) Industry shall upgrade existing Air Pollution Control System by providing ESP/Bag Filters/ Wet Scrubbers as per CREP conditions = Not Complied. The ETP is inadequately designed for it to achieve desired levels of standards(JVS results are exceeding).= Partly complied | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | |
| Recommendation of SRO/RO | SRO = Consent may be renewed. RO= As per recommondations of SRO we may renew the consent to operate |

Maharashtra Pollution Control Board

Agenda no. 19

| | | | | | |
|---|--|--|---------------------------|---|--|
| Region : SRO Akola | | Section : JD-WPC | | Date : 12.12.2014 | |
| Name & Address | | ADM Agro Industries Kota & Akola Pvt. Ltd. , P.No.N-55-58 and 67 MIDC Phase IV, Akola | | | |
| Consent For | | CR | | | |
| Capital Investment | | 47.14 Crores | | | |
| Previous Consent Validity | | 30.04.2013 and 31.12.2014 | | | |
| Industry Type | | R83 Vegetable oils including solvent extraction and refinery | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO () | |
| | | Details :- Industrial water consumption is 290 CMD whereas I.E. generation is 190 CMD Domestic water consumption is 20 CMD whereas D.E. generation is 16 CMD. | | | |
| Water Cess | | Assessment Done : August-2014 | | Paid Upto : Nov-2013 | |
| BG Details | | Amount : 1) Rs.4.0/- 2) Rs.5.0/- | | Validity : 1) 27.08.2014 2) 27.08.2014 | |
| | | BG Obtained against : 1. towards providing Bag Filter/Venture Scrubber 2. towards O& M of pollution control system | | | |
| | | Details of BG forfeited/encashed , if any : | | | |
| Submission of Environmental | | Period | April-2012 to March 2013. | | |

Maharashtra Pollution Control Board

| | | |
|-----------------------------------|--|--|
| Statement | | |
| Other Relevant Information | <p>The industry has applied for grant of renewal of consent to operate alongwith amalgamation of two consent for the activities of Solvent Extraction Plant and Veg. Oil Refinery. Previously Board had granted Consent vide No. BO/JD (WPC)/EIC-AM-3773-12/O/CC/MPCB/12/00493 dtd. 01/11/2012 which is valid upto 31/12/2014 & another Consent vide No. BO/JD (WPC)/AM-3012-11/O/CC-469 dtd. 25/06/2012 which is valid upto 30/04/2013</p> | |
| Recommendation of SRO/RO | <p>Industry has applied for renewal of consent alongwith amalgamation of consent. Most of the effluent & stack monitoring results are exceeding the consented limit. B.G. of Rs. 4.0/- lacks for providing Bag filter/ventury scrubber & Rs. 5.0/- lacks for operation & maintenance of pollution control system were expired on 27/08/2014. Report of B.G. is already submitted to RO, Amravati on 20/09/2014. Renewal of consent with amalgamation may be granted for a period up to 31/03/2015, if approved.</p> | |

Maharashtra Pollution Control Board

Agenda no. 20

| | | | | |
|--|--|--|--|--------------------|
| Region : SRO Solapur | | Section : JD (WPC) | | Date : 10.12.2014. |
| Name & Address | | M/s. Shivmruth Dudh Utpadak Sahakari Sangh Maryadit, , Vijayanagr, Vizori, Post Yashwantnagar, Tal.Malshiras, Dist.Sotapur | | |
| Consent For | | Applied for -renewal of consent for same production qty. with increase in C.I. | | |
| Capital Investment | | Capital investment- a) Consented C.I. of Rs. 41.59 Cr. b) <u>Enhanced C.I. of Rs. 2.00 Cr.</u> (justification not given) c) Total C.I. of Rs. 43.59 Cr. | | |
| Previous Consent Validity | | Previous consent detail- granted on 19.06.2014 valid upto: 30.09.2014. | | |
| Industry Type | | Milk & Milk processing | | |
| Industry Category | | Red/LSI | | |
| Compliance Of Water Pollution Related Conditions | | YES | | |
| | | Details :- ETP comprises bar screen grit chamber, V- notch, equalization tank, surge tank, anaerobic reactor aeration tank, clarifier sludge sump & SDB provided. 20, hector land available for disposal of treated effluent, which is adequate. JVS results- JVS dated 30.12.2013 & 27.02.2014, BOD & COD parameters are exceeding the consented standards. | | |
| Compliance Of Air Pollution Related Conditions | | APC status- dust collector provided to the boiler. | | |
| Water Cess | | Assessment Done : --- | | Paid Upto : ---- |

Maharashtra Pollution Control Board

| | | |
|--|---|--------------------------|
| <u>BG Details</u> | <u>Amount :</u> Rs. 10.0/- Lakhs | <u>Validity :</u> |
| | <u>BG Obtained against :</u> Towards O & M of pollution control system. | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | Not submitted. |
| Other Relevant Information | <p>1) JVS results- JVS dated 30.12.2013 & 27.02.2014, BOD & COD parameters are exceeding the consented standards.</p> <p>2) Bank Guarantee status- As per previous consent B.G. of Rs. 10.0/- Lakhs was imposed towards O & M of pollution control system. SRO reported that industry has submitted the BG.</p> <p>3) 20, hector land available for disposal of treated effluent, which is adequate.</p> <p>4) APC status- dust collector provided to the boiler</p> | |
| Recommendation of SRO/RO | SRO recommended case may be considered accordingly. | |

Maharashtra Pollution Control Board

Agenda no. 21

| | | | | | |
|--|--|---|--------------------|------------------------------|-------------------|
| Region : SRO Solapur | | Section : JD (WPC) | | | Date : 10.12.2014 |
| Name & Address | | M/S. Dhaval pratapsingh mohite patil agro industries Ltd. , Malshirus, Dhavalnagar, Pune. | | | |
| Consent For | | Applied for- renewal of consent with one additional product | | | |
| Capital Investment | | Capital investment: Rs. 34.87 Cr. | | | |
| Previous Consent Validity | | <p>Granted on 31.10.2012.</p> <p>Previous consent details: Granted on 31.10.2012 valid upto: 31.12.2013, granted for manufacturing of 1) Ethyl Alcohol & ENA – 855 KL/M, 2) DWGS- 630 MT/M.</p> <p>- Now industry applied for – 1) Ethyl Alcohol & ENA- 855 KL/M , 2) DDGS- 630 KL/M & 3) Impure Sprit- 75 KL/M</p> | | | |
| Industry Type | | R15 Distillery including Fermentation industry | | | |
| Industry Category | | Red/SSI. | | | |
| Compliance Of Water Pollution Related Conditions | | YES | | | |
| | | Effluent qty. | Previous consented | Present increased | Total |
| | | 1) I.E. | 297.00 | 135 | 432 CMD. |
| | | 2) D.E. | 8.00 | --- | 8.00 CMD |
| | | Details :- ETP status: primary, secondary & tertiary treatment provided. | | | |
| | | 5.6, acres land available for disposal of treated effluent, which is inadequate. | | | |
| Compliance Of Air Pollution Related Conditions | | APC status: Boiler with wet scrubber arrangement provided | | | |
| Water Cess | | Assessment Done : -- | | Paid Upto : -- | |
| <u>BG Details</u> | | <u>Amount</u> : Rs. 2.0/- Lkajs | | <u>Validity</u> : 11.01.2015 | |
| | | <u>BG Obtained against</u> : obtained towards O &M of pollution control system. | | | |

Maharashtra Pollution Control Board

| | | |
|--|---|----------------|
| | | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | Not submitted. |
| Other Relevant Information | 1) Now industry applied for – 1) Ethyl Alcohol & ENA- 855 KL/M , 2) DDGS- 630 KL/M & 3) Impure Sprit- 75 KL/M (additional product) 2) Boiler with wet scrubber arrangement provided. 3) 5.6, acres land available for disposal of treated effluent, which is inadequate. | |
| Recommendation of SRO/RO | SRO- reported consent may be granted. | |

Maharashtra Pollution Control Board

Agenda no. 22

| | | |
|--|--|--|
| Region : RO PUNE | Section :RO(HQ) | SRO Date:- 01/10/2014 RO(HQ) Date :- 28.11.2014 |
| Name & Address | K. Raheja Corp Pvt. Ltd. (Phase-I Commerzone) , S.No. 144 & 145, CTS No 2648, 2649, Vill:- Yerwada, Near Yerwada Jail, Pune | |
| Consent For | C to R | |
| Capital Investment | 244.46 Cr. | |
| Previous Consent Validity | ---- | |
| Industry Type | IT & ITES activity. | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 572.0 CMD, Effluent generated 432.0 CMD. STP Proposed of Capacity :450.0 CMD | |
| BG Details | Amount : | Validity : |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for plain Renewal of consent for IT & ITES activity. 2. The IT project covering total area of around 28,189.99 m² with total built up area of 67,664.14 m². No change in area statement. 3. Earlier Consent valid for period upto 30/11/2014. 4. Total water consuming 572.0 m³/day & generating about 432.0 m³/day of sewage, which PP has provided 450.0 STP. 5. 3 no. of DG sets having capacity (1250 x 2 + 500 KVA). 6. Capital investment of the project increased from 187.50 cr. to 244.46 cr. PP has not submitted clarification about increase in CI, but paid fees on increase in capital investment. 7. Applicant has submitted BG of Rs 10.0 lakh as per C to O condition, valid upto 30/11/14 8. Applicant has paid fees of Rs. 10,77,960.0 for four years. 9. PP has provided 3 nos of STP, JVS Results of 2 STPs are within the prescribed limit and JVS results of one STP exceeds marginally. In view of above we may consider plain renewal of consent to Operate with BG of Rs 10. Lakhs. | |