

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 12th Consent Appraisal Committee Meeting of 2018-2019 held on 25.02.2019 at 11.00 a.m. in the chamber of Hon'ble Member Secretary, 3rd Floor, Maharashtra Pollution Control Board, Kalpataru Point, Sion, Mumbai, Maharashtra.

.....

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri. Sudhir Shirvastava
Chairman, MPCB, Mumbai | Chairman |
| 2. Shri E. Ravendiran,
Member Secretary, MPCB, Mumbai. | Member |
| 3. Shri. P.P.Nandusekar,
Advisor (Environment) MIDC, Mumbai | Member |
| 4. Shri P. K. Mirashe
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai & representative of NEERI could not attend the meeting. Leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- | | |
|--|-----------------|
| 1. Shri V. M. Motghare, JD (APC), MPCB, Mumbai | Special Invitee |
| 2. Shri. N.N.Gurav, RO(HQ), MPCB, Mumbai | Special Invitee |

Member Secretary, Member of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The Minutes of 11th Consent Appraisal Committee Meeting of 2018-2019 held on 12.02.2019 (Booklet No. 18) were confirmed.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 19 (Part-I) of Consent to Establish/ Operate/ Renewal cases] placed before the committee and following decisions were taken:

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
Booklet No. 19 (Part-I)					
1	MPCB- CONSENT- 0000034659	Dinshaws Dairy Foods Pvt. Ltd. (K41, 5 Star Area, MIDC, Butibori.	APPROVED Renewal of consent to operate with additional production qty.	Up to 31.03.2020	<p>Committee noted that, PP has submitted reply letter dated 29.05.2018 with respect to the CAC decision dated 27.03.2018. In which PP has submitted justification about increase in CI due to modernization of the plant, submitted revised water budget and pollution control systems provided by them.</p> <p>In view of above, it was decided to grant renewal of Consent to operate by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs.10.0 Lakhs towards O & M of ETP to achieve consented standards. 2. PP shall submit BG of Rs.5.0 lakhs towards O & M of APCS to achieve emission standards. 3. PP shall examine the intensity of use of water and propose an action plan for reducing the same with in one month. <p>Consent shall be issued after obtaining additional Consent fees from the PP.</p>
2	MPCB- CONSENT- 0000034092	SMBT AYURVED COLLEGE AND HOSPITAL 746, Nandi Hills, Dhamangaon, Tal. Igatpuri, Dist. Nashik, Nashik, Igatpuri	APPROVED Combine Consent and BMW Authorization	31.03.2021	<p>Committee noted that PP has applied for CCA for 300 Nos Beds, total BUA 5018.5 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF.</p> <p>In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 300 beds by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit audited balance sheet, Board Resolution of the Hospital Authority and BG of Rs.2.0 Lakhs towards increase in

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>numbers of the beds without obtaining Boards Combine Consent and BMW authorization.</p> <p>2. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>Consent shall be issued after receipt of Board resolution, audited balance sheet, BG and obtaining additional Consent fees, if any from the PP.</p>
3	MPCB- CONSENT- 0000012987	Sane Guruji Arogya Kendra 165 A, S. No. 165 A, Malwadi, Hadpsar, Pune, Haveli.	APPROVED Combine Consent and BMW Authorization	31.12.2019	<p>Committee noted that PP has applied for CCA for 250 Nos Beds, total BUA 5005.22 Sq.mtrs, provided Decentralized Waste water treatment plant for treatment of trade and domestic effluent and obtained membership of BNH & CBMWTSDF.</p> <p>In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 250 beds by imposing the following conditions;</p> <p>1. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>Consent shall be issued after receipt additional Consent fees, if any from the PP.</p>
4	MPCB- CONSENT- 0000039891	Indigo Denim Pvt. Ltd. (T -67 , MIDC Industrial Area, Butibori NAGPUR)	APPROVED Renewal of Consent to operate	Up to 31.01.2023.	<p>Committee noted that, PP has submitted application for renewal of consent with garment manufacturing activity. PP had obtained consent to Establish for garment activity. PP has provided STP for domestic effluent, ZLD system for the trade effluent and also provided required air pollution control systems.</p> <p>In view of above, it was decided to grant renewal of Consent to operate with additional Garment activity by imposing the following conditions;</p> <p>1. PP shall extend existing BGs up to 31.05.2023.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					Consent shall be issued after obtaining additional Consent fees, if any from the PP.
5	MPCB- CONSENT- 0000041516	Gondegaon Extension Opencast Coal Mine Expansion Project, Plot No. 622, Gondegaon, Tal. Parseoni, Dist. Nagpur.	NOT APPROVED Renewal of Consent to operate	---	Committee noted the reply submitted by the PP dated 15.03.2018 and 18.12.2018 in respect of decision of CAC dated 05.05.2018 and present status report submitted by SRO vide letter dated 16.01.2018 and noted that; 1. PP has provided 25 nos, of fixed sprinklers including mobile tankers of 28KL, 12KL and 8 KL cap were deployed for dust suppression. 2. ETP of capacity 100 KLD provided. 3. PP is in process of provision of STP of 250 CMD capacity for which construction work is started. 4. PP has applied for NOC of CGWA Since the PP has failed to submit NOC of CGWA consent to operate will be considered after submission of NOC of CGWA.
6	MPCB- CONSENT- 0000020112	Morarjee Textiles Ltd. (Plot No. G-1 & G-2, MIDC Industrial area, Butibori)	APPROVED Renewal of Consent to operate	Up to 31.05.2019	Committee noted that industry has applied for grant of renewal of consent to Operate. Committee also noted following points: 1. Industry has provided STP of 200CMD capacity. 2. Industry has provided ETP of 3700CMD capacity. 3. The analysis results of JVS shows exceeding limits of BOD parameter and also RSPM parameter is the ambient air. Committee also took the cognizance of SRO's proposal dated 14.02.2019 of about exceedance of consented limits of effluent standards and air emission standards.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>In view of above, it was decided to grant renewal of consent to operate up to 31.05.2019 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeiture of BG of Rs.1.0 Lakhs towards exceeding BOD parameter and towards poor O & M of ETP and top up with double amount BG. 2. Forfeiture of BG of Rs.4.0 Lakhs towards exceeding RSPM parameter and towards poor performance of APCS and top up with double amount of BG. 3. Industry shall submit action plan for meeting the standards of effluent and emissions within 7 days in the Board. <p>Consent shall be issued after obtaining additional Consent fees, if any from the PP.</p>
7	MPCB- CONSENT- 0000047514	Suasth Health Care (India) Pvt. Ltd, Plot No 1, Sector 20,Plot No 1, Sector 20, Roadpali, Kalamboli, Navi Mumbai, Raigad, Panve	APPROVED Combine Consent to Establish and BMW Authorization	COU or Co- terminus with EC	<p>Committee noted that PP has applied for revalidation of Combine Consent to Establish and Authorization for hospital having total BUA 71,780.403 Sq.mtrs.</p> <p>Committee also noted that, PP has obtained Combine Consent to Establish and Authorization on 10.09.2012 and Environmental Clearance on 26.06.2013 for total BUA -71,780.403 Sq.mtrs.</p> <p>In view of above, it was decided to grant revalidation for combine Consent to Establish and Authorization to the Hospital for total BUA - 71,780.403 Sq.mtrs by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs.10.0 lakhs towards compliances of consent conditions. <p>Consent shall be issued after receipt additional Consent fees from the PP if any.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
8	MPCB- CONSENT- 0000048636	kokilaben hospital, 833 pt s no 141a,KOKILABEN DHIRUBHAI AMBANI HOSPITAL,FOUR BANGLOWS R.A.PATWARDHAN ROAD ANDHARI WEST, Andheri, Mumbai Suburban, Mumbai	APPROVED Combine Consent and BMW Authorization	31.05.2023	Committee noted that PP has applied for CCA for 550 Nos Beds, total BUA 92,903 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 550 beds by imposing following conditions; 1. PP shall install ETP (primary) treatment system to treat trade effluent within 3 months and submit of BG of Rs.5.0 Lakhs towards compliance of the same. 2. PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after receipt of the copy of latest OC & additional Consent fees, if any from the PP.
9	MPCB- CONSENT- 0000049407	KMMMT SAHYADRI SUPER SPECIALITY HOSPITAL, 32 C,Plot. No. 30C, Erandawane, Karve Road, Pune,Pune,HAVEL	APPROVED Combine Consent and BMW Authorization	31.03.2023	Committee noted that PP has applied for CCA for 202 Nos of Beds, total BUA 8639 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 202 beds by imposing the following conditions; 1. PP shall install ETP (primary) treatment system to treat trade effluent within 3 months and submit of BG of Rs.1.0 Lakhs towards compliance of the same. 2. PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after receipt of additional Consent fees, if any from the PP.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
10	MPCB- CONSENT- 0000051619	M/s Marathwada Medical & Research Institute Kamalnayan Bajaj Hospital Gut No. 43,Gut No. 43, Satara Parisar, Beed Bypass Road, Bajaj Marg, Aurangabad.,Gut No. 43, Satara Parisar, Beed Bypass Road, Bajaj Marg, Aurangabad.,Aurangaba d (M Corp.),Aurangabad,Aura ngabad,Aurangabad	APPROVED Combine Consent and BMW Authorization	30.06.2021	Committee noted that PP has applied for CCA for 300 Nos of Beds, total BUA 19,166 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 300 beds by imposing the following conditions; 1. Forfeiture of BG of Rs.50,000 for exceeding the BOD limits and not achieving consented discharge standards and top up with double the amount of Rs.1.0 Lakhs towards O & M of ETP. 2. PP shall install ETP (primary) treatment system to treat trade effluent within 3 months and submission of BG of Rs.1.0 Lakhs towards compliance of the same. 3. PP shall submit the BG's as per HCE's regime of the Board. 4. PP shall give an action plan to ensure no exceedance in future within one month. Consent shall be issued after receipt annual report and additional Consent fees, if any from the PP.
11	MPCB- CONSENT- 0000035753	MAHATMA GANDHI INSTITUTE OF MEDICAL SCIENCES SEWAGRAM WARDHA,	APPROVED Combine Consent and BMW Authorization	31.12.2023	Committee noted that PP has applied for CCA for 972 Nos of Beds, total BUA 4234 Sq.mtrs, provided oxidation pond for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 972 beds by imposing the following conditions;

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
		SR. NO. 276,,SR. NO. 276, SEWAGRAM, TAL & DIST-WARDHA.			<p>1. PP shall install STP to treat domestic effluent within 6 months and submission of BG of Rs.3.0 Lakhs towards compliance of the same.</p> <p>2. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>Consent shall be issued after receipt copy of valid copy of BNH/NOC & additional Consent fees, if any from the PP.</p>
12	MPCB-CONSENT-0000052450	JSW CEMENT LIMITED , 44,45,46,50 Village Kolave, Pen	NOT APPROVED Consent to Establish	--	<p>Committee noted that PP has applied for cement packing and dispatch activities for the capacity -25,00,000 Ton/Year. The proposed site of this plant located at Village; Kolave, Sr. No.44,45,46,50, Tal: Pen ,Dist :Raigad near to existing jetty.</p> <p>Committee also noted that PP has proposed to provide bag filters as air pollution control system at packing plant.</p> <p>In view of above, it was decided to call detailed information about pollution load from the PP with respect to sources, size of pollutant and pollution control system proposed from the PP.</p> <p>Hence case is defer and it is decided to revert back case after receipt of above information from PP.</p>
13	MPCB-CONSENT-0000047675	M/S BOMBAY HOSPITAL TRUST, 12,BOMBAY HOSPITAL TRUST,2ND FLOOR,12,NEW MARINE LINES,MUMBAI,	APPROVED Combine Consent and BMW Authorization	30.01.2021	<p>Committee noted that PP has applied for CCA for 734 Nos of Beds, total BUA 5,00,000 Sq.mtrs, and obtained membership of BNH & CBMWTSDF.</p> <p>In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 734 beds by imposing the following conditions;</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>1. Forfeiture of BG of Rs.2.0 Lakhs towards not installation of STP and top up with double the amount of Rs.4.0 Lakhs towards installation of STP within 6 months.</p> <p>2. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>Consent shall be issued after receipt of additional Consent fees, if any from the PP.</p>
14	MPCB- CONSENT- 0000052001	Ratnagiri Gas and Power Private Limited (P.O.RGPPL-Anjanvel, Guhagar (Tal))	APPROVED Renewal of consent to operate	31.08.2019	<p>Committee noted that PP has applied for renewal of consent to operate for the same product and quantity.</p> <p>Also committee noted that PP has provided STP's for domestic effluent generated from power block area and colony and ETP (primary) provided for treatment of trade effluent.</p> <p>In view of above, it was decided to grant renewal of consent to operate by imposing the following conditions;</p> <p>1. PP shall provide online continuous monitoring system for the parameters NOx and SO2 and its connectivity to Board server within 3 months and submit BG of Rs.5.0 Lakhs towards compliance of the same.</p> <p>2. PP shall submit the BG of Rs.5.0 Lakhs towards O & M of PCS.</p> <p>Consent shall be issued after receipt additional Consent fees, if any from the PP.</p>
15	MPCB- CONSENT- 0000049528	Bharat Forge Ltd, Plot No. E-1/1, MIDC Baramati, Dist. Pune	NOT APPROVED 1st Consent to Operate for	---	<p>Committee noted that industry has obtained EC for existing unit vide letter No SEAC 2010/CR384/TC.2 dated 23.11.2010 under category 3(a) to manufacture Forging (hammer & ring rolled)- 98,000 MT/A and machined Components- 150,000 Nos./A.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
			expansion (phase-II) and amalgamation with existing consent		<p>Board has granted consent to establish with the condition that "Industry shall amend the existing EC obtained dated 23.11.2010 for proposed expansion accordingly and shall not take effective steps without amending the existing EC."</p> <p>Now, industry applied for 1st consent to operate for manufacturing of Machined Components 40,000 MT/A, whereas industry failed to amend the existing EC obtained dated 23.11.2010 for proposed expansion and failed to comply the conditions.</p> <p>Committee also noted the reply submitted by the industry stating that EC is not applicable for existing unit as well as expansion activity.</p> <p>In view of above, it was decided to refer the case to Environment Department, GoM for clarification.</p>
16	MPCB- CONSENT- 0000053212	<p>SUPERB HYGIENIC DISPOSALS (C. J. FOREVER, PLOT NO. 50-A, 4th FLOOR, C.B. ROAD, BAJAJ NAGAR, NAGPUR, DIST-NAGPUR.),</p> <p>KHASRA NO 133 KH. NO. 133, BHANDEWADI, UMRED ROAD, NAGPUR, DIST-NAGPUR. NAGPUR</p>	<p>APPROVED</p> <p>Combine Consent of CBMWTSDf</p>	30.06.2019	<p>Committee noted that PP has applied for combine consent for CBMWTSDf, for total BUA 1800 Sq.mtrs, provided ETP for treatment of trade effluent and scrubber to the incinerator.</p> <p>In view of above, it was decided to grant combine Consent of CBMWTSDf by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. Forfeiture of BG of Rs.2.0 Lakhs towards poor performance of O & M of ETP and submit double amount of BG Rs.4.0 Lakhs in the Board towards O & M. 2. PP shall extend existing BGs up to 30.10.2019. <p>Consent shall be issued after receipt of BG and obtaining additional Consent fees, if any from the PP.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
17	MPCB- CONSENT- 0000053991	Krishna Charitable Trust, Krishna Hospital & Medical Research Center (near dhebewadi road) 144/B 144/B,Near Dhebewadi Road, Malkapur, Near Pune Banglore Highway, Karad	APPROVED Combine Consent and BMW Authorization	30.08.2021	Committee noted that PP has applied for CCA for 1025 Nos of Beds, total BUA 19,595 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 1025 beds by imposing the following conditions; 1. PP Shall install on line continuous monitoring system [OCMS] to the incinerator with its connectivity to Boards server system within 3 months and submit BG of Rs.5.0 Lakhs towards compliance of the same. 2. PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after receipt of additional Consent fees, if any from the PP.
18	MPCB- CONSENT- 0000054138	LMMFS DEENANATH MANGESHKAR HOSPITAL & RESEARCH CENTER, 8+13/2,8+13/2, Erandawane, Nr. Mhatre Bridge, PUNE	APPROVED Combine Consent and BMW Authorization	30.03.2021	Committee noted that PP has applied for CCA for 812 Nos of Beds, total BUA 51,142.81 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 812 beds by imposing the following conditions; 1. PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after receipt of audited balance sheet of the hospital, additional Consent fees, if any from the PP and after receipt of

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					compliance report from SRO with respect to combine consent and authorization.
19	MPCB- CONSENT- 0000055289	HOLY SPIRIT HOSPITAL , SURVEY NO.51, HISSA NO.4,MAHAKALI CAVES ROAD,ANDHERI EAST, MAHAKALI CAVES ROAD, Mumbai Suburban, Mumbai city, ANDHERI EAST	APPROVED Combine Consent and BMW Authorization	30.08.2023	Committee noted that PP has applied for CCA for 300 Nos of Beds, total BUA 17,367.55 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 300 beds by imposing the following conditions; 1.PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after receipt of additional Consent fees, if any from the PP.
20	MPCB- CONSENT- 0000055564	Lifeline Hospital Opposite ST Bus stand, Panvel, Raigad,	APPROVED Combine Consent and BMW Authorization	30.06.2020	Committee noted that PP has applied for CCA for 250 Nos of Beds, total BUA 4583 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 250 beds by imposing the following conditions; 1. PP shall submit the BG's as per HCE's regime of the Board. 2. PP shall provide ETP (Primary) for the treatment of effluent within three months. Consent shall be issued after receipt of additional Consent fees, if any from the PP.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
21	MPCB- CONSENT- 0000055410	M/s. D.Y.Patil Hospital & Research Centre (CTO-Renewal & Amendment) Plot No. 2, Sector No. 5,,Sector 5, Nerul, Navi Mumbai,Thane,Thane	APPROVED Combine Consent and BMW Authorization	30.06.2023	Committee noted that PP has applied for CCA for 1230 Nos of Beds, total BUA 20,149.11 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 1230 beds by imposing the following conditions; 1. PP shall submit the BG's as per HCE's regime of the Board. Consent shall be issued after submission of additional Consent fees, if any from the PP.
22	MPCB- CONSENT- 0000043399	SHANTILAL SANGHVI FOUNDATION C. S. No. 3/207 (pt) & 4/207 (pt),F. P. 145, Ram Mandir Road, Vile Parle (E), Mumbai,	APPROVED Combine Consent to Establish and BMW Authorization	Up to commissioning of the unit or 5 years period whichever is earlier.	Committee noted that PP has applied for CCA for Establishment of HCE's for 640 Nos Beds, total BUA 55620.15 Sq.mtrs, proposed STP for treatment of domestic effluent and not started construction work. In view of above, it was decided to grant combine Consent and Authorization for Establishment of the Hospital for 1230 beds by imposing EC and following conditions; 1. PP shall submit the BG of Rs.5.0 Lakhs towards not to take effective steps and compliances of the consent condition.
23	MPCB- CONSENT- 0000055818	DR L H HIRANANDANI HOSPITAL	APPROVED Combine Consent and BMW Authorization	31.08.2021.	Committee noted that PP has applied for CCA for 244 Nos of Beds, total BUA 20,372.24 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF. In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 244 beds by imposing the following conditions;

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>1. PP shall install ETP (primary) treatment system to treat trade effluent within 3 months and submit BG of Rs.5.0 Lakhs towards compliance of the same.</p> <p>2. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>Consent shall be issued after receipt of copy of the annual report submitted in the Board and additional Consent fees, if any from the PP.</p>
24	MPCB- CONSENT- 0000057808	JASLOK HOSPITAL &RESEARCH CENTRE, 1A/722,1/,748,1/749,2/7 47,746,DR G DESHMUKH MARG,PEDDER ROAD, Mumbai City, Mumbai	APPROVED Combine Consent and BMW Authorization	31.08.2020	<p>Committee noted that PP has applied for CCA for 361 Nos of Beds, total BUA 21,264.64 Sq.mtrs, provided STP for treatment of domestic effluent and obtained membership of BNH & CBMWTSDF.</p> <p>In view of above, it was decided to grant combine Consent and Authorization to the Hospital for 361 beds by imposing the following conditions;</p> <p>1. PP shall submit the BG's as per HCE's regime of the Board.</p> <p>2. ETP (primary) for the treatment of effluent within 3 months of B.G. of Rs. 5 lakhs</p> <p>Consent shall be issued after receipt of additional Consent fees, if any from the PP.</p>
25	MPCB- CONSENT- 0000057144	EXIDE INDUSTRIES LTD. E-5 MIDC Navnagapur, Dist. Ahmednagar	APPROVED 1st Consent to Operate for expansion and amalgamation	31.07.2021	<p>It was decided to grant 1st Consent to Operate for expansion and amalgamation with existing consent to manufacture Lead Acid Storage Batteries (Only for Two Wheeler)- 5,00,000 Nos/M by imposing following conditions;</p> <p>1. Industry shall extend the BG of Rs. 10 lakh obtained towards O&M of pollution control system.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
			with existing consent		<p>2. Industry shall extend the BG of Rs. 2 lakh obtain towards recycling of treated effluent upto 50% or to the maximum extend.</p> <p>3. Industry shall submit the BG of Rs. 10 lakh towards provision of zero liquid discharge system upto Oct. 2019 as per time bound program submitted by the industry.</p> <p>It was also decided to return the BG of Rs. 5 lakh and Rs. 2 lakh obtained towards compliance of consent to establish conditions and installation of online flow meter at ETP inlet, outlet & recycle line with electronic data logger to the existing ETP system and its connectivity to Board's server as industry complied with the same.</p>
26	MPCB- CONSENT- 0000056629	WESTERN COALFIELDS LTD- A GOVT OF INDIA U/T (Saoner UG Coal Mine, Location of Industrial unit: 0105(OLD)/74-75 (NEW) WAGHODAB GRAM PANCHAYAT TEHSIL SAONER DISST NAGPUR SAONER	APPROVED Renewal of Consent to operate	31.03.2021	<p>Committee noted that PP has applied for renewal of consent to operate for the same product and qty. PP has obtained Environmental Clearance for 2.0 MTPA in ML area 2817.39 Ha on 22.10.2010.</p> <p>Committee also noted the following points:</p> <ol style="list-style-type: none"> 1. PP has provided 29 nos, of fixed sprinklers provided for dust suppression. 3. ETP of capacity 3.75 KLD provided. 4. PP is in process of provision of STP of 250 CMD capacity for which started the construction. 5. PP has applied for NOC of CGWA <p>In view of above, it was decided to grant renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit BG's as per the regime of mine sector of the Board.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					2. Industry shall submit NOC of CGWA within 3 months and BG of Rs.5.0 Lakhs towards compliance of the same. Consent shall be issued after receipt of additional consent fees, if any from PP.
27	MPCB- CONSENT- 0000058666	Cummins Technologies India Private Limited (ReCon India Division) Plot. No A-1, MIDC Survadi, Village Survadi, Phaltan-Lonand Road, Taluka - Phaltan, District Satara.	APPROVED Consent to Establish for expansion	Up to commissioning of the unit or 5 year whichever is earlier	It was decided to grant consent to establish for expansion by imposing following conditions; 1. Industry shall submit the BG of Rs. 5 lakh towards compliance of consent to establish conditions. 2. Industry shall provide adequate ETP and APC System so as to meet the consented norms.
28	MPCB- CONSENT- 0000057223	Hingna Depot-Nagpur Metro Rail Corporation Limited, 18 Near Lokmanya Nagar, Mauza Nildoh, Hingna Hingna	APPROVED Consent to Establish	Up to commissioning of the unit or 5 year whichever is earlier	It was decided to grant consent to establish to setup Railway locomotive workshop/Integrated road transport workshop/Authorized service centers (Metro Rail Project) by imposing following conditions; 1. PP shall submit the BG of Rs. 5 lakh towards compliance of consent to establish condition. 2. PP shall obtain permission from CGWA in case of source of water is ground water before obtain 1st consent to operate. 3. PP Shall provide adequate ETP for the treatment of effluent generated and so as to recycle and re use 100%. Treated effluent.
29	MPCB- CONSENT- 0000060176	Rail Coach Factory, D-74, Addl Latur Industrial Area Latur Latur	APPROVED Consent to Establish	Up to commissioning of the unit or 5 year whichever is earlier	It was decided to grant consent to establish to manufacture Railway Coach of capacity 250 Nos./Year located at Plot No. D-74, Addl. Latur Industrial Area Tal. & Dist. Latur by imposing following conditions; 1. Industry shall submit the BG of Rs. 5 lakh towards compliance of consent to establish conditions. 2. Industry shall obtain NOC of CGWA.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					3. Industry shall provide ETP and to provided 100 % recycle /reuse system.
Table Item					
1	MPCB- CONSENT- 0000040361	Hotel Meluha, Unit of Lake View Developers (Hotel Rodas), CTS No. 10,11,14B,14K,16A, 17, 19, Building No. 06, Sector-V, Villlage- Powai, Mumbai - 400 076.	APPROVED Renewal of Consent to Operate	28/02/2024	<p>Committee noted that PP has applied for renewal of consent to operate with increase in CI for hotel activities.</p> <p>CAC on 27/11/2018 has decided to defer the case and call Hotel Authorities for presentation before CAC along with detailed Water budget, details of proposal for the treatment of Biodegradable waste, details of proposal for up-gradation of existing STP so as to achieve BOD standard 10 mg/l and installation of online Continuous Monitoring system for STP parameters Flow, BOD & TSS at the outlet.</p> <p>PP on 21/01/2019 has made presentation before CAC stating that 85 CMD of sewage is generated against water consumption 140 CMD (Fresh water-80 CMD + Recycled water-60 CMD). Raw sewage is sent to common STP of designed capacity 2,700 KL/D based on SAFF technology. After treatment, 60 CMD treated sewage is brought into the Hotel for further treatment in PSF, ACF, Softener, UV, Micron filter and further used for toilet flushing, cooling tower make up water & for gardening.</p> <p>Biodegradable waste generated to the tune of 1,200 Kg/D is sent to Piggery Farm.</p> <p>In view of above, it was decided to grant renewal of Consent to Operate by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall operate STP so as to achieve treated sewage standard for the parameter BOD-10 mg/l; 2. PP shall install online CMS for parameters BOD, TSS & Flow at the outlet of STP & ETP, connect online data to MPCB Server within 3

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>months and furnish B.G. of Rs. 3 Lakh towards compliance of the same;</p> <p>3. PP shall maintain record of Biodegradable waste sent to Piggery Farm and submit the same to MPCB after every quarter.</p> <p>Consent shall be issued after obtaining additional Consent to Establish/ Operate fees, if any.</p>
2	MPCB- CONSENT- 0000052842	SEZ Biotech Services Pvt. Ltd., 105 to 110 Manjari Budruk, Tal. Haveli, Dist. Pune.	APPROVED Consent to 1 st Operate	Up to 28/02/2024	<p>CAC noted that PP has applied for grant of Consent to 1st Operate for Biotech Park SEZ project "Poonawalla Biotechnology Park SEZ" on total plot area 1,61,201 sq. mtrs. for total construction BUA - 1,40,000 sq. mtrs.</p> <p>CAC on 10/12/2018 has decided to defer the case and call the PP for presentation before CAC due to non-submission of the design details of the STP & ETP, plot allotments, pollution load, mode of disposal of treated effluent/ sewage, details of online continuous monitoring system provided and copy of NOC from CGWB/ Irrigation Dept. for use of ground water & surface water respectively</p> <p>PP made detailed presentation before CAC on 21/01/2019 and submitted-</p> <ol style="list-style-type: none"> i. Design detail of STP of capacity 400 CMD based on MBR technology for treatment of 323 CMD and design detail of ETP of capacity 2,600 CMD consisting of primary, secondary & tertiary treatment for the treatment of 1,900 CMD of industrial effluent. ii. 60% of treated effluent/ sewage will be recycled for flushing & gardening and remaining will be discharged into Local Body sewer line. iii. they have obtained permission from Irrigation Dept. for use of Surface water. <p>In view of above, it was decided to grant Consent to 1st Operate for Biotech Park SEZ project "Poonawalla Biotechnology Park SEZ" on total</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>plot area 1,61,201 sq. mtrs. for total construction BUA - 1,40,000 sq. mtrs. by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall operate common pollution control infrastructure facility such as ETP, STP, Bio-gas plant/ OWC and ensure that individual industries/ units shall enter into MOU with Industrial Park to ensure proper operation & maintenance of the common facility and other assets; 2. PP shall achieve treated effluent/ sewage standard for the parameter BOD-10 mg/l within one year. 3. PP shall install online CMS for parameters BOD, TSS & Flow at the outlet of STP & ETP, connect online data to CPCB/ MPCB Server within 3 months and furnish B.G. of Rs. 3 Lakh towards compliance of the same; 4. Industry shall make provision towards utilization of treated effluent in the process, for cooling tower, toilet flushing by providing proper conveying system for individual industrial unit; 5. PP shall develop green belt along the periphery of Industrial Park as per CPCB guidelines; 6. PP shall make the provision for scientific storage and disposal of HW & non-hazardous waste by providing dedicated site within the Industrial Park; 7. Individual industry in the Industrial Park will be responsible for obtaining their Consent to E 8. stablish & Operate separately from the Board; 9. PP shall install 2 nos. of CAAQM station at Windward & Leeward site; 10. PP shall install 2 nos. of Piezometer to monitor groundwater quality at upstream & downstream of groundwater flow within Industrial Park; 11. PP shall submit an undertaking in prescribed format regarding compliance of conditions of EC and Consent to Operate; and 12. PP shall extend existing Bank Guarantee of Rs. 30 Lakh towards O&M of ETP/STP/OWC and compliance of EC/ Consent conditions.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>The Consent shall be issued after submission of-</p> <p>a) NOC from CGWB/ Irrigation Dept. for use of ground water & surface water respectively;</p> <p>b) Time bound proposal for achieving BOD standard 10 mg/l within one year.</p>
3	MPCB-CONSENT-0000056338	M/s Hindustan Petroleum Corporation Limited, CTS No. 382, 382/1 to 382/66 North of HPCL Mumbai Refinery and East of B. D. Patil Marg, Chembur, Mumbai-400 074.	APPROVED Amendment in Consent to Establish for change in configuration	--	<p>CAC noted that PP has applied for amendment in Consent to Establish for installation of 38 Nos. tanks (with gross capacity of around-3,60,000 KL) in place of 28 Nos. of (with gross capacity of around-4,68,000 KL).</p> <p>In view of present Environmental situation at Mahul and ongoing litigation, CAC on 11/12/2018 has decided to defer the case and call the PP for presentation before CAC along with detailed information of Storage tanks & pollution load before and after change in detailed Engineering of the proposed unit.</p> <p>PP has made presentation before CAC on 07/02/2019 along with detailed information of Storage tanks & informed that pollution load will not increase as the total storage capacity of the petroleum products will not increase due to proposed change in configuration.</p> <p>In view of above, it was decided to grant amendment in Consent to Establish by imposing the following conditions;</p> <p>1. Industry shall carry out study of VOC emissions from existing as well as proposed change in configuration and submit comparative statement to CAC within 6 months or prior to obtaining Consent to operate whichever is earlier.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
4	MPCB- CONSENT- 0000057302	Hindustan Petroleum Corporation Limited, Survey No. 234/482 Mumbai Refinery, East of B.D. Patil Marg, Chembur, Mumbai- 400 074.	APPROVED Amendment in Consent to Establish for change in configuration	--	<p>CAC noted that PP has applied for amendment in Consent to Establish for increase in Light distillate qty from 465.5 to 547.8 TMT/A, decrease in Middle distillate qty from 853.0 to 829.0 TMT/A, decrease in Other heavy products including refinery fuel loss qty from 129.0 TMT to 67.0 TMT, decrease in Elemental Sulphur qty from 41.0 TMT/A to 35.0 TMT/A, increase CPP capacity from 81 MW to 90 MW.</p> <p>In view of present Environmental situation at Mahul and ongoing litigation, CAC on 11/12/2018 has decided to defer the case and call the PP for presentation before CAC along with detailed information of Storage tanks & pollution load before and after change in detailed Engineering of the proposed unit.</p> <p>PP has made presentation before CAC on 07/02/2019 along with detailed information of Storage tanks & informed that pollution load will not increase as the total storage capacity of the petroleum products will not increase due to proposed change in configuration.</p> <p>In view of above, it was decided to grant amendment in Consent to Establish by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. Industry shall carry out study of VOC emissions from existing as well as proposed change in configuration and submit comparative statement to CAC within 6 months or prior to obtaining Consent to operate whichever is earlier.
5	MPCB- CONSENT- 0000032035	M/s Karanja Terminals & Logistics Pvt Ltd. Karanja Creek, Tal: Uran Dist: Raigad.	APPROVED Consent to 1 st operate (Part)	31.03.2023.	<p>Committee noted that PP has applied for 1st consent to operate (Part) for operation of the jetty. As per the decision of CAC meeting held on 10.12.2018, PP has made presentation and submitted a compliance report with respect to conditions stipulated in Environmental Clearance and consent to Establish vide letter dated 22.01.2019.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>In view of above, it was decided to grant 1st consent to operate [part] for port activities except handling of coal and subject to any order passed and may be passed by Hon'ble NGT , Hon'ble High Court and other Courts and by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs.10 Lakhs towards O & M of PCS to achieve consented standards. 2. PP shall Submit BG of Rs.10 Lakhs towards compliances of consent conditions. <p>Consent shall be issued after receipt of additional consent fees if any from the PP.</p>
6	MPCB- CONSENT- 0000046134	Angre Port Private Limited (Sande Lavgan Village) At post: Sande, Lavgan, Tal & Dist: Ratnagiri.	APPROVED Renewal of Consent to operate	30.09.2022.	<p>Committee noted that PP has applied for renewal of consent to operate for operation of the jetty. As per the decision of CAC meeting held on 11.12.2018, PP has made presentation about types of material to be handled at this port, pollution control system provided and submitted a compliance report with respect to conditions stipulated in Environmental Clearance and consent to operate.</p> <p>In view of above it was decided to grant renewal of consent to operate for handling of all liquid, bulk and break bulk and project cargos containers for the five years period and for handling of the coal at the port for one year period by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall provide the following air pollution control systems. <ol style="list-style-type: none"> I. PP shall provide adequate dust suppression and water sprinkling system. II. PP shall use close /covered transportation system for coal.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted up to	Remarks / Discussion
					<p>III. PP shall provide scientific collection, treatment and disposal arrangement for the effluent arising due to coal handling at the port.</p> <p>2. PP shall carry out feasibility report within one year about dispersion of coal particles and adequacy of air pollution control system during loading and unloading of the coal at the port.</p> <p>3. PP shall not handle any type of the hazardous waste/ material at the port.</p> <p>4. PP shall comply conditions stipulated in the Environmental Clearance.</p> <p>5. PP shall submit BG of Rs.10.0 Lakhs towards O & M of PCS.</p> <p>6. PP shall submit BG of Rs.10 Lakhs towards compliances of the consent conditions.</p> <p>Consent shall be issued after receipt of additional consent fees, if any from PP.</p>

The meeting is ended with vote of thanks.

-----0000-----