

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 13th Consent Appraisal Committee Meeting of 2022-2023 held on 18.01.2023 at Dalamal House, Nariman Point, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Pravin Darade,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri Ravindra Pawar,
Dy. CEO (Env.), MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |
| 4. Dr. Jitendra Sangewar,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The meeting thereafter deliberated on the fresh agenda items [Booklet No. 61 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 61					
1	MPCB- CONSENT- 0000110938	Dreamworld Landmarks LLP S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P), S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P), Taluka Haveli, District Pune, State Maharashtra Haveli	REFUSED Renewal of consent (Part)	-----	<p>Committee noted that PP has applied for renewal of consent (Part-I) for residential buildings No. A, B, C, D, E, F & G on total plot area of 1,22,547 Sq.Mtr & construction BUA of 80,474.44 Sq.Mtr out of total construction BUA of 2,66,071.44 Sq.Mtr.</p> <p>Committee also noted that the case was discussed & approved in CAC meeting dated 14.09.2022. Consent shall be issued after submission of audited balance sheet, penal fees & additional consent fees towards renewal of consent for further period within one month, if not paid then we may issue SCN. Accordingly, this office has issued mail vide dated 28.09.2022 for submission of additional consent fees of Rs. 9,86,520/- towards renewal of consent & penal fees of Rs. 48,24,488/- towards delay in renewal of consent (Part-I) by 714 days. However, PP has not submitted the same, till date. Also, issued SCN for refusal of consent vide dated 22.11.2022, however, PP has not submitted any say/reply to this office till date.</p> <p>After due deliberation, it was decided to refuse the consent application & issue final refusal order due to above non-compliance.</p>
2	MPCB- CONSENT- 0000119280	Shree Siddheshwar Sahakari Sakhar Karkhana Ltd Kumathe Soalpur	APPROVED Renewal of Consent	31.07.2023	Committee noted that PP has applied for Renewal of Consent for 2500 TCD Sugar unit and applied for 1 st consent to operate for expansion with existing renewal i.e for total 4900 TCD sugar unit vide UAN No. MPCB-CONSENT-0000143134.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		21/1 to 21/6 Kumathe North Solapur			<p>Committee also noted that the case is earlier discussed in CAC meeting dtd.03.12.2021, 24.06.2022 and dtd.23.11.2022.</p> <p>In earlier CAC case is differed and SCN for refusal issued on 05.09.2022 & 14.12.2022.</p> <p>Committee further noted that PP yet not accorded EC for expansion and PP already carried out expansion without EC and Consent.</p> <p>PP also takes excess production than the consented limits.</p> <p>Committee further noted that RO Pune has filed a criminal complaint against Shree Siddheswar SSK Ltd vide case No. 822/2021 Before JMFC district court Solapur. Sanjay Thobde filed O. A. No. 18/2021 before Hon'ble NGT (WZ Pune Bench).</p> <p>Regional Officer Pune issued direction that not to resume production activity till obtain Environmental Clearance and Consent to Operate for Expansion of the Board.</p> <p>Hon'ble NGT issued order on 21.11.2022 in the matter Original Application No. 18/2021(WZ) and ordered that - Project Proponent should not be allowed to proceed with the crushing of cane at all till the EC has been taken.</p> <p>Committee further noted that, PP approaches to Hon'ble Supreme Court of India regarding orders issued by Hon'ble NGT and Hon'ble Supreme Court ordered on 03.01.2023 and inclined to partly stay the operation of impugned order that is, the direction given in paragraph 30 restraining the appellant from</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>crushing of cane till the time environment clearance is granted, subject to the</p> <p>condition that the appellant will not exceed crushing @ 5000 TCD (Tons of Cane per Day). We have passed this order as the appellants have relied upon Serial No. 5(j) of the schedule to the notification S.O. 1533 (E) dated 14.09.2006 of the Ministry of Environment and Forests.</p> <p>After due deliberation, it was decided to Grant Consent to operate for Cane crushing capacity of 4900 TCD, by imposing following conditions;</p> <ol style="list-style-type: none"> 1. The consent is issued without prejudice to the orders passed by Hon'ble National Green Tribunal, Hon'ble High Court & Hon'ble Supreme Court of India. 2. By forfeiting BG of Rs. 5 lakh for non-compliance of consent conditions and by obtaining BG of Rs. 25 lakh for compliance of consent conditions & Operation & maintenance of pollution control system. 3. PP shall submit crushing data to SRO & RO office on daily basis.
3	MPCB- CONSENT- 0000130753	Vulkan Technologies Pvt. Ltd. Gat No. 1097 and 1102, A/P- Pirangut, Tal- Mulshi Pune	APPROVED 1 st consent to operate for expansion and renewal of consent	31.01.2025	<p>Committee noted that PP has applied for 1st consent to operate for expansion and renewal of existing consent.</p> <p>Committee also noted that, there is another application of the PP vide UAN No. 122247 for 1st operate and both the application were discussed in the earlier CAC and was deferred and call the PP for technical presentation with respect to non-completion of installation work of plant & machinery, changed casting activity</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>prior to obtain C to E, non-installation of ZLD, JVS exceedance and non-disposal of HW of category No. 5.2 & 35.3.</p> <p>Committee further noted that PP has presented the details as the project fund mentioned that Pollution load will be reduced as using Aluminum Ingots instated of scrap. PP has installed Evaporator to achieve the ZLD. Also SRO office has verified the compliance made by the unit.</p> <p>After due deliberation, it was decided to consider the case for grant of 1st consent to operate for expansion and renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs. 5 Lakhs towards change of activity without obtaining prior permission from the Board. 2. PP shall submit BG of Rs. 25 Lakh towards O & M of pollution control systems and compliance of consent conditions.
4	MPCB- CONSENT- 0000129752	NRB Bearings Ltd., Plot No. E 72, 1/2, Waluj MIDC, Aurangabad.	APPROVED Renewal of consent	28.02.2025	<p>Committee noted that PP has applied for renewal of consent to operate for mfg. of Bearing and Bearing components – 1,30,00,000 nos./month and Needle Roller- 5000 Lakhs Nos./month.</p> <p>Committee also, noted that the case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred & decided to issue SCN for refusal of consent due to non-submission of adequacy of existing ETP to take additional load, non-submission of improvement/upgradation plan of O&M of ETP & STP and differentiate in disposal path of treated effluent.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that this office has SCN issued on 12.09.2022 due to above non-compliances & subsequently, PP has submitted reply vide dated 29.09.2022 & reported that there is no change in process and production hence there is no increase in the volume of effluent. The volume is 40 CMD same as previous consent. There is no change in the disposal pathway for the treated effluent as well as the domestic effluent and it is same as per the previous consent. Out of 40 CMD treated trade effluent, 20 CMD recycled for secondary purposes & remaining 20 CMD shall be discharged to the CETP. Further, out of 50 CMD treated sewage, 25 CMD shall be recycled for secondary purpose (toilet flushing) & remaining 25 CMD shall be discharged to the CETP.</p> <p>After due deliberation, it was decided to grant renewal of consent for mfg. of Bearing and Bearing components – 1,30,00,000 nos./month and Needle Roller- 5000 Lakhs Nos./month by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall properly operate the pollution control system to achieve the consented norms. 2. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions. <p>Industry fees of Rs. 14,04,850/- is balance with Board & industry has paid of Rs. 10,74,294/-along with this application.</p>
5	MPCB- CONSENT- 0000132472	Lucina Land Development Limited	NOT APPROVED Renewal of Consent	-----	Committee noted that PP has applied for grant of renewal of part consent to operate (Premium Building) No-21 for total Plot area of 95,570 Sq.Mtr. & Total construction BUA of 38,826.52 Sq.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		80A,83/2A,83/3,83/7+4B+5B,85/0,86/1,90/1A,90/1B,90/3B,90/4,90/7,90/8,90/9,90/10,90/11,91/2&91/5 Survey Nos. 80A & Others at Village Kon & Arivali, Taluka Panvel, District Raigad Panvel			<p>Mtr.CI for this Part is 123 Crs and total Project total CI is Rs 1208 Crs.</p> <p>Committee also noted that case was discussed in 4th CAC meeting held on 24.06.2022, it was decided to issue show cause notice for refusal of renewal of consent to (Part-VII) as PP has not applied for renewal of consent for Part- I to VI.</p> <p>Committee further noted that PP submitted reply on 15.09.2022, stating that they have handed over the Building No. 1 to 6 to co-operative housing society, hence have not applied for renewal, the STP is not oversize, and they have submitted 6 monthly EC compliance.</p> <p>After due deliberation, it was decided to issue final refusal of renewal of consent, on following noncompliance's:</p> <ol style="list-style-type: none"> 1. PP has not applied for renewal of consent for Part 1 to 7. 2. PP has not submitted point wise Environment Clearance compliance. <p>Regional Officer to issue closure direction to the project and inform to concern planning authority about the same.</p>
6	MPCB- CONSENT- 0000132997	Cummins Technologies India Pvt Ltd; (Cummins Technical Center India) Survey No. 31(pt), 32(pt) and 33(pt) Dahanukar Colony,	APPROVED Applied for 1 st Consent to Operate (Expansion) with renewal of	30.04.2027	<p>Committee noted that PP has applied for grant of 1st Consent to Operate (Expansion) with renewal of existing consent to operate for Research & Development Activity of Engine Testing and related activities.</p> <p>Committee also noted that, This application was discussed in earlier CAC and was decided to issue SCN. Reply submitted by</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Kothrud, Pune Haveli	existing consent to operate		<p>the uit is in line. There is no additional effluent and sewage generation due to expansion as the C to E obtained for Shifting of BS IV to BS VI and interior work. Recent JVS results are within the consented norms.</p> <p>After due deliberation, it was decided to consider the case for grant of 1st consent to operate for expansion and renewal of consent by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall improve the O & M of pollution control systems so as to achieve the consented norms. 2. PP shall submit BG of Rs. 25 Lakh towards O & M of Pollution control systems and compliance of consent conditions.
7	MPCB-CONSENT-0000135031	Seth Nandlal Dhoot Hospital Ltd., Plot No. A1, A2, P1/3, MIDC Chikalthana, Aurangabad.	NOT APPROVED Combined Consent & BMW Authorization, Consent to Renewal	-----	<p>Committee noted that HCE has applied for Renewal of Combined Consent & BMW Authorization for 200 beds on total plot area of 18057 Sq.Mtr & total built up area 12518 Sq.Mtr.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 24.06.2022 & was deferred & decided to call latest JVS results & BG compliance report from SRO, accordingly, the called the same from SRO, however not submitted.</p> <p>Committee further noted that HCE has not provided separate ETP to treat trade effluent generated from hospital, not submitted the BMW annual report, not submitted the as on date CA certificate along with audited Balance Sheet.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation it was decided to defer the case & issue SCN for refusal of consent due to above lapses.
8	MPCB- CONSENT- 0000134367	Olon Active Pharmaceuticals Ingredients India Pvt. Ltd. Plot No. 1,21,22,23, 24,25,26,27,28 & 44 MIDC Mahad Mahad	APPROVED Renewal of Consent	31.05.2022	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg of Active Pharmaceutical Ingredients.</p> <p>Committee also noted that, PP has segregated effluent stream & provided separate treatment system.</p> <p>Committee further noted that, Boiler (12 TPH) operated on Furnace Oil is with wet scrubber and Boiler (12 TPH) operated on briquette is with Bag Filter followed by common stack of 54 mtr height. Further, Carbon Absorption system to Rifa synthesis plant as an APC followed by stack of height 20 meter provided & process vents 8 Nos. equipped with acid alkali scrubber followed by stack of height 17 meter each.</p> <p>Committee further noted that HW generated is disposed as per consent conditions.</p> <p>Committee further noted that, the said case was earlier discussed in CAC and issued show cause notice for non-submission of justification for decrease in CI, not submitted amended EC for change in name, not submitted compliance of consent condition No. 11 to explore possibility to recycle the treated effluent and submission of compliance of solvent management. In response to the same, PP has submitted a reply which is in line with show cause notice i.e. requested to CI as per existing C to O, obtained EC on the name of the unit & submitted details of solvent management.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate & maintain pollution control systems scientifically to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste as per the provisions of H&OW Rule. 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of PCS & compliance of consent conditions.
9	MPCB- CONSENT- 0000137969	Amba River Coke Limited., Geetapuram Dolvi, Tal. Pen, Dist. Raigad	APPROVED Renewal of Consent with increase in CI	31.05.2024	<p>Committee noted that PP has applied for renewal of consent with increase in CI for the manufacturing of Dry Coke- 1 MTPA and By products.</p> <p>Committee also noted that, the case was discussed in the earlier CAC and was deferred and call the PP for technical presentation on compliance of consent and EC conditions and status of the Hon'ble NGT court case</p> <p>Committee further noted that, PP has made presentation and briefed about overall production process of the unit including Raw material handling, technology comparison in the phase-I & Phase-II, details of the NGT case and status of the same</p> <p>Committee further noted that there is court case in Hon'ble NGT regarding overall pollution from M/s. JSW Steel Ltd.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. By forfeiting proportionate BG of Rs. 5 Lakh towards JVS exceedance and imposing total BG of RS. 25 lakh towards operation and maintenance of pollution control system and compliance of consent conditions. 2. PP shall provide monitoring system for Benzo(a) pyrene (Bap) parameter. 3. PP shall submit action plan for control of fugitive emission generated from coke oven battery section, coke pushing in coke oven and during quenching operation within a month. 4. PP shall comply with the recommendation of CREP. 5. PP shall comply the conditions of the Environmental Clearance conditions vide no. F.No.J-11011/286/2007-IA-II(I) dtd. 12.01.2009. 6. PP shall comply the conditions of the Environmental Clearance conditions vide no. F.No.J-11011/76/2013-IA-II(I) dtd. 25.08.2015 7. This Consent is issued subject to an order passed or may be passed by Hon'able NGT in application no. OA. 165 of 2020
10	MPCB- CONSENT- 0000137238	Aurangabad Electrical Limited Plant III Gut No. 118, 120, 121, 122, Gut No. 118, 120, 121, 122, Vill. Pangra, Chitegaon, Paithan	NOT APPROVED 1st Consent to Operate (Expansion) with renewal of	-----	Committee noted that PP has applied for grant of 1 st Consent to Operate (Expansion) with renewal of existing consent to operate for manufacturing of Aluminium Pressure Die Casting, powder coated Aluminium Pressure Die casting, Brake shoe & aluminium ingot.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Road, Tq. Paithan, Dist. Aurangabad.	existing consent to operate		<p>Committee also, noted that the case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred & decided to issue SCN for refusal of consent due non-compliances such as i) STP performance is not satisfactory as JVS collected on 24/5/2021 & 31/3/2022 are exceeded, ii) Land available for disposal of sewage is inadequate, iii) Not submitted details of Air Pollution control system provided at chrome plating section, iv) Not submitted Audited balance sheet, v) BG not submitted.</p> <p>Committee further noted that SCN was issued on 05.09.2022 due to above non-compliances & subsequently, PP has submitted the reply vide dated 17.09.2022 on above noncompliance.</p> <p>After due deliberation, it was decided to defer the case and put up after obtaining verification from the SRO regarding SCN compliance and latest JVS results after sampling.</p>
11	MPCB- CONSENT- 0000138018	DR.G.D.POL FOUNDATION Plot No. 16, 16A, 18, Sector 4, Kharghar, Navi Mumbai	NOT APPROVED Combined Consent & BMW Authorization, Consent to Renewal	-----	<p>Committee noted that HCE has applied for Renewal of combine consent and BMW authorization for Hospital having 440 Beds with incorporation of dental chairs 350 Nos on total plot area of 28,972 Sq.Mtr & BUA of 24,207 Sq.Mtr.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 28.07.2022 & decided to defer the case & call the HCE for technical presentation due to increased BUA by 10,017.16 Sq.Mtrs. without obtaining Environment Clearance and Consent to Establish & Operate from the Board, also increase in number of beds by 350 nos. & has obtained BHNS & CBMWTSDF NOC only for 270 beds, however presentation</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>was not extended. Also, HCE has not submitted the audited balance sheet.</p> <p>After due deliberation it was decided to defer the case & issue SCN for refusal of consent due to HCE has increased the BUA by 10,017.16 Sq.Mtr, increased the number of beds by 350 Nos & obtained the BNH certificate & CBMWTSDF membership for 270 beds only and non-submission of recent audited balance sheet.</p>
12	MPCB- CONSENT- 0000110179	P. D. E. A's Ayurved Rugnalaya & Streling Meltispeciality Hospital Near Bhel Chowk, Nigdi Pradhikaran, Pune-411044	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.03.2024	<p>Committee noted that PP has applied for Renewal of combine consent and BMW authorization for Hospital activity for 220 Beds with Total plot area 5618 Sq.Mtrs and Total BUA 4950 Sq.Mtr.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 30.08.2022 & was deferred & decided to issue SCN for refusal of consent due to operating HCE without valid consent, non-submission of BG as per earlier consent conditions, non-provision of full-fledged ETP & HCE does not have valid BHNS.</p> <p>Committee further noted that Board office has issued SCN vide dated 29.11.2022 & reply submitted on 02.12.2022 along with BGs.</p> <p>Committee also noted that the previous combine consent & BMW authorization was valid up to 31.03.2020 & applied on 19.05.2022 which attracts the penal fees.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of combine consent & BMW authorization for Hospital activity for 220 Beds with Total plot area 5618 Sq.Mtrs and Total BUA 4950 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> 1. HCE shall properly operate ETP & STP to achieve consented norms. 2. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after receipt of penal & additional fees after verification of audited balance sheet of HCE.</p>
13	MPCB- CONSENT- 0000140720	Oberoi Constructions Limited CTS No.543, Village Nahur Mulund Mulund	APPROVED Revalidation of Consent to Establish	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for residential Construction project having TPA of 37,745 Sq.m and TCBUA of 3,76,112.12 Sq.m.</p> <p>Committee also noted that, PP has obtained C to E dtd. 29/11/2018, EC dtd. 13/10/2015. Proposed to provide STP and OWC.</p> <p>After due deliberation it was decided to grant Revalidation of Consent to Establish by imposing BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.</p>
14	MPCB- CONSENT- 0000142938	Kalyani Maxion Wheels Pvt. Ltd. (Truck Wheel Plant), Gut No. 635, Kuruli Village, Tal. Chakan, Dist. Pune	APPROVED Renewal of consent	30.09.2025	<p>Committee noted that PP has applied for renewal of Consent to Operate for Automobile wheels & Rims.</p> <ol style="list-style-type: none"> 1. Committee also noted that, This case was discussed in the earlier CAC and was decided to issue SCN for non-compliances such as, JVS exceedance, disposal of effluent not as per consent, not having adequate land, CI increased, and non-submission of Bank Guarantee as per consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, PP has submitted reply mentioning that, JVS results exceeded are the post pandemic period were the operations are not 100% started this may be the reason for JVS exceedance, and the latest JVS are within the limit. They are planned to install tertiary system to use the water for cooling tower or in secondary process. They have adequate land for gardening. The increase in the capital Investment is due to machinery, Robot installation, R & D testing machine inspection equipment, Furniture, tools and gauges & software development and automation only without increase in production quantity and submitted BG of Rs. 5 Lakh as per earlier consent condition.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions. <p>Consent shall be issued after obtaining verification report for SCN from the SRO office.</p>
15	MPCB- CONSENT- 0000142980	Kalyani Maxion Wheels Pvt. Ltd. (Car Wheel Plant), Gut No. 635, Kuruli Village, Tal. Chakan, Dist. Pune	APPROVED Renewal of Consent	30.09.2025	<p>Committee noted that PP has applied for renewal of Consent to Operate for Automobile wheels & Rims.</p> <ol style="list-style-type: none"> 1. Committee also noted that, This case was discussed in the earlier CAC and was decided to issue SCN for non-compliances such as, JVS exceedance, disposal of effluent not as per consent, not having adequate land, Not operating APCs regularly, and non-submission of Bank Guarantee & Board Resolution as per consent conditions

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has submitted reply mentioning that, JVS results exceeded are the post pandemic period were the operations are not 100% started this may be the reason for JVS exceedance, and the latest JVS are within the limit. They are planned to install tertiary system to use the water for cooling tower or in secondary process. They have adequate land for gardening. There was some minor breakdown in the scrubber, same started immediately. PP was submitted BG of Rs. 5 Lakh & Rs. 2 Lakhs as per earlier consent condition, submitted Board Resolution</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions. <p>Consent shall be issued after obtaining verification report for SCN from the SRO office.</p>
16	MPCB- CONSENT- 0000144764	Dalmia Cement Bharat Limited (Murli Industries Limited) Chandrapur Cement Works 63,83,84,85,87,89, 90,91-94, 96- 105,148, Village- Naranda, Tal-	APPROVED Consent to 1 st Operate for WHRB based Power Plant and Renewal of consent with increase in CI	31.10.2023	<p>Committee noted that PP has applied for First consent to operate for WHRB based Power Plant-16 MW. Solid AFR System-1200 MT/day & Liquid AFR system-120 KL/day and renewal of consent for Integrated Cement Plant & CPP. PPC/OPC-2.86 MTPA, Clinker-2.0 MTPA, CPP (2 x 16.5 MW)-33 MW, AFR (Co-processing of Non-HW)-300 MT/Day along with change in name of the industry from M/s Murli Industries Limited to M/s Dalmia Cement Bharat Limited.</p> <p>Committee also noted regarding Pollution control system-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Korpana, Dist- Chandrapur.			<ul style="list-style-type: none"> • Provided ETP & STP, • Provided Bag filter to Cement Mill-1 & 2, Bag house to Coal mill, Pulse Jet Bag House to Raw Mill & Kiln Outlet, ESP to Clinker Cooler, Bag Filter to Cement Packer-1, 2 & 3 and ESP-1 & 2 to 2 x 16.5 MW CPP, • Covered sheds are provided for the raw material storage, silos are provided for the storage of fly ash and cement • Bag filters are installed at material transfer points. • Concrete roads are provided at plant site for internal road transportation. • Mobile water tankers are provided for water sprinkling on roads • Provided OCEMS & CAAQMS & connected to MPCB & CPCB servers <p>Committee further noted that the Case was discussed in CAC meeting held on 02.12.2022 and it was decided to defer the case and issue show cause notice towards non-compliances of consent and EC conditions. Board has issued show cause notice vide letter dated 16.12.2022.</p> <p>Industry has submitted the reply of SCN vide letter dated 17.12.2022 stating that-</p> <ol style="list-style-type: none"> 1. Submitted the details of storage and handling of Hazardous waste, feeding arrangements, transportation and other infrastructure for handling of hazardous waste in premises

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2. Details regarding transport and handling of the hazardous waste submitted as Annexure-2.</p> <p>3. Application made for authorization for co-processing of HW in cement mill under H&OW (M & TBM) Rules, 2016.</p> <p>4. Audited Balance sheet for the year 2022 & justification about increase in CI submitted-Annexure-3 & 4.</p> <p>5. Certificate of incorporation consequent upon change of name for Register of Companies is submitted. Annexure-5</p> <p>6. Membership of CHWTSDf will be obtained shortly.</p> <p>7. Electrification work at WHRB completed and Unit is ready for trial run.</p> <p>8. Construction work for storage of solid HW is completed</p> <p>9. Increased frequency of the water sprinkling on road by tanker to control fugitive dust emission.</p> <p>10. Bag filter suction line maintenance work done to control Fugitive emission from clinker storage area.</p> <p>JVS result- Analysis result of AAQM carried out on 22.03.2022 are exceeding the standards for parameter PM10. However latest monitoring results of AAQM carried out on 29.09.2022 are within permissible limit.</p> <p>After due deliberation, it was decided to grant 1st Consent to operate for WHRB based Power Plant-16 MW. Solid AFR System-1200 MT/day & Liquid AFR system-120 KL/day and renewal of consent for Integrated Cement Plant & CPP. PPC/OPC-2.86 MTPA, Clinker-2.0 MTPA, CPP (2 x 16.5 MW)-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>33 MW, AFR (Co-processing of Non-HW)-300 MT/Day along with change in name of the industry from M/s Murli Industries Limited to M/s Dalmia Cement Bharat Limited, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.5.0 Lakh towards exceeding AAQM results 2. Industry shall obtain the authorization under H&OW (M & TBM) Rules, 2016 and as amended. Industry shall not utilize the HW brought from industries directly for co-processing unless obtain authorization under H&OW (M & TBM) Rules. 3. Industry shall provide the adequate storage, shed and facilities for handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016 & as amended. 4. Industry shall extend the existing BG of Rs.50.0 Lakh as per earlier consent for the period up to 31.10.2025.
17	MPCB- CONSENT- 0000145273	Angre Port Private Limited Village -Sande Lavgan, Post- Jaigad, Tal & Dist- Ratnagiri	APPROVED Renewal of Consent with increase in CI	30.09.2024	Committee noted that PP has applied for renewal of consent for handing of dry material cargo-30,00,000 Ton/A & wet material cargos-8,00,000 Ton/A at Angre port. Provided STP of capacity 16 CMD. Treated effluent is being utilized on land for gardening/plantation. Provided sprinkling arrangement to hopper at jetty & also provided fog cannon to suppress fugitive emission generated during loading-unloading of the material.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that the AAQM carried out on 28.10.2021 in the port area exceeded the standards. RSPM (PM10) – 523 & 1194 against the standard of 100 ug/m3. JVS report of effluent sample from STP outlet are exceeding the standards for BOD and COD parameter. BOD-105 (Std-30) and COD-336 (std-100). Earlier the Case was discussed in CAC meeting held on 02.12.2022 and it was decided to defer the case and issue show cause notice towards non compliances of consent conditions.</p> <p>Committee further noted that Board has issued SCN vide letter dated 16.12.2022. Industry has submitted the reply of SCN vide letter dated 19.12.2022 stating that-</p> <ol style="list-style-type: none"> i. During the AAQM monitoring in COVID period, Foggers and dust suppression system were being installed, and the STP work was in progress. ii. Audited Balance sheet submitted herewith. iii. HW annual return Form-4 and Environment Statement Form-V submitted. iv. Compliance of consent conditions and EC conditions submitted herewith. <p>Industry vide letter dated 19.12.2022 requested for additional permission for coal handling for existing renewal of consent & submitted that following air pollution control measures taken-</p> <ol style="list-style-type: none"> a. Fog Canon AP-60 & AP-40 installed for dust suppression. b. Provided RCC floor yard for coal storage with leachate collection system and water sprinkling system at yard. c. Spraying water on road for reduction of fugitive dust emission. d. Planted trees within premises.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent for handling of dry material cargo-30,00,000 Ton/A & wet material cargos-8,00,000 Ton/A along with handling of Coal-22,00,000 Ton/Annum at Angre port by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards JVS exceedance of AAQM and STP outlet effluent. 2. Industry shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and compliance of consent conditions and EC conditions. <p>Consent shall be issued after submission required consent fees, if any.</p>
18	MPCB- CONSENT- 0000147064	SHRI SHANKAR SSK LTD. (SUGAR & Co-Gen UNIT) 288 SADASHIVNAGAR MALSHIRAS	APPROVED Renewal of consent	31.07.2023	<p>Committee noted that PP applied for Renewal of Consent for Cane crushing capacity 2500 TCD sugar unit & 20 MW cogeneration unit.</p> <p>Committee also noted that, the previous Renewal application was refused as unit fail to submit required consent fee & penal charges and also issued SCN for refusal for present application as per CAC meeting dtd. 23.11.2022 on 14.12.2022.</p> <p>Committee noted that, PP submitted request letter for waive the consent fees and penal charges, as per submission Industry was not in operation from year 2016-17 up to 2019-20 due to financial crises. PP also submitted letter from Sugar Commissioner, Pune stating that unit was not in operation in year 2016-17 to 2019-20.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant consent to Renewal of consent, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions. 2. PP shall provide OCMS before start production. <p>Consent will be issued after lapse period Consent fee and penal Charges.</p>
19	MPCB-CONSENT-0000147064	SHRI SHANKAR SSK LTD. (SUGAR & Co-Gen UNIT) 288 SADASHIVNAGAR MALSHIRAS	Renewal		Same as above application.
20	MPCB-CONSENT-0000146622	Penna Cement Industries Limited Gat No. 594 Village- Kangaon, Tal-Daund, Dist- Pune	APPROVED Renewal of Consent with increase in CI	31.01.2024	<p>Committee noted that PP has applied for renewal of consent for Cement Grinding Unit, OPC- 350000 MT/A, PPC- 300000 MT/A & Portland Slag Cement (PSC) - 50000 MT/A.</p> <p>Committee also noted that the case was discussed in CAC meeting held on 02.12.2022 & it was decided to defer the case and issue show cause notice for refusal of consent. Board has issued SCN vide letter dated 16.12.2022. Industry has submitted the reply of SCN vide letter dated 21.12.2022 stating that-</p> <ol style="list-style-type: none"> 1. During maintenance and calibration period the readings are recorded very much on higher side. 2. Compliance of consent conditions is submitted.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. Audited balance sheet submitted. Increase is capital investment due to Railway siding works and civil works of staff quarters.</p> <p>4. HW-used/spent oil quantity is very little and using it for lubrication of open gears with safety guards at plant. Generation of used/spent oil will be 200 kg/Month.</p> <p>Committee further noted that RO Pune has forfeited the BG of Rs.10.0 Lakh towards exceedance of JVS result of stack monitoring and STP outlet, as per earlier consent conditions. Analysis result of Stack monitoring carried out on 27.09.2022-TPM-56 mg/Nm³ & 04.10.2021-TPM-82.53 mg/Nm³ are exceeding the standards for TPM (STD-30 mg/Nm³) parameter. Analysis result of AAQM & STP outlet are within limit.</p> <p>After due deliberation, it was decided grant renewal of consent for one year period by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.5.0 Lakh towards exceeding the Stack monitoring results. 2. Industry shall submit the BG of Rs.25.0 Lakh towards O & M of pollution control system and compliance of consent and EC conditions for the period up to 31.12.2024.
21	MPCB-CONSENT-0000148479	KOYNA GENERATING STATION COMPLEX, STAGE-I&II	APPROVED Renewal of Consent with increase in CI	31.08.2024	Committee noted that PP has applied for renewal of consent for Electricity Generation (Hydro Electric Power Station 4x70 MW & 4x80 MW)-600 MW. Earlier the case was discussed in CAC meeting held on 23.11.2022 & it was decided to defer the case and it will be considered in the next CAC after obtaining Audited Balance Sheet and Penal charges.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Pophali, Tal-Chiplun, Dist-Ratnagiri.			<p>Industry vide letter dated 29.11.2022 submitted the reply stating that-</p> <ul style="list-style-type: none"> i) Koyna Generating Power Station Complex Pophali is a group of power stations i.e. Stage I & II, Stage-III & Stage-IV and Koyna Dam Foot Power House Koynanagar Satara. Balance sheet includes Capital investment of whole complex which submitted herewith. As such it is not practical to provide separate balance sheet for Stage-I & II. ii) This project is owned by WRD, GoM and is handed over to MAHAGENCO on lease basis for O & M iii) Capital investment increased due to upgradation of technology by erection and installation of plant and machineries with new one. iv) Minimum and Maximum tail race discharge are 10.4 m³/s (at 40 MW and 128 m³/s (at 600 MW) respectively. v) Industry requested to have a fair review regarding imposing penal fees of Rs.91,031/- for delay in submission of renewal consent by 18 days. <p>After due deliberation, it was decided to grant renewal of consent for the period up to 31.08.2024 by imposing following conditions:</p> <ul style="list-style-type: none"> 1. Industry shall submit the BG of Rs.25.0 Lakh towards O & M for the pollution control system and compliance of consent conditions. 2. Consent is issued subject to Government decision w.r.t penal fees towards delay in submission of renewal consent application by 18 days.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after receipt of additional consent fees if any.
22	MPCB- CONSENT- 0000148382	KOYNA GENERATING STATION COMPLEX, STAGE-IV Pophali, Tal- Chiplun, Dist- Ratnagiri.	APPROVED Renewal of consent with increase in CI	31.08.2024	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Hydro Electric Power Station 2x250 MW)-1000 MW. Earlier the case was discussed in CAC meeting held on 23.11.2022 & it was decided to defer the case and it will be considered in the next CAC after obtaining Audited Balance Sheet and Penal charges.</p> <p>Committee further noted that Industry vide letter dated 06.12.2022 submitted the reply stating that-</p> <ol style="list-style-type: none"> i. Koyna Generating Power Station Complex Pophali is a group of power stations i.e. Stage I & II, Stage-III & Stage -IV and Koyna Dam Foot Power House Koynanagar Satara. Balance sheet includes Capital investment of whole complex which submitted herewith. As such it is not practical to provide separate balance sheet for Stage-I & II. ii. This project is owned by WRD, GoM and is handed over to MAHAGENCO on lease basis for O & M. iii. Capital investment increased due to upgradation of technology by erection and installation of plant and machineries with new one. iv. Industry requested to have a fair review regarding imposing penal fees of Rs.5,94,541/- for delay in submission of renewal consent application by 19 days.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit the BG of Rs.25.0 Lakh towards O & M of pollution control system and compliance of consent conditions. 2. Consent is issued subject to Government decision w.r.t penal fees towards delay in submission of renewal consent application by 19 days. <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
23	MPCB- CONSENT- 0000145873	Vasantrao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No. Gut No. 799/2 Lohoner Deola	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that Industry has applied for renewal of consent for 2500 TCD sugar & 17 MW co-generation unit for CI of Rs. 243.8656 Crs. Consent to Renewal dt. 04.03.2013 for 2500 TCD sugar and 17 MW co-generation unit valid up to 31.07.2013 and CI of Rs. 184.53 Crs.</p> <p>Committee further noted that Industry is in operation without valid consent. Which is violation of revocation order by CPCB dated 14.07.2022. Also, Industry has note submit bank guarantee as per earlier consent conditions.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of renewal of consent, on above mention non-compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
24	MPCB- CONSENT- 0000144835	UTTAM GALVA STEELS LTD Village-Narangi, At Post-Donvat, Tal- Khalapur, Dist- Raigad.	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Coal based power generation plant) 2 x 30 MW=60 MW. SRO reported that unit is not in operation since 25.10.2021. Provided ETP & STP. Provided ESP to boiler, online monitoring system to stack and provided CAAQMS in premises and data connected to MPCB & CPCB servers. Provided pneumatic conveying system from ESP to Fly ash silo for fly ash collection. Provided dust collection system and automatic water sprinkling system to coal handling plant & water sprinkling system to coal stock yard.</p> <p>DG sets provided with acoustic enclosures.</p> <p>Provided Bag filter to two silos for storage of fly ash and bottom ash having capacity 370 MT and 200 MT respectively.</p> <p>Committee also noted that the case was discussed in CAC meeting held on 02.12.2022 and it was decided to defer the case and issue show cause notice for non-compliances of consent conditions.</p> <p>Board has issued show cause notice vide letter dated 16.12.2022. Industry has submitted the reply of SCN vide letter dated 21.12.2022 stating that-</p> <ol style="list-style-type: none"> i. Copy of the latest CA certificate & audited balance sheet for the year-2020-2021 submitted. ii. Using coal having less than 1% sulphur content. iii. Source of water supply is Patalganga River for which permission obtained from Irrigation department GoM. iv. Statement for fly ash utilization for the year 2021-2022 submitted.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>v. The operation Power plant is suspended from Nov-2021 to till date. Hence Form-4 of HW not submitted. After due deliberation, it was decided to grant the renewal of consent, by recovering the penal fees of Rs.8,04,639/- from balance consent fees Rs. 17,19,960/- with the Board as per earlier consent and by imposing following conditions-</p> <ol style="list-style-type: none"> 1. Industry shall submit the BG as per earlier consent conditions valid for the period up to 31.12.2025. 2. PP shall submit the action plan along with bar chart regarding the compliance to achieve the emission standards including installation of FGD system as per the MoEF notification dated 05.09.2022 within a month period. <p>Consent shall be issued after obtaining the audited balance sheet and verifying capital investment accordingly.</p>
25	MPCB- CONSENT- 0000151795	AKZPNOBEL INDIA LIMITED PLOT NO.1/1 PLOT NO.1/1, TTC INDUSTRIAL AREA, KOPERKHAIRANE , NAVI MUMBAI. NAVI MUMBAI	APPROVED Renewal of Consent	31.12.2025	<p>Committee noted that PP has applied for renewal of consent with enhancement in capital investment.</p> <p>Committee also noted that PP has provided ETP & STP for treatment of trade effluent & sewage respectively.</p> <p>Committee further noted that, PP has provided air Pollution control system at all sources of emissions. Hazardous Waste shall be disposed as per the provisions of Rule.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate & maintain pollution control systems scientifically to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste as per the provisions of H&OW Rule. 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of PCS & compliance of consent conditions.
26	MPCB- CONSENT- 0000151829	BALKRISHNA INDUSTRIES LIMITED F-19 & F- 20 GUT NO.62, 65 & 66 MIDC WALUJ AURANGABAD F- 19 & F-20 GUT NO.62, 65 & 66 MIDC WALUJ AURANGABAD GANGAPUR	NOT APPROVED Renewal of Consent	----	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg of Tyre & Tubes.</p> <p>Committee also noted that, PP has provided ETP followed by RO & MEE to achieve ZLD. Also, provided STP for treatment of domestic wastewater.</p> <p>Committee further noted that, existing coal Boiler equipped with ESP & stack and HW disposal as per consent conditions.</p> <p>Committee further noted that, Regional Office, Aurangabad has initiated legal Action i.e. proposed direction on 11/10/2022 mentioning various non-compliances and reply submitted to the directions is not satisfactory.</p> <p>After due deliberation, it was decided to issue show cause notice for non-compliance of points mentioned in the proposed directions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
27	MPCB- CONSENT- 0000152704	Bhima Sahkari Sakhar Karkhana Limited (Operated by MRN SREERAMA SUGAR AND POWER PVT. LTD.) Sugar & C 258 to 265 Madhukar Nagar Patas Daund	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that Industry has applied for Renewal of consent for 5000 TCD sugar unit and 1st operate for 19 MW.</p> <p>Committee also noted that for treatment of spent wash industry provided Bio-digester followed by Bio-composting on 11 acres.</p> <p>Committee also noted that unit was not in operation for the last 3 years.</p> <p>After due deliberation, it was decided to grant consent to Renewal of consent for 5000 TCD sugar unit and 1st operate for 19 MW, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions. 2. PP shall provide OCMS before start production. <p>Consent will be issued after operational preparedness report from RO/SRO office and additional Consent fee and penal Charges.</p>
28	MPCB- CONSENT- 0000152677	Bhima Sahkari Sakhar Karkhana Ltd. (Operated by MRN SREERAMA SUGAR AND POWER LIMITED) - DISTILLERY D 347 and 173 Madhukar Nagar Patas Daund	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that Industry has applied for Renewal of consent for 45 KLPD molasses base distillery unit.</p> <p>Committee also noted that for treatment of spent wash industry provided Bio-digester followed by Bio-composting on 11 acre.</p> <p>Committee also noted that unit was not in operation from last 3 years.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant consent to renewal for 45 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions. 2. PP shall provide OCMS before start production. <p>Consent will be issued after the operational preparedness report from RO/SRO office and additional Consent fee and penal Charges.</p>
29	MPCB- CONSENT- 0000134688	Vasantrao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No. Gut No. 799/2 Lohoner Deola	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that Industry has applied for renewal of consent for 30 KLPD molasses base distillery unit. Renewal of Consent dated 20.01.2017 for 30 KLPD molasses base distillery unit which was valid up to 30.11.2017. After 2017 Industry submitted the Consent applications on 05/09/2018 (UAN-55863) & on 09/12/2020 (UAN – 103928) was rejected by Board. In the year 2019.</p> <p>Committee also noted that for treatment of spent wash provided re-boiler followed by bio composting of 4 acres for treatment of spent wash. Increase in CI from Rs. 18.01 Cr to Rs. 49.62 Crore i.e., Rise in CI of Rs. 31.61 crore. Additional Consent fee towards rise in CI Rs. 75,000 /- & Rs. 18,28,767 /- (Penal Charges)</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided grant renewal of consent for 30 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit a bank guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. <p>Consent shall be issued after submission of penal fee for existing renewal of consent application and BG as per earlier consent conditions</p>
30	MPCB- CONSENT_A MMENDMEN T- 0000007126	P One Infrastructure Pvt. Ltd. Tech Park One, Tower "E", Next To Don Bosco School, Off Airport Road, Yerwada	APPROVED Amendment	-----	<p>Committee noted that Consent was granted to PP on 01.07.2020 for renewal of 1st part Consent to operate for IT & ITES activity which is valid up to 30.06.2024. Previous consent dated 01.10.2021 for 1st operate (Part) for commercial project.</p> <p>After due deliberation, it was decided to grant amendment in consent to renewal of part for commercial project.</p>
31	MPCB- CONSENT_A MMENDMEN T- 0000009637	Smartchem Technologies Limited Plot Nos. Plot K-1, Plot K-1 Part-1, Plot K-1 Part-2, Plot K-7 and Plot K-8, MIDC Industrial Area, Taloja, AV 410208 Dist. Raigad.	APPROVED Amendment	-----	<p>Committee noted that Board has granted Consent to Establish vide No. Format 1.0/CAC/UAN No. 0000109507/CE/2208000668 dated 15/8/2022 for mfg of Technical Grade Ammonium Nitrate plus Ammonium Nitrate Melt- 102000 MT/A with a condition that, Not to take any effective steps prior to obtain Environmental Clearance</p> <p>Committee also noted that Industry has now requested to delete the above condition as manufacturing unit located at K 7 K 8 at MIDC Taloja is an isolated / separate unit which manufactures only Technical Ammonium Nitrate and selling the product to the</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>outside customers permitted by PESO only and the said product not comes under fertilizer category & inorganic in nature, hence not comes under Schedule of 5 of EIA Notification. Industry has produced PESO Licence, Industry license for mfg of Ammoniacal Nitrate showing mfg explosive grade Ammoniacal Nitrogen. Industry has submitted undertaking in which reported that, Ammonium Nitrate manufactured at K-7, K-8 is not/will not be sold as fertiliser</p> <p>Committee further noted that the unit is isolated unit for mfg of Ammoniacal Nitrogen which will be utilized for explosive purposes & not as a fertilizer. The said activity does not come under EIA Notification 2006.</p> <p>After due deliberation, it was decided to grant Amendment in Consent to Operate for deletion of EC condition.</p>
<p>JD(WPC) to issue circular with reference to Phase wise construction carried out by project proponent and consideration of the capital investment as per the Board circular and in case of infrastructure project the CI shall be considered as per the EC.</p> <p>The covid period from 1st April 2020 to 31st October 2021 shall be considered for exemption of penal fees, to the projects which has failed to apply and obtained the consent. All other conditions as per the prevailing consent shall be applicable. This clarification will be issued shortly as per the decision in 179th Board meeting.</p> <p>The meeting is ended with vote of thanks.</p>					