

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 7<sup>th</sup> Consent Appraisal Committee Meeting of 2022-2023 held on 14.09.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- |  |                 |
|--|-----------------|
| 1. Shri. A. L Jarhad,<br>Chairman, MPCB  | Chairman        |
| 2. Shri Ashok Shingare,<br>Member Secretary, M.P.C. Board.   | Member          |
| 3. Shri P.K. Mirashe,<br>Technical Advisor, MIDC.  | Member          |
| 4. Dr. Y. B. Sontakke,<br>Joint Director (WPC), M.P.C. Board, Mumbai.  | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI<br>- leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.      | Invitee Member |
| 2. Dr. A.R. Supate,<br>Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,<br>Regional Officer (BMW), M.P.C. Board, Mumbai.      | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 42 of Consent to Operate cases] placed before the committee and following decision were taken:

| Sr. No.               | Application Unique Number       | Industry name and Address                                      | Decision on grant of consent  | Consent granted Up to | Remarks / Discussion  |
|-----------------------|---------------------------------|--|---|-----------------------|---|
| <b>Booklet No. 42</b> |                                 |  |   |                       |   |
| 1                     | MPCB-<br>CONSENT-<br>0000066576 | Indian institute of science education and research pune Pashan | <b>NOT APPROVED</b><br><br>Combined Consent & BMW Authorization, Consent to Operate | -----                 | <p>Committee noted that, PP applied for Combine Consent &amp; Authorization for Educational Institute for Research and Development on animals, imposing education to UG &amp; PG student for total plot area -336592 M2 and permissible BUA – 260308 M2.</p> <p>Committee also noted that Previously the application was discussed in CAC meeting dtd. 15.05.2020 &amp; approved for period up to 31.03.2025, but PP not paid additional Consent Fee of Rs. 16202805/- The application was resubmitted in CAC meeting dtd. 20.05.2022 and was decided to issue SCN for Refusal.</p> <p>Committee further noted that PP obtain EC on 25.10.2010 for construction of Institutional premises providing Education &amp; Research facilities and residential building at Indian Institute of Science Education &amp; research, Pune (Including – Residential Building) &amp; PP obtain Consent to Establish on 24.02.2012 for development of plot for new construction activities for Education and Research Activity.</p> <p>period of 1 month, if PP fail to submit_the same in time further legal action may be initiated.</p> <p>PP not submitted required fee in time.</p> <p>After due deliberation, It was decided to issue final Refusal of Consent.</p> |

| Sr. No. | Application Unique Number       | Industry name and Address  | Decision on grant of consent                                  | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|--|---|-----------------------|--|
| 2       | MPCB-<br>CONSENT-<br>0000090847 | Oberoi Realty Ltd.<br>C.T.S. No. 95/4B/3<br>& 95/4B/4 and<br>C.T.S. No. 590<br>A/A/1 | <b>NOT APPROVED</b><br><br>Consent to 1st<br>Operate (Part-I) | -----                 | <p>Committee noted that PP has applied for Consent to 1st Operate for (part 1) for residential No. 1 &amp; 2 and commercial building No. 2 for total plot area 2,30,344,2 sq. mtrs. And BUA of 5,683.09 sq. mtrs. Out of total BUA of 19,78,100.51 sq mtrs. The case was discussed in CAC meeting held on 13.06.2020 &amp; 16.06.2020 It was decided to defer the case and put up in next CAC along with explanation submitted by PP regarding why application for Consent to Operate is delayed when construction of Residential Building Nos. 1 &amp; 2 and Commercial Building No. 2 were completed in year 2016.</p> <p>Committee also noted that PP submitted reply stating that they have obtained revalidation of Environment Clearance on 17.07.2016 and delay of application was due to pandemic, they have provided separate 4 OWC's of each building, all buildings are occupied at present and SRO has submitted verification report regarding Environment Clearance conditions.</p> <p>After due deliberation, It was decided to issue show cause notice for Consent to 1st Operate for (part 1) for residential No. 1 &amp; 2 and commercial building No. 2, on following non-compliance:</p> <ol style="list-style-type: none"> <li>1. PP has obtained occupancy certificate on 17.04.2018 and already given possession, hence it is violation of consent to establish and 1<sup>st</sup> operate.</li> </ol> |
| 3       | MPCB-<br>CONSENT-<br>0000091611 | Dhoptala Opencast<br>Mine  | <b>APPROVED</b><br><br>First Consent to<br>Operate            | 31.03.2023            | <p>Committee noted that PP has applied for first consent to operate for coal mining 1.7 MTPA lease area of 1300.91 Ha.</p> <p>Committee further noted that PP has obtained consent to establish vide letter dated 07/10/2016 and Obtained Environment</p>  |

| Sr. No. | Application Unique Number | Industry name and Address                            | Decision on grant of consent | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------|--|------------------------------|-----------------------|--|
|         |                           | WCL, Near Sasti village, Tal-Rajura, Dist-Chandrapur |                              |                       | <p>clearance granted by MoEF vide No. No. J-11015/538/2008-IA.II(M) dated 10.01.2013.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 07.10.2021 and it was decided to defer the case and call the present status report from industry regarding the work of pollution control system provided by industry. PP made the presentation on 06.09.2022</p> <p>After due deliberation, it was decided to grant of 1st consent to operate by imposing following conditions-</p> <ol style="list-style-type: none"> <li>1. PP shall provide the CAAQMS within 6 months and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>2. PP shall provide Tyre Wash system at entry and exit of mine within 3 months period &amp; submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>3. PP shall install ETP for treatment of workshop effluent within 3 months &amp; submit the BG of Rs.5.0 Lakh towards compliance of same</li> <li>4. PP shall install STP for treatment of domestic effluent-15 CMD at mine area within 6 months &amp; submit the BG of Rs.5.0 Lakh towards compliance of same</li> <li>5. PP shall submit the NOC of CGWA within 3 months.</li> <li>6. PP shall provide Truck mounted Fog cannon system within 3 months &amp; submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>7. PP shall provide dust suppression system at Coal crusher, CHP, and belt conveyors within 3 months &amp; submit the BG of Rs.5.0 Lakh towards compliance of same.</li> </ol> |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent   | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|---|--|-----------------------|--|
|         |                                 |   |  |                       | <p>8. PP shall provide the Fixed Mist type water sprinkling system at haul roads and coal transportation roads within 3 months period &amp; submit the BG of Rs.5.0 Lakh towards compliance of same.</p> <p>9. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.</p> <p>10. PP shall submit the BG as per BG regime of mines.</p>   |
| 4       | MPCB-<br>CONSENT-<br>0000129699 | Mungoli Nirguda (Deep) Extension Opencast Mine, Western Coalfields Limited, Wani Area PO - Sakhara Tal-Wani, Dist-Yavatmal. | <p><b>APPROVED</b></p> <p>First Consent to Operate for expansion of Mungoli Nirguda extension deep OC Mine project from 4.375 to 5.25 MTPA within mine lease area 1267.55 ha</p> | 31.03.2023            | <p>Committee noted that PP has applied for first Consent to Operate for expansion of Mungoli Nirguda extension deep OC Mine project from 4.375 to 5.25 MTPA within mine lease area 1267.55 ha.</p> <p>Committee also noted that PP has Obtained EC for expansion project.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 25.02.2022 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP has made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided ETP, STP &amp; Sedimentation tank. Water Rain guns are installed. Mobile water tanker deployed for dust suppression. CAAQMS-1 No. Installed. AAQM results are exceeding.</p> |

| Sr. No. | Application Unique Number       | Industry name and Address                          | Decision on grant of consent                              | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|--|---|-----------------------|--|
|         |                                 |  |   |                       | <p>After due deliberation, it was decided to grant first consent to operate for expansion by imposing following conditions-</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.10.0 Lakh towards exceedance of JVS results of AAQM monitoring carried out on 01.02.2022.</li> <li>2. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>3. PP shall provide 10 Nos. Trolley mounted mist cannons within 6 month and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>4. PP shall provide the Surface miner within 3 month which will be used for extraction of coal in the mine and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>5. PP shall install in pit conveyor system and by silo loading at railway siding up to 10.01.2024 as per EC conditions and submit the BG of Rs.25.0 Lakh towards compliance of same.</li> <li>6. PP shall install one additional CAAQMS within 6 month and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>7. PP shall submit the Valid renewal NOC of CGWA within 3 months period.</li> <li>8. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.</li> <li>9. PP shall submit the BG as per BG regime of mines.</li> </ol> |
| 5       | MPCB-<br>CONSENT-<br>0000130748 | Jindal Poly Films LTD<br>373 Mundegaon<br>Igatpuri | <b>APPROVED</b><br><br>1 <sup>st</sup> Consent to Operate | 30.09.2025            | Committee noted that, PP has applied for 1 <sup>st</sup> Consent to operate with amalgamation of existing Consent to Operate.  |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                              | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|---|---|-----------------------|--|
|         |                                 |   |   |                       | <p>Committee also noted that, the said case was discussed in CAC on 28/7/2022 and issued show cause notice for started production activity prior to obtain C to O of expansion, started construction activity of another expansion prior to C to E, not recycling treated effluent into the process, not obtained endorsement of UDD on EPR plan &amp; not submitted BG for the same, not submitted compliance status of Plastic Waste Management (Amendment) Rules 2022.</p> <p>Committee further noted that, PP has submitted reply in which reported that, they have not yet started manufacturing of Capacitor grade BOPP Film and will start production only after receipt of Consent to Operate, not carried out any changes/construction activity in existing infrastructure for the production of capacitor grade BOPP film, treated effluent (858 CMD) used for gardening purpose (460619 Sq. mtr.) as per consent conditions and made agreement with PRO-M/s. Dalmia Polypro &amp; mechanism adopted by the said PRO collection &amp; disposal of plastic waste.</p> <p>After due deliberation, it was decided to consider the case for grant of 1<sup>st</sup> Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate pollution control system scientifically to achieve the consented norms.</li> <li>2. Industry shall submit/extend existing Bank Guarantee towards O&amp;M of pollution control system.</li> </ol> <p>Consent shall be issued only submission of approved EPR.</p> |
| 6       | MPCB-<br>CONSENT-<br>0000130631 | Macrotech<br>Developers Ltd<br>10/1B Village :<br>Dhokali & S. Nos. | <b>APPROVED</b><br><br>Consent to 1st<br>Operate (Part-I) | 28.02.2024            | Committee noted that PP has applied for 1st consent to operate (part). The case was discussed in 4th CAC meeting held on 24.06.2022 it was decided to issue show cause notice for refusal of consent to 1st Operate (Part) on following non-compliances:   |

| Sr. No. | Application Unique Number | Industry name and Address  | Decision on grant of consent | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------|--|------------------------------|-----------------------|--|
|         |                           | 49/1C, 04, 274/1 at Village : Kosher, Thane. Village : Balkum, Dhokali & Kolshet, Tal & Dist Thane |                              |                       | <p>1. PP has not obtained amendment in Environment Clearance in name of Macrotech Developers Ltd. 2. Not submitted Bank Guarantee as per earlier consent. 3. STP provided is oversize. 4. PP has not submitted point wise compliance of Environment Clearance.</p> <p>Committee also noted that PP replied t (a) they have applied for amendment in EC for change of name, (d) PP has submitted BG as per earlier consent conditions. (c) STP, they have provided 4.3 MLD as it is for entire project. (d) SRO, Then-1 have submitted point wise Environment Clearance compliance.</p> <p>After due deliberation, it was decided to grant of 1st consent to operate (part) of the total plot area – 355704.60 Sq. Mtr. &amp; Total built up area-27268.12 Sq. Mtr. of two nos. of buildings, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> </ol> |



| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                            | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|---|---|-----------------------|--|
|         |                                 |   |   |                       | <p>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</p> <p>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</p> <p>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition</p>   |
| 7       | MPCB-<br>CONSENT-<br>0000127252 | DDPL GLOBAL<br>INFRASTRUCTUR<br>E PRIVATE<br>LIMITED<br>S.NO.23(PT),<br>24(PT), 43 (PT),44<br>(PT),45(PT),46(PT)<br>, 47(PT), 50,.51<br>Proposed<br>residential township<br>on plot bearing<br>Survey no 23,<br>Hissa no 1,2,4 &<br>Survey & Survey no<br>24, Hissa no 1, S.<br>No. 43, H. No.<br>1,2A,3A,4K, S. No.<br>44, H. No.<br>1,2,3A,7P,8,9,10,11<br>,12,13,14,15, S.<br>No. 45, H. No.<br>1A,2A, 3A,<br>3B,4,5,6, S.No.46,<br>H. No. 4,5,6,7,8, S.<br>No. 47, H. No. | <b>APPROVED</b><br><br>Consent to<br>Operate (Part-III) | 30.11.2022            | <p>Committee noted that PP has applied for consent to 3rd Operate (Part-III) for Residential Cum Commercial Building Project. The case was discussed in 3rd CAC meeting held on 20.05.2022 it was decided to issue Show cause notice for refusal of consent to operate as PP has not submitted Environment Clearance compliance.</p> <p>Committee also noted that PP submitted reply with CA certificate consent to operate part-1 has the CI of Rs. 515.52 Crs., OWC installed, SRO has submitted verification report regarding Environment Clearance conditions.</p> <p>After due deliberation, it was decided to grant consent to 3rd Operate (Part-III) for Residential Cum Commercial Building Project for Total Plot Area- 6,02,500.0 sq.m and BUA- 2,90,914.06 sq.m out of Total BUA- 4,01,763.63 sq with CI of Rs.515.52 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> </ol> |

| Sr. No. | Application Unique Number       | Industry name and Address  | Decision on grant of consent  | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|--|---|-----------------------|--|
|         |                                 | 1A,3A,3B,4A,4B, 5,6,7,8,9, S. No. 50, H. No. 4,5,6,7,8, S. No.51, H. No. 1A, 1C,2,4, 5,6,7,8,9,10,11,12 of Village Tivri, Taluka Vasai, District Palghar 401209. VASAI |   |                       | <ol style="list-style-type: none"> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</li> <li>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition.</li> </ol> |
| 8       | MPCB-<br>CONSENT-<br>0000132989 | Jarandeshwar<br>Sugar Mills Pvt.<br>Ltd.<br>Gat No. 803 & 804<br>Chimangaon<br>KOREGAON  | <b>APPROVED</b><br><br>1st Operate<br>with<br>amalgamation of<br>existing | 31.08.2023            | <p>Committee noted that, PP applied for 1st consent to operate for 220 KLPD distillery with amalgamation of existing i.e total 300 KLPD.</p> <p>Committee also noted that, PP obtain Environmental Clearance &amp; Consent to Establish for same. PP install MEE &amp; Incineration boiler with ESP.</p> <p>Committee further noted that, Previously case was discussed and defer the application till submission of verification report from SRO regarding completion of installation work of distillery and pollution control systems.</p> <p>SRO submitted report on 29.08.2022 and stated that installation work of plant &amp; machinery is completed.</p>  |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                                     | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|---|--|-----------------------|---|
|         |                                 |   |  |                       | <p>After due deliberation, It was decided to issue 1st consent to operate for 220 KLPD distillery with amalgamation of existing i.e total 300 KLPD, By imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control system properly to achieve consented norms.</li> <li>2. PP shall comply with all the conditions of Environmental Clearance.</li> <li>3. PP shall submit/Extend Bank guarantee of Rs. 25 Lakh for compliance of consent conditions.</li> </ol> <p>Consent will be issued after verified EC compliance.</p>  |
| 9       | MPCB-<br>CONSENT-<br>0000132333 | Horizon Projects Pvt. Ltd<br>(Residential ( 1 to 5 Bldgs) of Cluster 4 and Educational Building for Ph S.No.- Usarghar-17/2,17/3,17/4/17/5 .....134/1,134/2,3,1 08/3,109, Sandap-2,21 Manpada, Usarghar-Sandap, Kalyan-Shil road Kalyan | <b>APPROVED</b><br><br>Consent to 1 <sup>st</sup> Operate (Part) | 28.02.2023            | <p>Committee noted that Case was discussed in 4th CAC meeting held on 24.06.2022 it was decided to defer the case and put it in the next CAC after obtaining clarification regarding the EC conditions for BUA – 323698.23 Sq. mtr. And verification from SRO regarding compliance of Environment Clearance.</p> <p>Committee also noted that PP stated that they have got EC for BUA – 323698.23 Sq. mtr. Only and has submitted verification report regarding Environment Clearance conditions.</p> <p>After due deliberation, we may consider grant of consent to part operate for Total construction BUA – 53615.10 sq.mtr for cluster – 4 (1 to 5 Building) and Educational Building in Phase-I, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> </ol> |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                                     | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|---|--|-----------------------|---|
|         |                                 |   |  |                       | <ol style="list-style-type: none"> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</li> <li>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition</li> </ol> |
| 10      | MPCB-<br>CONSENT-<br>0000133212 | Macrotech Developers Ltd. at Plot bearing S. No. 224, 225, 227, 228, 230, 231,235, 236, 237, 238, 239 etc. Anjur, Bhiwandi. | <b>APPROVED</b><br><br>Consent to 1 <sup>st</sup> Operate (Part) | 28.02.2023            | <p>Committee noted that PP has applied for Part consent to Operate for construction project. The case was discussed in 4th CAC meeting held on 24.06.2022 it was decided to issue show cause notice for refusal of consent to 1st Operate (Part) on following non-compliances: 1. PP has not obtained amendment in Environment Clearance in name of Macrotech Developers Ltd, 2. Provided oversize STP. 3. Not submitted point wise compliance of Environment Clearance not submitted.</p> <p>Committee also noted that PP replied stating that They have obtained amendment in EC for change of name dated 16.07.2022. STP, they have provided 2.1 MLD as it is for entire project and SRO, Bhiwandi have submitted point wise Environment Clearance compliance.</p>   |

| Sr. No. | Application Unique Number | Industry name and Address | Decision on grant of consent | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------|---------------------------|------------------------------|-----------------------|---|
|         |                           |                           |                              |                       | <p>After due deliberation, it was decided to grant of Part consent to Operate for construction project having total plot area 560167 Sq. mtrs. part built up area. 113373.75 sq. mtrs out of total built up area 169528.08 sq. mtrs. on the name of M/s. Macrotech Developers Ltd., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</li> <li>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition.</li> </ol> |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent  | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|---|---|-----------------------|---|
| 11      | MPCB-<br>CONSENT-<br>0000134559 | Balaji Amines Ltd.<br>Unit-IV<br>Plot No. F-104<br>Chincholil MIDC<br>Mohol | <b>APPROVED</b><br><br>Consent to Operate<br><br>(2 <sup>nd</sup> Part) | 30.04.2027            | <p>Committee noted that, PP has 2<sup>nd</sup> part Consent to Operate for mfg of Di-methy Carbonate (DMC), Propylene Carbonate &amp; Propylene Glyco.</p> <p>Committee also noted that, PP has separately applied for renewal of consent to operate for existing activity vide No. MPCB-CONSENT-0000131080 and as per the Board policy, it will be appropriate to issue combine consent (by merging both the applications).</p> <p>Committee also noted that, PP has segregated effluent into strong &amp; weak stream &amp; provided separate treatment system and treated effluent is 100% recycled in the process to achieve ZLD.</p> <p>Committee further noted that, PP has provided air pollution control systems and disposal of Hazardous Waste as per the provisions of Rule.</p> <p>Committee further noted that, the said case was discussed on 28/7/2022 and issued SCN for non-installation of IP Camera with night vision as per existing consent condition, failed to submit compliance of Environmental clearance conditions &amp; non-submission of Statutory submissions.</p> <p>Committee further noted that, PP has submitted reply, which is satisfactory as installed IP camera, received EC verification from SRO and submitted Form-IV.</p> <p>After due deliberation, it was decided to 2<sup>nd</sup> part consent to operate with renewal of existing Consent to Operate (amalgamation) by imposing following conditions:</p> |

| Sr. No. | Application Unique Number       | Industry name and Address  | Decision on grant of consent                                    | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|--|---|-----------------------|---|
|         |                                 |  |   |                       | <ol style="list-style-type: none"> <li>1. Industry shall operate Effluent Treatment Plant scientifically &amp; recycle the entire treated effluent into the process to achieve ZLD.</li> <li>2. Industry shall dispose the Hazardous Waste regularly by</li> <li>3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&amp;M of Pollution Control.</li> </ol>   |
| 12      | MPCB-<br>CONSENT-<br>0000132956 | Caroa Properties<br>LLP<br>Sr. No. 38/0 &<br>others Phase- I of<br>proposed<br>Integrated<br>Township project at<br>Sr. No. 38/0 &<br>others of village:<br>Khanavale &<br>Talegaon, Taluka<br>Panvel & Khalapur.<br>Panvel & Khalapur | <b>APPROVED</b><br><br>Consent to<br>Operate (Part)<br>(Pase-I) | 28.02.2023            | <p>Committee noted that Case was discussed in 4th CAC meeting held on 24.06.2022 it was decided issue show cause notice for refusal of consent to 1st Operate (Part) as PP has obtained amendment in Environment Clearance for increase in plot area &amp; Built-up area but have not obtained C to E for same and compliance of Environment Clearance not submitted.</p> <p>Committee also noted that PP replied to SCN stating that they have obtained EC for expansion BUA on 25.06.2020, submitted Environment Clearance compliance and have also submitted audited balance sheet and SRO has not submitted verification of Environment Clearance compliance.</p> <p>After due deliberation, we may consider grant of part consent to operate (phase I) for total plot area 30175.177 Sq.Mtr out of TPA 431675.638 Sq. Mtr. &amp; Total BUA 74246.521 Sq.Mtr, out of Total BUA 676694.98 Sq.Mtr. with CI of 200 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> </ol> |



| Sr. No. | Application Unique Number       | Industry name and Address  | Decision on grant of consent                  | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|--|---|-----------------------|--|
|         |                                 |  |   |                       | <ol style="list-style-type: none"> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</li> <li>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition.</li> </ol> |
| 13      | MPCB-<br>CONSENT-<br>0000136533 | SONA BLW<br>PRECISION<br>FORGINGS<br>LIMITED<br>A-78/2 CHAKAN<br>MIDC PHASE II<br>VILLAGE-WASULI<br>KHED | <b>APPROVED</b><br><br>1st Consent to Operate | 31.08.2027            | <p>Committee noted that, PP has applied for 1st Consent to Operate for mfg of Bevel Gears &amp; Pinions and Differential Case Assemblies.</p> <p>Committee also noted that, the said case was earlier discussed in CAC held on 28/7/2022 and issued SCN for applied with enhanced production quantity without obtaining C to E &amp; also not completed installation work of plant &amp; machinery, applied with trade effluent quantity even though postponed effluent generating phosphating activity, non-provision of treatment system of RO reject &amp; non-submission of CHWTSDF membership.</p> <p>Committee further noted that, PP has submitted reply which is satisfactory as requested for part Consent to Operate for production quantity of 800 MT/M, submitted revised water budget, installed ETP for treatment of effluent generated from</p>                             |



| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                              | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|---|---|-----------------------|---|
|         |                                 |   |   |                       | <p>from CNC coolant &amp; machine washing &amp; proposed to recycle entire treated effluent and submitted membership of CHWTSDF.</p> <p>After due deliberation, it was decided to consider the case for grant of part 1<sup>st</sup> Consent to Operate without phosphating activity by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate ETP scientifically &amp; recycle the entire treated effluent into the process to achieve ZLD.</li> <li>2. Industry shall dispose the Hazardous Waste as per the provisions of Rule.</li> <li>3. Industry shall submit Bank Guarantee of Rs. 25 lakh towards O&amp;M of pollution control systems.</li> </ol>  |
| 14      | MPCB-<br>CONSENT-<br>0000138011 | Hindustan Petroleum Corporation Limited - Mumbai Refinery<br>NA B. D. Patil Marg, Mahul, Mumbai Kurla | <b>APPROVED</b><br><br>1 <sup>st</sup> Consent to Operate | 31.08.2027            | <p>Committee noted that, PP has applied for 1<sup>st</sup> Consent to Operate for Pipeline project:</p> <ol style="list-style-type: none"> <li>a. White Oil Pipeline (Multi Product)– Motor Sprit (MS), HSD and Naptha - Laying of transportation pipeline (Dia.- 24” , Length Approx. 800 mtr) from HPCL Mumbai Refinery to Mumbai Port Trust (MbPT) manifold area</li> <li>b. Black Oil Pipeline (Multi Product)– Industrial Fuel Oil (IFO), Crude Receipt -Laying of transportation pipeline (Dia.- 24” , Length Approx. 800 mtr)from HPCL Mumbai Refinery to Mumbai Port Trust (MbPT) manifold area.</li> <li>c. Nitrogen Pipeline Laying of pipeline (Dia.- 6” , Length Approx. 800 mtr) from HPCL Mumbai Refinery to Mumbai Port Trust (MbPT) manifold area</li> </ol> <p>Committee noted that, the said case was earlier discussed in CAC meeting held on 28/7/2022 for non-submission of Environmental Clearance copy as per consent conditions &amp; CA certificate showing actual cost incurred in the project.</p> |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                  | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|---|---|-----------------------|--|
|         |                                 |   |   |                       | <p>Committee further noted that, PP has submitted reply in which reported that, the proposed pipeline does not passthrough national park/sanctuaries/coral reefs/ecological sensitive area thus Environmental Clearance is not required for this project as per MoEF&amp;CC Office Memorandum dated 27/5/2022. Also, submitted CA certificate showing actual cost incurred in the Project &amp; which CI is of 35.30 Cr.</p> <p>After due deliberation, it was decided grant 1<sup>st</sup> Consent to Operate for pipeline project by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend Bank guarantee of Rs. 25 Lakh towards compliance of consent conditions.</li> </ol>  |
| 15      | MPCB-<br>CONSENT-<br>0000138773 | Goyal Proteins Limited<br>Plot No. A-9<br>Additional Butibori Industrial Area,<br>MIDC, Nagpur.<br>Hingna | <b>APPROVED</b><br><br>1st Consent to Operate | 31.08.2025            | <p>Committee noted that, PP applied for grant of 1st Consent to operate for Refined soybean oil and allied products with Co-generation.</p> <p>Committee also noted that, previously case was discussed and defer the application till submission of verification report from SRO regarding completion of installation work of plant and pollution control systems.</p> <p>Committee further noted that SRO submitted report on 30.08.2022 and stated that all work was completed regarding installation of plant &amp; machinery with PCS.</p> <p>After due deliberation, it was decided to grant 1st Consent to operate for Refined soybean oil and allied products with Co-generation, By imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall comply with plastic Rules.</li> <li>2. PP shall submit Bank guarantee of Rs. 25 Lakh for compliance of consent conditions.</li> </ol> |

| Sr. No. | Application Unique Number       | Industry name and Address  | Decision on grant of consent  | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------------|--|---|-----------------------|---|
| 16      | MPCB-<br>CONSENT-<br>0000087638 | MAHATMA<br>GANDHI MISSION<br>TRUST<br>Plot No. 46, Sector<br>30, Vashi, Navi<br>Mumbai                         | <b>APPROVED</b><br><br>Combined<br>Consent & BMW<br>Authorization,<br>Consent to<br>Operate | 31.03.2023            | <p>Committee noted that Case was discussed in 5th CAC meeting held on 28.07. it was decided to issue show cause notice of the following non-compliances: 1. Health Care Establishment has not submitted BHNS certificate. 2. The Effluent Treatment Plant is of 50 CMD for 98 CMD trade effluent which is inadequate. 3. OWC is not provided and failed to submit fees towards BMW authorization.</p> <p>PP submitted the BNHS certificate, water balance and effluent generation submitted as per it the trade effluent generation is 46 KLPD and have ETP of 50 CMD, they have place order for OWC and uploaded BMW authorization payment.</p> <p>After due deliberation, it was decided to grant Renewal of Combined Consent with BMW authorization for 300 Beds total plot area of the project is 32789.29 sq. mtrs and total BUA of the project is 65417 sq. mtrs. with CI is Rs. 57.86 Crs. by imposing BG and standard conditions for Health Care.</p> |
| 17      | MPCB-<br>CONSENT-<br>0000138682 | Residential cum<br>Commercial Project<br>at Nilemore by Anil<br>R. Gupta<br>as per establish<br>Nilemore Vasai | <b>APPROVED</b><br><br>Consent to 1 <sup>st</sup><br>Operate (Part)                         | 31.05.2023            | <p>Committee noted that Case was discussed in 4th CAC meeting held on 24.06.2022 it was decided to issue show cause notice for refusal of consent to 1st Operate (Part) as PP has not submitted Architect Certificate of completed work and discrepancy in Capital Investment in C to E and EC.</p> <p>Committee also noted that PP submitted the Architect Certificate for completed work of 3,26,388.26 sq. mtrs., CA certificate of Rs. 899 Crs. And SRO has submitted verification report regarding Environment Clearance conditions.</p> <p>After due deliberation, it was decided to grant 1st consent to operate (Part) for Residential Cum Commercial Building Project</p>  |

| Sr. No. | Application Unique Number       | Industry name and Address   | Decision on grant of consent                                       | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------------|---|--|-----------------------|--|
|         |                                 |   |  |                       | <p>for Total Plot Area- 3,78,746.39 sq.m and BUA 3,62,388.26 sq.m. out of Total BUA 6,88,154.56 sq.m., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall apply &amp; obtain the renewal of consent (Part) of phase -II &amp; 1st C to O (Part) of Phase-III along with requisite consent fees.</li> <li>2. PP shall comply with conditions stipulated in EC.</li> <li>3. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility.</li> <li>4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>6. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>7. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent.</li> <li>8. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and Consent condition.</li> </ol> |
| 18      | MPCB-<br>CONSENT-<br>0000135347 | Maharashtra Airport Development Company Ltd. S.No. 9 Residential Township First City in MIHAN S.No. 9 | <b>APPROVED</b><br><br>1 <sup>st</sup> Consent to Operate (Part-I) | 30.09.2023            | <p>Committee noted that PP has applied for 1<sup>st</sup> Consent to Operate (Part-I) for residential project on total plot area of 1,25,453.073 Sq.Mtr &amp; construction BUA of 66,120.04 Sq.Mtr out of total construction BUA of 2,36,307.24 Sq.mtr.</p> <p>Committee also noted that this case was discussed in Consent Committee meeting dated 23.05.2022 &amp; was deferred &amp; decided</p>  |

| Sr. No. | Application Unique Number | Industry name and Address   | Decision on grant of consent | Consent granted Up to | Remarks / Discussion  |
|---------|---------------------------|---|------------------------------|-----------------------|---|
|         |                           | part 10part 12 13<br>part 14part 19part,<br>20,21,22,23 part<br>24, 25 part 40 part<br>47 part 48 part 49<br>part & 50 part<br>Nagpur |                              |                       | <p>to issue SCN for refusal of consent due to non-obtaining of revalidation of EC &amp; non-submission of verified EC compliance report. Subsequently, Board office has issued SCN for refusal of consent vide dated 07.06.2022. Subsequently, PP has submitted the reply vide dated 24.06.2022 which was not satisfactory.</p> <p>Committee further noted that this case was again discussed in earlier CAC meeting dated 28.07.2022 &amp; decided to defer the case &amp; call the information in respect of revalidation of EC, status of ongoing &amp; completed construction work. Also, PP has submitted the reply vide dated 10.08.2022 as per technical presentation extended along with their other application vide UAN No. 111516 of SEZ project.</p> <p>Committee also noted that, as per reply submitted, PP has commenced the construction work within validity of EC period i.e. commenced work in year 2009 &amp; mostly completed the work in the year 2011 which attracts the penal fees as per Boards circular. Also, PP has obtained the consent to establish on 11.11.2019 subject to obtaining of separate EC.</p> <p>After due deliberation, it was decided to grant the case for 1<sup>st</sup> Consent to Operate (Part-I) for residential project on total plot area of 1,25,453.073 Sq.Mtr &amp; construction BUA of 66,120.04 Sq.Mtr out of total construction BUA of 2,36,307.24 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC for remaining construction BUA.</li> <li>2. PP shall comply with the conditions stipulated in EC &amp; Consent.</li> <li>3. PP shall ensure proper treatment of sewage generated from their residential project &amp; treated in common STP</li> </ol> |

| Sr. No. | Application Unique Number | Industry name and Address | Decision on grant of consent | Consent granted Up to | Remarks / Discussion   |
|---------|---------------------------|---------------------------|------------------------------|-----------------------|--|
|         |                           |                           |                              |                       | <p>provided by MADC, MIHAN so as to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.</p> <ol style="list-style-type: none"> <li>4. PP shall submit bilateral agreement with M/s MADC for joint and severally responsibility of operation and maintenance of STP and OWC.</li> <li>5. PP shall provide charging ports for electric vehicles in at least 30 % of total available parking slots.</li> <li>6. PP shall submit/extend BG of Rs. 25.0 Lakh towards compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of undertaking towards completion of construction work within EC validity &amp; penal fees, if not paid within one month, then SCN may be issued.</p> |