

Action Taken Report of 8th CAC Meeting of 2021-22 (Booklet No 18)

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Action Taken
Booklet No. 18					
1	MPCB-CONSENT-0000031389	K.E.M. Hospital, Pune, Rasta Peth, Pune 411011	APPROVED Renewal of Combined Consent and BMW Authorization	31.08.2022	Consent issued on 22.12.2021
2	MPCB-CONSENT-0000099868	SHRI SHANKAR SSK LTD. (SUGAR & Co-Gen UNIT), 288 SADASHIVNAGAR MALSHIRAS	APPROVED Renewal	31.07.2022	<p><u>It was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. By imposing BG of 0.1 % of total Capital Investment x No. of years and forfeiture of the same towards operating unit without valid consent of the Board. 3. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger. 4. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. <p>Consent will be issued after submission of additional consent fee.</p>
3	MPCB-CONSENT-0000105276	M/s. Lupin Limited, 30/10 to 30/13 & 64/7 T-142, MIDC Tarapur Palghar	APPROVED Renewal With change in product mix	30.04.2026	Consent issued on 27.12.2021

4	MPCB- CONSENT- 0000102172	Kisanveer Satara Sahakari Sakhar Karkhana Ltd.,Bhuinj Tal.Wai, Dist.Satara., 412 Kisanveernagar Wai	NOT APPROVED (Defer) Renewal of Consent	--	<u>it was decided to defer the case and call the PP for presentation</u> along with above details.
5	MPCB- CONSENT- 0000101890	Kisanveer Satara Sahakari Sakhar Karkhana Ltd.,Bhuinj Tal-Wai, Dist- Satara., 146.27 Hec. Kisanveernagar Bhuinj Tal-Wai, Dist- Satara. Wai	APPROVED Renewal	31.07.2022	Consent issued on 23.12.2021
6	MPCB- CONSENT- 0000097306	BHIMA SSKL, 465 Takali (S) Mohol	APPROVED Renewal	31.07.2022	<u>it was decided to grant renewal of consent</u> , by imposing following conditions: <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger 3. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. Consent will be issued after verifying capital investment from Balance sheet/latest CA certificate and additional consent fee, if any
7	MPCB- CONSENT- 0000107283	Karnataka Power Corporation Limited, (Integrated Baranj Open Cast Mines), Plot No.84, Baranj I-IV,	NOT APPROVED Renewal of consent	---	<u>It was decided to defer the case due to non-compliances of consent conditions</u> viz <ol style="list-style-type: none"> 1. Non provision of STP, CAAQMS, Mechanized sweeping machine, Tyre wash system, full-fledged dust suppression system

		Manoradeep and kiloni Coal blocks, Kiloni, Tal-Bhadrawati, Dist-Chandrapur.			<p>2. Non-submission of CGWA NOC and Bank Guarantee as per earlier consent.</p> <p>Further, It was decided to verify the compliance of consent conditions and then place before CAC for further decision.</p>
8	MPCB-CONSENT-0000109747	LMMFs Deenanath Mangeshkar Hospital & Research Center, Near Mhatre Bridge, Erandawane, Pune.	APPROVED Renewal of Combined Consent and BMW Authorization	31.03.2023	<p><u>It was decided to grant plain renewal of Combined Consent and BMW Authorization for</u> nos of beds from 812 on plot area -24,000 sq.mtrs and construction BUA 51,142.81 Sq. mtr. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms. 2. PP shall collect, segregate, store and dispose BMW as per the provisions of BMW Rule. 3. Forfeiting BG of Rs. 25,000/ towards exceedance of JVS and top up with double amount. 4. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. 5. PP shall separately apply for consent to establish for increased Bed strength & additional BUA. <p>Consent shall be issued after receipt of details of BMW generation, copy of annual returns in Form-II, justification about increase in CI, details of ETP and additional consent fees, if any.</p>
9	MPCB-CONSENT-0000112959	Chandrapur Super Thermal Power Station Chandrapur, Mauza Dewai, 1 to 16 Mauza Dewai, 1 to 16, Govindpur, Rayyatawari,	NOT APPROVED Renewal of consent	---	<p>it was decided to defer the case due to following non compliances -</p> <ol style="list-style-type: none"> 1. Non provision of FGD system, online coal ash analyzer, 2. Not achieved 100% fly ash utilization, 3. JVS analysis results of AAQM/stack (SO2) are exceeding the standards.

		Urjanagar, Tal & Dist-Chandrapur.			<p>4. Not submitted detailed proposal for installation and commissioning of the FGD system with bar chart</p> <p>5. Not submitted BG as per earlier consent conditions.</p> <p>6. Not submitted action plan for Carbon sequestration project</p> <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO.</p>
10	MPCB- CONSENT- 0000114666	Mumbai Aviation Fuel Farm Facility Pvt. Ltd., Terminal-1 Near Gate 9, CSMIA Mumbai	APPROVED Renewal of Consent to Operate	30.06.2026	<p>It was decided to consider the case for renewal of consent by imposing following conditions.</p> <p>1. PP shall operate pollution control system scientifically to achieve the consented norms.</p> <p>2. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions</p> <p>Consent will be issued after receipt of capital investment as per Board's format and additional consent fee, if any</p>
11	MPCB- CONSENT- 0000115543	NIRA BHIMA SAHAKARI SAKHAR KARKHANA LIMITED, 340,341,344,345,346,347,348 At.: Shahajinagar, PO: Redni, Tal.: Indapur Indapur	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021
12	MPCB- CONSENT- 0000116131	Ajinkyatara Sahakari Sakhar Karkhana Ltd., 325 Shahunagar Shendre Satara	APPROVED Renewal	31.07.2022	Consent issued on 22 .12.2021

13	MPCB- CONSENT- 0000114854	M/s. Vishwasrao Naik Sahakari Sakhar Karkhana Ltd., 182, 224, 223, 175, 189, 183, 162 Yashwantnagar Shirala	APPROVED Renewal	31.07.2022	Consent issued on 27.12.2021
14	MPCB- CONSENT- 0000115623	Ratnagiri Gas and Power Pvt Ltd., P.O.RGPPL- Anjanwel, Tal- Guhagar, Dist- Ratnagiri	APPROVED Renewal of consent	31.08.2022	Consent issued on 27.12.2021
15	MPCB- CONSENT- 0000116654	KARMAYOGI SHANKARRAOJI PATIL SAHAKARI SAKHAR KARKHANA LTD., 24275 MAHATMA PHULENAGAR BIJWADI INDAPUR	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021
16	MPCB- CONSENT- 0000116658	KARMAYOGI SHANKARRAOJI PATIL SAHAKARI SAKHAR KARKHANA LTD., 24275 MAHATMA PHULENAGAR BIJWADI INDAPUR	APPROVED Renewal	31.08.2022	Consent issued on 24.12.2021
17	MPCB- CONSENT- 0000117143	Rajarambapu Patil Sahakari Sakhar Karkhana Ltd Rajaramnagar, Liquor division, 1172/a	APPROVED Renewal	31.08.2022	Consent issued on 22.12.2021

		Rajaramnagar Sakharale Walwa			
18	MPCB- CONSENT- 0000116947	MAHAGENCO, KTPS, 3x660 MW, KORADI, Khasara no.. 188-189, Koradi, Tal- Kamptee, Dist- Nagpur.	NOT APPROVED Renewal of consent	----	<p>It was decided to defer the case due to following non compliances –</p> <ol style="list-style-type: none"> 1. Non provision of FGD system, online real time coal ash analyzer, non-provision of STP of adequate capacity, not achieved 100% fly ash utilization 2. JVS analysis results of stack monitoring and CAAQMS Results are exceeding the standards, 3. Non-submission of detailed proposal for installation & commissioning of the FGD system with Bar chart 4. Non submission of BG as per earlier consent conditions, 5. Specific water consumption is not meeting the standards. 6. Not submitted action plan for Carbon sequestration project <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO.</p>
19	MPCB- CONSENT- 0000117229	Utech Sugar Ltd., 15/3 Kavate Malkapur Sangamner	APPROVED Renewal	31.07.2022	<p>It was decided to grant renewal, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger 3. PP shall submit Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. <p>Consent will be issued only after receipt of compliance status report from SRO.</p>

20	MPCB- CONSENT- 0000118167	KORADI THERMAL POWER STATION (2 X 210 MW), Unit 6 & 7 (2x210 MW), At- Koradi, Tal- Kamptee, Dist- Nagpur.	NOT APPROVED Renewal of consent	---	It was decided to defer the case due to following non compliances – <ol style="list-style-type: none"> 1. Non provision of FGD system, online real time coal ash analyzer, 2. Non provision of dry fly ash collection system, 3. Utilizing high ash and Sulphur content coal 4. JVS analysis results of AAQM are exceeding the standards, Online monitoring results of Stack (OCEMS) & CAAQMS are exceeding the standards, 5. Non-submission of detail proposal regarding installation and commissioning of the FGD system with bar chart 6. Non submission of BG as per earlier consent conditions. 7. Not submitted action plan for Carbon sequestration project <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO.</p>
21	MPCB- CONSENT- 0000117885	Shree Chhatrapati Shahu S.S.K. Ltd., 157,159,160,161,1 72,186 Kagal.	APPROVED Renewal	31.08.2022	Consent issued on 22.12.2021
22	MPCB- CONSENT- 0000117959	Shree Someshwar SSK Ltd. (Distillery unit), 101/102/103 Someshwarnagar Baramati	APPROVED Renewal	31.08.2022	Consent issued on 24.12.2021
23	MPCB- CONSENT- 0000118281	Paras Thermal Power Station, Paras, S.No.120A, 120B,120C,120D,1 032 &1184 Paras	NOT APPROVED Renewal of consent	---	It was decided to defer the case due to following non compliances – <ol style="list-style-type: none"> 1. Non provision of FGD system, online real time coal ash analyzer, 2. Utilizing high ash and Sulphur content coal ,

		,Tal-Balapur, Dist-Akola.			<p>3. JVS analysis results of AAQM & Stack Monitoring are exceeding the standards, Online monitoring results of Stack (OCEMS) are exceeding the standards,</p> <p>4. Non-submission of detail proposal regarding installation and commissioning of the FGD system with bar chart</p> <p>5. Non submission of BG as per earlier consent conditions.</p> <p>6. Not submitted action plan for Carbon sequestration project</p> <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO.</p>
24	MPCB-CONSENT-0000118759	Maharashtra State Power Generation Company Ltd.,Nashik Thermal Power Plant, (Unit 3,4 & 5 of 210 MW each) Eklahare, Tal & Dist- Nashik.	NOT APPROVED Renewal of consent	---	<p>It was decided to defer the case due to following non compliances –</p> <p>1. Non provision of FGD system, online real time coal ash analyzer,</p> <p>2. JVS analysis results of AAQM & Stack Monitoring are exceeding the standards,</p> <p>3. Non-submission of detail proposal regarding installation and commissioning of the FGD system with bar chart</p> <p>4. Non submission of BG as per earlier consent conditions.</p> <p>5. Not submitted action plan for Carbon sequestration project</p> <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO</p>
25	MPCB-CONSENT-0000118605	M/s Krishna Charitable Trust, Krishna Hospital & Medical Research	APPROVED Renewal of Combined	31.08.2024	<p><u>It was decided to grant renewal of Combined Consent to Operate & BMW Authorization</u> for 1025 Nos. of Beds on total plot area 1,28,200 sq. mtrs. for total</p>

		Center, Karad; Krishna Institute, Malkapur	Consent & BMW Authorization		<p>construction BUA 19,595.16 sq. mtrs. by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit separate application for 100 Bed expansion. 2. PP shall not take effective steps towards expansion till EC for expansion is obtained. 3. PP shall furnish/extend existing Bank Guarantees as per BG Regime for Hospitals. <p>Consent shall be issued after obtaining additional Consent to Establish fees of Rs. 1,00,000/- towards increase in C.I.</p>
26	MPCB- CONSENT- 0000118388	Ganagkhed Sugar & Energy Ltd., 103, 104, 105, 106, 142 Vijaynagar, Makhani Gangakhed	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021
27	MPCB- CONSENT- 0000118987	Sadguru Sri Sri Sakhar karkhana Ltd. Rajewadi, 231/232 Rajewadi Atpadi	APPROVED Renewal	31.07.2022	Consent issued on 23.12.2021
28	MPCB- CONSENT- 0000113849	S M SHIVAJIRAO NARAYANRAO NAGAWADE SAHAKARI SAKHAR KARKHANA LTD, 52/2 SHRIGONDA FACTORY SHRIGONDA	APPROVED Renewal	31.08.2022	Consent issued on 23.12.2021

29	MPCB- CONSENT- 0000119511	Green power sugars Ltd. (Distillery unit), 613,614 and 616 Gopuj Khatav	APPROVED Renewal	31.08.2022	Consent issued on 27.12.2021
30	MPCB- CONSENT- 0000115167	The Malegaon Shakari Sakhar Karkhana Ltd., 281,282 Shivnagar, Baramati Baramati	APPROVED Renewal	31.07.2024	Consent issued on 24.12.2021
31	MPCB- CONSENT- 0000119906	Dharashiv Sakhar Karkhana Ltd., Gat. No. 55,56,57,58 Village Chorakhali, Tehsil Kallam, Dist. Osmanabad, State Maharashtra Kallam	APPROVED Renewal	31.08.2022	Consent issued on 22.12.2021
32	MPCB- CONSENT- 0000119064	M/s. Vishwasrao Naik Sahakari Sakhar Karkhana Ltd., 182, 224, 223, 175, 189, 183, 162 Yashwantnagar, Chikhali Shirala	APPROVED Renewal	31.08.2022	<u>It was decided to grant renewal of consent</u> for 30 KLPD Molasses base Distillery, by imposing following conditions: <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger 3. PP shall submit & Board Resolution for increase in capital investment without consent to establish from Board and submit BG of Rs. 2 Lakh towards compliance of the same 4. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
33	MPCB- CONSENT- 0000117416	OIL AND NATURAL GAS CORPORATION	APPROVED Renewal	21.08.2025	<u>It was decided to consider the case for grant of renewal of Consent to Operate</u> with following conditions:

		LTD, URAN PLANT, NA 36â€• Oil pipeline (From ONGC, Uran plant to Trombay Terminal to Jawahardeep including oil loading arms fitted at BPCL Jetty, JNPT NA			<ol style="list-style-type: none"> 1. PP shall comply with MSHIC Rule, 1989 and as amended from time to time. 2. PP shall comply with the conditions stipulated in the Environmental Clearance granted by MoEF vide No. J-82/2004-IA, III dated 20/12/2006 3. PP shall provide hydrocarbon leak detection system at all the points.
34	MPCB- CONSENT- 0000119478	YASWANTRAO MOHITE SAHAKARI SAKHAR KARKHANA LTD., RETHATE (BK) 500 SHIVNAGAR KARAD	APPROVED Renewal	31.08.2022	Consent issued on 27.12.2021
35	MPCB- CONSENT- 0000119480	Sahakar Shiromani Vasantrao Kale Sahakari Sakhar Karkhana Ltd.(Distillery Unit) 943,945,947,948 At- Chandrabhaganagar Post- Bhalwani Pandharpur	APPROVED Renewal	31.08.2022	Consent issued on 24.12.2021
36	MPCB- CONSENT- 0000119870	NSL Sugarsltd, Unit-III, Jay Mahesh, 85 & 86 Pawarwadi Majalgaon	APPROVED Renewal	31.08.2024	Consent issued on 24.12.2021
37	MPCB- CONSENT- 0000120349	Sadguru Sri Sri Sakhar Karkhana Ltd, Rajewadi, Sy.	APPROVED Renewal	31.08.2022	Consent issued on 23.12.2021

		No - 231/232 Rajewadi Pin Code - 415315 Atpadi			
38	MPCB- CONSENT- 0000119399	M. S. P.G. C. L., KHAPERKHEDA THERMAL POWER STATION, Silewara: 71 to 117 & Bhanegaon : 1 to 35 Khaperkheda Tal-Saoner, Dist- Nagpur	NOT APPROVED Renewal of consent	---	It was decided to defer the case due to following non compliances – <ol style="list-style-type: none"> 1. Non provision of FGD system, online real time coal ash analyzer, 2. Utilizing high ash and Sulphur content coal. 3. Not achieved 100% fly ash utilization, 4. JVS analysis results of AAQM & Stack Monitoring are exceeding the standards, 5. Non-submission of detail proposal regarding installation and commissioning of the FGD system with bar chart 6. Non submission of BG as per earlier consent conditions. <p>Further, decided to get compliance report from PP and place before CAC after its verification from SRO/RO .</p>
39	MPCB- CONSENT- 0000118097	Sadashivrao Mandlik Kagal Taluka S.S.L.Ltd., 425 Hamidwada KAGAL	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021
40	MPCB- CONSENT- 0000120567	Oil and Natural Gas Corporation Ltd., Uran Plant, Villages: Nagaon, Chanje, Mhatavli, Survey No 15 Uran Plant, ONGC Uran, Uran taluka, Dist - Raigad " 400702 Uran	NOT APPROVED		<u>It was decided to issue show cause notice</u> due to following non-compliances: <ol style="list-style-type: none"> 1. PP has failed to submit justification towards increased CI, 2. Non-operation of some of ETP units resulting in JVS exceedance, 3. Non submission of Hazardous Waste disposal details and deviation in consented HW generation quantities. 4. Deviation in HW generation quantity compared to existing consented quantity.

41	MPCB- CONSENT- 0000121133	Privilege Industries Ltd. (Brewery Division), Plot No.C 2 Maharashtra Industrial Development Corporation (MIDC) - Lonand Khandala	APPROVED Renewal	30.11.2022	Consent issued on 24.12.2021
42	MPCB- CONSENT- 0000120983	VILAS SAHAKARI SAKHAR KARKHANA LTD (DISTILLERY UNIT), 653,656,657 Nivli Latur	APPROVED Renewal	31.08.2022	Consent issued on 24.12.2021
43	MPCB- CONSENT- 0000118065	Dalmia Bharat Sugar and Industries Ltd, Sugar Unit - Shri Datta Asurle - Porle.1746,1748 to 1756 Asurle -Porle Panhala	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021
44	MPCB- CONSENT- 0000120510	Dalmia Bharat Sugar and Industries Ltd,- Hand Sanitizer Production Unit (Under Distillery Unit), G.No. 1855,1764,1765 A/p Asurle-Porle Panhala	APPROVED Renewal	31.08.2022	Consent issued on 24.12.2021
45	MPCB- CONSENT- 0000118953	SHREE LAXMI NARSHINHA SUGARS LLP,	APPROVED Renewal	31.07.2022	Consent issued on 24.12.2021

		GUT NO.62 AMDAPUR PARBHANI			
46	MPCB- CONSENT- 0000119280	Shree Siddheshwar Sahakari Sakhar Karkhana Ltd Kumathe Soalpur, 21/1 to 21/6 Kumathe North Solapur	NOT APPROVED	----	<u>It was decided to defer the case and call detailed report from SRO in respect of compliance of consent conditions & present status.</u>
47	MPCB- CONSENT- 0000109579	Masina Hospital Trust, Sant Savta Marg, Byculla (East) Mumbai- 400027	APPROVED Renewal of Combined Consent & BMW Authorization	28.02.2026	<u>It was decided to grant renewal of Combined Consent & BMW Authorization</u> for 272 Bedded Hospital on total plot area 25,506.89 sq. mtrs. for total construction BUA 16,609.67 sq. mtrs. by imposing following conditions: <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall collect, segregate, store & dispose BMW as per the provisions of Rule. 3. Bank Guarantees as per BG Regime for HCEs. Consent shall be issued after- <ol style="list-style-type: none"> 4. Obtaining additional Consent to Establish/ Operate fees of Rs. 4,00,000/-. 5. Submission of copy of the latest JVS analysis results of ETP & STP outlets. 6. Submission of copy of last 5 years Audited Balance Sheet showing Gross Block. 7. Submission of Justification towards increase in C.I. from Rs. 9.5072 Crs to Rs. 59.91 Crs.
48	MPCB- CONSENT- 0000119356	M/s. Jupiter Lifeline Hospitals Ltd, Eastern Express High Way Service Road, Thane (W)	APPROVED Renewal of Combined Consent & BMW Authorization	31.10.2024	Consent issued on 15.12.2021

49	MPCB- CONSENT- 0000122738	MANAS AGRO INDUSTRIES AND INFRASTRUCTUR E LIMITED (UNIT- 1), H.NO. 397 KHURSAPAR (BELA) UMRED	APPROVED Renewal	31.07.2023	It was decided to grant renewal of consent for 2500 TCD sugar and 22 MW cogeneration unit, by imposing following conditions: 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger PP shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
	Review Item				
1	MPCB- CONSENT- 0000110722	M/s. Marathwada Rail Coach Factory, D-74, Addl Latur Industrial Area Latur, Dist. Latur.	APPROVED	31.07.2022	It was decided to consider the request of the unit for date of validity of the consent period upto 31.07.2022 without change in any other consent conditions.
2	MPCB- CONSENT- 0000098102	M/s. Precision Camshafts Limited, Plot No. D-6,7,7/1, MIDC Chincholi, Dist. Solapur.	APPROVED	31.05.2023	It was decided to consider the Balance consent fees mentioned in consent no. 92597 for the application UAN No. 98102, also decided to amend the consent of plot No. D-5 for transfer of balance consent fees to consent application of Plot no. D-6, 7 7/1 i.e. UAN No. 98102.
3	MPCB- CONSENT- 0000113005	M/s Excel Industries Ltd., Plot No. D-9, MIDC Lote Parshuram Area, Tal. Khed, Dist. Ratnagiri	NOT APPROVED.	---	It was decided not to consider the request of the PP to waive the EC condition as EC accorded on the same plot for mfg of synthetic organic chemicals. Also decided to advise the PP to get the necessary clarification from appropriate authority about applicability of EC/amendment of EC.
4	MPCB- CONSENT- 00075609	Amit Builders "EKA Project", Wadala- Pathrdi Road, Pathardigaon, Nashik	Refused Revalidation of Consent to establish	--	Refusal Order issued on 22.12.2021

	-----	Review Item regarding Bank Guarantees of Vitthal Corporation having UAN No. 119768 – C to E for expansion of Sugar Unit. UAN No.115816- Renewal of Sugar Unit. & UAN No. 115762 – Renewal for Distillery unit	---	----	It was decided to Consider a Bank Guarantee of Rs. 25 lakh for Sugar Renewal and Expansion Consent and a sperate Bank Guarantee of Rs. 25 Lakh for Distillery unit Renewal
--	-------	---	-----	------	--

The issue about forfeiture of Bank Guarantee was deliberated, and it was decided to initiate stringent action under Water & Air Act if the Bank Guarantee is forfeited consecutively for 03 times.