

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 20<sup>th</sup> Consent Appraisal Committee Meeting of 2020-2021 held on 30.12.2020 at 03:00 p.m. conducted through Video Conferencing (Microsoft Teams).

.....

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri Sudhir Shrivastava,<br>Chairman, M.P.C. Board, Mumbai.                  | Chairman        |
| 2. Shri Ashok Shingare,<br>Member Secretary, M.P.C. Board.                      | Member          |
| 3. Shri P.P. Nandusekar,<br>Technical Advisor, MIDC.                            | Member          |
| 4. Shri Tuhin Banerjee,<br>Sr. Scientist, NEERI.                                | Member          |
| 5. Shri P.K. Mirashe,<br>Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai on leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.      | Invitee Member |
| 2. Shri Y.B. Sontakke,<br>Joint Director (WPC), M.P.C. Board, Mumbai.     | Invitee Member |
| 3. Dr. A.S. Supate,<br>Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav,<br>Regional Officer (HQ), M.P.C. Board, Mumbai.       | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 22 of Consent to Establish/ Operate/Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Upto	Remark
<b>Booklet NO 22</b>					
1	MPCB-CONSENT-0000015314	JMF'S A.C.P.M.MEDICAL COLLEGE,DHULE, MORANE	APPROVED Renewal of Combine consent and BMW Authorization	31.01.2023	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 550 nos. of beds for plot area 55,660 M<sup>2</sup> and BUA 3911.04 M<sup>2</sup>.</p> <p>Committee also noted that, the application was discussed in earlier CAC meeting which was not approved due to non-compliances CCA conditions. Also noted the SRO's submission that, the PP has obtained earlier combined consent and BMW authorization for 550 nos, of beds, provided combined STP for the treatment of sewage and treated sewage is used on land for gardening. Also obtained BNH certificate &amp; membership of CBMWSTDF.</p> <p>In view of above, it was decided to grant renewal of Combine Consent and BMW Authorization by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall dismantle incinerator and report to the Board.</li> <li>2. PP shall install primary ETP for the treatment of trade effluent within six months.</li> <li>3. PP shall extend existing BG up to consent validity period.</li> </ol> <p>Consent shall be issued after receipt of information of quantity of BMW generation and additional consent fees , if</p>

					any.
2	MPCB- CONSENT- 0000027095	Government Medical College & Hospital, Nagpur Medical Square	APPROVED Renewal of Combine consent and BMW Authorization	31.03.2022	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 1800 nos. of beds for total plot area-7,93,183.9 M<sup>2</sup> and BUA-86,723.6 M<sup>2</sup>. (BUA for government medical college and hospital 70,617.01 M<sup>2</sup> and BUA for super specialty hospital 16,106.5 M<sup>2</sup>)</p> <p>Committee also noted that, the application was discussed in earlier CAC meeting and was not approved due to non-compliances of CCA conditions. Also noted the SRO's submission that, PP has obtained membership of CBMWTSDF however not provided ETP and STP for the treatment of trade effluent and sewage.</p> <p>It was decided to grant Renewal of Combine Consent and BMW Authorization for 1800 nos. of beds by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall install STP and Primary ETP within one-year period and shall extend existing BGs towards compliance of the same.</li> </ol> <p>Consent shall be issued after receipt of information about quantity of BMW generated, copy of CBMWTF and additional consent, if any.</p>
3	MPCB- CONSENT- 0000069715	M/s Sahakar Maharshi Shivajirao Narayanrao Nagawade SSK Ltd., 52/2 Plot No 52/2, Limpangaon Village, Tal-	APPROVED 1 <sup>st</sup> Consent to Operate for 26 MW Co- generation unit	31.07.2021	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> consent to operate for 26 MW Cogeneration unit.</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting dtd. 13.11.2020 &amp; noticed that PP not paid Environmental compensation as per SCN issued by the Regional officer and decided to keep the case in abeyance</p>

		Shrigonda, Dist- Ahmednagar, Maharashtra Shrigonda			<p>till the matter is heard at Hon'ble NGT.</p> <p>Committee also noted that, the NGT case No. 84/2019 is mainly about project falls under Eco sensitive zone and non-forest activity &amp; work was started prior to EC. Whereas EC is granted on 11.09.2019 and forest dept had clarified that the project does not falls under the forest area. Further, noted that the work was started prior to EC and accordingly MPCB had issued notice towards environmental compensation. Also noted that the PP had paid an amount of Rs.69,90,000/- towards Environmental Compensation with the Board as per SCN issued by the Regional officer.</p> <p>In view of above, it is decided to grant of 1<sup>st</sup> consent to operate for 26 MW Co-generation unit, However consent will be issued after PP apprises Hon'ble NGT of the development and subject to any directions of Hon'ble NGT.</p>
4	MPCB- CONSENT- 0000089659	Gangamai Industries And Constructions Ltd. (GIACL), 222,223,224 Najik Babhulagaon, Post -Rakshi, Shevgaon	APPROVED  1 <sup>st</sup> operate expansion with amalgamation with existing consent.	31.08.2021	<p>Committee noted that industry has applied for consent to 1st operate for expansion with amalgamation of existing consent. (Existing 60 KLPD + Expansion 90 KLPD- Total – 150 KLPD) Case was discussed in 3<sup>rd</sup> CAC meeting on 15.05.2020 and was deferred due to non-submission of adequacy report about spent wash management including design details of pollution control systems, non- installation of OCMS and its connectivity to the Board's server, non-submission of water balance and CGWA/Irrigation department permission for use of raw water including non-submission of design details of proposed pollution control systems.</p> <p>Committee also noted that, industry has submitted adequacy report of spent wash and design details of pollution control systems, details of OCMS to Board server. PP has obtained permission for the Jaykwadi Reservoir for utilization of water. Environment Clearance obtained on</p>

					<p>07.01.2020.</p> <p>In view of above, it was decided to grant 1st operate expansion with amalgamation of existing consent. (Existing is 60 + Expansion is 90 Total – 150 KLPD), by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall extend existing BG of Rs. 5 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>
5	MPCB- CONSENT- 0000092837	Laxmi Board and Paper Mills Pvt. Ltd. (Plot no. .2, Saravali MIDC, Kalyan -Bhivandi Road, Saravali, Tal: - Bhivandi, DIST- Thane.)	APPROVED Renewal of consent	30.06.2022	<p>Committee noted that, PP has applied for renewal of consent for Co-gen plant-4.82 MW/Hr and Craft Paper &amp; Board [ by using wastepaper as raw material]-8000 MT/M with increase in CI.</p> <p>Committee also noted that, the application was discussed in the earlier CAC and was decided to issue SCN for non-compliances of consent conditions.</p> <p>Committee further noted that, PP has submitted reply to the SCN issued stating that CI was increased due to upgradation of plant. Also provided ETP for the treatment of trade effluent and treated effluent is reused in the process. Provided ESP for coal fired boiler as APCS.</p> <p>In view of above, it was decided to grant renewal of consent by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall 100% recycle treated effluent in the process.</li> <li>2. PP shall submit BG of Rs.5 Lakh towards O&amp;M and compliances of consent conditions.</li> </ol> <p>Also, it was decided to call latest compliance report from SRO and Consent shall be issued after receipt of additional consent fees from PP, if any.</p>

6	MPCB- CONSENT- 0000091617	RISHAB & SONS, 624/626 624/626 MAROL MAROSHI ROAD, ANDHERI (EAST), ANDHERI	DEFERED Consent to Operate	---	<p>Committee noted that, PP has applied for grant of consent to operate for Hotel (3-star) with 180 rooms &amp; restaurant without swimming pool and laundry activities having plot area is 3481 M<sup>2</sup> and total built up area 11500 M<sup>2</sup>.</p> <p>Committee also noted that, PP has obtained Consent to Establish for 120 rooms and has provided STP for the treatment sewage generated. However there is no clarity about completion of construction work and commissioning of composting facility.</p> <p>In view of above, it was decided to defer the case and call verification report about completion of construction from SRO and put up next CAC.</p>
7	MPCB- CONSENT- 0000095253	The Manjari Stud Farm Pvt Ltd IT & ITEs Activity, S. No. 209, Next to Satyapuram Society, Pune- Saswad Road, Phursungi, Tal. Haveli, Dist. Pune.	APPROVED Renewal of Consent to Operate (part- III)	30/04/2022	<p>Committee noted that, PP has applied for grant of Renewal of Consent (part-III) for IT Park Bldg. No. 5 (Block- A, B &amp; C) of "SP Infocity" having Total plot area of 3,19,900 M<sup>2</sup> and Construction BUA 98,067.33 M<sup>2</sup> out of Total BUA of 7,17,825.57 M<sup>2</sup> with increase in CI.</p> <p>Committee also noted that, PP has obtained EC for expansion and provided SPT and composting facility for the treatment of sewage and biodegradable garbage.</p> <p>Committee further noted that, PP has submitted Clarification/Justification regarding towards increase in CI vide letter dtd. 23/12/2020 stating therein that, increase in capital investment is due to the cost incurred towards installation of mechanical equipment, Air cooled chiller plants, transformers &amp; allied machines, pumps, furniture's, surveillance system, computer and other equipment.</p> <p>In view of above, it was decided to grant Renewal of Consent to Operate (part-III) for IT Park Bldg. No. 5 (Block- A, B &amp; C) of "SP Infocity" having Total plot area of 3,19,900 M<sup>2</sup> and Construction BUA 98,067.33 M<sup>2</sup> out of Total BUA of</p>

					<p>7,17,825.57 M<sup>2</sup> with increase in CI by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall operate STP to achieve treated domestic effluent standard for parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/or connected to local body sewer line with water metering system.</li> <li>3. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>4. PP shall extend existing BG of Rs. 15 Lakh towards O &amp; M of Pollution Control System and compliance of Consent conditions.</li> </ol>
8	MPCB- CONSENT- 0000098032	SADGURU SRI SRI SAKHAR KARKANA LTD., 231/232 Rajewadi Atpadi	APPROVED 1st operate for 2500 TCD & 5 MW with amalgamation of existing consent	31.07.2021	<p>Committee noted that PP applied for 1<sup>st</sup> operate for 2500 TCD &amp; 5 MW with amalgamation of existing consent.</p> <p>Committee also noted unit provided ETP with primary, secondary &amp; tertiary treatment system and provided ESP as air pollution control system. The JVS of existing unit of last season are within limit.</p> <p>In view of above it was decided to grant 1<sup>st</sup> operate for 2500 TCD &amp; 5 MW with amalgamation of existing consent of capacity 2500 TCD &amp; 12 MW i.e for 5000 TCD &amp; 17 MW Cogen unit, by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall submit adequacy report of pollution control system from recognized institute.</li> <li>2. PP shall submit detail water budget with proposal of recycling of excess condensate to reduce freshwater consumption with process details.</li> <li>3. PP shall restrict freshwater consumption of 300 CMD</li> <li>4. PP shall extend existing BG, imposed in consent dtd.</li> </ol>

					04.11.2020, towards O&M and compliance of consent conditions.
9	MPCB- CONSENT- 0000098740	Sahyadri Starch and Industries Pvt. Ltd, Plot no A-6/7/8 MIDC, Miraj, Dist.- Sangli	APPROVED renewal of consent	30.11.2023	<p>Committee noted that, PP has applied grant of renewal of consent for the production of Maize Starch + Maltodextrin+ Modified Starch+ HMS+ Liquid Glucose- 6000 MT/M, Gluten- 600 MT/M, Germ- 600 MT/M, Bran- 900 MT/M, Corn oil- 200 MT/M, Electricity (Co-gen)- 3 MW and Electricity (Bio-Gas)- 1.2 MW.</p> <p>Committee also noted that, PP has obtained earlier consent for the same product and quantity. Provided ETP and STP for the treatment of trade effluent and sewage. Treated effluent is disposed on land for gardening purpose. The JVS result of treated effluent are within the limit. Also provided Dust Collector and Wet Scrubber system to coal and Bagasse fired boiler. The JVS results are within limit.</p> <p>In view of above it was decided to grant renewal of consent by extending existing BG.</p> <p>Consent shall be issued after receipt of additional consent fees from PP, if any.</p>
10	MPCB- CONSENT- 0000098040	NETMAGIC IT SERVICES PVT LTD., Hiranandani Business Park, Saki Vihar Road, Mumbai-400072.	NOT APPROVED Renewal of Consent to Operate	--	<p>Committee noted that, PP has applied for grant of Renewal of Consent for Data Center &amp; IT/ITES activity having total plot area of 65,207 M<sup>2</sup> and Construction BUA 26,124 M<sup>2</sup> out of Total BUA of 95,672 M<sup>2</sup> with increase in CI.</p> <p>Committee also noted that, PP has valid EC, provided STP and composting facility for the treatment of sewage and wet garbage.</p> <p>Committee further noted that, PP has not submitted Justification/Clarification regarding increase in capital investment and not submitted BG as per earlier Consent.</p>

					In view of above, It was decided to issue SCN for refusal of Renewal of Consent for non-compliance of consent conditions i.e. non submission of BG of Rs. 25 Lakh and Clarification/Justification regarding increase in CI.
11	MPCB- CONSENT- 0000099171	RUPA RENAISSANCE LIMITED., Plot. No. D-33 & D-207, TTC, MIDC Area, Turbhe, Navi Mumbai.	APPROVED Consent to Establish for Expansion	Up to Commissioning of Project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for Expansion in existing project for IT Park project having Total plot area of 2,325 M<sup>2</sup> and Total construction BUA of 27,846.32 M<sup>2</sup></p> <p>Committee also noted that, PP has obtained EC for expansion and proposed to provide STP and composting facility for the treatment of sewage and biodegradable garbage.</p> <p>Committee further noted that, PP has submitted pointwise reply about refusal order and submitted details of bio-degradable/non-biodegradable waste generation and its disposal arrangements, submitted BG of Rs. 20 Lakh as per existing C to E condition, design details of STP &amp; organic waste converter followed by composting facility &amp; disposal path of treated domestic effluent.</p> <p>In view of above, it was decided to grant Consent to Establish for Expansion in existing project for IT Park project having Total plot area of 2,325 M<sup>2</sup> and Total construction BUA of 27,846.32 M<sup>2</sup> by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 100% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. with water metering system.</li> <li>3. PP shall install organic waste digester along with</li> </ol>

					<p>composting facility/bio-digester (biogas) for the treatment of biodegradable garbage.</p> <p>4. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent to Establish conditions.</p>
12	MPCB- CONSENT- 0000095280	Residential project Bhakti Park at CTS no. 1A/1, 1A/2, 1A/3, 1A/6 of vill Anik, Chembur (M-Ward), At. CTS No. 1A/1, 1A/2, 1A/3, 1A/6 of Village Anik, Chembur (M-Ward), Wadala (E), Mumbai.	APPROVED Revalidation of Consent to Establish and Expansion	Up to Commissioning of the Project or 5 years whichever is earlier	<p>Committee noted that, PP has applied for grant of Revalidation of Consent to Establish and Expansion in existing project for Housing project having total plot area of 1,11,732.32 M<sup>2</sup> and Total construction BUA of 3,32,067 M<sup>2</sup>.</p> <p>Committee also noted that, PP has obtained EC for expansion and proposed to provide STP and Composting facility for the treatment of sewage and biodegradable garbage.</p> <p>Committee further noted that, as per Specific condition No. XII of EC, PP to submit the copy of MoU regarding restoration &amp; beautification of adjoining/abutting Mahul nalla in collaboration with NEERI under "Restoration of Nallahs with Ecological Units (RENEU)" &amp; MMRDA or local planning authority as a part of CER activity. PP to ensure that, the installation of restoration work should be completed before OC. SRO-Mumbai-I has not commented about present construction status of the project.</p> <p>In view of above, it was decided grant Revalidation of Consent to Establish and Expansion in existing project for Housing project having Total plot area of 1,11,732.32 M<sup>2</sup> and Total construction BUA of 3,12,440.30 M<sup>2</sup> (As per Specific Condition No. XV of EC) by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-</li> </ol>

					<p>conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</p> <p>3. PP shall install organic waste digester along with composting facility/bio-digester (biogas) for the treatment of biodegradable garbage.</p> <p>4. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent to Establish conditions.</p>
13	MPCB- CONSENT- 0000097226	MAHINDRA LIFESPACE DEVELOPERS LTD., CTS. No, 6017,6017/1,6017/ 3, Part 6018, 6020, Tal. Haveli, Dist. Pune-411023.	APPROVED Consent to Operate (Part- VI) & (Part-VII) and amalgamation of both	31/08/2022	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-VI) having BUA of 2,873.40 M<sup>2</sup> and Renewal of Consent to Operate (Part-VII) having BUA of 23,177.25 M<sup>2</sup> for Residential &amp; Commercial Construction project "Anthea" and amalgamation of both having total plot area of 98,508.36 M<sup>2</sup> and Total construction BUA 26,050.65 M<sup>2</sup> out of Total Construction BUA of 2,64,593.31 M<sup>2</sup> (BUA of 2,873.40 M<sup>2</sup> + BUA of 23,177.25 M<sup>2</sup>).</p> <p>Committee also noted that, PP has valid EC, provided STP and Composting facility for the treatment of sewage and biodegradable garbage.</p> <p>In view of above, it was decided to grant Renewal of Consent to Operate (Part-VI) having BUA of 2,873.40 M<sup>2</sup> and Renewal of Consent to Operate (Part-VII) having BUA of 23,177.25 M<sup>2</sup> for Residential &amp; Commercial Construction project "Anthea" and amalgamation of both having Total plot area of 98,508.36 M<sup>2</sup> and Total construction BUA 26,050.65 M<sup>2</sup> out of Total Construction BUA of 2,64,593.31 M<sup>2</sup> (BUA of 2,873.40 M<sup>2</sup> + BUA of 23,177.25 M<sup>2</sup>) by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for</li> </ol>

					<p>secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</p> <ol style="list-style-type: none"> <li>3. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of biodegradable garbage.</li> <li>4. PP shall extend existing BG of Rs. 25 Lakh towards O &amp; M of Pollution Control System and compliance of Consent conditions.</li> </ol>
14	MPCB- CONSENT- 0000099765	M/s Western Coalfields Ltd. (WCL), Expansion of Bhanegaon Opencast Coal Mine Project, Toposheet No 550/3, Khasara No 12/1D & 12/2, Village-Bina, Post Khapkherkheda Tal- Kamptee, Dist- Nagpur	NOT APPROVED  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent to operate for open cast coal mine for coal production of 1.15 MTPA.</p> <p>Committee also noted that PP has obtained Environment Clearance and provided sedimentation tank for the treatment of mine water. Fixed water sprinklers are provided at Coal stock yard and mobile water tankers for spraying water on Roads.</p> <p>Committee further noted that PP has not yet provided the CAAQMS, proposal for installation of CAAQMS is in tendering stage, procurement of the trolley mounted mist spray system is in process, not obtained CGWA NOC, not provided STP for treatment of domestic effluent, not provided Tyre wash System at entry/Exit of Mine boundary, not deployed Mechanized sweeping machines for cleaning the roads and analysis results of AAQM are exceeding the standards.</p> <p>In view of above, it was decided not to consider the case and issue Show cause notice for refusal towards above non-compliances.</p>

15	MPCB- CONSENT- 0000098311	Mahalaxmi TMT Pvt Ltd., Plot No C- 2,4,5 Deoli Growth Center MIDC Deoli	APPROVED 1 <sup>st</sup> Consent to operate for expansion	30.06.2021	<p>Committee noted that PP has applied for 1st Consent to operate for expansion for manufacturing of MS billets.</p> <p>It was also noted that this case was discussed in previous CAC meeting &amp; was kept in abeyance due to non-operation of secondary fume extraction system and obtain the SRO's verification report.</p> <p>Committee further noted that SRO Nagpur-II has submitted the present status report stating that PP has upgraded the primary fume extraction system by enhancing the capacity of ID fan, motor capacity, replaced the damaged bag and installed the secondary fume extraction system to furnaces. However secondary emissions were observed from the roof top as suction hood is not efficient to collect the entire secondary emissions generated from the furnaces. It was also noted that PP has not submitted the plan for disposal of slag &amp; dust.</p> <p>In view of above, it was decided to grant 1<sup>st</sup> Consent to operate for expansion, However consent shall be issued after observations of satisfactory operations of secondary fume extraction system.</p>
16	MPCB- CONSENT- 0000098267	M/S. Western Coalfields Limited, Padmapur Open Cast Mine, P.O Padmapur Tal & Dist-Chandrapur	NOT APPROVED  Renewal of Consent with decrease in CI	--	<p>Committee noted that, PP has applied for renewal of consent for coal mine-2.5 MTPA.</p> <p>Committee also noted that, PP has provided ETP for the treatment of industrial effluent and provided Sedimentation tank for the treatment of mine water. Fixed water sprinklers are provided at CHP, Coal transportation Road, Coal Stockyard.</p> <p>Committee further noted that, PP has not provided Real-time coal ash analyzer till date, not submitted CGWA NOC,</p>

					<p>not provided Tyre wash system to trucks/dumpers at entry/exit points of mine area and Analysis results of AAQM are exceeding the standards.</p> <p>In view of above, it was decided not to consider the case and issue Show cause notice for refusal towards above non-compliances.</p>
17	MPCB- CONSENT- 0000096619	M/s Western CoalFields Limited Amalgamation of Kamptee Deep and Inder OC Project of M/s WCL, Topo sheet no 55 O/3 & 55 O/4 Village-Tekadi Tehsil-Pareseoni, District Nagpur 441401	DEFERED  Renewal with Amalgamation of consent of Kamptee Deep OCM and Inder OCM with decrease in CI	---	<p>Committee noted that, PP has applied for amalgamation with renewal of consent for open cast coal mine for coal production of 3.12 MTPA (Amalgamation of Kamptee deep of 2.0 MTPA &amp; Inder OC mine project of 1.2 MTPA).</p> <p>Committee also noted that, PP has obtained Environment Clearance for amalgamation from MoEF&amp;CC, GOI. PP has provided ETP for treatment of industrial effluent and provided Sedimentation tank for treatment of mine water. PP has provided fixed water sprinklers at CHP &amp; loading /unloading area, Mist water spray system at hopper &amp; belt of CHP and mobile water tankers for spraying water on Roads.</p> <p>Committee further noted that, PP has not provided the CAAQMS, proposal for installation of CAAQMS is in tendering stage, not provided STP for the treatment of domestic effluent-685 CMD, not provided Tyre wash System at entry/Exit of Mine boundary, not deployed Mechanized sweeping machines for cleaning the roads and Analysis results of AAQM are exceeding the standards.</p> <p>In view of above, it was decided to defer the case and issue Show cause notice for refusal towards above non-compliances.</p>

18	MPCB- CONSENT- 0000100154	EON KHARADI INFRASTRUCTUR E PVT LTD ( PH II), S. No. 72/2/1, Kharadi, Tal. Haveli, Dist. Pune- 411014.	APPROVED Renewal of Consent to Operate (Phase-II)	31/12/2025	<p>Committee noted that, PP has applied for grant of Renewal of Consent (Phase-II) for IT/ITES Bldg “EON Free Zone (Phase-II)” having Total plot area of 48,600 M<sup>2</sup> and Construction BUA 2,56,265 M<sup>2</sup> with increase in CI.</p> <p>Committee also noted that, PP has valid EC for expansion, provided STP and Composting facility for the treatment of sewage and biodegradable garbage.</p> <p>Committee further noted that, PP has submitted Clarification/Justification regarding increase in CI stating therein that, increase in CI is due internal finishing work and common area/amenity block work, acquisition cost of plant and machinery, electrical installation.</p> <p>In view of above, it was decided to grant Renewal of Consent (Phase-II) for IT/ITES Bldg “EON Free Zone (Phase-II)” having Total plot area of 48,600 M<sup>2</sup> and Construction BUA 2,56,265 M<sup>2</sup> with increase in CI by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>3. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>4. PP shall extend existing BG of Rs. 25 Lakh towards O &amp; M of Pollution Control System and compliance of Consent conditions.</li> </ol>
----	---------------------------------	--	---	------------	--

19	MPCB- CONSENT- 0000096578	Maharashtra State Power Generation Company Ltd., Nashik Thermal Power Plant, Eklahare Dist- Nashik	APPROVED  Renewal of consent to operate	31.08.2021	<p>Committee noted that, PP has renewal of consent to Operate for Electricity Generation 630 MW (3 x 210MW-unit-3,4 &amp; 5).</p> <p>Committee also noted that, PP has provided ETP &amp; STP. Provided ESP to all the units. Provided online monitoring system to the stack attached to the boilers and also Installed CAAQMS stations.</p> <p>Committee further noted that, the Sulphur and ash contents in the coal are exceeding as per the analysis record submitted by the unit. Analysis results of the treated effluent collected from ETP outlet and STP outlet are exceeding the standards. Analysis results of the CAAQMS are exceeding the standards for the parameter PM 10 &amp; PM 2.5. Analysis results of inhouse stack monitoring carried out by the Industry shows the parameter of TPM &amp; SO<sub>2</sub> are exceeding the standards. PP has not done the renovation and modernization of ESP for the Unit No.4 &amp; 5 to limit the air emissions, not initiated the process for procurement and installation of FGD till date, not provided automatic real time monitoring system for coal ash analysis and not submitted the Bank Guarantee as per earlier consent conditions.</p> <p>It was decided to grant renewal of consent for short period and issue show cause notice for forfeiture of existing BG towards noncompliance of consent conditions &amp; exceedance of source JVS &amp; AAQM results and by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide Online Real time coal ash analyzer within 3 months.</li> </ol>

					<ol style="list-style-type: none"> <li>2. PP shall install Flue Gas De-spherization (FGD) System as per the CPCB Directions i.e on or before 31.03.2021.</li> <li>3. PP shall upgrade existing air pollution control system to achieve emission standards of TPM, SO<sub>2</sub> &amp; NO<sub>x</sub> on or before 31/03/2021.</li> <li>4. PP shall not use the high ash and Sulphur content coal (i.e more than 34% &amp; 0.5% respectively).</li> <li>5. PP shall comply with the Fly Ash Notification, 2016 and amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>6. PP shall dispose legacy pond ash regularly and submit monthly report to the Board office.</li> <li>7. PP shall submit compliance plan with regards to above mentioned non-compliances within month</li> <li>8. PP shall submit the BGs as per BG regime for the Power plant.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any</p>
20	MPCB- CONSENT- 0000099999	M/s. Qubix Business Park Private Limited, S. No. 124P,125P,154P,1 57P,158,159,160P, 165P,173P, Hinjewadi, Tal. Mulshi, Dist. Pune.	APPROVED Renewal of Consent to Operate	31/03/2022	<p>Committee noted that, PP has applied for grant of Renewal of Consent for IT/ITES activity- SEZ project at Bldg 1 to 6 having total Plot Area of 1,01,766 M<sup>2</sup> and Construction BUA 1,00,768.227 M<sup>2</sup> with increase in CI.</p> <p>Committee also noted that, PP has provided STP and Composting facility for the treatment of sewage and biodegradable garbage.</p> <p>Committee further noted that, PP has submitted Clarification/Justification regarding increase in CI stating therein that, The increase in capital investment is due to refurbishments in building interiors, furniture &amp; beautification of food court which they have carried out.</p>

					<p>In view of above, it was decided to grant Renewal of Consent for IT/ITES activity- SEZ project at Bldg 1 to 6 having Total Plot Area of 1,01,766 M<sup>2</sup> and Construction BUA 1,00,768.227 M<sup>2</sup> with increase in CI by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate STP to achieve the treated domestic effluent standard for parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>3. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>4. PP shall extend existing BG of Rs. 15 Lakh towards O &amp; M of Pollution Control System and compliance of Consent conditions.</li> </ol>
21	MPCB- CONSENT- 0000094492	Agile Real Estate Pvt Ltd., S. Nos. 10/1, 10/2b, 10/4b, 10/5b, 10/6, 19/1b. 19/2 to 19/12 etc.. At village Balkum, Thane	APPROVED  Renewal of Consent to Operate (Part-I & II)	31.07.2022.	<p>Committee noted that PP has applied for grant of renewal of Consent (Part-I &amp; II) of Phase-I for residential buildings Sunrise 'A', 'B', 'C', 'D' &amp; 'E'.</p> <p>Committee also noted that PP has obtained EC, C2E and provided STP &amp; Composting facility for the treatment of sewage and biodegradable garbage.</p> <p>In view of above, it was decided to grant renewal of Consent (Part-I &amp; II) of Phase-I for residential buildings Sunrise 'A', 'B', 'C', 'D' &amp; 'E' on plot area 33,015 M<sup>2</sup> out of total plot area 2,43,787.42 M<sup>2</sup> for construction BUA of 1,25,299.44 M<sup>2</sup> out</p>

					<p>of total construction BUA of 14,85,927.16 M<sup>2</sup> by imposing the following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall operate &amp; maintain STP to achieve the treated sewage standard for parameter BOD-10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting, for construction purposes etc. and remaining shall be utilized on land for gardening and/ connected to local body sewer line with water metering system.</li> <li>3. PP shall continuously operate organic waste digester along with composting facility/ biodigester (Biogas) for the treatment of wet garbage. Compost obtained shall be utilized as manure for gardening.</li> <li>4. PP shall extend existing BG of Rs. 25 Lakh towards O &amp; M of Pollution Control System and towards and compliance of Consent conditions.</li> </ol> <p>Consent shall be issued after obtaining additional Consent fees., if any?</p>
22	MPCB- CONSENT- 0000099950	Ambition Logistics Park Private Limited, Plot. No. D-223/6, Village. Bhamboli, MIDC Chakan, Phase-II, Tal. Khed, Dist. Pune-410501	APPROVED Renewal of Consent to Operate (Part)	31/08/2025	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part) for Industrial &amp; Logistic Park Bldg. Nos. B-300 &amp; B-400 having total plot area of 86,600 M<sup>2</sup> and Construction BUA 63,940.13 M<sup>2</sup> out of total Construction BUA of 76,000 M<sup>2</sup></p> <p>Committee also noted that, PP has provided STP and Composting facility for the treatment of sewage and bio-degradable garbage .</p> <p>In view of above, it was decided to grant Renewal of Consent (Part) for Industrial &amp; Logistic Park Bldg. Nos. B-300 &amp; B-400 having Total plot area of 86,600 M<sup>2</sup> and</p>

					<p>Construction BUA 63,940.13 M<sup>2</sup> out of Total Construction BUA of 76,000 M<sup>2</sup> by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall not allocate the area/plot to the trade effluent generating units.</li> <li>2. PP shall operate common pollution control infrastructure facility and ensure that the individual industries/units shall enter MOU with Industrial park to ensure operation and maintenance of the common STP, OWC and other assets.</li> <li>3. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</li> <li>4. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be used on own land for gardening/irrigation purpose within premises with water metering system.</li> <li>5. PP shall continuously operate organic waste digester along with composting facility/ biodigester (Biogas) for the treatment of wet garbage and Compost obtained shall be utilized as manure for gardening.</li> <li>6. By forfeiting BG of Rs. 5 Lakh towards JVS exceedance and top-up with double the amount of BG towards O &amp; M of Pollution Control System and compliance of Consent conditions.</li> </ol>
23	MPCB- CONSENT- 0000087863	Horizon Projects Pvt. Ltd., Usarghar 103/3, 107/5, 107/6, 107/7, 108/1, 108/3, Sandap, 21/1, Manpada, Usarghar-Sandap,	APPROVED  Consent to 1st Operate (Part-II)	31.12.2021	<p>Committee noted that PP has applied for grant of Consent to 1<sup>st</sup> Operate (Part-II) for Residential Buildings A3, A4, B2, C3, C4, Ground, 1st &amp; 2nd Podium Areas of 5 Buildings and Fitness Centre of Project.</p> <p>Committee also noted that PP has obtained EC, Consent to Establish and provided STP &amp; Composting facility for the treatment of Sewage and Bio-degradable garbage.</p>

		Kalyan			<p>In view of above, it was decided to grant Consent to 1st Operate (Part-II) for Residential Buildings A3, A4, B2, C3, C4, Ground, 1st &amp; 2nd Podium Areas of 5 Buildings and Fitness Centre of Project on total plot area 85,000 M<sup>2</sup> for construction BUA 65,556.35 M<sup>2</sup> out of total construction BUA 1,37,304.63 M<sup>2</sup> by imposing the following conditions;</p> <ol style="list-style-type: none"> <li>1. PP shall operate STP so as to achieve the treated domestic effluent standard for parameter BOD- 10 mg/lit.</li> <li>2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. with water metering system and remaining shall be utilized on land for gardening and/ or connected to local body sewer line.</li> <li>3. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/ plantation.</li> <li>4. PP shall extend existing BG of Rs. 25 Lakh (of Part-I for Part-II) towards Operation and Maintenance of pollution control systems &amp; towards compliance of the Consent to Operate conditions.</li> <li>5. PP shall provide bus transport for resident/ employees to the extent possible directly or indirectly through the operator so as to reduce traffic congestion and resultant in reduction of air pollution.</li> <li>6. PP will be responsible for proper operation &amp; maintenance of pollution control systems for initial period of five years after Society formation and afterwards handover the facility to the Society for its further operation in good and working conditions.</li> </ol>
24	MPCB- CONSENT-	M/s. Neelikon Food Dyes & Chemicals	DEFERED	- -----	Committee noted that industry has applied for grant of renewal of Consent for mfg. of Food Colours- 60 MT/M,

	0000100819	Ltd. (Unit- 1), Plot Nos. 67 & 67-A, MIDC Dhatav, Tal. Roha, Dist. Raigad.	Renewal of Consent		<p>Flourescent Dyes- 9 MT/M and Ink Colours- 6 MT/M.</p> <p>Committee also noted that JVS results exceeds the Consented limits and Board has issued SCN on 21/10/2020 for non-compliance and PD on 24/11/2020 for illegal dumping of H.W.</p> <p>In view of above, it was decided to defer the case and call the PP for hearing/ presentation before CAC along with concrete proposal towards compliances.</p>
25	MPCB- CONSENT- 0000101849	Apcotex Industries Ltd., Plot No 3/1, Taloja MIDC, Tal. Panvel, Dist. Raigad.	DEFERED  Consent to Establish for expansion	--	<p>Committee noted that industry has applied for grant of Consent to Establish for installation of new dedicated reactor for production of Latex &amp; related work of building.</p> <p>Committee desires to know existing compliance status of the Consent conditions, latest JVS and air emissions results.</p> <p>In view of above, it was decided to defer the case and call the PP for presentation before CAC along with existing compliance status of the Consent conditions, latest JVS and air emissions results.</p>
26	MPCB- CONSENT- 0000101982	Brinton's Carpets Asia Pvt Ltd. Gat no. 414/415/416 UrawadeTal. Mulshi Dist. Pune	APPROVED renewal of consent	30.06.2021	<p>Committee noted that, PP has applied for renewal of consent for manufacturing of spinning Yarn-261 MT/M, Dyed Yarn-175 MT/M and weaving of carpet-1,50,000 Sq. mtrs /M.</p> <p>Committee noted that, PP has provided ETP and STP for the treatment of trade effluent and sewage. The Treated effluent is used on land for gardening. Analysis results are within consent limits. As per Board's permission, PP had installed pilot plant based on algal technology to waive MEE condition which is under progress. The DG set is equipped</p>

					<p>with adequate stack height.</p> <p>In view of above it was decided to grant short renewal for six months till algal treatment is assessed.</p> <p>Also decided to call latest compliance report of industry from Board officials.</p> <p>Consent shall be issued after receipt of additional consent fees from PP, if any.</p>
27	MPCB- CONSENT- 0000101335	Mother Dairy fruit and Vegetable Pvt Ltd Gat No.47/1,123/A,176 and 177 Gove & Pimpalgaon Bhiwandi.	APPROVED 1 <sup>st</sup> consent to operate with renewal of consent	31.12.2021	<p>Committee noted that, PP has applied for first consent operate for Milk culture products- 50 KL/D with renewal of consent for Polypack Milk with increase in production quantity from 2,00,000 KL/D to 2,10,000 KLD.</p> <p>Committee also noted that PP has obtained consent for the existing production and consent to establish for the additional production quantity. PP has provided ETP for the treatment of trade effluent and treated effluent is reused in the process to achieve ZLD. Provided Stack to Boiler and DG set section.</p> <p>In view of above, it was decided to grant 1<sup>st</sup> consent to operate with renewal of consent for additional products and quantity for one-year period by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit action plan for reduction in BOD, Chlorides and TDS parameters within a month.</li> <li>2. PP shall send ETP sludge generated from primary treatment to CHWTSDf by obtaining membership.</li> <li>3. PP shall extend existing BG's towards O&amp;M and compliance of consent conditions.</li> </ol> <p>Also decided to extend consent validity period for five year if</p>

					<p>the reports are satisfactory and consent shall be amended accordingly.</p> <p>Consent shall be issued after receipt of additional consent fees from PP, if any.</p>
28	MPCB- CONSENT- 0000102090	Godavari Biorefineries Ltd., S. Nos. 158-165, 167-178, 180/1/2, 181/1/2, 187/1, 187/2, 188, PO Sakarwadi, Tal. Kopargaon, Dist. Ahmednagar-413708.	DEFERED  Consent to Establish for expansion	--	<p>Committee noted that industry has applied for grant of Consent to Establish for replacement of Boilers and installation of Captive Power Plant (Back Pressure Steam Turbine) of 3.3 MW.</p> <p>Committee also noted that Board is still receiving complaints of ground water contamination.</p> <p>Committee desires to know existing compliance status of the Consent conditions &amp; CPCB Directions, remedial measures adopted for decontamination of ground water, latest JVS results of effluent and air emissions.</p> <p>In view of above, it was decided to defer the case and call the PP for presentation before CAC along with existing compliance status of the Consent conditions &amp; CPCB Directions, remedial measures adopted for decontamination of ground water, latest JVS results of effluent and air emissions .</p>
29	MPCB- CONSENT- 0000102333	Western Coalfields Limited. Expansion of New Majri UG to OC Mine, At: Majri, PO: Shivjinagar, Tal: Bhadrawati, Dist- Chandrapur.	DEFERED  Consent to Establish for expansion of coal mine from 1.2 MTPA to 3.0 MTPA	---	<p>Committee noted that, PP has applied for consent to establish for expansion of coal mine 1.8 MTPA (i.e., expansion from 1.20 MTPA to 3.00 MTPA).</p> <p>Committee also noted that, PP has obtained Environment Clearance for existing mine of 1.2 MTPA capacity. Also noted approval of expansion proposal by EAC vide 3<sup>rd</sup> EAC meeting dtd.27.10.2020 published on 13.11.2020. PP has provided ETP for treatment of industrial effluent and provided Sedimentation tank for the treatment of mine</p>

					<p>water. Also obtained CGWA NOC for existing mine. PP has provided fixed water sprinklers at Coal stock yard and mobile water tankers for spraying water on Roads.</p> <p>Committee further noted that, the work of Modular STP of 5 KLD for mine premises is under approval stage. Mist Cannon of 100 mtrs throw (3 Nos) are in procurement stage.</p> <p>In view of above, it was decided to defer the case and obtain detailed information about NGT case-Writ petition no.2190/2018.</p>
30	MPCB- CONSENT- 0000101444	Western Coalfields Limited, Expansion of New Majri UG to OC Mine, At: Majri, PO: Shivjinagar, Tal: Bhadrawati, District: Chandrapur.	DEFERED  Consent to operate for expansion (from 1.2 MTPA to 3.0 MTPA) along with amalgamation of existing mine	---	<p>Committee noted that PP has applied for consent to operate for Expansion of coal mine by 1.8 MTPA (i.e., expansion from 1.20 MTPA to 3.00 MTPA).</p> <p>Committee also noted that, PP has obtained Environment Clearance for existing mine of 1.2 MTPA capacity. Also noted the approval of expansion proposal by EAC vide 3<sup>rd</sup> EAC meeting dtd.27.10.2020 published on 13.11.2020. PP has provided the ETP for treatment of industrial effluent and provided Sedimentation tank for treatment of mine water. CGWA NOC obtained for existing mine. PP has provided fixed water sprinklers at Coal stock yard and mobile water tankers for spraying water on Roads.</p> <p>Committee further noted that, Work of Modular STP of 5 KLD for mine premises under approval stage. Mist Cannon of 100 mtrs throw (3 Nos) are in procurement stage.</p> <p>In view of above, it was decided to defer the case and keep it in abeyance till PP obtain Environment Clearance for expansion project.</p>
31	MPCB- CONSENT-	M/s Sunflag Iron & Steel Co.Ltd,	APPROVED Consent to	UP TO	<p>Committee noted that PP has applied for Consent to establish for installation of combustor with coal handling</p>

	0000103160	Village : Eklari, Taluka : Mohadi, District : Bhandara, Land owned by SICOM and leased to Sunflag Steel, Annexure-1 Village : Eklari Mohadi	Establish for installation of combustor for 9.5 MW power generation with coal handling plant and VPSA oxygen plant	CoU or five years whichever is earlier	<p>plant for 9.5 MW power generation (as an alternate to 500 TPD DRI Kiln) without any change in total production of steel and modernization of existing cryogenic oxygen plant replaced by VPSA oxygen plant - 140 Ton/d.</p> <p>It was also noted that PP has obtained EC for existing activity &amp; proposed modernization and C to E for expansion renewal of consent.</p> <p>Committee further noted that PP has provided STP, ETP &amp; adequate air pollution control system as JVS results are well within the limit.</p> <p>In view of above, it was decided to consider consent to establish for installation of combustor with coal handling plant for 9.5 MW power generation (as an alternate to 500 TPD DRI Kiln) without any change in total production of steel and modernization of existing cryogenic oxygen plant replaced by VPSA oxygen plant- 140 Ton/d by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall Comply with the conditions stipulated in EC obtained vide dated 09.11.2020.</li> <li>2. PP shall submit the BG of Rs. 5.0 Lakh towards compliance of EC &amp; C to E conditions.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
32	MPCB- CONSENT_A MMENDMEN T- 0000004221	Indian Oil Corporation Limited (Marketing Division), Solapur Depot, Pakhani, Near Pakhani Railway Station	APPROVED  Amendment in Consent to Establish	--	<p>Committee noted that industry has applied for grant of amendment in Consent to Establish for inclusion of 2 Nos. of additional tanks for storage &amp; handling of Transmix - 2,968 KL &amp; Sludge - 475 KL.</p> <p>It was decided to grant amendment in Consent to Establish for inclusion of 2 Nos. of additional tanks for storage &amp; handling of Transmix - 2,968 KL &amp; Sludge - 475 KL.</p>

<b>Review Item</b>					
1	--	Infosys Ltd., Rajiv Gandhi Infotech Park, Mulshi, Hinjewadi Pune	PARTIALLY APPROVED To Waive off the condition of BG forfeiture	--	<p>Committee noted that PP has submitted the request letter to waive off the condition of BG forfeiture towards non installation of OWC followed by composting facility.</p> <p>It was also noted that PP has obtained the renewal of consent stipulating the condition of BG of Rs. 5.0 Lakh forfeiture due to non-installation of OWC followed by composting facility.</p> <p>Committee further noted that PP has stopped to dispose off the organic waste outside the premises &amp; provided the vermicomposting facility instead of OWC as the campus is in operation condition for less employees without any cooking facility.</p> <p>In view of above, it was decided to forfeit the partial BG of Rs. 1 Lakh out of Rs. 5 Lakh &amp; obtain double the amount to form the sum of total BG of Rs. 6 Lakh stipulated in renewal of consent accorded by Board.</p>

The Meeting is ended up with vote of thanks.