

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 18th Consent Appraisal Committee Meeting of 2020-2021 held on 04.12.2020 at 03:00 p.m. conducted through Video Conferencing (Microsoft Teams).

.....

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri Sudhir Shrivastava,
Chairman, M.P.C. Board, Mumbai. | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.P. Nandusekar,
Technical Advisor, MIDC. | Member |
| 4. Shri Tuhin Banerjee,
Sr. Scientist, NEERI. | Member |
| 5. Shri P.K. Mirashe,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai on leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri Y.B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Invitee Member |
| 3. Dr. A.S. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav,
Regional Officer (HQ), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start

30	MPCB- CONSENT- 0000095437	JNPT-APM Terminals Mumbai, JNPT JNPT, Sheva Navi Mumbai Uran	Renewal of consent to operate	30.09.2025	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for handling of containers, dry and liquid bulk cargos at Gateway Terminals India Pvt. Ltd (GTIPL- APM Terminals) 2 nos of berths of length 712 mtrs and container storage area 54.60 Ha.</p> <p>Committee also noted that, earlier PP has obtained consent for 3 terminals. JNPT is having 6 nos of terminals and out of that out of that of that Gateway Terminals India Pvt. Ltd (GTIPL, APM Terminals) is one of the port terminal.</p> <p>Committee also noted that PP has provided STP for the treatment of sewage. Treated sewage used on land for gardening. Also provided stacks to the DG sets.</p> <p>In view of above, it was decided to grant renewal of consent for handling of containers, dry and liquid bulk cargos to this terminal by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP and operator is having joint responsibilities to comply consent conditions. 2. PP shall submit justification about increase in CI, 3. PP shall submit BG of Rs.5.0 Lakhs towards O & M of PCs <p>Consent shall be issued after receipt of additional consent fees from PP, if any.</p>	
----	---------------------------------	---	-------------------------------------	------------	---	--
