MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of Part-II 3rd Consent Appraisal Committee Meeting of 2022-2023 held on 24.05.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

1. Shri. A. L Jarhad, Chairman

Chairman, MPCB

2. Shri Ashok Shingare, Member Member Secretary, M.P.C. Board.

3. Shri P.K. Mirashe, Member

Technical Advisor, MIDC.

4. Dr. Y. B. Sontakke, Member Convener Joint Director (WPC), M.P.C. Board, Mumbai.

5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI - leave of absence was granted.

Following Officer of MPCB were present for the meeting:

1. Shri V.M. Motghare Invitee Member

Joint Director (APC), M.P.C. Board, Mumbai.

2. Dr. A.R. Supate, Invitee Member

Principal Scientific Office, M.P.C. Board, Mumbai.

3. Shri N.N. Gurav, Invitee Member Regional Officer (BMW), M.P.C. Board, Mumbai.

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 11 of Consent to Operate cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	Booklet No. 1				
1	MPCB- CONSENT- 0000024486	M/s Housing Development & infrastructure Ltd. (Formerly A. Y Associates) S. No. 942 Pt. At Village Mahim, Tal Palghar, Dist- Thane. Palghar	Consent to Operate (part)		Case was discussed in CAC meeting on 27.09.2017 and it was approved but PP did not submit information. SCN issued on 16/03/2017. In view of above, it was decided to issue final refusal of consent to operate (Part)
2	MPCB- CONSENT- 0000125642	Whirlpool of India Limited., A-4 Plot No A4, Ranjangaon MIDC, Industrial Area - Pune Nagar Highway, Tal Shirur, Pune Shirur	APPROVED Renewal of Consent to Operate	31.12.2023	Committee noted that, PP has applied for renewal of consent to operate for mfg of Refrigerator. Committee also noted that, the said case was earlier discussed in CAC and issued show cause notice for "no set up of plant & machinery for existing tow products, applied with expansion without obtaining C to E & also increased CI, non-submission of technical details of ETP & STP including JVS exceedance, HW generation higher than the consented quantity, started construction work of warehouse without obtaining C to E and non-submission of status of GHG. Committee further noted that, PP has submitted reply to the SCN which is in line. After due deliberation, it was decided to consider the case for renewal of consent to operate for mfg of Refrigerator only by imposing following conditions: 1. PP shall operate pollution control systems scientifically to achieve the consented norms. 2. PP shall dispose the Hazardous Waste as per the provisions of Rule. 3. PP shall not use Ozone depletion chemicals.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					 By forfeiting 25% Bank Guarantee and top up with total amount of Rs. 25 Lakh towards the O&M of Pollution Control system and compliance of consent conditions.
3	MPCB- CONSENT- 0000128727	Eaton Industrial Systems Pvt. Ltd. (Valve Plant), Plot No. A-4, MIDC Ahmednagar, Dist. Ahmednagar.	APPROVED 1st consent to operate for modernization and renewal of existing consent to operate	28.02.2023	Committee noted that, PP has applied for 1st consent to operate for modernization and renewal of existing consent for Manufacturing of Engine Parts- Engine Valves Actuation Assembly & Engine Valves. Committee also noted that, PP has provided Separate treatment with Primary & tertiary treatment for Chrome effluent & for cyanide effluent and treated effluent is recycle in the process in scrubber. PP also has STP for the treatment of sewage, JVS results are found within the consented norms. PP has provided wet scrubber as APCs to plating section. After due deliberation, it was decided to grant 1st consent to operate for modernization and renewal of existing consent for Manufacturing of Engine Parts-Engine Valves Actuation Assembly & Engine Valves by imposing following conditions: 1. PP shall submit BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions.
4	MPCB- CONSENT- 0000133955	Free trade Warehousing Zone (FTWZ) - Phase -1 by Nhava Sheva Business Park Pvt. Ltd. Free trade	1st Consent to Operate (Part)		Committee noted that PP has applied for 1 st Consent to operate (Part) for free trade warehousing zone on total plot area 31,430.022 Sq.Mtr out of 1,79,701.46 Sq.Mtr & construction BUA of 31,520.312 Sq.Mtr out of construction BUA of 1,01,291.701 Sq.Mtr.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Warehousing Zone (FTWZ) - Phase -1, Plot No. 406/FTWZ-1, JNPT SEZ Area, Uran, Tal. Uran, Dist. Raigad.			Committee also noted that M/s. JNPT has obtained consent to establish vide dated 29.11.2019 for port based multiproduct SEZ at JNPT area Phase-I for the project which comprises processing zone & non-processing zone, however consent to operate is not obtained as a developer & common infrastructure facility provider for port based multi-product SEZ. After due deliberation, it was decided to defer the case & issue SCN for refusal of consent due to above lapses.
5	MPCB- CONSENT- 0000132913	Yashraj Biotechnology Ltd., Proposed Data Centre at EL – 25 and EL – 25 Part, TTC Industrial Area, MIDC, Navi Mumbai – 400705.	APPROVED 1st Consent to Operate for Data Centre	31.05.2027	Committee noted that, PP has applied for grant of 1st Consent to Operate for Data Centre project having Total plot area of 16,772 Sq.m and Total Construction BUA of 72,249.24 Sq.m. Committee also noted that, PP has obtained Environment Clearance, provided STP & OWC. After due deliberation it was decided to grant 1st Consent to Operate by imposing following conditions: 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, airconditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots. 5. PP shall submit BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions. Consent shall be issued after receipt of EC compliance verification report from SRO Navi Mumbai-2.
6	MPCB- CONSENT- 0000134753	Godavari Biorefineries Ltd. (A/p Sakarwadi, Tal: Kopergaon, Dist: Ahmednagar (Maharashtra)	part 1st Operate (Expansion) with amalgamation of existing Consent to Operate	31.08.2024	Committed noted that, PP has applied for part 1st Consent to Operate of expansion with amalgamation of existing Consent to Operate for mfg of additional specialty chemicals-1482.55 MT/M (Enhancement in production quantity of existing products- 739.06 MT/M & production of new products- 743.49 MT/M) i.e. from existing 9115 MT/M to 10597.55 MT/M. Committee also noted that, PP has provided ETP and treated effluent 100% recycled in the process to achieve ZLD. Also, provided air pollution control system's and proposed to dispose HW as per the provisions of Rule.
					After due deliberation, it was decided to grant part 1st Operate (Expansion) with amalgamation of existing Consent to Operate by imposing following conditions: 1. PP shall operate pollution control systems scientifically to achieve the consented norms. 2. PP shall recycle the entire treated effluent into the

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					 process to achieve Zero Liquid Discharge. PP shall dispose the Hazardous Waste as per the provisions of Rule. PP shall extend the existing Bank Guarantees towards the O&M of Pollution Control system and compliance of consent conditions Consent shall be issued without prejudice to the order's passed/being passed by Hon'ble NGT.

The meeting is ended with vote of thanks.