

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of Part-I 6th Consent Appraisal Committee Meeting of 2022-2023 held on 30.08.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|--|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The meeting thereafter deliberated on the fresh agenda items [Booklet No. 36 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 36					
1	MPCB- CONSENT- 0000102172	Kisanveer Satara Sahakari Sakhar Karkhana Ltd.,Bhuinj Tal.Wai, Dist.Satara. 412 Kisanveernagar Wai	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that, PP has applied for renewal of consent for distillery activity for 40 KLD+60KLD total-100 KLPD capacity.</p> <p>Committee also noted that, the case is discussed in earlier CAC and decided to issue SCN for Refusal.</p> <p>Committee further noted that, PP submitted reply and stated that, they submitted BG of Rs. 10 lakh. They provided web camera and flow meter and same is connected to MPCB server. They provided 11.41 acers of concreated compost yard as per CPCB guidelines and stored spent wash in tanker due to maintains work of lagoon. They Scrapped all Kachha Lagoon. They Already install wet scrubber. SRO Office submitted Verification and submitted that. i) Provided 11.41 acers of concreated compost yard as per CPCB guidelines. II)) 2 Kachha Lagoon yet not scrapped. iii) Provided OCMS (Web Camara), but not connected to MPCB server.</p> <p>After due deliberation, it was decided to grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall connect OCMS before start production. 2. Industry shall dispose spent wash as per consent condition. 3. Industry shall not operate unit without valid consent of the Board. 4. Industry shall scrap all kaccha lagoon in next 6 months. 5. Industry shall submit/extend Bank Guarantee of Rs.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.
2	MPCB- CONSENT- 0000123001	GENEXT HARDWARE & PARKS PVT. LTD. Sub Plot B, of CS No.1903,1904,1905 ,1/1905&2/1905 Building No. 2 on sub plot B, of CS No. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai Mumbai	NOT APPROVED Renewal of Consent to Operate (Part-I)	-----	Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-I) for Residential Building. No. 2 i.e. Tower D having Total plot area of 61,520.46 Sq.m and Total construction BUA of 65,805.90 Sq.m out of TCBUA of 2,05,546.42 Sq.m. Committee also noted that PP has obtained EC, provided STP and OWC. Committee further noted that PP has not submitted an audited balance sheet and pointwise compliance verification report of Environment Clearance conditions. After due deliberation it was decided to issue Show Cause Notice for Refusal of Renewal of Consent to Operate (Part-I) fo above non-compliances.
3	MPCB- CONSENT- 0000127537	M/s. KOHINOOR CTNL-Infrastructure Company Private Limited KOHINOOR SQUAREâ€ Kohinoor Mill Co. Ltd, No. 3, F. P. No. 46 of Mahim Division, Junction of N. C. Kelkar Marg and Lady	APPROVED Revalidation of Consent to Establish	Commissionin g of the project or 5 years whichever is earlier.	Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for Construction of Residential & Commercial project with public parking having Total plot area of 19,859.04 Sq.m and Total Construction BUA of 2,45,473.60 Sq.m. Committee also noted that PP has obtained Revalidation of EC, proposed to provide STP and OWC followed by composting facility. After due deliberation it was decided to grant Revalidation of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Jamshetji Marg, Dadar (W), Mumbai-400028.			<p>Consent to Establish by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall provide STP of adequate capacity to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall provide organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots. 5. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions. <p>Consent may be issued after receipt of penal fees for delay in applying.</p>
4	MPCB- CONSENT- 0000132485	CIPLA LIMITED A-42 MIDC PATALGANAGA KHALAPUR	APPROVED Renewal of Consent	30.04.2024	<p>Committee noted that, PP has applied for renewal of consent for API & Intermediates.</p> <p>Committee also noted that, the said case was earlier discussed in CAC meeting held on 24/6/2022 and issued SCN on 08/8/2022 for non-submission of mfg process, status of EC, Adopting Cleaner fuel & additional fee. Accordingly, PP has submitted reply in which submitted</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>detailed mfg process, EC not applicable as established prior to EIA Notification, made agreement with Mahanagar Gas to switch over to cleaner fuel.</p> <p>Committee further noted that, PP has provided ETP followed by RO & MEE installed and treated effluent (30 CMD) recycled & remaining 130 CMD connected to CETP- JVS within limit. Also, provided, Air Pollution control systems and disposal of HW as per consent conditions.</p> <p>After due deliberation, it was decided to consider the case for grant of renewal of Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate effluent treatment scientifically to achieve the consented norms 2. Industry shall partly recycle (30 CMD) the treated effluent and remaining shall be discharged to CETP after confirming the consented standards. 3. Industry shall dispose the Hazardous Waste as per the provision of H&OW Rule by adopting online manifest system. 4. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards O&M of Pollution Control System.
5	MPCB- CONSENT- 0000135348	Pauni II Expansion OC Near Sakhari Village, Tal-Rajura, Dist-Chandrapur.	APPROVED Renewal of consent with increase in CI	31.03.2023	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine-3.25 MTPA.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 24.06.2022 & it was decided to issue show cause notice for refusal of consent towards non-compliance of consent & EC conditions. Board has issued show cause notice vide letter dated 15.07.2022. PP has</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>submitted the reply of SCN vide email dated 21.07.2022.</p> <p>After due deliberation, it was decided to grant consent renewal of consent for Open cast Coal Mine- 3.25 MTPA by imposing following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.15 lakh towards noncompliance of consent and EC conditions viz. Non submission of action plan to implement off pit conveyor system, non-provision of tyre wash system & mechanised sweeping machine and non-submission of valid NOC of CGWA. 2. By forfeiting the BG of Rs.10.0 Lakh towards exceeding the AAQM results. 3. PP shall submit the action plan to implement off pit conveyor system i.e. from CHP to railway siding with silo loading facility in 3 years (i.e. 2023) as per EC conditions within a month and submit the BG of Rs.10.0 Lakh towards compliance of same. 4. PP shall submit the valid NOC of CGWA within six month and submit the BG of Rs.5.0 Lakh towards compliance of same. 5. PP shall provide the Mechanized sweeping machine for cleaning of road dust and submit the BG of Rs.5.0 Lakh towards compliance of same. 6. PP shall install Tyre wash system at mine entry/exit point and submit the BG of Rs.5.0 Lakh towards compliance of same. 7. Coal transportation road shall be repaired and remove the coal dust accumulated in the area. Maintenance of roads shall be done regularly. Also, regular cleaning and wetting of the roads shall be

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					done. 8. PP shall submit the BG as per the BG regime of mine.
6	MPCB- CONSENT- 0000137137	Bilt Graphic Paper Products Ltd. Unit Bhigwan MIDC Plot No.A-1/1, A-1/2, A-1/3 and B -1 Bhadalwadi - Paundhwadi Near Bhigwan Indapur	APPROVED Renewal of Consent	30.06.2026	Committee noted that, PP has applied for renewal of consent for Paper and Coated Paper (By using readymade pulp as a raw material) and 60 MW power generation. Committee also noted that, PP has provided ETP consist of primary, secondary & tertiary treatment having capacity 22500 CMD. Primary – Biological reactor – Sec. clarifier (2 No.) – Tertiary clarification- Tertiary treatment. JVS results are within limit. After due deliberation, it was decided to consider the case for grant of renewal of consent to operate by imposing following conditions: <ol style="list-style-type: none"> 1. Industry shall recycle treated effluent in maximum extent in process and remaining for irrigation purpose. 2. Industry shall not use Furnace oil as fuel as per Board Circular dtd. 05.02.2020. 3. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System
7	MPCB- CONSENT- 0000110179	P. D. E. A's Ayurved Rugnalaya & Streling Meltispeciality Hospital Near Bhel Chowk, Nigdi Pradhikaran,	NOT APPROVED Combined Consent & BMW Authorization, Consent to	-----	Committee noted that HCE has applied for Renewal of combine consent and authorization for Hospital activity for 220 Beds with Total plot area 5618 Sq. Mtrs and BUA 4950 Sqm with CI of Rs.4.68 Crs. Committee also noted that earlier Renewal of Consent to

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Pune-411044	Renewal		<p>Operate obtained dated 16.05.2019 which was valid up to 31.03.2020 for 220 beds. STP of 50 CMD capacity is provided and primary ETP of 3 CMD provided.</p> <p>Committee further noted that HCE operating without valid consent, Not submitted BG as per earlier consent conditions. Full-fledged ETP not provided. HCE does not have valid BHNS.</p> <p>After dud deliberation, it was decided to issue show cause notice for refusal of consent on above mention non-compliances.</p>
8	MPCB- CONSENT- 0000137203	The Saswad Mali Sugar Factory Ltd 13B Malinagar Malshirash	APPROVED Renewal of Consent	31.08.2024	<p>Committee noted that, PP has applied for Renewal of Consent for Ethanol unit 600 KL/M.</p> <p>Committee also noted that, the generated effluent in the form of condensate is 100% recycle in process.</p> <p>After due deliberation, it was decided to consider the case for grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 5.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System
9	MPCB- CONSENT- 0000139593	DR. BHAUSHAEB SARDESAI TALEGAON RURAL HOSPITAL & M.I.M.E.R	APPROVED Combined Consent & BMW Authorization,	31.05.2023	<p>Committee noted that HCE has applied for combine consent and authorization for construction project and Hospital activity for 800 Beds with Total plot area 159949 Sq. Mtrs and BUA 45381 Sqm with CI of Rs. 84.74 Crs.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		MEDICAL COLLEGE & MAEER'S COLLEGE PHYSIOT TALEGAON DABAHDE	Consent to Renewal		<p>Committee also noted that earlier Renewal of Consent to Operate obtained dated 02.02.2022 which was valid up to 31.05.2022. STP of 300 CMD capacity is provided and ETP of 10 CMD provided.</p> <p>After dud deliberation, it was decided to grant Combined Consent to Operate with BMW authorization for 800 Beds, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pre-treatment for yellow category waste.
10	MPCB-CONSENT-0000139982	Gangamai Industries And Constructions Ltd. (GIACL) 6,222/3,223,224,225, /1,225, /2,225, /3,232,233 Najik Babhulgaon, Post-Rakshi Shevgaon	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for Renewal of Consent for 5500 TCD sugar & 32 MW co-generation unit with C.I. of Rs. 209.54 Crs.</p> <p>Committee also noted that consent to operate dt: 22.10.2021 for 5500 TCD sugar & 32 MW co-generation unit which was valid up to 31.07.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent for 5500 TCD sugar & 32 MW cogeneration unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall comply with the PD conditions within 3 months. 2. Industry shall submit/extend Bank Guarantee of Rs. 25

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					lakh towards O & M of pollution control systems and compliance of consent conditions.
11	MPCB- CONSENT- 0000138683	Ashok Sahakari Sakhar Karkhana Limited,Ashoknagar 165,172,157 P Ashoknagar Shrirampur	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for Renewal of Consent for 2500 TCD sugar & 15 MW co-generation unit with C.I. of Rs. 147.8679 Crs.</p> <p>Committee also noted that JVS results dated 25.11.2021 & 21.03.2022 are within consented standards</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 2500 TCD sugar & 15 MW cogeneration unit with C.I. of Rs. 147.8679 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting appropriate Bank Guarantee towards JVS exceedance and top-up with double BG towards O & M of pollution control system and compliance of consent conditions. 2. Industry shall operate Tertiary treated system of effluent treatment system (ETP). <p>Consent shall be issued after submission of Bank Guarantee as per earlier consent conditions.</p>
12	MPCB- CONSENT- 0000139916	Shri Gurudatt Sugars Ltd., Gat No 61/A Gat No 61/A Shirol	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for Distillery unit of 225 KLPD by using C-Molasses, B-Molasses & Juice/syrup.</p> <p>Committee also noted that, The unit provided MEE & Incineration boiler to achieve ZLD.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System
13	MPCB- CONSENT- 0000139930	Shri Gurudatt Sugars Ltd., Gat No. 61/A Gat No 61/A, Akiwat Takaliwadi Road Shirol	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for Sugar unit 6000 TCD & 21 MW Cogeneration.</p> <p>Committee also noted that, the unit provided ETP comprising Bar Screen, Oil & Grease Trap, Oil Skimmer, Equalization tank. Anaerobic Tanks, USAB, Primary Aeration Tanks with diffused aeration system, primary Clarifier, Secondary Aeration Tank, Secondary Clarifiers Dual Media Filter, Treated Sump, 15 days storage tank, air blowers etc.</p> <p>JVS of existing sugar unit are within consented limits, except one. JVS of Source emission are within limit.</p> <p>After due deliberation, it was decided to consider the case for grant of Renewal of Consent for Sugar unit 6000 TCD & 21 MW Cogeneration, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System. 2. Industry shall provide scientific storage with proper APC for ash.
14	MPCB-	Vitthalrao shinde	APPROVED	31.08.2023	Committee noted that, PP has applied for grant of Renewal

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000140410	ssk ltd Gat no- 415,417,418,419 Gangamainagar-pimpalner Madha	Renewal of Consent		<p>of Consent for the 150 KLPD Distillery.</p> <p>Committee also noted that, PP Provided MEE & Bio-composting. 20% raw spent wash is utilized for Bio composting i.e 300 CMD in crushing season & Balance 1200 CMD is treated in MEE & concentrated wash is (350 CMD) is used as fuel in incineration boiler. In off-season total 1500 CMD is treated in MEE (450 CMD Conc. Spent wash) is used as fuel in incineration boiler. Industry also provided CPU for condensate and other effluent.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for the 150 KLPD Distillery by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.
15	MPCB-CONSENT-0000140268	Urjankur Shree Datta Power Company Ltd., 251 Gat No. 251, Dattanagar Shirol Shirol	APPROVED Renewal of Consent	31.07.2026	<p>Committee noted that, PP has applied for grant of Renewal of Consent for manufacturing of Electric Power (Co-gen) – 36 MW.</p> <p>Committee also noted that, PP Provided ETP of capacity 480 CMD comprising primary & tertiary treatment. The JVS result of ETP outlet is well within the limit.</p> <p>Industry has provided ESP to bagasse/coal fired Boiler with stack height 100 Mtr. The source emission is within limit for the parameter TPM.</p> <p>After due deliberation, it was decided to grant of Renewal of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Consent for manufacturing of Electric Power (Co-gen) – 36 MW, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System. 2. Industry shall ensure the disposal of fly ash as per the fly ash notification, 2016 & amended thereof to achieve 100% utilization of fly ash including bottom ash.
16	MPCB- CONSENT- 0000140358	SIDDHANATH SUGAR MILLS LTD 167/1,167/2 TIRHE NORTH SOLAPUR	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 6000 TCD & 26 MW.</p> <p>Committee also noted that, PP Provided ETP of capacity 600 CMD Consisting of Primary, secondary & tertiary treatment. The JVS result of ETP outlet is well within the limit. Industry provided CPU for excess condensate and recycled the treated water in process.</p> <p>Industry has provided ESP to bagasse fired Boiler with stack height 65 Mtr.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for 6000 TCD & 26 MW., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.
17	MPCB- CONSENT-	GMR Warora Energy Ltd.,	NOT APPROVED	--	Committee noted that PP has applied for renewal of consent

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000140106	Plot No. B1 & B7, Mohbala MIDC Growth Centre, Post Warora, Tal-Warora Dist-Chandrapur.	Renewal of consent to operate with increase in CI (Auto Renewal Application)		<p>to operate (Auto renewal) for Electricity Generation-2x 300 MW (coal based thermal power Plant)- 600 MW.</p> <p>Committee further noted that PP has provided the ESP to both boiler unit with bi-flue stack having height 275 meter. Dust extraction and dust suppression system is provided to the CHP and ash handling plant. Provided 3 x 1500 MT capacity RCC silo for storage of dry fly ash. OCEMS is provided to the Stack and CAAQMS-3 nos are provided. Fly ash utilisation for the year 2020-2021 is 100%. Provided ETP and STP.</p> <p>Committee also noted the following Non compliances –</p> <ol style="list-style-type: none"> 1. STP of adequate capacity is not provided for treatment of domestic effluent-384 CMD. 2. Details of specific water consumption is not submitted. 3. Justification about increase in CI is not submitted. 4. The details of ETP and its unit with capacity are not furnished for treatment of effluent generated from boiler blow down, cooling tower blow down, DM plant, Washing effluent, Ash handling and back wash from filters. Also not provided details of recycle system and ash water recovery system. 5. As per the online stack monitoring results, SO2 emission is in the range of 900-1400 mg/Nm3 against the standards of 600 mg/Nm3. 6. Very less quantum of HW- sludge arises from ETP is disposed to CHWTSDF.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>7. Coal having ash & sulphur content more than 34 % & 0.5% respectively is being utilised.</p> <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent towards non-compliance of consent conditions.</p>
18	MPCB- CONSENT- 0000140464	Padmabhushan Krantiveer Dr. Naganath Anna Nayakawdi Hutatma Kisan Ahir Sah. Sakhar Karkhana Ltd 461/1+2A, 456,460 Nanaganatha Anna Nagar Walwa Walwa	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 5000 TCD Sugar unit.</p> <p>Committee also noted that, PP Provided ETP of capacity 600 CMD Consisting of Primary, secondary & tertiary treatment. The JVS result of ETP outlet is well within the limit.</p> <p>Industry has provided Wet scrubber as APC.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for 5000 TCD Sugar unit., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.
19	MPCB- CONSENT- 0000140563	Padmabhushan Krantiveer Dr. Naganathanna Nayakwadi Hutatma Kisan Ahir Sahakari Sakhar Karkhana Ltd	APPROVED Renewal of Consent	31.08.2025	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 30 KLPD Distillery Unit.</p> <p>Committee also noted that, PP Provided Bio-digester followed by MEE followed by Bio-composting. Having 5.5 Acre compost yard with leachate collection system as per CREP guidelines.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		1012 Naganathanna Nagar; Walwe Walwa			<p>After due deliberation, it was decided to grant of Renewal of Consent for 30 KLPD Distillery Unit., by imposing following conditions:</p> <p>1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.</p>
20	MPCB- CONSENT- 0000140201	Quinergy Industries Ltd. [Operative Of Bhausahab Birajdar SSK Ltd.] Sr.No.18.19.22.23 & 65 Samudral [Kon] Omerga	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for Renewal of Consent for 4000 TCD sugar unit with C.I. of Rs. 157.7759 Crs.</p> <p>Committee also noted that JVS results are exceeding consented standards, consumption of water mention in CGWA NOC, not submitted Bank Guarantee and not provided CPU.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent on above mention non-compliances.</p>
21	MPCB- CONSENT- 0000139553	INDRESHWAR SUGAR MILLS LTD 308/4,308/5,310,311 BHAGAWANTNAGAR BARSHI	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 2500 TCD sugar unit & 12 MW cogeneration unit.</p> <p>Committee also noted that, PP Provided ETP with primary secondary & tertiary system. JVS reports are within limit.</p> <p>Committee further noted that Regional officer issued SCN on 11.03.2022 for non-compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant of Renewal of Consent for 2500 TCD sugar unit & 12 MW cogeneration unit., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System.
22	MPCB- CONSENT- 0000140615	United Breweries Ltd Plot No. M-1, M-1/Part, M-1/Part-1, M-1/Part-II MIDC Taloja Panvel	APPROVED Renewal of Consent	31.10.2027	<p>Committee noted that, PP has applied for grant of Renewal of Consent for Beer manufacturing.</p> <p>Committee also noted that, PP Provided ETP with Primary and Secondary ETP comprising of Screen chamber, Equalization cum neutralization tank, Primary clarifier, Buffer tank, UASB Reactor with flare system, Aeration tank, Secondary clarifier, Sludge thickener. Provided online monitoring system at ETP outlet, U-trap, strainer, and positive discharge system. Also provided NRV valve and autosampler at ETP outlet. JVS reports are within limit except TDS.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for Beer Manufacturing for short period., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs. 2 lakh for exceedance of JVS and obtain total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintains of pollution control system and O&M of Pollution Control System. 2. PP shall submit upgradation plan for ETP within period of 3 months and shall be implemented in next 3 months.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
23	MPCB- CONSENT- 0000140858	Dr.Patangrao Kadam Sonhira Sahakari Sakhar Karkhana Ltd.Mohanrao Kadam Nagar Wangi. 2709,2782,2786,27 98,2811 WANGI KADEGAON	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 7000 TCD cap Sugar & 22.0 MW Cogeneration unit.</p> <p>Committee also noted that, PP Provided ETP with primary secondary & tertiary system. JVS reports are within limit.</p> <p>PP has installed CPU for treatment of excess condensate.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for 7000 TCD cap Sugar & 22.0 MW Cogeneration unit., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System. 2. The Bank Guarantee of Rs. 5 lakh obtained for installation of CPU is released as PP provided CPU.
24	MPCB- CONSENT- 0000139193	Pravara Rural Hospital Rahata	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.06.2023	<p>Committee noted that PP has applied for Renewal of Combined Consent with BMW authorization for 1275 Beds total plot area is 420600 sq mtr and built-up area is 9489.69 sq mtr. with CI is Rs. 75.5575 Cr. (Decrease in CI by Rs. 83.3468 Crs)</p> <p>Committee also noted that HCE has previously obtained combine consent to Operate on 27.05.2020 which was valid up to 30.06.2022 for Ci.. of Rs. 157.9043 Crs. ETP of 5 CMD provided and STP of 800 CMD capacity.</p> <p>After due deliberation, it was decided to grant Combined Consent to Operate with BMW authorization for 1275 Bed,</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after submission Bank Guarantee and justification for decrease in capital investment.</p>
25	MPCB- CONSENT- 0000140947	Shri Dutta India Pvt.Ltd Servey No- 69,70,74 Sakharwadi Phaltan	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent for 4900 TCD with new Boiler of 140 TPH.</p> <p>Committee also noted that, PP Provided ETP with Primary secondary & tertiary system. The JVS results are slightly exceeding.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for 4900 TCD with new Boiler of 140 TPH., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs. 5 lakh for exceedance of JVS and obtain total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintains of pollution control system. 2. PP shall submit improvement plan of ETP within a period of 3 months.
26	MPCB-	Jawahar Shetkari	APPROVED	31.07.2025	Committee noted that, PP has applied for grant of Renewal

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000139860	Sahakari Sakhar Karkhana Ltd., Hupari 315/7 to 315/15 Yalgud -Hupari Hatkanangale	Renewal of Consent		<p>of Consent for 16000 TCD & 28.5 MW Co-generation</p> <p>Committee also noted that, PP Provided ETP with Primary secondary & tertiary system. The JVS results are within consented limit.</p> <p>After due deliberation, it was decided to grant of Renewal of Consent for 16000 TCD & 28.5 MW Co-generation., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/Extend Total BG of Rs. 25 Lakh for compliance of Consent conditions and O & M of pollution control systems. 2. Industry shall submit/Extend Total BG of Rs. 25 Lakh towards not to carry excess crushing. 3. Industry shall comply with all the conditions of EC dtd. 01.12.2020, Amended on 25.10.2021. <p>Excess treated effluent shall be reused in process/utilities and for gardening/greenbelt development / horticulture in own premises only and not to send outside used for farming as per EC.</p>
27	MPCB-CONSENT-0000140619	Loknete Sunderraoji Solanke Sahakari Sakhar Karkhana Ltd. 176 At. Sundernagar Tq. Dharur Dist. Beed Dharur	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for renewal consent for 5000 TCD sugar & 22 MW Co-generation unit.</p> <p>Committee also noted that JVS results are within consented limits and submitted Bank Guarantee of Rs. 25 lakh.</p> <p>After due deliberation, it was decided to grant renewal of consent for 5000 TCD sugar & 22 MW Cogeneration unit, by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
28	MPCB- CONSENT- 0000140114	Ayan Multitred Llp Unit No.2 (Oprtive Of Banganga Ssk Ltd.) Gat No. 214,208,209 Ida- Jawala (N) Bhoom	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for 4000 TCD sugar unit with C.I. of Rs. 164.6176 Crs.</p> <p>Committee also noted that PP has obtained Consent to Operate dt: 24.03.2022 for 4000 TCD which is valid up to 31.07.2022. JVS are exceeding consented standards and BG not submitted.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 4000 TCD sugar unit with C.I. of Rs. 164.6176 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting appropriate Bank Guarantee towards JVS exceedance and top-up with double BG towards O & M of pollution control system and compliance of consent conditions. <p>Consent shall be issued after submission of Bank Guarantee as per earlier consent conditions.</p>
29	MPCB- CONSENT- 0000140137	Urjankur Shree Tatyasaheb Kore Warna Power Company Limited G.No. 630 Warnanagar Panhala	APPROVED Renewal of Consent	31.07.2026	<p>Committee noted that, PP has applied for grant of Renewal of Consent for manufacturing of Electric Power (Co-gen) – 44 MW.</p> <p>Committee also noted that, PP Provided ETP of capacity 640 CMD comprising primary & tertiary treatment. The JVS result of ETP outlet is well within the limit.</p> <p>Industry has provided ESP to bagasse/coal fired Boiler with</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>stack height 100 Mtr. The source emission are within limit for the parameter TPM.</p> <p>After due deliberation, it was decided to consider the case for grant of Renewal of Consent for manufacturing of Electric Power (Co-gen) – 44 MW, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25.0 Lakh towards Compliance of Consent conditions and O&M of Pollution Control System. 2. Industry shall ensure the disposal of fly ash as per the fly ash notification, 2016 & amended thereof to achieve 100% utilization of fly ash including bottom ash.
30	MPCB- CONSENT- 0000139366	Sahakar Maharshi Shivajirao Narayanrao Nagawade SSK Ltd 52/2 Plot No 52/2, Limpangaon Village Shrigonda	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for Renewal of Consent for 3500 TCD sugar and 26 MW Co-generation unit with C.I. of Rs. 226.8039 Crs. (Increase in CI by Rs. 6.6896 Crs.</p> <p>Committee also noted that JVS results dated 25.11.2021 & 21.03.2022 are within consented standards. Industry has yet to submit PD compliance.</p> <p>After due deliberation, it was decided to grant renewal of consent for 3500 TCD sugar & 26 MW cogeneration unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
31	MPCB-	Dalmia Sugar and	APPROVED	31.07.2023	Committee noted that, PP has applied for grant of Renewal

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000141171	Industries Ltd. Sugar Unit- Shri Datta, Asurle-Porle Dist. Kolhapur 1774, 1775, 1860,1861 ,1925,1926,1957-59,1961 A/P- Porle Panhala	Renewal of Consent		of Consent for 9000 TCD sugar unit & 32 MW co-gen unit Committee also noted that, PP Provided ETP with Primary secondary & tertiary system. The JVS results are slightly exceeding. PP provided ESP as APC and results of source emission are within limit. After due deliberation, it was decided to grant of Renewal of Consent for 9000 TCD sugar unit & 32 MW co-gen unit., by imposing following conditions: 1. Industry shall submit/Extend total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintains of pollution control system.
32	MPCB-CONSENT-0000141124	PRASAD SUGAR & ALLIED AGRO PRODUCTS LTD. VAMBORI 912 TO 915 SADE-VAMBORI ROAD RAHURI	APPROVED Renewal of Consent	31.07.2023	Committee noted that PP has applied for Renewal of Consent for 4000 TCD sugar unit with C.I. of Rs. 131.0426 Crs. (Increase in CI by 6.6399 Crs.) Committee also noted that JVS results: 21.01.2022 is within consented limit. After due deliberation, it was decided to grant renewal of consent for 4000 TCD sugar unit, subject to submission of Bank Guarantee, by imposing following conditions: 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
33	MPCB-CONSENT-	Shiur Sakhar Karkhana Limited,	APPROVED	31.07.2023	Committee noted that PP has applied for renewal of consent for 2500 TCD sugar unit.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000141267	Wakodi S.No.85 At Post. Wakodi Kalamnuri	Renewal of Consent		<p>Committee also noted that JVS results are exceeding the consented limits results and BG is submitted.</p> <p>After due deliberation, it was decided to grant renewal of consent for 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting Bank guarantee of Rs. 5 lakh as JVS of effluent and stack are exceeding consented standards and top-up with Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.

The meeting is ended with vote of thanks.
