

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 7<sup>th</sup> Consent Appraisal Committee Meeting of 2021-2022 held on 13.10.2021 & 29.10.2021 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri. A. L Jarhad,<br>Chairman, MPCB   | Chairman        |
| 2. Shri Ashok Shingare,<br>Member Secretary, M.P.C. Board.                      | Member          |
| 3. Shri P.P. Nandusekar,<br>Technical Advisor, MIDC.                            | Member          |
| 4. Shri Tuhin Banerjee,<br>Sr. Scientist, NEERI.                                | Member          |
| 5. Shri P.K. Mirashe,<br>Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted.

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.      | Invitee Member |
| 2. Shri Y.B. Sontakke,<br>Joint Director (WPC), M.P.C. Board, Mumbai.     | Invitee Member |
| 3. Dr. A.R. Supate,<br>Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav,<br>Regional Officer (HQ), M.P.C. Board, Mumbai.       | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 14 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
<b>Booklet No. 14</b>					
1	MPCB- CONSENT- 0000040382	F.M. Hammerle Textiles Ltd., Plot No. T-5 + T-5/ Part 1 Kagal Hatkanangale Five Star MIDC Kagal, Dist: Kolhapur	NOT APPROVED (Final Refusal) Renewal of consent	-----	<p>Committee noted that, PP has applied for renewal of consent to operate for dyed yarn shirting fabric.</p> <p>Committee also noted that, the case was discussed in earlier CAC and issued show cause notice for refusal of consent as they have failed to install Reverse Osmosis as per earlier consent condition and JVS exceedance.</p> <p>Committee further noted the remark of SRO- Kolhapur that the was not in operation since last 3 years due to financial problems and also not installed RO system.</p> <p>After due deliberation, it was decided to <b><u>issue final refusal of consent</u></b> as unit is not in operation and failed to comply with the consent conditions despite of giving sufficient &amp; reasonable opportunity for compliance of the same.</p>
2	MPCB- CONSENT- 0000082371	Lloyds Metals and Energy Limited, Plot No.A-1 and A-2 MIDC Industrial Area, Ghugus Chandrapur	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for manufacturing of Sponge Iron, Electricity generation (WHRB), Char, Washed coal, Unwashed coal &amp; low-grade coal.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was issued show cause notice for refusal of renewal of consent due non-compliances of consent conditions viz. excessive fugitive emissions from product house, conveyor belt transfer points, non-operation of bag filters provided at vibrating screen of captive power plant, unscientific storage coal fines &amp; char fines, increased the CI by Rs. 175.73 Crs without obtaining consent, not</p>

					<p>upgraded the ESP to achieve the TPM standard of 75 mg/Nm<sup>3</sup> at sponge iron plant &amp; power plant, not submission of BG of Rs. 25.0 Lakh towards compliance of the same.</p> <p>Committee further noted the PP's has submission towards non-compliances reported in SCN. Further, it was also noted that, the compliance of show cause notice verified by SRO Chandrapur and reported that, PP has complied with 08 nos (out of 13) of conditions of restart directions. Subsequently, this case was again discussed in CAC meeting &amp; called PP for technical presentation. Accordingly, presentation was extended on 18.01.2021 in which directed to submit the compliance report through RO Chandrapur with respect to SCN issued along with action plan towards achieving the TPM standard 50 mg/Nm<sup>3</sup> within nine months time period &amp; also directed the PP to ensure uploading data in logbook module on daily basis. Committee also noted that, Regional Office, Chandrapur has submitted compliance report without JVS reports.</p> <p>After due deliberation, it was decided <b><u>to defer the case for want of latest monitoring report of Air &amp; Water.</u></b></p>
3	MPCB- CONSENT- 0000083594	Angre Port Private Limited, 39 Sande Lavgan Ratnagiri, Dist: Ratnagiri.	NOT APPROVED (Final Refusal) Renewal of consent for handling of coal , Bitumen, coal tar	-----	<p>Committee noted that, PP has applied for renewal of consent for handling of coal, Bitumen and coal tar-20,00,000 T/A.</p> <p>Committee also noted that, PP has obtained consent for handling of dry and wet cargos for the validity period up to 30.09.2022 and handling of coal, Bitumen and coal tar for the validity 31.12.2019.</p> <p>Committee further noted that, the application for renewal of consent for handling of coal was discussed in the earlier CAC meeting and was decided to issue SCN for refusal of</p>

					<p>consent for noncomplying consent and Environmental Clearances conditions.</p> <p>Committee further noted the SRO's verification report in which reported that, PP has failed to comply with consent conditions and failed to provide air pollution control systems.</p> <p>After due deliberation, it was <b><u>decided to issue the final refusal of consent</u></b> as PP has failed to comply with the consent condition &amp; failed to provide air pollution control systems.</p>
4	MPCB- CONSENT- 0000102323	D Decor Home Fabrics Pvt Ltd., Plot No F6/1 MIDC Tarapur Palghar	NOT APPROVED (Defer)  Renewal of consent with increase in CI	-----	<p>Committee noted that, PP has applied for renewal of consent to operate for Piece Dyed, Top Dyed &amp; Digital Printing Fabrics- 25 Lkhs Mtrs/M with increase in CI.</p> <p>Committee also noted that, PP has provided ETP and Soak Pit for the treatment of trade effluent and sewage respectively. Treated effluent is 50% recycled, reuse in process and remaining disposed to CETP for further treatment and its disposal. Provided online pH, flow, BOD, COD and TSS meters. Also provided multi cyclone dust collector and wet scrubber system to coal fired boiler and Thermopack section. Also obtained membership of CHWTSDF.</p> <p>Committee further noted that, this application was discussed in the earlier CAC and was decided to defer the case and place before the next CAC after obtaining detailed Audit report to be carried out within 15 days, from authorized institution/forming committee of Board officials and an expert institute, about total water budget, treatment system, and recycling methods adopted etc. PP has</p>

					<p>submitted audit report of BTRA and submitted information about water budget and recycle system. PP has submitted a request to waive condition of RO and MEE.</p> <p>After due deliberation, <b><u>it was decided to call PP for the technical Presentation</u></b> on the process adopted for reduction in the pollution load, water budget and qty of effluent recycled.</p>
5	MPCB- CONSENT- 0000102500	D Decor Exports Pvt. Ltd., G-7/1, MIDC, Tarapur Palghar	NOT APPROVED (Defer)  Renewal of consent	-----	<p>Committee noted that, PP has applied for renewal of consent for the textile manufacturing activities including dyeing and other activities.</p> <p>Committee also noted that, PP has provided ETP and septic tank for the treatment of trade effluent and sewage respectively. The treated effluent is recycled and remaining disposed to CETP for further treatment and disposal. Analysis results are exceeded for BOD and COD parameters. Also provided multicyclone and Bag filter to coal fired boiler and dust collector followed by wet scrubber system to Thermopack. Also obtained membership of CHWTSDF.</p> <p>Committee further noted that, the case was discussed in the earlier CAC meeting, and was decided to defer and place before the next CAC after obtaining detailed Audit report from reputed institution about total water budget, treatment system and recycling methods adopted. PP has submitted audit report of BTRA and submitted information about water budget and recycle system. PP has submitted a request to waive condition of RO and MEE.</p> <p>After due deliberation, <b><u>it was decided to call PP for technical Presentation</u></b> on the process adopted for</p>

					reduction in the pollution load, water budget and qty of effluent recycled.
6	MPCB- CONSENT- 0000103469	Technology Demonstration Plant, Heavy Water Board, DAE, S. Nos. 127 (Chembur), 1 (Marawali), 1,5,5, 1 to 6 (Anik), Premises of RCF Ltd., Mahul Village, Chembur, Mumbai - 400074 Chembur	APPROVED  Renewal	Up to 28.02.2026.	<p>Committee noted that industry has applied for grant of renewal of Consent to Operate for mfg. of 4.5 MT/A Rare Earth Material by extraction from Phosphoric Acid produced in M/s RCF Ltd., Chembur, Mumbai.</p> <p>Committee noted that plant is not in operation since Dec-2015 due to non-operation of phosphoric acid plant of RCF.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of Consent to Operate</u></b> for mfg. of 4.5 MT/A Rare Earth Material by imposing the following conditions;</p> <ol style="list-style-type: none"> <li>1. Industry shall send industrial effluent &amp; domestic sewage to ETP &amp; STP provided by RCF for its treatment &amp; disposal.</li> <li>2. Both industry M/s Technology Demonstration Plant, Heavy Water Board, DAE and M/s RCF will be held jointly and severally responsible for operation &amp; maintenance of ETP &amp; STP, in case, if JVS results of treated effluent exceeds the Consented limits.</li> </ol>
7	MPCB- CONSENT- 0000103998	Golden Fibre LLP, T-08 Add. Amravati Industrial Area (Textile Park) Nandgaonpeth MIDC Amravati, TAI & Dist: Amravati.	APPROVED Renewal of consent with increase in CI	31.01.2026	<p>Committee noted that PP has applied for renewal of consent for production of Flax Yarn Spinning- 6.5 MT/day, Concrete Batching Plant- 36 M3/Hrs and By product- Flax dust briquette-500 Kg/day with increase in CI.</p> <p>Committee also noted that PP has obtained earlier consent for the same product and capacity. PP has provided STP and ETP for the treatment of sewage and trade effluent. Treated sewage is used on land for gardening and treated effluent is disposed to CETP for further treatment and its disposal. Also provided air pollution control system and stack to the Boiler and DG set section.</p>

					<p>After due deliberation, <b><u>it was decided renewal of consent by forfeiting BG of Rs. 2.5 Lakh</u></b> and by imposing the following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the direction of the Boards dated 05.02.2020 about use of clean fuel.</li> <li>2. PP shall submit BG of Rs.25 Lakh towards O &amp; M of PCS.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
8	MPCB- CONSENT- 0000106666	M/S VIDEOCON INDUSTRIES LTD., 14 KM, STONE, AURANGABAD - PAITHAN ROAD AT CHITEGAON TAL. PAITHAN, DIST- AURANGABAD.	REFUSED Renewal of consent with decrease in CI & amalgamation of both consents	--	<p>Committee noted that PP has applied for renewal of consent with decrease in CI &amp; amalgamation of Compressor division consent for manufacturing of Color Television, LCD/LED, Refrigerator, Washing Machine, Air Conditioner, Injection Molding, Assembly Of Mobile, Assembly of Tablet, Remote Control, Coolers, Microwave Oven, TV Components, Compressors, Compressor Component.</p> <p>Committee also noted that this case was discussed in previous CAC meeting &amp; was deferred and was decided to issue SCN for refusal of consent due to various lapses such as</p> <ol style="list-style-type: none"> <li>1. The Industry is not in operation since 2018 &amp; not submitted the reason thereof.</li> <li>2. Not submitted Clarification in respect of decreased CI by 640.13 Crs,</li> <li>3. Not submitted reason for not renewing the consent since 30.06.2020,</li> <li>4. Not submitted Techno-feasibility report of existing water &amp; Air pollution control system, details of BGs and Board resolution.</li> </ol>

					<p>5. Not submitted Audited balance sheet and CA certificate in Board's prescribed format showing cost of land, building, plant &amp; machinery without depreciation.</p> <p>Committee further noted that Board office has issued SCN for refusal of consent due to above lapses, however PP has not submitted any say/compliance report, till date.</p> <p>After due deliberation, <b><u>it was decided to issue final refusal of consent</u></b> due to non-submission of compliance report toward the points raised in the SCN issued.</p>
9	MPCB- CONSENT- 0000107781	Cargill India Pvt Ltd., Plot No. E-45, MIDC Kurkumbh, Tal-Daund, Dist-Pune	NOT APPROVED (Defer)  Renewal of consent with increase in CI	-----	<p>Committee noted that, PP has applied for renewal of consent with increase in CI, for manufacturing of Refined Edible oil- 4,36,000 MT/A, finished good storage shed- 6149 Sq. mtrs, Soap Stocks-10840 MT/A, Deo Distillate- 1200 MT/A, Wax-1000 MT/A and Spent Earth - 2590 MT/A.</p> <p>Committee also noted that, PP has provided common ETP at plot no. E- 45 for the treatment of effluent generated from plot no.E-45 &amp; E-4. Treated effluent is partly used on land for gardening and remaining disposed to CETP. Analysis result of JVS shows exceedance in Chloride and TDS parameter. Provided stack to boiler and DG set section. Also obtained membership of CHWTSDF.</p> <p>After due deliberation, <b><u>it was decided to call the PP for the technical presentation</u></b> on the water budget, effluent generation and its mode of disposal, HW waste generation, its mode of disposal and compliance made with the Plastic Rules.</p>
10	MPCB- CONSENT- 0000107983	Cargill India Pvt. Ltd., Plot No. E - 4,	NOT APPROVED (Defer)	-----	<p>Committee noted that, PP has applied for renewal of Consent with increase in CI for manufacturing of Hydrogenation palm fatty Acid- 3000 MT/M, Hydrogenated caster oil- 2000 MT/M, Hydrogenated Sunflower Oil2000</p>



		M.I.D.C. Kurkumbh Daund, Dist: Pune	Renewal of consent with increase in CI		<p>MT/M, Hydrogenated palm stearin- 3000 MT/M, Ester product- 1500 MT/M, Distilled Fatty Acids- 2160 MT/M, Glycerin (industrial grade)- 225 MT/M and by product as spent Earth / Magnesol 160 MT/M, Acid oil/wax/soap- 960 MT/M. and Pitch Residues- 200 MT/M.</p> <p>Committee also noted that, PP has provided STP for treatment of sewage and trade effluent is treated in to common ETP located at E-45. Provided dust collector system to boiler section with adequate stack height. Also obtained membership of CHWTSDF.</p> <p>After due deliberation, <b><u>it was decided to call for the technical presentation</u></b> on water budget, effluent generation and its mode of disposal, HW waste generation &amp; its mode of disposal and compliance made with the Plastic Rules.</p>
11	MPCB- CONSENT- 0000109201	Emerson Process Management India Private Limited, 277 & 278 Raison Industrial Park Hinjewadi ,Village - Maan, Mulshi	APPROVED Renewal with decrease in CI	28.02.2022	<p>Committee noted that, PP has applied for renewal of consent with decrease in CI and said application was discussed in the earlier CAC and decided to issue SCN.</p> <p>Committee also noted that, PP has submitted a reply stating compliance.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent to operate</u></b> for short period with decrease in CI by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs. 5 Lakh towards JVS exceedance and top up with total BG of Rs. 25 Lakhs.</li> <li>2. PP shall submit the Plan towards improvement of O&amp;M / up gradation of ETP.</li> </ol>

12	MPCB- CONSENT- 0000109258	Hindustan Coca-Cola Beverages Pvt. Ltd., Survey No 284- P Kudus Wada, Dist: Palghar	APPROVED Renewal of consent with increase in CI	30.04.2022	<p>PP has applied for renewal of consent with increase in CI under orange category for manufacturing of pulp based, carbonated beverages in glass bottles, tetra and Pet bottles- 1639 KL/D and packaged drinking water [ Pet bottles &amp; Jars) -384 KL/D.</p> <p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent respectively and treated effluent is partly recycled and remaining disposed of on land for gardening. Provided stack, cyclone dust collector and Bag filter to boiler section. Also obtained membership of CHWTSDf.</p> <p>Committee further noted that PP has started installation work of ZLD system.</p> <p>After due deliberation <b><u>it was decided for renewal of consent under Red category</u></b> for short period up to 30.04.2022 by imposing following conditions. -</p> <ol style="list-style-type: none"> <li>1. PP shall comply the Boards Policy dated 05.02.2020 for use of clean fuel.</li> <li>2. PP shall comply Plastic Waste Rules.</li> <li>3. PP shall submit BG of Rs.25 Lakh towards O &amp; M of PCS and towards compliances of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of SRO's verification report with respect to Plastic Rules and additional consent fees, if any.</p>
13	MPCB- CONSENT- 0000109617	B. G. CHITALE, 172 Bhilwadi Railway Station, Tal: Palus, Dist: Sangli.	APPROVED Renewal of consent with increase in CI	30.04.2024	Committee noted that PP has applied for renewal of consent for manufacturing of Milk and Milk products with increase in CI.

					<p>Committee also noted that PP has provided STP and ETP for treatment of sewage and trade effluent and treated effluent is used on land for gardening. Stacks provided to Boiler section and DG set section.</p> <p>After due deliberation <b><u>it was decided for renewal of consent</u></b> up to 30.04.2024 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply the Boards Policy dated 05.02.2020 for use of clean fuel.</li> <li>2. PP shall comply with the Plastic Rules.</li> <li>3. PP shall submit/extend the existing BG to the sum of Rs. 25.0 Lakh towards compliance of consent conditions</li> </ol> <p>Consent shall be issued after receipt of additional consent fees from PP if any.</p>
14	MPCB- CONSENT- 0000110738	Dighi Port Limited, Agardanda [ North Side] Shrivardhan, Dist: Raigad.	NOT APPROVED (Defer)  Consent to operate of Dighi Port [ North Side ] At -Agardanda Site	-----	<p>Committee noted that, PP has submitted application for consent to operate in the name of Dighi Port Ltd for operation of port in the Rajpuri Creek at Agardanda ( North side) having 3 nos. of Jetties/Berths of Dimensions 300x20 Mtrs with approach of 100x12 mtrs ( Multi purpose berths) and facilities for liquid storage and liquid cargos.</p> <p>Committee also noted that, this application was discussed in the earlier CAC meeting, and it was decided to issue show cause notice for refusal of consent for violation of consent to Establish conditions and Environmental Clearance conditions. Also, PP may submit legal opinion whether violation of EC condition on south side will also be treated as violation on north side as there is one single EC but two consents.</p>

					<p>Committee further noted that PP has submitted a reply seeking time period to comply with all the statutory documents.</p> <p>After due deliberation <b><u>it was decided to call PP for technical presentation</u></b> on compliances made towards Environmental Clearances conditions, consent conditions and Legal aspects related to the port.</p>
15	MPCB- CONSENT- 0000110773	Schreiber Dynamix Dairies Pvt. Ltd., E- 250, MIDC Baramati, Pin- 413133 Baramati	APPROVED Renewal of consent with decrease in CI	30.04.2022	<p>Committee noted that, PP has applied for renewal of consent for manufacturing of Milk powder and Baby foods 1581 MT/M with decrease in CI.</p> <p>Committee also noted that, PP has provided septic tank and ETP for the treatment of sewage and trade effluent and treated effluent is used on land for gardening. Provided Bag filter to the Boiler section..</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent for short period</u></b> i.e. up to 30.04.2022 without decrease in CI by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend the existing BG to the sum of Rs. 25.0 Lakh towards compliance of consent conditions..</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
16	MPCB- CONSENT- 0000107397	VHM Industries Limited, T-2 Additional MIDC	APPROVED	31.01.2022	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Dyed Yarn</p>

		Area, Nandagaon Peth, Amravati,	Renewal of consent with increase in CI		<p>-240 MT/M, Woven Fabric (Weaving &amp; sizing)- 84 MT/M and Processed Fabric (Processing and dyeing)- 315 MT/M.</p> <p>Committee also noted that, PP has provided STP and ETP for the treatment of sewage and trade effluent and treated sewage is used on land for gardening and trade effluent disposed to CETP. Provided bag filter to boiler section. Also obtained membership of CHWTSDF.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> for the period up to 31.01.2022 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall submit BR of company towards increase in CI without obtaining C to E and submit BG of Rs.2.0 Lakh towards compliance of the same.</li> <li>2. By Forfeiting BG of Rs.2.5 Lakh towards JVS exceedance and top-up with double amount.</li> <li>3. PP shall submit/extend top-up BG of Rs..25 Lakh towards O &amp; M of PCS and towards compliances of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees from PP, if any. Also, it was decided to call all the CETP member industries to review the performance of CETP and revision of disposal of effluent standards.</p>
17	MPCB- CONSENT- 0000111786	Khed Economic Infrastructure Private Limited, Nimgaon, Kanerhsar, Dawadi and Kendur in Khed	NOT APPROVED (Defer)  Renewal of consent with decrease in CI	--	Committed noted that PP has applied for renewal of consent (Part-I) for Multi-product SEZ project comprising processing area & domestic tariff area.

		and Shirur Taluka, Pune Khed and Shirur			<p>Committee also noted that PP has not provided common STP/ETP, OWC followed by composting facility. However, member units have provided their own treatment facilities. PP has not obtained amendment in EC for provision of individual pollution control facility instead of common pollution control infrastructure facility viz. STP, ETP, Bio-gas plant/ OWC and other assets.</p> <p>After due deliberation, <b><u>it was decided to keep the case in abeyance and call the PP for presentation</u></b> about the project details including the installation status of common infrastructure facilities.</p>
18	MPCB- CONSENT- 0000108452	MIMSR Medical College, Vishwanathpuram Campus, Ambejogai Road, Latur.	APPROVED Renewal of Combined Consent & BMW Authorization for 700 nos beds and for plot area 28,8600 sq.mtrs and BUA-59,359 sq.mtrs.	31.12.2022	<p>Committee noted that, PP has applied for Renewal of Combined Consent &amp; BMW Authorization for 700 nos beds and for plot area 28,8600 sq.mtrs and BUA-59,359 sq.mtrs. with increase in nos. of beds.</p> <p>Committee also noted that, PP has provided STP for the treatment of sewage and treated sewage is used on land for gardening.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent for short period</u></b> i.e. up to 31.12.2022 by forfeiting BG of Rs.1.0 Lakh towards non-provision of ETP by imposing following condition.</p> <ol style="list-style-type: none"> <li>1. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same.. The primary treated effluent shall be treated in existing STP.</li> <li>2. PP shall submit BG's as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during</li> </ol>

					<p>treatment, diagnosis/ quarantine of COVID-19 Patient</p> <p>Consent shall be issued after receipt of copy of details of BMW generation, copy of membership of CBMWTSDf, copy of annual returns, BG details and additional consent fees, if any.</p>
19	MPCB- CONSENT- 0000111472	SRCC CHILDRENS HOSPITAL A UNIT OF NARAYANA HRUDALAYA LTD., 1/A, HAJI ALI PARK	APPROVED renewal of Combined Consent & BMW Authorization for 207 nos of beds and for plot area - 7352.80 sq.mtrs and Total BUA - 17,468.90 sq.mtrs	31.05.2026	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 207 nos of beds and for plot area -7352.80 sq.mtrs and Total BUA - 17,468.90 sq.mtrs.</p> <p>Committee also noted that, PP has provided STP for treatment of sewage and treated sewage is disposed on land for gardening. Also obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> for the period up to 31.05.2026 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same.. The primary treated effluent shall be treated in existing STP.</li> <li>2. PP shall submit/extend BG's as per BG regime for Healthcare establishment</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of justification about decrease in CI and additional consent fees, if any.</p>

20	MPCB- CONSENT- 0000110931	Dreamworld Landmarks LLP (Godrej Properties Ltd), S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P) S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P), Taluka Haveli, District Pune, State Maharashtra Haveli	APPROVED Revalidation of Consent to establish	CoU or five years whichever is earlier	<p>Committee noted that PP has applied for revalidation of consent to establish for residential construction project for remaining construction BUA.</p> <p>After due deliberation, <b><u>it was decided to grant revalidation of C to E</u></b> for residential construction project on total plot area of 1,22,547 Sq.Mtr &amp; remaining construction BUA of 1,68,892.65 Sq.Mtr out of total construction BUA of 2,49,367.09 Sq.mtr. by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in the EC &amp; consent.</li> <li>2. PP shall provide STP to achieve BOD standards 10 mg/l.</li> <li>3. PP shall recycle 60% of treated sewage after disinfection for secondary purposes like air conditioning, firefighting, etc. and apply remaining on land for gardening within premise after confirming to the standards or utilize for construction purpose till completion of the project with water metering system.</li> <li>4. PP shall provide Organic Waste Converter followed by composting facility for the treatment of Biodegradable waste and use compost obtained as manure for gardening.</li> <li>5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</li> <li>6. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC &amp; Consent conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any</p>
----	---------------------------------	---	--	--	--



21	MPCB- CONSENT- 0000110568	Siemens Ltd., PLOT NUMBER 1, MIDC,TTC INDUSTRIAL AREA, AIROLI Kalwa Navi Mumbai	Not APPROVED (Defer)  Renewal of consent with additional product & increase in CI	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Electrical Motor, Traction Motor, Switchgear Items &amp; PI Products, LT &amp; HT Switchboards, Transformers with Reactors &amp; one additional product - Variable Speed AC &amp; DC Drive, Electrical Control Cabinet, M.V. Drive &amp; PLC System.</p> <p>Committee also noted that the case was discussed in previous CAC meeting &amp; was decided to deferred &amp; issue SCN for refusal of consent due inadequate capacity of ETP resulting JVS exceedance, took additional product i.e. Variable speed AC &amp; DC drive, electrical control cabinet, MV drive &amp; PLC system without obtaining consent to establish, increased CI by Rs. 6.7 Crs, non-submission of mandatory submissions such as Env. Statement, HW annual returns &amp; non-submission of reply to SRO Scrutiny letter dated 20.04.2021. Also not submitted the quantities of products, HW, Non HW, details of BG including water budget.</p> <p>Committee further noted that SCN for refusal of consent was issued by the Board due to above non-compliances, however PP has not submitted any say/compliance, till date.</p> <p>After due deliberation, <b><u>it was decided to defer the case</u></b> obtain the compliance report towards SCN issued within seven days.</p>
22	MPCB- CONSENT- 0000107560	HYOSUNG INDIA PRIVATE LIMITED, Plot no. 1 Sector no.11, NO. 11, AURIC City, Shendra, Aurangabad.	APPROVED Renewal of consent with increase in CI	31.12.2022	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for manufacturing of spandex yarn-1850 MT/M.</p> <p>Committee also noted that, PP has provided ETP for the treatment of trade effluent and treated effluent is disposed to CETP. Provided Bag filter and Wet Scrubber system as APCS. Also obtained membership of CHWTSDF.</p>

					<p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> for the period up to 31.12.2022 by imposing following condition.</p> <ol style="list-style-type: none"> <li>1. PP shall submit improvement plan towards ETP upgradation/O &amp; M.</li> <li>2. By forfeiting of BG of Rs.2.5 Lakh towards JVS exceedance and top-up with double the amount. .</li> <li>3. PP shall submit/extend top-up BG of Rs.25 Lakh towards O &amp; M of PCS and towards compliances of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
23	MPCB- CONSENT- 0000112468	Pudumjee Paper Products Ltd., Survey No. 25, 30. Thergaon, Pune - 33. Mulshi, Dist: Pune.	APPROVED Renewal of consent with increase in CI	30.06.2022	<p>Committee noted that, PP has applied for renewal of consent for manufacturing of paper products with increase in C.I. and reduction in some paper products.</p> <p>Committee also noted that, PP has provided fufledged ETP for the treatment of tread effluent and septic tank and soak pit for treatment of sewage. Treated effluent disposed to River. PP has provided ESP with adequate stack height to Boiler section.</p> <p>After due deliberation <b><u>it was decided to consider the case for grant of renewal of Consent</u></b> for short period and call the PP for technical presentation regarding implementation of action plan for reduction of water consumption, effluent generation and BOD, COD reductions so as to explore the possibility of achieving ZLD.</p>

24	MPCB- CONSENT- 0000111899	SMBT AYURVED COLLEGE AND HOSPITAL, Nandihills, Dhamangaon, Dist: Nashik.	APPROVED Renewal of Combined Consent & BMW Authorization for 300 nos of beds and for plot area 6070.28 sq.mtrs and BUA - 5018.5 sq.mtrs	31.03.2023	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for Ayurvedic Hospital for 300 nos of beds and for plot area - 6070.28 sq.mtrs and BUA - 5018.5 sq.mtrs.</p> <p>Committee also noted that, PP has provided STP for treatment of sewage and treated sewage is disposed on land for gardening.</p> <p>After due deliberation <b><u>it was decided to grant short plain renewal of consent</u></b> for the period up to 31.03.2023 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide primary ETP within three months and submit BG of Rs.2.0 Lakh towards the same.. The primary treated effluent shall be treated in existing STP.</li> <li>2. By forfeiting BG of Rs.2.0 Lakh towards non-compliances of consent condition and top-up with double amount .</li> <li>3. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>4. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDf, BG details and additional consent fees, if any.</p>
25	MPCB- CONSENT- 0000107592	Anheuser Busch InBev India Limited, L-5 NEAR Marathwada Auto	APPROVED Renewal of consent	30.03.2022	<p>Committee noted that, PP has applied for renewal of consent for production of Beer -103660 MT/month, PET Bottles of different size (Only for Beer Packing)- 240000 nos./day and Dry Yeast- 02 MT/month.</p>

		Cluster, Gangapur, Aurngabad.			<p>Committee also noted that, PP has provided STP and ETP for treatment of sewage and trade effluent respectively. Treated effluent is partly reused and remaining disposed to CETP. Provided Bag filter with adequate stack height to boiler section.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent for short period</u></b> i.e. up to 30.03.2022 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs.10 Lakh towards JVS exceedance and not complying with consent conditions and top-up to the sum of BG Rs.25 Lakh towards compliances of consent conditions and towards O &amp; M of pollution control systems.</li> <li>2. PP shall submit water curtailment plan within a month and shall implement within next 3 months.</li> <li>3. PP shall not use Ground water and submit a separate BG of Rs.10 Lakh towards compliance of the same.</li> <li>4. PP shall comply with The Maharashtra Plastic and Thermocol Products Notification dated 11/04/2018 and amendments thereof.</li> </ol> <p>Consent shall be issued after receipt of copy of permission of MIDC for use of water, Copy of membership of CHWTSDF, manifest, and details of plastic waste disposed of and after receipt of additional consent fees, if any.</p>
26	MPCB- CONSENT- 0000112881	M/S,Kolhapur Zilla Sahakari Dudh Utpadak Sangh Ltd- B-1 MIDC PART 1 & 2 B1 MIDC Gokul	APPROVED Renewal of consent with increase in CI	30.04.2024	Committee noted that, PP has applied for renewal of consent for manufacturing of Milk and Milk products with increase in CI.

		Shirgaon, Karveer, Dist: Kolhapur.			<p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent respectively. Provided Bag filter and MDC as APCS to Boiler section.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> up to 30.04.2024 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply the Boards Policy dated 05.02.2020 for use of clean fuel.</li> <li>2. PP shall submit copy of EPR and shall comply with The Maharashtra Plastic and Thermocol Products Notification dated 11/04/2018 and amendments thereof.</li> <li>3. PP shall submit/extend BG of Rs.25 Lakh towards O &amp; M of PCS and towards compliances of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of consent fees, if any.</p>
27	MPCB- CONSENT- 0000110481	Reliance Corporate IT Park Ltd., 5, TTC Industrial Area, Thane “ Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	NOT APPROVED (Defer)  Plain Renewal of consent	--	<p>Committee noted that PP has applied for plain renewal of consent for IT park project on total plot area of 20,50,990 Sq.mtr &amp; construction BUA of 2,97,000 Sq.mtr.</p> <p>Committee further noted that PP has not obtained revalidation of EC, C to E for remaining construction BUA, not submitted the OWC details, E-waste &amp; Battery waste information/inventory.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; issue SCN for refusal</u></b> of renewal of consent due to above lapses.</p>

28	MPCB- CONSENT- 0000112410	Marathwada Medical & Research Institute Kamalnayan Bajaj Hospital, Bajaj Marg, Beed By Pass Road, Satara Parisar, Aurangabad.	APPROVED Renewal of Combined Consent & BMW Authorization for 300 nos of beds and for plot area 30351.40 sq.mtrs and BUA - 19166.0 sq.mtrs	30.06.2026	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 300 nos of beds and for plot area - 30351.40 sq.mtrs and BUA - 19166.0 sq.mtrs.</p> <p>Committee noted that, PP has provided STP and ETP for the treatment of sewage and trade effluent respectively and treated effluent is disposed on land for gardening. Also obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided to grant renewal of combined Consent and BMW Authorization</u></b> for the period up to 30.06.2026 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment</li> </ol> <p>Consent shall be issued after obtaining information of BMW generation and after receipt of additional consent fees, if any</p>
29	MPCB- CONSENT- 0000113013	DR. BHAUSHAEB SARDESAI TALEGAON RURAL HOSPITAL AND M.I.M.E.R MEDICAL College, Talegaon Dabhade,Dist: Pune.	APPROVED Renewal of Combined Consent & BMW Authorization for 800 Nos of bed and for plot area 1,59,949 sq. mtrs and BUA- 45,381 sq. mtrs	31.05.2022	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 800 Nos of bed and for plot area - 1,59,949 sq. mtrs and BUA- 45,381 sq. mtrs.</p> <p>Committee also noted that, PP has provided STP and ETP for the treatment of sewage and trade effluent respectively. Also obtained membership of CBMWTSDf.</p> <p>After due deliration <b><u>it was decided to grant renewal of consent for short period</u></b> up to 31.05.2022 by imposing following conditions.</p>

					<ol style="list-style-type: none"> <li>1. To forfeit BG of Rs. 1.0 Lakh towards not complying consent condition and obtain top of BG of Rs. 2.0 lakhs towards installation of ETP within 3 months. The primary treated effluent shall be treated in existing STP.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of justification about increase in CI, qty and category wise BMW generation, copy of the latest annual report and additional consent fees from PP, If any.</p>
30	MPCB- CONSENT- 0000113177	Bilt Graphic Paper Products Ltd. Unit Bhigwan, MIDC Plot No.A-1/1, A-1/2, A-1/3 and B -1 Bhadalwadi - Paundhwadi Near Bhigwan Indapur,Dist: Pune	APPROVED Renewal of consent with increase in CI	30.06.2022	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for generation of power- 60 MW, Steam - 425 MT/Hrs and Paper and coated paper - 33,333 MT/M.</p> <p>Committee also noted that, PP has Provided combined ETP for the treatment of trade effluent and Treated effluent is used for dust suppression and remaining for plantation &amp; irrigation purpose. Analysis results of JVS are within the limits. Provided ESP to coal fired boiler section with stack.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of consent</u></b> i.e. for the period up to 30.06.2022 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with Boards Policy dated 05.02.2020 about use of clean fuel.</li> </ol>

					<p>2. PP shall submit/extend top-up BG of Rs.25 Lakh towards O &amp; M of PCS and towards compliances of consent conditions .</p> <p>Consent shall be issued after receipt of copy of NOC of CGWA / Irrigation department for use of water and additional consent fees, if any.</p>
31	MPCB- CONSENT- 0000113245	M/s. Belaire Hotels Pvt Ltd., 30/1, 30/3, 2A Pune Haveli	APPROVED Renewal of consent	31.05.2023	<p>Committee noted that PP has applied for renewal of consent for 5 Star Hotel activity including restaurant, lodging &amp; Boarding, swimming pool &amp; laundry activity having 306 Nos of Rooms.</p> <p>Committee also noted that, the PP has provided ETP and STP for the treatment of effluent and sewage, however STP outlet JVS are exceeding the consented parameters. Also provided organic waste converter for the treatment of wet garbage.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 5 Star Hotel activity including restaurant, lodging &amp; Boarding, swimming pool &amp; laundry activity having total plot area of 6,521 Sq.Mtr &amp; total construction BUA of 26,182 Sq.Mtr having 306 Nos of Rooms by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. By forfeiting the proportionate amount of BG towards JVS exceedance of STP outlet.</li> <li>2. PP shall upgrade the existing ETP/STP within next three months to achieve consented standard for the parameter BOD-10 mg/l.</li> <li>3. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc., with water metering system &amp; remaining shall be utilized on land for gardening/ or connected to Local Body sewer line.</li> </ol>



					<p>4. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</p> <p>5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.</p> <p>6. PP shall submit/extend BG of Rs. 25 Lakh towards O &amp; M of Pollution Control System and compliance of Consent conditions.</p> <p>Consent shall be issued after submission of details of OWC and additional consent fees, if any.</p>
32	MPCB- CONSENT- 0000111380	Pad. Dr. Vithalrao Vikhe Patil Foundations Dr. Vikhe Patil Memorial Hospital and Medical College, At - Vadgaon Gupta Opp. Govt. Milk Dairy Post - MIDC Ahmednagar	APPROVED Renewal of Combined Consent & BMW Authorization for 960 nos of beds and for plot area 1,10,469 sq.mtrs and BUA 16,847 sq.mtrs with increase in CI	30.06.2025	<p>Committee noted that, PP has applied for renewal of consent with increase in no. of beds from 860 to 960 nos of beds and for same plot area - 1,10,469 sq.mtrs and BUA 16,847 sq.mtrs.</p> <p>Committee also noted that, PP has provided STP for treatment of sewage and treated effluent is disposed on land for gardening. PP has obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided to grant renewal of combined Consent and BMW Authorization</u></b> for 960 nos of beds and for plot area - 1,10,469 sq.mtrs and BUA 16,847 sq.mtrs for the period up to 30.06.2025 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide ETP within ETP within 3 months. The primary treated effluent shall be treated in existing STP.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol>

					Consent shall be issued after receipt of additional consent fees from PP, if any.
33	MPCB- CONSENT- 0000112275	Seven Hills Healthcare Private Ltd., Marol Maroshi Road	APPROVED Renewal of Combined Consent & BMW Authorization for 306 nos of beds and for plot area 66,687 sq.mtrs and BUA - 1,88,413 sq.mtrs.	25.03.2023	<p>Committee noted that, PP has applied for renewal of consent for 306 nos of beds and for plot area - 66,687 sq.mtrs and BUA - 1,88,413 sq.mtrs.</p> <p>Committee also noted that, PP has provided STP for the treatment of sewage and treated sewage is disposed in to MCGM drain.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of consent</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall provide ETP within 3 months. The primary treated effluent shall be treated in existing STP.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol> <p>Consent shall be issued after receipt of details of BMW generation, copy of BNH certificate, copy of membership of CBMWTSDf, copy of Annual report- Form II, details of BG submitted and additional consent fees, if any.</p>
34	MPCB- CONSENT- 0000110938	Dreamworld Landmarks LLP, S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P), S. No. 31(P), 32 (P), 33 P),	NOT APPROVED (Defer)  Renewal of consent (Part)	--	<p>Committee noted that PP has applied for renewal of consent (Part) for residential buildings No. A, B, C, D, E, F &amp; G on total plot area of 1,22,547 &amp; construction BUA of 80,474.44 out of total construction BUA of 2,66,071.44 Sq.Mtr.</p>

		34(P), 37(P) & 40(P), Taluka Haveli, District Pune, State Maharashtra Haveli			<p>Committee also noted that PP has not obtained revalidation of Consent to establish from 12.08.2020 to 17.03.2021 &amp; continued construction work without obtaining revalidation of CtoE. Also not submitted the details about disposal path of treated sewage.</p> <p>After due deliberation, it was decided to defer the case &amp; call the PP for presentation on above non-compliance.</p>
35	MPCB- CONSENT- 0000114102	Balewadi Tech Park Pvt Ltd., 20 Balewadi Haveli	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI for IT park project on total plot area of 34,900 Sq.mtr &amp; total construction BUA of 1,85,361.92 Sq.Mtr.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; call the PP for presentation</u></b> due to non-submission of details of E-waste management, land availability for disposal of treated sewage etc.</p>
36	MPCB- CONSENT- 0000114882	Sound Casting Pvt. Ltd. Unit 2, Plot No. C - 10 Kagal MIDC Hatkanangale	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Grey Iron Castings, SGI Castings &amp; aluminium casting- 37800 MT/A.</p> <p>Committee also noted that PP has increased the CI by Rs. 80.27 Crs without Boards consent.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; issue SCN for refusal</u></b> of consent due to above lapses.</p>
37	MPCB- CONSENT- 0000114807	Saarloha Advance Materials Pvt. Ltd (Formerly Kalyani Carpenter Special Steel Pvt. Limited), Sr.No.72-76, Mundhwa, Industrial	NOT APPROVED (Defer)  Renewal with increase in CI	----	<p>Committee noted that, PP has applied for renewal of consent with increase in capital investment, without change in production for manufacturing of Finished Products in the form of Ingots or Blooms of various sizes and grades- 2,04,000 MT/A. increase in CI is due to infrastructure development, improving quality of product, implementation of new technology, etc.</p>

		Zone Haveli, Dist. Pune			After due deliberation <b><u>it was decided to defer the case and call the PP for a technical presentation</u></b> with detailed production process and pollution control systems adopted and its performance.
38	MPCB- CONSENT- 0000113565	TATA MEMORIAL HOSPITAL, PAREL	APPROVED Renewal of combined Consent & BMW Authorization for 604 Nos of beds and plot area 15026.36 sq. mtrs and BUA 63788.91 sq. mtrs	31.05.2023	<p>Committee noted that, PP has applied Renewal of combined Consent &amp; BMW Authorization for 604 Nos of beds and plot area 15026.36 sq. mtrs and BUA 63788.91 sq. mtrs.</p> <p>Committee noted that PP has provided ETP for treatment of trade effluent and treated effluent disposed in to MCGM drain.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of consent</u></b> i.e. up to 31.05.2023 by imposing following condition.</p> <ol style="list-style-type: none"> <li>1. PP shall submit time bound program, for installation of adequate capacity of ETP and STP for the trade effluent and sewage generated, within a month and implement the same within next 3 months.</li> <li>2. PP shall submit time bound program within 3 months about installation of STP and provide STP of adequate capacity before 31.12.2022.</li> </ol> <p>Consent shall be issued after receipt of copy of BNH certificate, detailed water budget BMW generation details, copy of membership of CBMWTSDf, annual returns, details of BG's and additional consent fees from PP, if any.</p>
39	MPCB- CONSENT- 0000091124	Krantisinh Nana Patil Genral	APPROVED 1st Combined Consent to	31.03.2022	Committee noted that, PP has applied for 1st Combined Consent to operate & BMW Authorization for 241 nos of

		Hospital, Sadar bajar Satara	operate & BMW Authorization for 241 nos of beds and total plot area 81,28,339 sq.mtrs and BUA- 15,11,928 sq.mtrs.		beds and total plot area - 81,28,339 sq.mtrs and BUA- 15,11,928 sq.mtrs.  Committee also noted that, PP has not provided STP and ETP for treatment of sewage and trade effluent respectively and treated effluent is disposed in to local nall.  After due deliberation <b><u>it was decided to grant 1<sup>st</sup> Combined Consent and BMW Authorization</u></b> for the period up to 31.03.2022 by imposing following conditions:  <ol style="list-style-type: none"> <li>1. PP shall submit proposal towards installation/upgradation of ETP and STP and same shall be installed within next 3 months.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol> Consent shall be issued after receipt of detailed water budget, scheme of STP/ETP, qty of BMW generation, copy of valid membership of CBMWTSDf, copy of annual returns and additional consent fees, if any.
40	MPCB- CONSENT- 0000115144	Amttek Auto Limited, Plot No. B-6 Ranjangaon MIDC, Tal. Shirur, Dist. Pune	NOT APPROVED (Defer)  Renewal with increase in CI	---	Committee noted that, PP has applied for renewal of consent with increase in capital investment,  Committee also note that, PP has increased the capital investment without C to E from Board, changed the Product name. Installed furnaces, DG set and shot blasting without permission from the Board. Also not operated STP, not submitted Annual Returns and B.G. details.

					After due deliberation <b><u>it was decided to issue SCN</u></b> for above non-compliances.
41	MPCB- CONSENT- 0000114617	Apollo Hospitals Enterprise Ltd., Plot No.13, Sector 23, Parsik hill road, Belapur Navi Mumbai.	APPROVED Renewal of Combined Consent & BMW Authorization for 384 nos of beds and Total plot area 14783.960 sq. mtrs and BUA- 60724.591 sq. mtrs with increase in CI	31.07.2024	<p>Committee noted that PP has applied for renewal of combine consent and BMW Authorization for 384 nos of beds and for Plot area 14,783.96 sq.mtrs and BUA of 60,724.591 sq.mtrs with increase in CI.</p> <p>Committee also noted that, PP has provided STP and ETP for the treatment of sewage and trade effluent respectively and treated effluent is partly recycled and remaining disposed in to NMMC drain. PP has obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided to grant renewal of CCA</u></b> for 384 nos of beds, Plot area 14,783.96 sq.mtrs and BUA of 60,724.591 sq.mtrs with increase in CI for the period up to 31.07.2024, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>2. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
42	MPCB- CONSENT- 0000115245	Pidilite Industries Limited, Plot Nos. A-21/1, A-21/2 and A22/1, MIDC Mahad,Tal. Mahad, Dist. Raigad.	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for grant of renewal of Consent to Operate for mfg. of only Polymer product based on Vinyl Acetate Monomer, Acrylate, Styrene, Ethylene Monomers and Adhesive based on PVA - 41,100 MT/A and deletion of remaining products.</p>

					<p>Committee also noted that with the deletion of 9 Nos. of products water consumption for industrial processing will be reduced from 317 CMD to 110 CMD, for Boiler/ Cooling tower feed will be reduced from 549 CMD to 132 CMD and trade effluent generation quantity will be reduced from 167.5 CMD to 51.5 CMD.</p> <p>After due deliberation, <b><u>it was decided to grant short renewal of Consent</u></b> i.e. up to 31.07.2022 for mfg. of only Polymer product based on Vinyl Acetate Monomer, Acrylate, Styrene, Ethylene Monomers and Adhesive based on PVA - 41,100 MT/A by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate &amp; maintain ETP to achieve Consented standards. Treated effluent of 21 CMD shall be recycled and remaining 30.5 CMD treated trade effluent is allowed to discharge to CETP for further treatment &amp; disposal.</li> <li>2. Industry shall extend existing BGs of Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.</li> </ol> <p>Consent shall be issued after-</p> <ol style="list-style-type: none"> <li>1. Obtaining additional Consent to Establish fees towards increase in C.I.</li> <li>2. Forfeiting proportionate BG, in case, if JVS exceeds Consented standards.</li> <li>3. PP shall make technical presentation before Member Secretary with regard to overall compliance including earlier products manufacturing with quantities.</li> </ol>
--	--	--	--	--	--

43	MPCB- CONSENT- 0000115356	Mahatma Gandhi Mission Medical College Hospital, Kamothe Dist: Raigad.	APPROVED Renewal of Combined Consent & BMW Authorization for 810 nos of beds and for plot area - 80,000 sq.mtrs and 32,932 sq.mtrs with increase in CI	30.06.2026	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 810 nos of beds and for plot area -80,000 sq.mtrs and 32,932 sq.mtrs with increase in CI.</p> <p>Committee also noted that, PP has provided STP for treatment of sewage and treated sewage disposed on land for gardening. PP has obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided that to grant renewal of consent</u></b> for the period up to 30.06.2026, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall install primary Effluent Treatment Plant (ETP) within 6 months.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
44	MPCB- CONSENT- 0000115421	Polygenta Technologies Ltd., Gat.No.265/1, 266, Gat.No.265/1, 266, Village - Avankhed, Tal.- Dindori, Dist.- Nashik Avankhed	APPROVED  Renewal	31.07.2024	<p>Committee noted that industry has applied for grant of renewal of Consent to Operate for the mfg. of PET Products (POY Chips/ POY/ DTY/ Poly Flakes/ FDY) - 3000 MT/M.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of Consent</u></b> for the mfg. of PET Products (POY Chips/ POY/ DTY/ Poly Flakes/ FDY) - 3000 MT/M by imposing the following conditions:</p>



					<ol style="list-style-type: none"> <li>1. Industry shall operate &amp; maintain ETP to achieve Consented standards. Treated effluent shall be recycled into process, for cooling tower makeup, firefighting and utility purposes.</li> <li>2. Industry shall extend/ top up BG totalling Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.</li> </ol> <p>Consent shall be issued after-</p> <ol style="list-style-type: none"> <li>1. Obtaining additional Consent to Establish fees towards increase in C.I.</li> <li>2. Forfeiting proportionate BG, in case, if JVS exceeds consented standards.</li> <li>3. Industry shall submit clarification regarding import of raw materials.</li> </ol>
45	MPCB- CONSENT- 0000115913	RATTANINDIA POWER LTD, Plot No-D2 & D2(Part), Additional Industrial Area, Nandgaonpeth, MIDC, Amravati, Tal & Dist-Amravati.	APPROVED  Renewal of consent	31.08.2022	<p>Committee noted that PP has applied for renewal of consent for coal based Thermal Power Plant- 1350 MW (i.e.5 x 270 MW).</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall extent the all the existing BG for the period up to 31.12.2022.</li> <li>2. PP shall complete the construction work of an additional 2 no's of fly ash silo (RCC of capacity 4000) for railway wagon unloading within 3 months period.</li> <li>3. PP shall submit the action plan along with bar chart regarding the compliance to achieve the emission standards including installation of FGD system as per the MoEF notification dated 31.03.2021 within a month period.</li> </ol>

					<p>4. PP shall submit the action plan for Carbon Sequestration project within a month period.</p> <p>5. PP shall submit the action plan for disposal of Legacy pond ash within a month period.</p>
46	MPCB- CONSENT- 0000115975	The Tata Power Co.Ltd. Khopoli Hydro Power Station, City Survey No. 4222, Revenue Survey No. 27.B, Khopoli, Tal-Khalapur, Dist-Raigad.	APPROVED  Renewal of consent with increase in CI	31.08.2026	<p>Committee noted that PP has applied renewal of consent for Hydro Electric Power Generation – 72 MW.</p> <p>After due deliberation <b><u>it was decided to grant renewal of consent</u></b> for Hydro Electric Power Generation 72 MW by imposing the following conditions:</p> <p>1. Industry shall submit/extend the BG of Rs.25 Lakh towards operation and maintenance of pollution control system for the period up to 31.10.2025.</p>
47	MPCB- CONSENT- 0000115893	Shree Chhatrapati Shahu S.S.K. Ltd., 144/1/B, 144/2, 148-151, 153-157, 159-161, 164-172, 186, 24/B, 247/2/3, 61/32 Kagal	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for grant of renewal of consent for 10000 TCD sugar unit and 28 MW Co-generation unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 10000 TCD sugar unit and 28 MW Co-generation unit, by imposing following conditions:</p> <p>1. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</p> <p>2. Industry shall submit improvement plan of ETP within a month and implement same within next 3 months.</p>
48	MPCB- CONSENT- 0000116352	Ceat Limited, Plot No G2 Additional Ambernath MIDC Anand Nagar Thane	APPROVED  1st consent to operate (part-II) and	30.09.2026	<p>Committee noted that, PP has applied for 1st consent to operate (part-II) (Capacity 30 MT/Day) and amalgamation with existing Renewal of consent (Capacity 40 MT/Day) for the production of Automotive tyres of different sizes-70 MT/Day (40 + 30) i.e. 25550 MT/Year.</p>

			amalgamation with Renewal of existing consent to operate		<p>After due deliberation <b><u>it was decided to grant 1st consent to operate (part-II) and amalgamation with Renewal of existing consent to operate</u></b> by imposing following condition:</p> <p>1. PP shall submit/extend the BG of Rs. 25 Lakh towards operation and maintenance of pollution control systems.</p>
49	MPCB- CONSENT- 0000113792	Reliance Corporate IT Park Ltd., 5 5, TTC Industrial Area, MIDC, Thane “ Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent for integrated data center &amp; utilities such as DG sets, cooling tower, chilling plant, transformer, etc., for Phase-IV &amp; building on total plot area of 20,50,990 Sq.mtr &amp; construction BUA of 1,87,180.02 Sq.mtr out of total construction BUA of 18,35,000 Sq.Mtr.</p> <p>Committee further noted that PP has not obtained the revalidation of EC, C to E for remaining construction BUA, not submitted the OWC details &amp; E-waste inventory.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; call the PP for presentation</u></b> due to above lapses.</p>
50	MPCB- CONSENT- 0000115848	SAI WARDHA POWER GENERATION PRIVATE LIMITED, B-2, Warora Growth Centre, MIDC, Warora, Tal-Warora, Dist.- Chandrapur	NOT APPROVED (Defer)  Renewal of consent with increase in CI	---	<p>Committee noted that PP has applied for plain renewal of consent for Electricity Generation (coal based thermal power plant)-540 MW (4x135 MW). with change in the name of the company from M/s Sai Wardha Power Generation Limited to M/s Sai Wardha Power Generation Private Limited.</p> <p>After due deliberation, <b><u>it was decided to call the PP for presentation</u></b> regarding action plan for installation of FGD &amp; pollution control measure taken along with its adequacy.</p>

51	MPCB- CONSENT- 0000083139	Nowrosjee Wadia Maternity Hospital, Acharya Donde Marg, Parel,Mumbai- 400012	APPROVED  Renewal of Combined Consent & BMW Authorization for 305 nos of beds and for plot area 15,931 sq.mtrs and BUA- 14,915.073 sq.mtrs	31.12.2022	<p>Committee noted that, PP has applied for Renewal of Combined Consent &amp; BMW Authorization for 305 nos of beds and for plot area 15,931 sq.mtrs and BUA-14,915.073 sq.mtrs.</p> <p>Committee also noted that, PP has provided ETP for treatment of trade effluent and treated effluent is disposed in to MCGM drain. PP has obtained membership of CBMWTSDf.</p> <p>After due deliberation <b><u>it was decided to grant renewal of combined Consent and BMW Authorization</u></b> for 305 nos of beds and for plot area - 15,931 sq.mtrs and BUA-14,915.073 sq.mtrs for short period i.e. up to 30.11.2022, by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall submit proposal towards installation of STP and same shall be installed within next 3 months.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol> <p>Consent shall be issued after receipt of detailed information of category wise BMW generation, justification about increase in CI and additional consent fees, if any.</p>
52	MPCB- CONSENT- 0000113932	SHRI. CHHATRAPATI SAHAKARI SAKHAR KARKHANA LTD, 122 Bhavaninagar Indapur	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for grant of renewal of consent for 6500 TCD sugar unit and 18 MW Co-generation unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 6500 TCD sugar unit and 18 MW Co-generation unit, by imposing following conditions:</p>

					<ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 5 lakh towards noncompliance of consent conditions and top-up with Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. PP shall not use Boilers having capacity 20 TPH, 20 TPH &amp; 35 TPH till completion of installation work of Air pollution control system.</li> <li>3. PP shall comply with all the conditions in Environmental clearance.</li> </ol> <p>Consent shall be issued with condition to comply all the orders passed as may be passed by the Hon'ble NGT in case Original Application No. 63/2020.</p>
53	MPCB- CONSENT- 0000116680	Novozymes South Asia Pvt Ltd., Plot No. A-1, Patalganga MIDC, Borivali Industrial Estate, Tal. Khalapur, Dist. Raigad.	APPROVED  Renewal	31.08.2026	<p>Committee noted that industry has applied for grant of renewal of Consent for mfg. of Pectinase Series of products - 80 MT/M, Solid Products Blending &amp; Repacking Enzymes - 1020 MT/M, and Liquid Products Blending &amp; Repacking Enzymes - 850 MT/M.</p> <p>Committee also noted that industry has provided ETP, STP and JVS results are observed within Consented limits.</p> <p>After due deliberation, <b>it was decided to grant renewal of Consent</b> for mfg. of Pectinase Series of products - 80 MT/M, Solid Products Blending &amp; Repacking Enzymes - 1020 MT/M, and Liquid Products Blending &amp; Repacking Enzymes - 850 MT/M., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate &amp; maintain ETP &amp; STP to achieve Consented standards. The treated effluent of 70 CMD shall be recycled into process and remaining 256 CMD treated effluent shall be discharged to MIDC's (PRIA CETP) outlet sump</li> </ol>

					<p>cum pump house. Water rejects from UF and RO of 196 CMD shall be used on land for gardening during non-monsoon &amp; discharged at CETP outlet sump cum pump house during monsoon period.</p> <p>2. Industry shall extend/ submit BG of totalling Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.</p>
54	MPCB- CONSENT- 0000115836	I G Petrochemicals Ltd., Plot No. T - 1 & 2, Taloja MIDC, Tal. Panvel, Dist. Raigad.	NOT APPROVED (Defer)  Renewal	----	<p>Committee noted that industry has applied for grant of renewal of Consent for mfg. of products Phthalic Anhydride - 2,22,110 MT/A, Maleic Anhydride 7,660 MT/A, Benzoic Acid - 1,500 MT/A, Di ethyl phthalate / Di methyl phthalate - 12,600 MT/A, Power (Waste heat recovery - 2.5 MW transmitted to Grid) - 13.6 MW and Retail packaging of Phthalic Anhydride 25 Kg x 120 Nos. of Bags per day.</p> <p>Committee desire to know various steps taken by the industry to control air pollution particularly smell nuisance in surroundings, source of by-products generation and Vendors having permissions under Rule 9 to whom by-products are sold.</p> <p>After due deliberation, <b><u>it was decided to call the PP for presentation</u></b> before CAC along with above points.</p>
55	MPCB- CONSENT- 0000116730	INDRAJIT POWER PRIVATE LIMITED, 105/1,106,107/1,107/2,125/1,126 Village-Barbadi, Bhugaon Link Road, Tal & Dist- Wardha	APPROVED  Renewal of consent	31.08.2022	<p>Committee noted that PP has applied for renewal of consent for electricity Generation-80 MW (2x40 MW).</p> <p>Committee also noted that industry has not provided full-fledged STP for treatment of sewage. Also not provided leachate collection system for the coal stock yard.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent for short period</u></b> i.e. up to 31.08.2022, by imposing following conditions:</p>

					<ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs.2 Lakh towards non provision of STP and top-up with total B.G. of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. PP shall complete the installation and commission the STP within a month.</li> <li>3. PP shall provide garland drain followed by leachate collection system with neutralization/settling arrangement for the leachates/ run-off arises from coal stock yards within 3 months period and submit the BG of Rs.5 Lakh towards compliance of same.</li> </ol>
56	MPCB- CONSENT- 0000116639	Western Coalfields Limited, Gokul Opencast Mine, WCL Murpar Sub Area, Near Piraya Village, Post Khadsangi, Tal-Bhiwapur, Dist-Nagpur.	NOT APPROVED (Defer)  Renewal of consent with increase in CI	----	<p>Committee noted that PP has applied for renewal of consent for open cast coal Mine-1.875 MTPA (ML area 756.92 Ha).</p> <p>Committee noted that PP has failed to comply with consent conditions viz. non provision of Mechanized sweeping machine for cleaning road dust, non-provision of STP and non-installation of CAAQMS</p> <p>After due deliberation, <b><u>it was decided to issue show cause</u></b> for refusal of consent due to above non-compliances.</p>
57	MPCB- CONSENT- 0000116553	Prasad Sugar & Allied Agro Products Ltd. Vambori, 912/1/1,912/1/2,913 /1/1,913/1/2, 914 & 915 Sade-Vambori Road Rahuri	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 4000 TCD sugar unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 4000 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 5 lakh towards JVS exceedance and top-up with Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>

					2. Industry shall submit improvement plan of ETP within a month and implement the same within next 3 months.
58	MPCB- CONSENT- 0000116339	Hindustan Unilever Limited, Plot No. B-7, MIDC Lote Parshuram, Tal. Khed, Dist. Ratnagiri - 415722	APPROVED  Renewal with 1st Operate for expansion and their amalgamation	30.06.2024.	<p>Committee noted that industry has applied for grant of Consent to 1st Operate for expansion for manufacturing of additional quantities of NSD Powder-55,000 MT/A &amp; NSD Bar - 54,000 MT/A, with renewal of existing Consent to Operate and amalgamation.</p> <p>Committee also noted that industry has provided ETP and treated effluent is 100% recycled into process, for cooling tower make up, for utility purposes.</p> <p>After due deliberation, <b><u>it was decided to grant Renewal of Consent with 1st Operate for expansion and their amalgamation</u></b>, by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate and maintain ETP and 100% recycle treated effluent into process, for cooling tower make up, for utility purposes.</li> <li>2. Industry shall extend/ top up BG totalling Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions</li> </ol> <p>Consent shall be issued after obtaining additional Consent to Establish fees towards increase in C.I.</p>
59	MPCB- CONSENT- 0000116586	Ashok Sahakari Sakhar Karkhana Limited, Ashoknagar (Distillery), 162,172,157,P Ashoknagar Shrirampur	APPROVED  Renewal	31.08.2022	<p>Committee noted that industry has applied for renewal of consent for 30 KLPD molasses base distillery unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 30 KLPD molasses base distillery unit, by imposing following conditions:</p>



					1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
60	MPCB- CONSENT- 0000116038	SHILPA STEEL AND POWER LIMITED, PLOT NO B- 209 & 209/1 MIDC BUTIBORI HINGNA	NOT APPROVED (Defer)  Renewal of consent with increase in CI & amalgamation of consent	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI &amp; amalgamation of consent for manufacturing of transmission line tower, substation structure, telecom tower &amp; structure nut &amp; bolts - 7000 MT/M, Hot rolled steel products - 10,000 MT/M, Gasifier Unit-I (Producer gas for captive use) - 3200 MT/M, Gasifier Unit-II (Producer gas for captive use) - 4000 MT/M, Galvanized/non galvanized fasteners (Bolt, nuts, washers of various types, screw, nails &amp; small material) - 4500 MT/M, HCL - 299.09 MT/M, Ferrous sulfate monohydrate (byproduct) - 179.89 MT/M, electroplated items (nuts, bolts, washer &amp; other items) - 300 MT/M, Nitrogen gas - 14 MT, Oxygen gas - 14 MT.</p> <p>Committee also noted that PP has Increased CI by Rs. 30.51 Cr. towards construction of raw material yard, finished goods yard, internal road, purchase of new machinery such as Fastners machinery, rolling mill machinery, general machinery, etc., without obtaining consent from Board office.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; call the PP for presentation</u></b> due to above lapses.</p>
61	MPCB- CONSENT- 0000117219	CtrlS Datacenters Ltd., PLOT NO GEN.72/1/A TTC INDUSTRIAL AREA, MIDC Navi Mumbai	NOT APPROVED (Defer)  Renewal of consent with increase in CI & amalgamation of consents	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI &amp; amalgamation of consent for IT/ITES activity (Data Center) on total plot area of 10,000 Sq.mtr &amp; built up area of 4704.93 + 12,767.23 = 17,472.16 out of total construction BUA of 21,366.32 Sq.Mtr.</p>

					<p>Committee also noted that PP has increased CI by Rs. 135.06 Cr without Boards consent, not provided STP to treat the sewage &amp; not submitted the details of E-waste.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; call the PP for presentation</u></b> due to above lapses.</p>
62	MPCB- CONSENT- 0000116471	JAYASWAL NECO INDUSTRIES LTD ACD, Kh. No. 70, 71-A, 71-B & 76 29/8, Mile Stone Mouza Ruikhairi, Wardha Road Butibori Nagpur Nagpur	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Cast Articles of Iron or Steel - 41,000 MT/A.</p> <p>Committee also noted that PP has increased CI by Rs. 24.35 Crs without obtaining Board's consent, not obtained NOC of CGWA for ground water extraction &amp; not submitted mandatory submissions such as HW annual returns, Environment statement, etc.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; issue SCN for refusal of consent</u></b> due to above lapses.</p>
63	MPCB- CONSENT- 0000117098	VARUN BEVERAGES LTD., D7 PLOT NO D7 MIDC PAITHAN Dist: Aurangabad.	APPROVED  Renewal of consent with decrease in CI	31.08.2022	<p>Committee noted that, PP has applied for renewal of consent for manufacturing of Sweetened Carbonated and Non-Carbonated Beverages and Aerated water - 28,850 M3/Day with decrease in CI under orange category.</p> <p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent and treated effluent is disposed on land for gardening. Provided dust collector to boiler section. Also obtained membership of CHWTSDF.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of consent</u></b> i.e. up to 31.08.2022 under red category by imposing following conditions.</p>

					<ol style="list-style-type: none"> <li>1. PP shall comply with the direction of the Boards dated 05.02.2020 about use of clean fuel.</li> <li>2. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of BG details, uploading of compulsory document i.e. Environmental Statement and HW returns, water budget and additional consent fees, if any.</p>
64	MPCB- CONSENT- 0000117780	The Sanjeevani ( Takli ) Sahakari Sakhar Karkhana Ltd., 20/1 Shingnapur Kopergaon Sahjanandnagar.	APPROVED  Renewal	31.08.2022	<p>Committee noted that industry has applied for renewal of consent for manufacturing of Absolute Alcohol from Rectified Spirit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for manufacturing of Absolute Alcohol from Rectified Spirit and amalgamation with existing distillery unit consent.</p>
65	MPCB- CONSENT- 0000117698	SHRADDHA ENERGY & INFRAPROJECTS PVT.LTD.MAA BAGESHWARI SAKHAR KARKHANA UNIT - 1, WARPHAL TQ.PARTUR DI	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar &amp; 12 MW co-generation unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 2500 TCD sugar &amp; 12 MW cogeneration unit without decrease in C.I., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 5 lakh towards JVS exceedance and top-up with Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol>

					Consent shall be issued after submission of additional consent fee.
66	MPCB- CONSENT- 0000117424	ASIAN HEART INSTITUTE & RESEARCH CENTER PVT. LTD., G/N. BLOCK BKC BANDRA MUMBAI	APPROVED  Renewal of Combined Consent & BMW Authorization for 230 nos of beds and for plot area 10,000 sq.mtrs and BUA-51,000 sq.mtrs with increase in CI.	30.06.2027	<p>Committee noted that, PP has applied for renewal of combined consent and BMW Authorization for 230 nos of beds and for plot area 10,000 sq.mtrs and BUA-51,000 sq.mtrs with increase in CI.</p> <p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent and treated effluent is partly recycled and remaining disposed in to MCGM drain. PP has obtained membership of CBMWTSDF.</p> <p>After due deliberation <b><u>it was decided to grant renewal of Combined consent and BMW Authorization</u></b> for the period up to 30.06.2027 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>2. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
67	MPCB- CONSENT- 0000117711	Jawaharlal Nehru Medical College, Sawangi (Meghe)	APPROVED  Renewal of Combined Consent & BMW Authorization for 1525 nos of beds	31.08.2022	<p>Committee noted that, PP has applied for renewal of Combined Consent &amp; BMW Authorization for 1525 nos of beds and for total plot area 98924.70 sq.mtrs and BUA – 94062 m2</p> <p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent and treated</p>

			and for total plot area 98924.70 sq.mtrs and BUA - 94062		<p>effluent is disposed on land for gardening. PP has obtained membership of CBMWTSDF.</p> <p>After due deliberation <b><u>it was decided to grant plain renewal of consent for a short period</u></b> i.e. up to 31.08.2022 by imposing the following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in Environmental Clearance.</li> <li>2. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, If any.</p>
68	MPCB- CONSENT- 0000117788	Karmayogi Kundalikrao Ramrao Jagtap Patil Kukadi Sahakari Sakhar Karkhana Ltd., 95,97,98,102 Pimpalgaon Pisa Shrigonda	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 5500 TCD sugar and 27 MW co-generation unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent for short period</u></b> i.e up to 31.07.2022 for 5500 TCD sugar and 27 MW cogeneration unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 15 lakh towards JVS exceedance and top-up with Rs. 30 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. Industry shall install CPU within 6 months and submit Bank Guarantee of Rs. of Rs. 5 lakh towards compliance of same.</li> </ol>

69	MPCB- CONSENT- 0000115678	Viraj Profiles Ltd., Plot no. G-2, 1/2 & 1/3 MIDC Tarapur- Boisar, Palghar	NOT APPROVED (Defer)  Renewal of consent with increase in CI	---	<p>Committee noted that, PP has applied for Renewal of consent with increase in CI.</p> <p>Committee also noted that, PP has failed to comply with the conditional restart direction i.e non provision of secondary fume extraction systems, STP and not upgraded ETP. Also, there are frequent complaints of air pollution.</p> <p>After due deliberation <b><u>it was decided to defer the case and call the PP for technical presentation</u></b> along with details of pollution control systems and the compliances made by the unit with respect to conditional restart directions issued by the Board.</p>
70	MPCB- CONSENT- 0000117072	Ashok Sahakari Sakhar Karkhana Limited, 165,172,157 P Ashoknagar Shrirampur	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar and 15 MW co-generation unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 2500 TCD sugar and 15 MW cogeneration unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 20 lakh towards JVS exceedance and top-up with Rs. 40 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol>
71	MPCB- CONSENT- 0000118012	CNH Industrial (India) Pvt. Ltd., Chakan MIDC, Phase-II, Tal. Khed, Dist. Pune	APPROVED  Renewal of consent with reduction in	30.09.2022	<p>Committee noted that, PP has applied Renewal of consent with reduction in production quantity and water budget.</p>

			production quantity and water budget		After due deliberation, <b><u>it was decided to grant renewal of consent with reduction in production quantity</u></b> and water budget, by imposing the following conditions: <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 5 lakh towards JVS exceedance and top-up with Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol>
72	MPCB- CONSENT- 0000118516	Dr.Babasaheb Ambedkar Sahakari Sakhar karkhana Ltd., (Distillery Division) 116,117,118,119 Dr.Babasaheb Ambedkar Sahakari Sakhar karkhana Ltd (Distillery Division) Arvindnagar keshegaon Tal &Dist Osmanabad	APPROVED  Renewal	31.08.2022	Committee noted that industry has applied for renewal of consent for 60 KLPD Molasses base Distillery unit.  After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 60 KLPD Molasses base Distillery unit, without increase in effluent quantity, by imposing following conditions: <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ol>
73	MPCB- CONSENT- 0000118028	Sahkar Maharshi Shankarrao Kolhe Sahkari Sakhar Karkhana Ltd., 20/2 At- Sahajanandnagar , Post- Shinnapur Kopergaon	APPROVED  Renewal	31.08.2022	Committee noted that industry has applied for renewal of consent for 75 KLPD Molasses base Distillery unit.  After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 75 KLPD Molasses base Distillery unit, by imposing following conditions:

					<ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. Industry shall install CPU within 6 months and submit Bank Guarantee of Rs. 5 lakh towards compliance of same.</li> </ol>
74	MPCB- CONSENT- 0000108610	Shri Markandey Solapur Sahakari Rugnalaya and Research Centre Niyamit Solapur, Plot No. 19, Pachha Peth, Solapur	APPROVED Renewal of Combined Consent & BMW Authorization for 225 nos. of beds and for plot area 8797 sq.mtrs and BUA- 51,000 sq.mtrs.	31.03.2022	<p>Committee noted that PP has applied for Renewal of Combined Consent &amp; BMW Authorization for 225 nos. of beds and for plot area - 8797 sq.mtrs and BUA- 51,000 sq.mtrs.</p> <p>Committee also noted that PP has provided STP and ETP for the treatment of sewage and trade effluent respectively. Treated effluent is disposed on land for gardening.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of Combined consent and BMW Authorization</u></b> i.e. up to 31.03.2022 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend existing BGs as per BG regime for Healthcare establishment.</li> <li>2. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient.</li> </ol> <p>Consent shall be issued after receipt of justification towards increase in CI, detailed category wise BMW generation information, copy of membership of CBMWTSDf, copy of annual report and details of BG submitted and additional consent fees , If any.</p>
75	MPCB- CONSENT- 0000115875	Sahkar Maharshi Shankarrao Kolhe Sahkari Sakhar	APPROVED  Renewal	31.08.2022	Committee noted that Industry has applied for renewal of consent for manufacturing of hand sanitizer.



		Karkhana Ltd., 20/2 At- Sahajanandnagar , Post- Shinnapur Kopergaon			After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for manufacturing of hand sanitizer - 5000 Lit/D and amalgamation with existing consent of distillery unit
76	MPCB- CONSENT- 0000115873	Agasti Sahakari sakhar Karkhana Ltd., 58/2 & 48/2 Agastinagar Akole Akole	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 2500 TCD sugar unit by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting appropriate Bank guarantee towards JVS exceedance and top-up with Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol> <p>Consent shall be issued after submission of Bank Guarantee and consent fee, if any.</p>
77	MPCB- CONSENT- 0000115283	Adani Power Maharastra Limited, Plot No.A-1, Tiroda Growth centre, MIDC Area, Tal- Tiroda, Dist- Gondia	APPROVED  Renewal of consent.	31.08.2022	<p>Committee noted that PP has applied for plain renewal of consent for Electricity Generation (Coal based Thermal power plant)-3300 MW (i.e.,5 x 660 MW).</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for one year period i.e. up to 31.08.2022 by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit the action plan along with bar chart to achieve the emission standards including installation of FGD as per MoEFCC Notification dated 31.03.2021 within a month period.</li> </ol>

					<ol style="list-style-type: none"> <li>2. PP shall submit the action plan regarding Carbon sequestration project within a month period.</li> <li>3. PP shall submit the action plan for disposal of legacy pond ash within a month period.</li> </ol>
78	MPCB- CONSENT- 0000117412	ITC GRAND CENTRAL, 287, Dr B. Ambedkar Road, Parel, Mumbai-121.	APPROVED Renewal of Consent to Operate with decrease in CI	31.10.2026	<p>Committee noted that PP has applied for grant of Renewal of Consent for Five-Star Hotel activity including Restaurant, Lodging &amp; Boarding, Restaurant, Swimming pool &amp; Laundry activity with 242 Rooms having Total Plot Area of 9039.30 Sq.m and Total Construction Built Up Area of 41,606 Sq.m.</p> <p>After due deliberation <b><u>it was decided to grant Renewal of Consent</u></b> for Five-Star Hotel activity including Restaurant, Lodging &amp; Boarding, Restaurant, Swimming pool &amp; Laundry activity with 242 Rooms having Total Plot Area of 9039.30 Sq.m and Total Construction Built Up Area of 41,606 Sq.m by imposing following condition:</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs. 10 lakh and top-up with Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. PP shall operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage.</li> <li>2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> </ol>

					4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.
79	MPCB- CONSENT- 0000118116	Poona Hospital and Research Centre, 27 Sadashiv Peth, Pune.	NOT APPROVED (Defer)  Renewal of CCA	--.	<p>Committee noted that Hospital has applied for grant of renewal of Combined Consent &amp; BMW Authorization for 300 Nos. Beds on total plot area 6,033.39 sq. mtrs. for construction BUA 12,465.39 sq. mtrs.</p> <p>Committee also noted that PP has not submitted application form for grant of renewal of Bio-Medical Authorization.</p> <p>Committee further noted that PP has not paid BMW Authorization fees and Consent to Establish fees towards difference in C.I.</p> <p>After due deliberation, <b>it was decided to defer the case</b> and put up in next CAC after submission of BMW Annual Return and BMW Authorization application form along with BMW Authorization fees and Consent to Establish fees towards difference in C.I.</p>
80	MPCB- CONSENT- 0000116956	Bhaurao Chavan Sahakari Sakhar Karkhana Ltd., 25,26,27,28,29,30,3 1,32,33,34,63,66,67 ,68,69,74,76 Laxminagar , Degaon-Yelegaon Ardhapur	APPROVED  Renewal	31.07.2022	<p>Committee noted that Industry has applied for renewal of consent for 4000 TCD sugar unit with increase in CI.</p> <p>After due deliberation, <b>it was decided to grant renewal of consent</b> for 4000 TCD sugar unit with increase in C.I., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>
81	MPCB- CONSENT- 0000114944	Sahakar Maharshi Shivajirao Narayanrao Nagawade SSK	APPROVED  Renewal	31.07.2022	Committee noted that industry has applied for renewal of consent for 26 MW co-generation unit.

		Ltd., 52/2 Plot No 52/2, Limpangaon Village, Tal-Shrigonda, DistAhmednagar, Maharashtra Shrigonda			<p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 3500 TCD with amalgamation of Cogeneration unit of 26 MW, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting proportionate Bank Guarantee towards Non-compliance and top-up with Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. PP shall comply with the conditions of conditional restart order.</li> <li>3. Industry shall submit proposal towards improvement plan of pollution control systems within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
82	MPCB- CONSENT- 0000118847	Navkar Corporation Ltd., 89,93,95,97 Vill- Somatane Kon-Savla Road Panvel	NOT APPROVED (Defer)  Renewal of consent with amalgamation of existing consent	--	<p>Committee noted that PP has applied for renewal of consent for container freight station (CFS) warehouse for storage of non-hazardous materials - 4000 Nos and with amalgamation of existing renewal of consent for storage of hazardous chemicals - 28 Nos.</p> <p>After due deliberation, <b><u>it was decided to defer &amp; call the PP for presentation</u></b> for clarity about present storage of imported material, disposal of discarded containers and other pollution control measures adopted at the facility.</p>
83	MPCB- CONSENT- 0000118760	Garware Hi-Tech Films Limited (Formerly known as 'Garware Polyester Lintied'), Gut No. 374. 375, Survey No. 9, 10/1 & 10/2 Naigoan Gangapur	APPROVED  Renewal	30.09.2023	Committee noted that industry has applied for grant of renewal of Consent to Operate for mfg. of Biaxially Oriented Polypropylene Film – 1500 MT/M; Polyester Chips – 5250 MT/M; Polyester Film – 3500 MT/M; Bio-Diesel – 1500 MT/M; Glycerine – 1500 MT/M, Extrusion Film – 450 MT/M and Laminated Surface Protection Film – 100 MT/M.

					<p>Committee also noted that industry has provided ETP and 115 CMD treated trade effluent is recycled for cooling tower make up, fire-fighting, &amp; for utility purposes and remaining 147 CMD is discharged into Waluj CETP through tanker for further treatment &amp; disposal.</p> <p>Committee further noted that JVS results are observed within Consented limits.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of Consent</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate and maintain ETP to achieve Consented limits and recycle 115 CMD treated trade effluent and remaining 147 CMD shall be discharged to Waluj CETP through tanker for further treatment &amp; disposal.</li> <li>2. Industry shall submit/extend BG totalling Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.</li> </ol>
84	MPCB- CONSENT- 0000118461	Karmayogi Ankushrao Tope Samarth Sahakari Sakhar Karkhana Ltd.Unit No.2 66,71,72.73,75 Thirthpuri Ghansawangi	APPROVED  Renewal	31.07.2022	<p>Committee noted that Industry has applied for renewal of consent 2500 TCD sugar unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ol>
85	MPCB- CONSENT- 0000118029	Y.M. KRISHNA SAHAKARI SAKHAR	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for grant of renewal of consent for 7500 TCD sugar unit.</p>

		KARKHANA LTD., RETHERE (BK), 500 SHIVNAGAR KARAD			<p>Committee also noted that PP has not submitted adequacy report of pollution control systems and detail water budget to improve water economy. Also, JVS are exceeding consented standards.</p> <p>After due deliberation, <b><u>it was decided to grant consent for short renewal</u></b> for 7500 TCD sugar by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit adequacy report of pollution control systems and detail water budget to improve water economy.</li> <li>2. PP shall install CPU and 15 days treated effluent storage tank within 3 months.</li> <li>3. By forfeiting proportionate Bank guarantee towards JVS exceedance and top-up with Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>4. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol> <p>Consent shall be issued only after submission of Bank Guarantee and consent fee, if any.</p>
86	MPCB- CONSENT- 0000118939	CEAT LIMITED, Plot No. SZ-39 M.I.D.C. Butibori HIGNA	APPROVED Renewal of consent with increase in CI & amalgamation of consent	30.09.2026	<p>Committee noted that PP has applied for renewal of consent with increase in CI &amp; amalgamation of consent for manufacturing of Automotive Tyre of different sizes.</p> <p>Committee also noted that PP has submitted separate application vide UAN No. 118753 for renewal of 1<sup>st</sup> consent to operate (Part) for expansion.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> with increase in CI &amp; amalgamation of consent for</p>

					<p>manufacturing of Automotive Tyre of different sizes - 43,800 MT/A + 29200 MT/A = 73,000 MT/A i.e. 200 MT/d by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate &amp; maintain the existing effluent treatment facility to achieve ZLD.</li> <li>2. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs &amp; compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
87	MPCB- CONSENT- 0000118747	Rena Shakari Sakhar Karkhana Ltd., 180,183,185,186,19 0,191,193,195,196 Niwada Remapur	APPROVED  Renewal	31.07.2022	<p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank guarantee of Rs. 15 lakh towards JVS exceedance and top-up with double the amount i.e. Rs. 30 lakh towards O &amp; M of pollution control systems and compliance of consent conditions. Also extend existing Bank Guarantee of Rs. 5 lakh towards installation of CPU.</li> <li>2. Industry shall submit improvement plan of ETP within a month and implement the same within next 3 months.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
88	MPCB- CONSENT- 0000113835	Sahakar Maharshi Shivajirao Narayanrao	APPROVED  Renewal	31.07.2022	<p>Committee noted that Industry has applied for renewal of consent for 3500 TCD sugar unit.</p>

		Nagawade SSK Ltd., Plot No 52/2, Limpangaon Village, Tal- Shrigonda, DistAhmednagar, Maharashtra Shrigonda			After due deliberation, <b>it was decided to grant renewal of consent</b> for 3500 TCD with amalgamation of Cogeneration unit of 26 MW by imposing following conditions: <ol style="list-style-type: none"> <li>1. By forfeiting proportionate Bank Guarantee towards Non-compliance and top-up with Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. PP shall comply with the conditions of conditional restart order.</li> <li>3. Industry shall submit proposal towards improvement plan of pollution control systems within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol> Consent shall be issued after submission of additional consent fees, if any.
89	MPCB-CONSENT-0000119394	SOLAR INDUSTRIES INDIA LTD., KH. NO. 1,3,4,8,29-31,37-40,70-75,78,79,81-83,85,124 CHAKDOH, NEAR BAZARGAON KATOL	APPROVED Renewal of consent with increase in CI	30.06.2026	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Slurry/Emulsion Explosives (Finished), Detonators ( Finished), Penta Erythritol Tetra Nitrate ( PETN) ( Intermediate &amp; Finished &amp; Captive), Detonatinf Fuse (Finished), Pentolite / Cast Booster (Finished), Sorbitan Monooleate (SMO) ( Intermediate &amp; Finished), Poly Isobutylene Succinic Anhydride (PIBSA) (Captive &amp; Finished), Calcium /Sodium Nitrate Melt (Captive), Dust Suppressant ( Solar Pride) (Finished), GI/Cu Wire Coating, Filling / Pressing For Filled Shells ( Captive), Lead Azide (Captive), Lead Styphanate (Captive), Asa Mixing And Drying (Captive), Cyclotetra Methylene Tetranitramine, (HMX) &amp; HMX Compounded Product (Captive &amp; Finished), RDX &amp; RDX Compounded Products, Trinitrotoulene (TNT), Bulk Emulsion (SME).</p> <p>Committee also noted that PP has obtained product wise PESO license, CGWA NOC &amp; JVS result of stack attached to boiler stack is exceeding the consented limit.</p>



					<p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> with increase CI for manufacturing of above products by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. By forfeiting proportionate BG towards JVS exceedance of stack emissions.</li> <li>2. PP shall submit upgradation proposal towards existing air pollution control system provided to coal fired 12 TPH boiler within 15 days &amp; shall upgrade the same within next three months.</li> <li>3. PP shall 100% recycle/reuse treated trade/sewage so as to achieve ZLD outside the premises.</li> <li>4. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O &amp; M of pollution control system and compliance of EC &amp; consent conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
90	MPCB- CONSENT- 0000119262	SMW Ispat Private Limited, Plot No.C-2, C-4, C-5 Deoli Growth Center MIDC Deoli	NOT APPROVED (Defer)  Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of MS billets - 5,00,000 Ton/Y &amp; CTD round bars (Re-rolled items) - 5,00,000 Ton/Y.</p> <p>Committee also noted that PP has not provided adequate STP and there by JVS result are exceeding and also exceed JVS results of stack &amp; AAQM.</p> <p>After due deliberation, <b><u>it was decided to defer the case &amp; issue SCN for refusal of consent</u></b> due to above lapses.</p>
91	MPCB- CONSENT- 0000118522	Shri. Dudhganga Vedganga Sahakari Sakhar Karkhana Ltd., Bidri ( Mouninagar ), 1051	APPROVED  Renewal	31.07.2022	Committee noted that industry has applied for grant of renewal of consent for 5000 TCD sugar unit and 20 MW Co-generation unit.

		Bidri ( Mouninagar ) Kagal			<p>After due deliberation, it was decided to grant renewal of consent for 5000 TCD sugar unit and 20 MW Co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 5 lakh towards JVS exceedance and top-up with Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>2. Industry shall submit improvement plan of ETP within a month and implement same within next 3 months.</li> <li>3. PP shall install CPU for excess condensate within period of 6 months.</li> </ol>
92	MPCB- CONSENT- 0000119615	Karmayogi Ankushrao Tope Samarth Sahakari Sakhar Karkhana Ltd.Ankushnagar Tq.Ambad Dist- Jalna	APPROVED  Renewal	31.08.2022	<p>Committee noted that Industry has applied for renewal of consent for 30 KLPD molasses base distillery unit.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 30 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>
93	MPCB- CONSENT- 0000118668	Mahindra & Mahindra Ltd., Plot No. F-1 to F-7, MIDC Area, Hingna Road, Hingna	APPROVED Renewal of consent with increase in CI	30.09.2026	<p>Committee noted that applied for renewal of consent with increase in CI for for manufacturing of Fender LH, Fender RH, Scuttle, Hood, Side Grill LH, Side Grill RH, Top Grill, Bottom Grill, Rear floor, Sheet metal painting, Tractor, Transmission, Engine, Hydraulics.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for manufacturing of Fender LH - 18,73,000 Kg/A, Fender RH - 18,73,000 Kg/A, Scuttle - 4,99,500 Kg/A, Hood - 10,20,000 Kg/A, Side Grill LH - 33,000 Kg/A, Side Grill RH - 33,000 Kg/A, Top Grill - 1,15,000 Kg/A, Bottom</p>

					<p>Grill - 73,500 Kg/A, Rear floor - 2,68,500 Kg/A, Sheet metal painting - 1,50,000 Nos/A, Tractor - 1,20,000 Nos/A, Transmission - 1,25,000 Nos/A, Engine - 3,00,000 Nos/A, Hydraulics - 2,50,000 Nos/A by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide water metering system for treated effluent/sewage and maintain the record of recycled effluent &amp; use of treated effluent on land for gardening.</li> <li>2. PP shall extend/submit the BG of Rs. 25.0 Lakh towards O &amp; M of PCs &amp; compliance of consent conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
94	MPCB- CONSENT- 0000119787	SMW Ispat Pvt. Ltd. (Formerly Known as M/s Mahalaxmi TMT Pvt. Ltd.), Plot No. B-1/4 MIDC Deoli.	REFUSED Renewal of consent with decrease in CI & change in name	--	<p>Committee noted that PP has applied for renewal of consent with decrease in CI &amp; change in name from M/s. Mahalaxmi TMT Pvt. Ltd., Plot No. C-2, C-4, C-5 &amp; B- 1/4 to M/s. SMW Ispat Pvt. Ltd., Plot No. B1/4 for manufacturing of reduced briquette sponge iron (based on static kiln briquette iron tech) - 200 Ton/d &amp; beneficiated iron ore - 2000 Ton/d.</p> <p>Committee also noted that CPCB has issued Closure Direction in the year 2017 &amp; since then the unit is not in operation. Also, PP has decreased CI by Rs. 139.4 Crs and shown CI of Rs. 164.99 Crs is for sponge iron plant only.</p> <p>After due deliberation, <b><u>it was decided to issue final refusal of consent</u></b> as Closure issued by CPCB is in force.</p>
95	MPCB- CONSENT- 0000120098	Macrotech Developers Ltd.,	NOT APPROVED (Defer)	--	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-V) for only Commercial Tower &amp; Experia Mall excluding Residential Buildings Siena A,</p>

		Nilje katai, Tal. Kalyan, Dist. Thane.	Renewal of Consent to Operate (Commercial Buildings of Part-V)		<p>Siena B, Savaana A, Savaana B on total plot area 14,54,275 sq. mtrs. for construction BUA 85,786 sq. mtrs. out of 20,22,789 sq. mtrs.</p> <p>Committee also noted that, PP has not submitted copy of approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP &amp; Composting facility, details of the various permissions obtained from the Local Authorities like water supply, Sewer line connection, drainage permission etc.</p> <p>After due deliberation, <b><u>it was decided to defer the case and call PP for presentation</u></b> along with above details and justification towards submission of bifurcated/separate application for the same premises.</p>
96	MPCB-CONSENT-0000114005	Bai Jerbai Wadia Hospital for Children, C.S.No.219/74,Acharya Donde Marg,Parel,Mumbai	APPROVED Renewal of Combined Consent & BMW Authorization for 525 nos of beds and for plot area 14,064.49 sq.mtrs and BUA-1,37,127.89 sq.mtrs	31.05.2022	<p>Committee noted that PP has applied for renewal of combined consent and BMW Authorization for 525 nos of beds and for plot area - 14,064.49 sq.mtrs and BUA-1,37,127 sq.mtrs.</p> <p>Committee noted that PP has not provided STP and ETP for the treatment of sewage and trade effluent. Also noted that PP is in the tendering process for STP/ETP.</p> <p>After due deliberation <b><u>it was decided to grant short renewal of combined Consent and authorization</u></b> by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs.2.0 Lakh towards non installation of ETP/STP and top-up with Rs. 10 lakh towards installation of ETP &amp; STP within six months.</li> <li>2. PP shall submit/extend BG's as per BG regime for Healthcare establishment</li> </ol>

					<p>3. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</p> <p>Consent shall be issued after receipt of detailed information of category wise BMW generation, justification about increase in CI and additional consent fees, if any.</p>
97	MPCB- CONSENT- 0000120095	Macrotech Developers Ltd., Village Nilje katai, Tal. Kalyan, Dist. Thane.	NOT APPROVED (Defer)  Renewal of Consent Operate (Part-III)	--	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-III) for Residential Buildings CASA Bella Gold &amp; Golf Link on total plot area 14,54,275 sq. mtrs. for construction BUA 4,11,077.52 sq. mtrs. out of 20,22,789 sq. mtrs.</p> <p>Committee also noted that, PP has not submitted copy of approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP &amp; Composting facility, details of the various permissions obtained from the Local Authorities like water supply, Sewer line connection, drainage permission etc.</p> <p>Committee further noted that, earlier Board had granted Consent to Operate for Part-I, II &amp; III and PP now applied for two separate applications for renewal for Part-I&amp;II and Part-III. There is no clarity about demerging of consent &amp; Capital Investment of the demerged project.</p> <p>After due deliberation, <b><u>it was decided to defer the case and call PP for presentation</u></b> along with above details and justification towards submission of bifurcated/separate application for the same premises.</p>
98	MPCB- CONSENT- 0000120097	Macrotech Developers Ltd., Village Ghesar,	NOT APPROVED (Defer)	--	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-IV) for Residential Buildings CASA Rio &amp; CASA Rio-Gold on total plot area 14,54,275</p>

		Tal. Kalyan, Dist. Thane.	Renewal of Consent to Operate (Part-IV)		<p>sq. mtrs. for construction BUA 8,83,604.57 sq. mtrs. out of total construction BUA 20,22,789 sq. mtrs.</p> <p>Committee also noted that, PP has not submitted copy of approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP &amp; Composting facility, details of the various permissions obtained from the Local Authorities like water supply, Sewer line connection, drainage permission etc.</p> <p>After due deliberation, <b><u>it was decided to defer the case and call PP for presentation</u></b> along with above details and justification towards submission of bifurcated/separate application for the same premises.</p>
99	MPCB-CONSENT-0000119959	MANAS AGRO INDUSTRIES AND INFRASTRUCTURE LIMITED (UNIT-3), 109, 110, 112/2, 112/3, 114, 115, 116, 117, 121/2, 122 DINKAR NAGAR, JAMNI SELOO	APPROVED  Renewal	31.07.2022	<p>Committee noted that Industry has applied for consent to operate expansion for 500 TCD and renewal of 2500 TCD sugar and 15 MW co-generation unit.</p> <p>After, due deliberation, <b><u>it was decided to grant consent to operate</u></b> expansion for 500 TCD amalgamation of renewal 2500 TCD sugar (total 3000 TCD) and 15 MW co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall provide connectivity of OCEMS to CPCB and MPCB server within a month.</li> <li>2. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> <li>3. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol>

100	MPCB- CONSENT- 0000120364	Dharashiv Sakhar Karkhana Ltd., 55,56,57 & 58 Chorakhali, Tal- Kallam, Dist- Osmanabad Kallam	APPROVED  Renewal	31.07.2022	Committee noted that Industry has applied for renewal of consent for 1250 TCD sugar unit.  After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 1250 TCD sugar unit, by imposing following conditions:  <ol style="list-style-type: none"> <li>1. By forfeiting Bank Guarantee of Rs. 15 lakh towards JVS exceedance and top-up with Rs. 30 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> <li>2. Industry shall submit proposal towards upgradation/improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms.</li> </ol>
101	MPCB- CONSENT- 0000117359	Agasti Sahakari Sakhar Karkhana Ltd. (Distillery Unit), 53/1;48/2, Agastinagar Akole	APPROVED  Renewal	31.08.2022	Committee noted that Industry has applied for renewal of consent for 30 KLPD Molasses base Distillery unit.  After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> for 30 KLPD Molasses base Distillery unit, by imposing following conditions:  <ol style="list-style-type: none"> <li>1. Industry shall submit/extend Bank guarantee of Rs. 25 lakh towards O &amp; M of pollution control system and compliance of consent conditions.</li> </ol>
102	MPCB- CONSENT- 0000115966	Dr. Milind Mohan Godbole, M/s. Yashwant Dharmarth Rugnalaya, S. No. 1241-A, A/p. Kodoli, Tal.	APPROVED  Renewal of Combined Consent and BMW Authorization for 268 Beds Hospital	31.03.2024	Committee noted that Hospital has applied for grant of renewal of Combined Consent and BMW Authorization for 268 Beds Hospital on total plot area 4,756.78 sq. mtrs. for construction BUA 11,608.86 sq. mtrs.  Committee also noted that Hospital has provided STP, obtained membership of CBMWTSDF M/s S.S. Services BMW CTF, obtained Bombay Nursing Home certificate for

		Panhala, Dist. Kolhapur.			<p>268 Beds, segregating generated BMW at source, maintained record of generation &amp; disposal of BMW and provided separate storage room for BMW.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of Combined Consent and BMW Authorization</u></b> for 268 Beds Hospital on total plot area 4,756.78 sq. mtrs. for construction BUA 11,608.86 sq. mtrs. By imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend BG's as per BG regime for Healthcare establishment</li> <li>2. PP shall comply with CPCB guidelines for handling, Treatment and disposal of waste generated during treatment, diagnosis/ quarantine of COVID-19 Patient</li> </ol>
103	MPCB- CONSENT- 0000119877	NSL SugarsLtd, Unit-III, Jay Mahesh, 85 & 86 Pawarwadi Majalgaon	NOT APPROVED (Defer)  Renewal	----	<p>Committee noted that Industry has applied for renewal of consent for 7000 TCD sugar &amp; 30 MW Co-generation unit.</p> <p>Committee also noted that Industry has provided over capacity ETP of capacity 1400 CMD for the treatment of trade effluent of 855 CMD.</p> <p>After due deliberation, <b><u>it was decided to call PP for technical presentation</u></b> regarding pollution control systems adopted and along with its performance, including agronomy plan for the use of treated effluent.</p>
The meeting is ended with vote of thanks.					