

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 5th Consent Appraisal Committee Meeting of 2021-2022 held on 03.08.2021, 17.08.2021 & 20.08.2021 conducted at Conference Hall, MPCB Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri. A. L Jarad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.P. Nandusekar,
Technical Advisor, MIDC. | Member |
| 4. Shri Tuhin Banerjee,
Sr. Scientist, NEERI. | Member |
| 5. Shri P.K. Mirashe,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted.

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri Y.B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Invitee Member |
| 3. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav,
Regional Officer (HQ), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 6 of Consent to Operate] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 6					
1	MPCB- CONSENT- 0000032128	ROCHEM GREEN ENERGY PVT. LTD. F - 86, Ramtekdi Industrial Estate, Hadapsar, Dist. Pune.	NOT APPROVED 1 st Consent to operate	Refused	<p>Committee noted that PP has applied for 1st consent to operate for 2.5 MW Power Generation Project on pyrolysis/gasification process i.e., processing the MSW, vide application UAN No. 0000032128.</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting, and it was decided to grant 1st consent to operate for 2.5 MW power generation project on pyrolysis/gasification process i.e., processing the MSW followed by power generation. However, PP has failed to comply with CAC decision including payment of consent fees.</p> <p>Committee further noted that, Board is continuously perusing with the industry for submission of requisite consent fees for the period up to 31.07.2021. However, despite various reminders, the industry has failed to submit the requisite consent fees till date. Board has issued show cause notice issue vide letter dated 30.03.2021 for refusal of first consent to operate as the industry has not submitted the requisite consent fees and desired information despite many reminders as per the decision taken in CAC meeting held on 17.03.2021. Industry neither submitted the reply of SCN till date nor submitted the requisite consent fees.</p>

					In view of the above it was decided to issue final refusal for 1 st consent to operate.
2	MPCB- CONSENT- 0000088045	Aadi Properties LLP S.No.18 (pt), Hissa No. 1196/B Village kanjur, Kanjurmarg (East) Mumbai	APPROVED 1 st Consent to operate (Part-I)	31.01.2023	<p>Committee noted that PP has applied for 1st Consent to Operate (Part-I) for residential construction.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting & was deferred and decided to issue SCN for refusal of consent (Part-I) due to providing occupancy (30 to 40%) without obtaining Consent to Operate, non-submission of compliance report of the conditions stipulated in C to E i.e. BGs & BR and details of pollution control system i.e. STP & composting facilities.</p> <p>Committee further noted that SCN for refusal of consent was issued & subsequently PP has submitted the compliance report which was verified by SRO office. Also, PP has obtained valid EC, C to E and provided STP to treat the sewage & OWC followed by composting facility.</p> <p>In view of above, it was decided to consider 1st Consent to Operate (Part-I) for residential construction project on total plot area of 15,031 Sq.mtr & construction built up area of 59,290 Sq.mtrs out of total construction BUA of 69,510 sq. Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. By obtaining B.G. of Rs. 0.1% of C.I. of the project and forfeiture of the same towards providing occupancy without obtaining consent to operate (Part-I) from the Board. 2. PP shall operate STP to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. 3. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening

					<p>and/ or connected to Local Body Sewer Line with water metering system.</p> <ol style="list-style-type: none"> 4. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/ plantation. 5. PP shall submit BG of Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
3	MPCB- CONSENT- 0000074086	Shreeniwas Cotton Mills Ltd., S. Nos. 443, 444, 2/445, 446, S.B.Marg, Lower Parel, Mumbai.	APPROVED Renewal of Consent to Operate (Part-II)	30.06.2025	<p>Committee noted that PP has applied for grant of renewal of Consent to Operate (Part-II) only for Residential Building 'World Crest' (R2) excluding Tenant Building.</p> <p>Committee also noted that PP has provided STP for treatment of sewage and Composting facility treatment of wet garbage.</p> <p>In view of above, it was decided to grant renewal of Consent to Operate (Part-II) only for Residential Building 'World Crest' (R2) excluding Tenant Building on total plot area 71,351.57 sq. mtrs. for construction BUA 82,411.05 sq. mtrs. out of total construction BUA 7,35,254.98 sq. mtrs. by imposing the following conditions;</p> <ol style="list-style-type: none"> 1. PP shall operate STP to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. 2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to Local Body Sewer Line with water metering system.

					<p>3. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/ plantation.</p> <p>4. PP shall extend/ top-up BG of Rs. 25 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.</p> <p>Consent shall be issued after obtaining additional Consent fees, if any.</p>
4	MPCB- CONSENT- 0000100623	M/s. Shri Tatyasaheb Kore Warna SSK Ltd. G. No. 1101/1, 1102, 1103, 1114, 1116, 1162 Warananagar Panhala	APPROVED consent to operate	31.08.2022	<p>Committee noted that, PP has applied for 1st consent to operate for fuel Ethanol – 45 KL/D capacity.</p> <p>Committee also noted that, industry has obtained Consent to Establish for 45 KLPD Ethanol unit on 25.02.2020. Existing Molasses base distillery is of capacity 60 KLPD and provided Bio digester, MEE & composting facility for treatment of spent wash. Effluent generation is nil from the proposed Ethanol unit.</p> <p>In view of above, it was decided to grant 1st consent to operate for fuel Ethanol – 45 KL/D, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend the BG of Rs. 25 Lakh towards O & M of pollution control system & compliance of Consent to Operate conditions. 2. PP shall not exceed the consented limit for Molasses base distillery.
5	MPCB- CONSENT- 0000105075	AMALGAMATED YEKONA I & II OC MINE 114-115 PO: PANJURNI,	APPROVED First Consent to Operate for expansion	31.03.2023	<p>Committee noted that, PP has applied for first consent to operate for expansion of amalgamated Yekona-I and Yekona-II open cast coal mine with increase in production</p>

		<p>TAHSIL: WARORA, DISTRICT: CHANDRAPUR.</p>	<p>of Amalgamated Yekona I & II OC Mine</p>	<p>capacity from 1.0 MTPA to 2.75 MTPA with increase in ML area from 680.06 ha to 1679.39 ha.</p> <p>Committee also noted that, PP has obtained Environment clearance for amalgamated Yekona-I and Yekona-II open cast coal mine vide no. J-11015/381/2015-IA. II(M) Dt.01.01.2021, for 2.75 MTPA production capacity with ML area-1679.39 Ha. PP has installed 15 nos. Fixed sprinklers at Coal stock yard of the mine. 15 no's fixed sprinklers installed at coal transportation roads and weigh bridge area. Two no. of 15 KL Capacity mobile water tanker is deployed for dust suppression. 5 nos. of Mist Cannon of 100 meter throw are in procurement stage.</p> <p>Committee further noted that Board has issued show cause notice vide letter dated 30.03.2021 due to non-completion of most of the pollution control measures such as provision of ETP & STP, Work of black topped road, CAAQMS, construction of RCC sedimentation tank-II, Mist cannon water spray system for dust suppression and Tyre wash system as per the decision taken in CAC meeting held on 17.03.2021.</p> <p>Committee further noted that PP vide email dated 27.06.2021 submitted the reply stating that- RCC sedimentation tank – 2 Nos constructed for mine water treatment. Installation of Modular STP of MBBR technology of 5 KL capacity completed. Construction of ETP of 100 KL capacity with oil skimmer for treatment of workshop effluent completed. PP vide email dated 17.08.2021 reported that supply order of CAAQMS for this mine already issued & CAAQMS will be installed by Sept 2021. Building work for CAAQMS is in</p>
--	--	--	---	--

					<p>progress. Supply order for 5 Nos Mist cannon water spray issued.</p> <p>In view of the above it was decided to grant first consent to operate for expansion of amalgamated Yekona-I and Yekona-II open cast coal mine by forfeiting the BG of Rs.10/- Lakh towards noncompliance of consent conditions viz Non provision of Tyre wash system at entry and exit of mine, non-provision of CAAQMS and by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall install CAAQMS within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. Till installation of CAQMS, PP shall carry out AAQM manually at 4 locations twice in a week for 24 hours at each location. 2. PP shall provide Tyre wash system at entry and exit of mine within 1 month period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide 5 Nos Mist cannon water spray at coal stock yard, CHP and Weigh bridge area within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. Till completion of this PP shall use existing water sprinkling system continually 4. PP shall submit the BG as per BG regime of Mine. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
6	MPCB- CONSENT- 0000108466	The Indian Film Combine Pvt. Ltd. S.No. 629(pt) of Village Bandra, S.No. 8(pt) of Village Parighkhar, Bandra Kurla	NOT APPROVED 1 st Consent to operate (Part-III)	--	<p>Committee noted that PP has applied for 1st Consent to Operate (Part-III) for balance BUA of 7590.12 Sq.m of Drive in Theatre, Hotel Shopping & other permissible commercial users building.</p> <p>Committee also noted that there is nil domestic sewage generation from the proposed activity.</p>

		Complex, Bandra East, Mumbai.			<p>Committee further noted that Environment Department, GoM has gave clarity about Non applicability of CRZ clearance vide letter dated 05.03.2018 with certain conditions, however committee wants more clarity from PP in respect of the same.</p> <p>In view of above, it was decided to defer the case & call the PP for presentation about the project.</p>
7	MPCB- CONSENT- 0000095185	Hindustan Electricity Generation Co. Pvt. Ltd. (CTO-Part) 613- 627,627p,628,629, 629p,630,631,634- 637,644,645,650- 652, 798- 802,803p,804-815, 815p,816-818 Village Navlakh Umbre & Badhalwadi Maval	APPROVED 1 st Consent to operate (Part-I)	31.10.2022	<p>Committee noted that PP has applied for 1st Consent to operate (Part-I) for warehouse & storage facility of integrated industrial development project.</p> <p>Committee also noted that PP has obtained EC, C to E, provided STP to treat the sewage & OWC followed by composting facility for treatment of biodegradable waste.</p> <p>Committee further noted that PP has submitted the undertaking towards compliance of C to E condition No. 20 & 21 i.e. installation of 2 Nos of CAAQMS and 2 Nos of Piezometer to monitor groundwater quality at upstream & downstream of groundwater flow within industrial park respectively. Accordingly, PP has submitted the undertaking & requested that these conditions will be full filled before they apply for full part consent to operate as they have applied only for construction BUA of 7,245.01 Sq.mtr.</p> <p>In view of above, it was decided to consider 1st consent to operate (Part-I) for warehouse & storage facility of integrated industrial development project on total plot area of 10,06,100 Sq.Mtr & construction BUA of 7245.01 sq.Mtr out of total construction built up area of 6,44,800 Sq.mtrs by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in Environment Clearance & consent and shall submit

					<p>undertaking in Board's prescribed format within 15 days towards compliance of the same.</p> <ol style="list-style-type: none"> 2. PP shall submit the undertaking within 15 days in prescribed format towards part of the built-up area/ building for which application for 1st Consent to Operate (Part) is made and that the same is included in the Environmental Clearance accorded. 3. PP shall operate STP to achieve treated effluent standard for the parameter BOD- 10 mg/lit. 4. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc with water metering system & remaining shall be utilized on land for gardening. 5. PP shall operate organic waste digester along with composting facility/bio-digester (Biogas) for the treatment of wet garbage and compost obtained shall be used as manure in their own garden/ plantation. 6. PP shall comply the conditions No. 20 & 21 stipulated in consent to establish granted by Board before obtaining 1st consent to operate for entire project. 7. PP shall carry out AAQM manually twice a week for 24 Hrs till provision of CAAQMs. 8. PP shall submit the BG of Rs. 25.0 Lakh towards O & M of pollution control system & compliance of Consent to Operate conditions. <p>Consent shall be issued after:</p> <ol style="list-style-type: none"> 1. Verification of STP installed. 2. Additional consent fees, if any.
8	MPCB- CONSENT- 0000109009	Kolte Patil I-Ven Township (Pune)Ltd S. NO. 86,R - 1,R - 16. Mouze	NOT APPROVED 1 st Consent to Operate (Part-III)	--	Committee noted that PP has applied for 1 st Consent to operate (Part-III) for residential buildings at Sector R1 & R16 on total plot area of 15,81,344.18 Sq.Mtr & construction BUA of 71,866.3 Sq.Mtrs out of total construction BUA of 18,90,091.83 Sq.Mtrs.

		jambe, Near & Marunji Mulshi			<p>Committee also noted that PP has not obtained valid EC & C to E for existing project, however obtained the same for expansion, provided STP for treatment of domestic effluent and OWC followed by composting facility for treatment & disposal of biodegradable waste.</p> <p>Committee further noted that RO/SRO has not submitted the compliance report as per existing consent granted to part completed project.</p> <p>In view of above, it was decided to defer the case & call the PP for presentation towards 100% recycle of treated effluent, C to E compliance, JVS report along with RO/SRO.</p>
9	MPCB- CONSENT- 0000110605	Shri Dutta India Pvt.Ltd Servey No- 69,70,74. Sakharwadi Phlatan	APPROVED 1st Operate with renewal of existing	31.07.2022	<p>Committee noted that, PP has applied for 1st operate for expansion by 3650 TCD & 14.5 MW with renewal of existing 1250 TCD i.e Total – 4900 TCD & 14.5 MW Co-generation.</p> <p>Committee also noted that, industry has provided ETP comprising of primary, secondary & tertiary system for treatment of effluent and provided wet scrubber to boiler as APC system.</p> <p>In view of above, it was decided to grant 1st operate for expansion by 3650 TCD & 14.5 MW with renewal of existing 1250 TCD i.e Total – 4900 TCD & 14.5 MW Co-generation, by imposing following conditions.</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend BG of Rs. 25 Lakh for operation and maintains of pollution control system to achieve consented standards. 2. PP shall submit detail upgradation plan or adequacy report of ETP within 1 month period. 3. PP shall obtain Environmental clearance if exceed the crushing limits of 5000 TCD. 4. PP shall provide CPU within 3 months.

10	MPCB- CONSENT- 0000113229	Capgemini Technology Services India Ltd (Phase II) Plot No.14 Rajiv Gandhi Infotech Park, Hinjewadi Phase III (SEZ), Village Man Mulshi	APPROVED 1st Operate (Part-III) with amalgamation of Part-I & II	31.03.2025	<p>Committee noted that PP has applied for 1st Consent to operate (Part-III) & renewal of consent (Part-I & II) vide UAN No. 108836 for IT Park.</p> <p>Committee also noted that PP has obtained valid EC without change in name, not obtained revalidation of C to E for remaining construction BUA, provided STP to treat the sewage & OWC followed by composting facility for treatment & disposal of biodegradable waste.</p> <p>Committee further noted that PP has given the declaration towards non utilization of remaining construction BUA of 1,13,035.64 Sq.Mtr in future.</p> <p>In view of above, it was decided to consider the case for 1st C to O (Part-III) with amalgamation of renewal of consent (Part-I & II) vide UAN No. 108836 for IT park project on total plot area of 1,48,943 Sq.mtr & construction BUA of 61,381.21 (Part-III) + 99,700 = 1,61,081.21 Sq.Mtr out of total construction BUA of 2,74,116.85 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall obtain the revalidation of C to E for remaining construction BUA of 1,13,035.64 Sq.mtrs. 2. PP shall obtain the amendment in EC for change in name from M/s. IGATE Global Solutions Ltd., to M/s. Capgemini Technology Services India Ltd., within three month's period. 3. PP shall operate STP to achieve treated domestic effluent standard for parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 4. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
----	---------------------------------	--	--	------------	---

					<p>5. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</p> <p>6. PP shall make provision of charging ports for electric vehicles at least 10% of total available parking slots.</p> <p>7. PP shall submit BG of Rs. 25 Lakh towards compliance of EC & Consent conditions.</p> <p>Consent shall be issued after submission of additional consent fees, if any.</p>
11	MPCB- CONSENT- 0000113812	Cipla Ltd. Plot No. A-2, MIDC Patalganga, Tal. Khalapur, Dist. Raigad.	APPROVED Consent to 1st Operate for API- IV building & Amalgamation	20.02.2022.	<p>Committee noted that industry has applied for grant of Consent to 1st Operate for operation of API IV Extension Building and amalgamation.</p> <p>Committee also noted that Consent to Operate of existing Bulk drug mfg. Unit is valid up to 20.02.2022.</p> <p>Committee further noted that industry has provided ETP, and 100% treated effluent is recycled/ reused in cooling tower make up and for utility purpose.</p> <p>In view of above, it was decided to grant Consent to 1st Operate for operation of API IV Extension Building and amalgamation subject to condition that existing production quantity shall not increase.</p>
12	MPCB- CONSENT- 0000113360	United Spirits Limited 7/A Parmori Dindori	NOT APPROVED Operate	-----	<p>Committee noted that industry has applied for consent to operate expansion for Potable liquor bottling 1620 KL/M i.e. after expansion it will be 4500 KL/M, solar energy and biogas energy.</p> <p>Committee also noted that existing consent is valid up to 31.08.2022. Also effluent quantity will be 6 CMD from proposed expansion activity. Industry has provided ETP of</p>

					<p>350 CMD capacity, for existing unit trade effluent of 350 CMD generated from existing unit.</p> <p>Committee further noted that Industry has provided Bio-digester of capacity 3100 KL. RO of capacity 350 CMD and MEE of capacity 50 CMD are installed. Also provided STP of capacity 35 CMD for treatment of sewage. Boiler of capacity 20 TPH equipped with MDC and Bag Filter and stack of 32 mtr height.</p> <p>Committee also noted that as per SRO and FO report, source of water is river and bore well and not obtain NOC from CGWA. But as per industry application they have mention water source as Palkhed Dam but have not submitted NOC from irrigation department. JVS reports not submitted with application.</p> <p>In view of above, it was decided to issue SCN for refusal of consent to operate for expansion, due to following non-compliance:</p> <ol style="list-style-type: none"> 1. Industry has not upgraded ETP and APC systems. 2. Industry has failed to obtain NOC from CGWA/irrigation department for consumption of ground/surface water.
13	MPCB- CONSENT- 0000110361	Lubrizol India Private Limited, Plot No. C-9/3, Turbhe, Thane-Belapur Road, Navi Mumbai.	APPROVED Amendment in Consent to Operate for inclusion of By-products	31.01.2025.	<p>Committee noted that industry has applied for grant of amendment in Consent to Operate for inclusion of by-products Hydrochloric Acid (Up to 33%) & Sodium Hydrogen Sulphide Solution (Up to 35%).</p> <p>Committee also noted that Consent to Operate of the industry is valid up to 31.01.2025 and provided ETP & STP. Treated effluent is discharged into CETP.</p>

					<p>Committee further noted that the By-products and Hazardous waste characterization committee meeting held on 16.12.2020 has decided to consider the case for incorporation of the by-products into the existing Consent to Operate considering their end use. The industry sale these by-products to the industries which utilizes as their raw material. And submitted the list of industries with manufacturing process.</p> <p>In view of above, it was decided to grant amendment in Consent to Operate for inclusion of by-products Hydrochloric Acid (Up to 33%) & Sodium Hydrogen Sulphide Solution (Up to 35%) from H.W. list. However not consider PP request to grant production quantity in MT/A in place of MT/M.</p>
14	MPCB- CONSENT- 0000114246	Twentyone Sugars Ltd. Gat No. 75, 76, 77, 78, 79, 88, 90, 99 & 102 Malwati Latur	APPROVED 1st consent to operate with amalgamation with existing consent	31.07.2024	<p>Committee noted that Industry has applied for 1st consent to operate expansion for 3000 TCD sugar & 25.5 MW Cogeneration unit with amalgamation with existing consent of 4500 TCD sugar & 14.5 MW cogeneration unit (Total Sugar - 7500 TCD & Co-generation - 40 MW)</p> <p>Committee also noted that Industry has provided ETP of 800 CMD capacity & STP of 50 CMD capacity. Industry has also provided Condensate Polishing unit of capacity 1000 CMD. Provided Boiler of capacity 160 TPH with provision of Electrostatic Precipitator (ESP) as APC system. Industry has obtained Environment clearance on 30.04.2021. JVS result are marginally exceeding consented standards.</p> <p>In view of above, it was decided to grant 1st consent to operate expansion for 3000 TCD sugar & 25.5 MW Co-generation unit and amalgamation with existing consent of 4500 TCD sugar & 14.5 MW co-generation unit (Total Sugar - 7500 TCD & Co-generation - 40 MW), by imposing following conditions:</p>

					<ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions. 2. Industry shall submit improvement plan about operation and maintenance of ETP within a month which shall be implement within next 3 months.
15	MPCB- CONSENT- 0000115125	SHARAYU AGRO INDUSTIRES LTD. 253 KAPSHI PHALTAN	APPROVED 1st Operate with renewal of existing consent	31.08.2023	<p>Committee noted that, PP has applied for 1st operate of 60 KLPD & renewal of existing 60 KLPD together i.e for total 120 KLPD capacity distillery unit.</p> <p>Committee also noted that PP has applied separately for renewal of 60 KLPD Distillery unit by UAN No. 0000115125 and for 1st operate of 60 KLPD vide no. 117258. PP has obtained EC on 09.04.2021 for expansion of distillery from 60 KLPD to 120 KLPD. Also obtained Consent to Establish for expansion for additional 60 KLPD Distillery on 10.10.2019.</p> <p>Committee further noted that Industry has provided 5 stage multi effect evaporator followed by incineration boiler for treatment of spent wash & CPU for MEE condensate to achieve ZLD.</p> <p>In view of above, it was decided to grant 1st operate of 60 KLPD & renewal of existing 60 KLPD together i.e for total 120 KLPD capacity distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit Bank Guarantee of Rs. 25 Lakh submitted for compliance of consent conditions and operation and maintains of pollution control system to achieve consented standards.

16	MPCB- CONSENT- 0000115732	VIKASRATNA VILASRAO DESHMUKH MANJARA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., 108, 109 CHINCHOLIRAOW ADI LATUR	APPROVED Establish & Operate	31.08.2022	<p>Committee noted that industry has applied consent to establish and operate for production of Medical Oxygen - 5 Ton/day.</p> <p>Committee also noted that existing distillery unit has valid consent up to 31.08.2022. Industry has paid fee for consent to establish and operate.</p> <p>In view of above, it was decided to grant consent to establish and operate for production of Medical Oxygen - 5 Ton/day and amalgamation with existing cconsent by imposing standard conditions.</p>
17	MPCB- CONSENT- 0000117258	Sharayu Agro Industries Limited 253 Kapshi Village Phaltan	Application is considered with application no. MPCB-CONSENT-0000115125		
<p>1. The committee noted that many construction projects have obtain 1st consent to operate, however after its expiry they have not renewed the same. It was decided to make the communication by sending e-mail to all such society/project for making application for renewal algorithm requisite consent fees.</p> <p>The meeting is ended with vote of thanks.</p>					