

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 5<sup>th</sup> Consent Appraisal Committee Meeting of 2019-2020 held on 19.06.2019 at 11.00 a.m. in the chamber of Hon'ble Chairman, 3<sup>rd</sup> Floor, Maharashtra Pollution Control Board, Kalpataru Point, Sion, Mumbai, Maharashtra.

.....

Following members of the Consent Appraisal Committee were present:

- |  |                 |
|--|-----------------|
| 1. Shri Sudhir Shrivastava,<br>Chairman, M.P.C. Board, Mumbai.                   | Chairman        |
| 2. Shri P.P. Nandusekhar,<br>Technical Expert, MIDC.                             | Member          |
| 3. Shri P. K. Mirashe,<br>Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai on leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- |  |                |
|--|----------------|
| 1. Shri. A.R. Supate,<br>Principal Scientific Officer, M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri. Y.B. Sontakke<br>Joint Director (WPC), M.P.C. Board, Mumbai.        | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The Minutes of 4<sup>th</sup> Consent Appraisal Committee Meeting of 2019-2020 held on 12.06.2019 (Booklet No. 6 of Consent to Establish/ Operate/ Renewal cases) was confirmed.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 8 of Consent to Establish/ Operate/ Renewal cases] placed before the committee and following decision were taken:

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Upto	Remarks / Discussion
<b>Booklet No. 08</b>					
1	MPCB- CONSENT- 0000048392	Ideal Energy Projects Limited, 99,102,106 & other, Mauza Kinhala, Khursapur, Tal. Umred.	APPROVED  Renewal of Consent to Operate for the electricity generation for same capacity	Up to 31.08.2019.	<p>Committee noted that, PP has applied for renewal of consent to operate for Coal base thermal power plant of 270 MW.</p> <p>Committee also noted that industry has provided STP and ETP and ESP as a pollution control system. Industry has also provided 3 CAAQMS.</p> <p>This power plant is not in operation 31.12.2013 due to non-availability of power purchase agreement.</p> <p>In view of above, it was decided to grant renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall extend existing BG's for the period up to 31.12.2019.</li> <li>2. Regional Officer Nagpur shall submit performance report of the pollution control system provided to the TPP within three months.</li> <li>3. Industry shall obtain specific permission before restart the power plant</li> </ol> <p>Consent shall be issued after obtaining additional consent fees from PP, if any and ensuring OCMS connectivity to the Board's server.</p>
2	MPCB- CONSENT- 0000060365	Brintons Carpets Asia Pvt Ltd., Gat No. 414/415/416, Village Urawade, Tal. Mulshi, Dist. Pune.	APPROVED  Renewal of Consent to Operate for the same product and qty. with increase in CI	Up to 31.01.2020.	<p>Committee noted that, PP has applied for renewal of consent to operate for manufacturing of weaving of carpet-1,50,000 sq.mtrs/ Month, Spinning Yarn-261 MT/M and Dyed Yarn-175 MT/M with increase in CI.</p> <p>Committee also noted the following points:</p> <ol style="list-style-type: none"> <li>1. PP has obtained consent which was valid up to 31.01.2019.</li> <li>2. PP has provided STP for the treatment of sewage and ETP provided for the treatment of trade effluent. Treated effluent used on land for gardening / Irrigation purpose.</li> <li>3. PP is having RO plant of capacity 1.0 m3/Hrs and not yet commissioned RO plant of capacity-150 CMD.</li> <li>4. Earlier the industry's request for waiving condition of installation of MEE and permission for installation of algal technology for removal of high TDS from the effluent was discussed in the CAC meeting held on 24.01.2017. In this meeting it was decided that decision regarding waiving of the condition of</li> </ol>

					<p>MEE will be taken after submission of final technical report on algal technology system for removal of high TDS.</p> <p>In view of above it was decided to grant renewal of consent to operate for short period. i.e.31.01.2020 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall extend existing BG's for the period up to 31.05.2020.</li> </ol> <p>Also it was decided to call the PP for presentation about algal technology proposed by them and consent shall be issued after receipt of additional consent fees from PP, if any.</p>
3	MPCB- CONSENT- 0000063669	Shyam Indofab Private Ltd., Plot No.T-1, Adl. MIDC Nandgaon Peth, Tal. & Dist. Amravati.	Not Approved  Renewal of consent along with amalgamation of additional production qty.	----	<p>Committee noted that, PP has applied for renewal of consent with additional production qty for the manufacturing of knitted Fabric- 155 MT/M, Dyed Fabric-304 MT/M and Printed Fabric- 180 MT/M.</p> <p>Committee also noted the following points:</p> <ol style="list-style-type: none"> <li>1. PP has obtained consent for the manufacturing of Knitted- 155 MT/M and Dyed fabric- 304 MT/M and consent to establish on 22.12.2017 for production qty of Printed Fabric-180 MT/M.</li> <li>2. SRO Amravati has submitted compliance report on 03.04.2019 stating the following information: <ol style="list-style-type: none"> <li>I. The total qty of trade effluent is 1270 CMD, out of which 350 CMD is dye bath effluent. PP has provided ETP for treatment of trade effluent. The dye bath effluent is treated in the CETP with the help of RO and MEE. CETP has provided tankers for carrying dye bath effluent directly at CETP for treatment. The analysis results of JVS shows BOD and COD parameters are exceeding the consented limits.</li> <li>II. Cyclone separator system is provided to the boiler as well as to Thermic fluid heater [Coal fired]. The analysis results of JVS shows TPM parameters are exceeding the consented limits.</li> </ol> </li> </ol> <p>In view of above it was decided to defer case for not achieving consented standards and call to the PP for the technical presentation along with time bound action plan for up gradation of ETP and APCS system.</p>

4	MPCB- CONSENT- 0000058722	Shri Sant Kurmadas Sahakari Sakhar Karkhana Ltd., Gat No. 99,101,102 S. M. Ganpatrao Sathe Nagar, Padsali, Tal. Madha, Dist. Solapur.	Not APPROVED  Consent to Establish	-----	Committee noted that industry has applied for consent to establish for 30 KLPD molasses based distillery unit. Industrial effluent - spent wash generation from the unit will be 60.0 CMD for which industry propose to install MEE followed by incineration boiler. Industry has proposed to install bagasse & concentrated spent wash fired incineration Boiler with wet scrubber as APC system.  Committee also noted the following points: (i) Industry has not submitted source of water to be used for the process. (ii) Industry has not submitted design details of proposed pollution control systems.  In view of above, it was decided to defer the case and put up in next CAC after obtaining details regarding water source and design details of all pollution control systems.
5	MPCB- CONSENT- 0000065592	Twentyone Sugars Ltd., Gut no. 75,76,77, 78,79,88,90, 99 & 102 Malawati, Latur.	Not APPROVED  Consent to Operate	-----	Committee noted that industry has applied for consent to 1st operate for 4500 TCD sugar and 14.5 MW Cogeneration unit. ETP and CPU is under process of installation.  In view of above, it was decided to issue SCN for refusal of consent to 1 <sup>st</sup> operate, incomplete installation of pollution control systems.
6	MPCB- CONSENT- 0000066366	Jai Hind sugar Pvt. Ltd., 359/2, 353/ 3B3/ 353C2 Achegaon, South Solapur.	Not APPROVED  Consent to Establish	-----	Committee noted that industry has applied for consent to establish for 45 KLPD molasses based distillery unit. Unit has obtain Environment Clearance dated. 28.03.2016. PP proposes to treat the spent wash by way of Biomethanation followed by MEE & concentrated spent wash for making bio-compost.  In view of above, it was decided to keep the case in abeyance and put up in next CAC meeting after obtaining source of water to be utilized for the process including design details of proposed pollution control system.
7	MPCB- CONSENT- 0000066615	TAL Manufacturing Solution Ltd (215 Part to 225 part adn 227 part to 229 part , Village - Kalkuhi Sector-3 MIHAN SEZ Nagpur	APPROVED  1st consent to operate for expansion of two consents	28.02.2024	Committee noted that Industry has provided two stage RO followed by Mechanical Vapor Re-compressor to achieve ZLD. Industry is recycle 134 CMD of treated effluent (RO Permeate) & 15.2 CMD of effluent (i.e RO reject) sent to MVR to achieve ZLD.

			and Renewal of consent and their amalgamation		<p>In view of above, it was decided to grant 1st consent to operate for expansion of two consents and Renewal of consent and their amalgamation to manufacture 1] Aerospace assemblies &amp; sub assesmbles 1400 Nos/M and 2] Aerospace components - 1,20,000 Nos/M by imposing following conditions;</p> <p>1. Industry shall extend the existing BG of Rs. 5 lakh obtained towards O&amp;M of pollution control system.</p> <p>It was also decided to return the two nos. of BG of Rs. 5 lakh obtained towards compliance of consent to establish conditions as industry has complied the same. Consent shall be issued only after submission of additional requisite consent fee, if any</p> <p>It was decided not to consider the request of the industry for not to forfeit the BG of Rs. 10 lakh as industry failed to provide ZLD system within stipulated time limit.</p>
8	MPCB- CONSENT- 0000066418	SIGMA ELECTRIC MANUFACTURING CORPORATION PVT LTD- (UNIT-III) (Plot B-27, MIDC Chakan Industrial Area, Mahalunge Village, Chakan 410501)	APPROVED  Consent to Establish for expansion	Commissioning of the unit or 05 years whichever is earlier	It was decided to grant Consent to Establish for expansion for Powder Coating activity for existing products.
9	MPCB- CONSENT- 0000066565	Shree Datta Sakhar Karkhana Ltd -Distillery Unit, (A Unit of Dalmia Bharat Sugar and Industries Ltd.), G.No. 1764,1765,1852,1855 Asurle-Porle, Tal. Panhala, Dist. Kolhapur.	Not APPROVED  Consent to Operate	-----	<p>Committee noted that industry has applied for consent to operate for 15 KLPD Distillery. Obtained EC for existing and additional 15 KLPD distillery. Industry has directly applied for consent to 1<sup>st</sup> operate for additional 15 KLPD.</p> <p>In view of above, it was decided to defer the case and put up in next CAC meeting after obtaining clarification regarding consent to establish for additional 15 KLPD and compliance of existing pollution control systems.</p>
10	MPCB- CONSENT- 0000060969	Prakash Hospital And Research Center, 747/1/A, Urun- Islampur,	APPROVED  Renewal of Combined Consent & BMW	Up to 31.03.2021.	Committee noted that, PP has applied for renewal of combine consent and BMW Authorization for 450 nos of the beds and for total plot area 89030 sq.mtrs and BUA 18173 sq.mtrs.

		Sangli, Walava, Dist. Sangli.	Authorization with increase in no of Beds and increase in CI		<p>Committee also noted the PP has obtained combine consent and BMW Authorization on 22.07.2016 for 300 no's of beds and also provided STP for treatment of sewage.</p> <p>In view of above, it was decided to grant renewal of Combine consent and BMW authorization by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit BG as per HCE regime.</li> <li>2. PP shall provide adequate capacity of ETP for treatment of trade effluent within 3 months.</li> </ol> <p>Consent shall be issued after receipt copy annual report and obtaining additional consent fees from PP, if any.</p>
11	MPCB- CONSENT- 0000067405	Pepsico India Holdings Pvt. Ltd., 100/1, A-Road, MIDC Dhatav, Tal. Roha, Dist. Raigad	APPROVED  Consent to Establish for installation of additional DG set	Up to Commissioning of unit or 5 years, whichever is earlier	<p>Committee noted that, PP has applied for consent to establish for installation of new DG set of capacity 1010 KVA by replacement of the existing DG set.</p> <p>In view of above, it was decided to grant consent to Establish for installation of DG set of capacity 1010 KVA by replacing old one.</p> <p>Also it was decided that PP shall submit the detailed water budget.</p>
12	MPCB- CONSENT- 0000067718	Embio Limited, E-23/2 MIDC Industrial area, Mahad, Dist. Raigad.	APPROVED  Consent to Establish for expansion	Up to commissioning of the Unit or up to 5 year whichever is earlier.	<p>Committee noted that industry has applied for grant of Consent to Establish for construction of Mechanical structure/ shed for engineering store purpose at adjacent Plot.</p> <p>It was decided to grant Consent to Establish for construction of Mechanical structure/ shed for engineering store purpose at adjacent Plot by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall obtain Consent to Operate from the Board prior to commissioning of the Engg. Store.</li> <li>2. PP shall obtain amendment in EC.</li> </ol>
13	MPCB- CONSENT- 0000065982	USV Private Limited, D-115, TTC Industrial Area.	APPROVED	Up to 30/04/2024.	<p>Committee noted that PP has applied for grant of renewal of combined Consent to Operate &amp; BMW Authorization with new Standby 500 KVA D.G. Set, replacement of old Boiler/ cooling tower/ water purification system.</p>

		MIDC, Shirvane, Navi Mumbai.	Renewal of Consent to Operate		<p>Committee also noted that JVS results of treated effluent are within Consented limit.</p> <p>In view of above, we may consider the case and grant renewal of combined Consent to Operate &amp; BMW Authorization with new Standby 500 KVA D.G. Set, replacement of old Boiler/ cooling tower/ water purification system by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. The industry shall extend existing BG of Rs. 5 Lakh towards O&amp;M of pollution control systems and towards compliance of the Consent conditions.</li> </ol>
14	MPCB- CONSENT- 0000067821	Mahindra CIE Automotive Ltd. (Gears Division) (Plot No. C23/2, MIDC Phase 2 Chakan , Village Varale, Tal Khed, Dist. Pune 410501)	<p>APPROVED</p> <p>1st Consent to Operate for expansion and renewal of existing consent and their amalgamation</p>	28.02.2024	<p>It was decided to grant 1st Consent to Operate for expansion and renewal of existing consent and their amalgamation to manufacture 1] Gears &amp; Shafts- 72,00,000 Nos./Y and 2] Aggregates- 1,50,000 Nos./Y by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. Forfeited 50% BG i.e. Rs. 2.5 lakh out of BG of Rs. 5 lakh obtained towards O&amp;M of pollution control system as JVS results are exceeding the consented standards and obtain top-up BG of Rs. 5 lakh to make the total BG of Rs. 7.5 lakh towards compliance of the same.</li> </ol> <p>Consent shall be issued after receipt of verification report from SRO regarding completion of installation of quenching furnace and requisite consent fee, if any.</p> <p>Committee also noted that the JVS results are exceeding the consented standards. From the JVS results, it seems that industry is not operating the ETP and STP and discharging untreated/substandard effluent on land for gardening. Therefore, it was decided to call the industry for presentation to explain the case of exceedance and steps taken to prevent the same</p>
15	MPCB- CONSENT- 0000049334	Lupin Limited, T-142, MIDC Tarapur, Palghar.	<p>APPROVED</p> <p>Renewal with change in product-mix &amp; increase in C.I.</p>	Up to 30/04/2024.	<p>Committee noted that has applied for grant of renewal of Consent to Operate with proposed change in product mix.</p> <p>Committee also noted that-</p> <ol style="list-style-type: none"> <li>1. Industry had obtained basic EC from Env. Dept., GoM on 16/11/2010.</li> <li>2. Industry has provided full-fledged ETP consisting of primary, secondary &amp; tertiary treatment for the treatment of industrial effluent and 100% of treated effluent is recycled back into process, cooling tower &amp; for utility purposes to achieve ZLD.</li> </ol>

				<p>3. Industry has provided web camera &amp; flow meter with connection to CPCB &amp; MPCB Server.</p> <p>4. Industry has submitted 'No increase in pollution load' Certificate issued by ICT, Mumbai dtd. 22/02/2016 and proforma of NIPL in prescribed format.</p> <p>Committee further noted that case was discussed in Technical Committee's 6<sup>th</sup> meeting held on 27/03/2019 which has decided to recommend the case for change in product under product-mix with a condition to dispose the by-products as hazardous waste and industry shall comply with the provision of HW Rules for sale/ disposal of by-products.</p> <p>In view of above, it was decided to grant renewal of Consent to Operate with proposed change in product mix by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall recycle 100% of treated effluent into process, cooling tower &amp; for utility purposes so as to achieve ZLD</li> <li>2. Existing pollution load shall not increase due to proposed change in product-mix.</li> <li>3. All by-products which are sent outside the PP's premises for recovery/processing, shall be included as Hazardous waste with mode of disposal as <b>"Recycle through authorize recycler and captive consumption only"</b>. All such recyclers should apply to MPCB for Authorization under Rule-9 and PP shall make an MOU with recyclers &amp; submit to Board office.</li> <li>4. By-products (HW) shall be sent to recyclers by following manifest system.</li> <li>5. Industry shall comply with the conditions of the conditional directions dtd. 17/10/2018 &amp; 07/01/2019.</li> <li>6. Industry shall insure connectivity of the online continuous monitoring data with CPCB &amp; MPCB Servers.</li> <li>7. Industry shall furnish BG of Rs. 25 Lakh (including existing BGs) towards O&amp;M of pollution control systems and towards compliance of the Consent conditions.</li> </ol> <p>Consent shall be issued after-</p> <ol style="list-style-type: none"> <li>1. Submission of details of the solvents use, spent/ waste solvent generation and its disposal path.</li> <li>2. Obtaining additional Consent to establish/ operate fees, if any.</li> </ol>
--	--	--	--	---



16	MPCB- CONSENT- 0000069044	Jubilant Life Sciences Limited, Gut No. 25, 26, 27, 28, 32, 45, Village Nimbut-Nira, Baramati.	APPROVED  Consent to Operate	Up to 31.08.2022.	Committee noted that industry has applied for Operate for installation of 22.5 TPH boiler with ESP as APC system followed by 53 mtrs height of stack is provided. Steam generated by said boiler will be utilized for MEE and ATFD for treating the RO Reject to achieve the ZLD.  In view of above, it was decided to grant 1st operate for 22.5 TPH boiler with ESP as APC system.
17	MPCB- CONSENT- 0000069325	Hotel Conrad Palm Grove Beach Hotels Pvt. Ltd., S. No. 468, C.T.S. No. 2 F, Mangaldas Road, Dist. Pune – 411 001.	APPROVED  Renewal of Consent to Operate	Up to 30.04.2024	Committee noted that PP has applied for grant of renewal of Consent to Operate for Hotel activity with Restaurant, Lodging & boarding, swimming pool and laundry activity with 310 nos. of rooms.  Committee also noted that PP has provided ETP, STP & OWC.  In view of above, it was decided to grant renewal of Consent to Operate for Hotel activity with Restaurant, Lodging & boarding, swimming pool and laundry activity with 310 nos. of rooms by imposing the following conditions: 1. PP shall operate ETP & STP so as to achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. 2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air- conditioning, cooling tower make up, fire-fighting etc. and remaining shall be utilized on land for gardening and/or connected to local body sewer line. 3. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/ plantation. 4. PP shall extend existing BGs towards O&M of pollution control systems and towards compliance of the Consent conditions.  Consent shall be issued after a) submission of BGs; b) submission of justification towards decrease in C.I.; c) Submission of additional Consent fees, if any.
18	MPCB- CONSENT- 0000069161	Serum Institute of India Pvt. Ltd. (BPP-I), 105 to 110, Manjari Budruk, Tal. Haveli, Dist. Pune.	APPROVED  1st Combine Consent to operate and	Up to 31.03.2023.	Committee noted that, PP has applied for 1 <sup>st</sup> consent to operate for combine consent and BMW Authorization for Biotech products-1,350 Million Dozes Nos/A.  Committee also noted the following points:

			BMW Authorization		<ol style="list-style-type: none"> <li>1. PP has obtained consent to Establish on 13.03.2019 for the same product and qty.</li> <li>2. The trade effluent will be treated in common ETP of capacity 2600 KLD and STP- 400 KLD [MBBR Technology] provided by the developer M/s SEZ Biotech Services Pvt. Ltd.</li> <li>3. PP has provided incinerator [Model PY-100 VS Thermax] for disposal of BMW. Scrubber system provided to the incinerator.</li> </ol> <p>In view of above, it was decided to grant 1<sup>st</sup> consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit BG of Rs.5.0 Lakhs towards compliances of consent conditions.</li> <li>2. PP shall install on line monitoring system to the incineration.</li> </ol> <p>Consent shall be issued after submission of progress / status of condition of achieving BOD-10 mg/l by SEZ park and after obtaining additional consent fees from PP, if any.</p>
19	MPCB- CONSENT- 0000069160	Pernod Ricard India (P) Ltd., 126, 127, 110, & 112, , 365 & 208 Sr. No. 126, 127 & 110, 365 & 208 Village KadwaMhalingi, Post- Valkhed, Tal. Dindori, Dist. Nashik.	Not APPROVED  Consent to Operate	-----	<p>Committee noted that industry has applied for 1st Consent to Operate expansion. Industry has obtained EC for proposed expansion dtd. 29.08.2017. As per SRO report industry has completed 90% of installation work.</p> <p>In view of above, it was decided to call PP for presentation regarding pollution control systems and present status of the expansion unit.</p>
20	MPCB- CONSENT- 0000068495	Johnson & Johnson Private Limited, 476-480, LBS Marg, Mulund West, Mumbai.	APPROVED  Consent to 1st Operate for expansion and amalgamation	Up to 30/06/2021.	<p>Committee noted that industry has applied for grant of Consent to 1st Operate for proposed expansion for mfg. of 25 MT/M of ORSL base Kit.</p> <p>It was decided to grant Consent to 1st Operate for proposed expansion for mfg. of 25 MT/M of ORSL base Kit and amalgamation with existing Consent by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall extend existing BGs towards O&amp;M of pollution control systems and towards compliance of the Consent conditions.</li> </ol>

21	MPCB- CONSENT- 0000069464	Amphenol Interconnect India Pvt.ltd, Plot. No.105, MIDC, Bhosari, Pune	APPROVED  Consent to Establish for expansion (Phase-II)	Commissioning of the unit or 05 years whichever is earlier	It was decided to grant consent to establish for expansion (phase-II) by imposing following conditions;  1. Industry shall submit the BG of Rs. 5 lakh towards compliance of consent to establish conditions. 2. 1st consent to operate will be considered only after made the provision for 100 % recycling of industrial effluent in to process with RO system & waste heat evaporator and ATFD so as to achieve ZLD for expansion project phase-I and phase-II. 3. Forfeited BG of Rs. 5 lakh obtained towards comply the condition of 100% reuse/recycle the trade effluent into the process, cooling tower etc, and shall not use on land for gardening as industry failed to comply the same and obtain top-up BG of Rs. 10 lakh towards compliance of the same within 03 months.
22	MPCB- CONSENT- 0000070016	Aditya Birla Health Services Ltd., S. No. 31, Aditya Birla Hospital Marg, Chinchwad, Tal. Mulshi, Dist. Pune.	APPROVED  Renewal of Combined Consent & BMW Authorization with increase in CI	Up to 31.01.2024.	Committee noted that, PP has applied for renewal of combine consent and BMW Authorization for 350 nos of the beds and for total plot area 78613.31 sq.mtrs and BUA 38550 sq.mtrs.  Committee also noted that PP has obtained combine consent and BMW Authorization on 20.06.2016 for 350 no's of beds. And also provided STP for treatment of sewage and treated sewage disposed on land for gardening.  In view of it was decided to grant renewal of Combine consent and BMW authorization by imposing following conditions:  1. PP shall submit BG as per HCE regime. 2. PP shall provide primary ETP for trade effluent within 3 months.  Consent shall be issued after obtaining additional consent fees from PP, if any.
23	MPCB- CONSENT- 0000070176	Karmyogi Ankushrao Tope Samarth Sahakari Sakhar Karkhana Ltd., Ankushnagar, Tal. Ambad, Dist. Jalna.	APPROVED  Consent to Establish for expansion	Up to Commissioning of unit or 5 years whichever is earlier.	Committee noted that industry has applied for consent to establish expansion for manufacturing of Ethanol. Industry is using steam from existing sugar unit (For sugar unit they have provided ESP as APCS). Industry proposed new boiler of 22 TPH for the production of proposed 90 KLPD Ethanol.  In view of above, it was decided to grant consent to establish expansion for manufacturing of ethanol, by imposing following conditions:

					(i) Industry shall submit bank guarantee of Rs. 5 lakhs towards compliance of consent conditions.
24	MPCB- CONSENT- 0000069113	Thermax Limited (Chemical Division), At Paudh, Post Mazgaon, Tal. Khalapur, Dist. Raigad.	APPROVED  Renewal of Consent to Operate with increase in C.I.	Up to 30/04/2024.	<p>Committee noted that industry has applied for grant of renewal of Consent to Operate.</p> <p>Committee also noted that industry has provided combined ETP comprising of primary, secondary &amp; tertiary treatment followed by RO &amp; MEE. Committee further noted that treated effluent is recycled into process, cooling tower make up etc to the maximum extent and remaining is applied on land for gardening/ irrigation purpose.</p> <p>In view of above, it was decided to grant renewal of Consent to Operate by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate ETP &amp; APCS so as to achieve Consented standards.</li> <li>2. Industry shall recycle/ reuse treated effluent into process, cooling tower make up and for utility purposes to the maximum extent and apply remaining on land for gardening/ irrigation.</li> <li>3. BG of Rs. 1 Lakh out of BG of Rs. 5 Lakh obtained towards O&amp;M of PCS is forfeited due to exceeding JVS result dtd. 04/01/2019 and industry shall maintain BGs of Rs. 11 Lakh (existing BG-Rs. 9 Lakh + Top-up BG Rs. 2 Lakh) towards O&amp;M of pollution control systems and extend existing BG of Rs. 2 Lakh towards combined operation of Boiler &amp; Thermopack with less than 60% efficiency.</li> </ol> <p>Consent shall be issued after-</p> <ol style="list-style-type: none"> <li>a) Submission of detail of mode of disposal of treated trade effluent during Monsoon season.</li> <li>b) Obtaining additional Consent to Establish/ Operate fees, if any.</li> </ol>
25	MPCB- CONSENT- 0000070247	Lubrizol India Private Limited, Plot No. 9/3, Turbhe, Thane Belapur Road, Navi Mumbai.	APPROVED  Consent to 1st Operate for New	Up to 31/01/2020.	<p>Committee noted that industry has applied for grant of Consent to 1st Operate for new administrative building having BUA 35,000 sq. ft. and amalgamation with existing Consent to Operate.</p> <p>Committee noted that industry has provided ETP and JVS result are observed within limit.</p>

			Admin Bldg. and amalgamation		<p>In view of above, it was decided to grant Consent to 1st Operate for new administrative building having BUA 35,000 sq. ft. and amalgamation with existing Consent to Operate.</p> <p>Consent shall be issued after obtaining additional Consent to Establish fees of Rs. 15,000/- towards increase in C.I.</p>
--	--	--	------------------------------	--	---

Meeting was ended with the vote of thanks.

---000---