

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 8<sup>th</sup> Consent Appraisal Committee Meeting (1<sup>st</sup> sitting) of 2019-2020 held on 06.08.2019 at 11.30 a.m. in the chamber of Hon'ble Chairman, 3<sup>rd</sup> Floor, Maharashtra Pollution Control Board, Kalpataru Point, Sion, Mumbai, Maharashtra.

.....

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri Sudhir Shrivastava,<br>Chairman, M.P.C. Board, Mumbai.                  | Chairman        |
| 2. Shri E. Ravendiran, IAS,<br>Member Secretary, M.P.C. Board, Mumbai           | Member          |
| 3. Shri. Tuhin Banerjee,<br>Scientist, NEERI.                                   | Member          |
| 4. Shri P.K. Mirashe,<br>Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai on leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- |  |                |
|--|----------------|
| 1. Dr. A.S. Supate,<br>Principal Scientific Officer, M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri. V. M. Motgahre<br>Joint Director (APC), M.P.C. Board, Mumbai.     | Invitee Member |
| 3. Shri. Y.B. Sontakke<br>Joint Director (WPC), M.P.C. Board, Mumbai.      | Invitee Member |
| 4. Shri N.N. Gurav,<br>Regional Officer (HQ), M.P.C. Board, Mumbai.        | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The Minutes of 7<sup>th</sup> Consent Appraisal Committee Meeting of 2019-2020 held on 18.07.2019 (Booklet No. 11 of Consent to Establish/ Operate/ Renewal cases) was confirmed.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 12 of Consent to Establish/ Operate/ Renewal cases] placed before the committee and following decision were taken:

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Upto	Remarks / Discussion
<b>Booklet No. 12</b>					
1	MPCB- CONSENT- 0000064230	Keihin Fie Pvt. Ltd., B-3, MIDC Chakan, Khed, Pune.	APPROVED  1st Consent to Operate for expansion and amalgamation with existing consent	30.06.2021	<p>Committee noted that, PP has applied for 1<sup>st</sup> operate for expansion for manufacturing of fuel injection system incompliance with BS6 standards by utilizing existing infrastructure and machinery.</p> <p>Committee also noted that, the proposed product will not change the basic raw material and doesn't lead to change in water and waste water attributes during operational stage.</p> <p>Committee also noted that, PP proposed to provide dust collector to shot blasting unit and STP of capacity 82 CMD. The treated effluent is used for landscaping, flushing purpose. Also proposed to provide RO followed by Evaporator so as to achieve ZLD for metal bearing effluent generated from existing unit and expected to commission by Dec. 2019.</p> <p>In view of above, It was decided to grant 1<sup>st</sup> Consent to Operate for expansion and amalgamation with existing consent by imposing following conditions</p> <ol style="list-style-type: none"> <li>1. Industry shall restrict the generation of trade effluent quantity as per existing consent.</li> </ol> <p>Consent shall be issued after receipt of verification report from SRO regarding completion of installation of plant and machinery and after payment of additional fees, if any.</p>
2	MPCB- CONSENT- 0000064604	MIRC Electronics Ltd., 234C, 236, 237A/B, 240, 241, 242, 244, 246, 247, 247, 248, 249, 250, 251, 226, 226P, 239, Village Kudus, Bhiwandi - Wada	APPROVED  Renewal of Consent with decrease in C.I.	28.02.2021	<p>Committee noted that, industry has applied for renewal of consent with nil effluent generation due to stoppage of paint shop activity.</p> <p>It was decided to grant renewal of consent by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. Industry shall extend the existing BG of Rs. 10 lakh obtained towards O&amp;M of pollution control system.</li> <li>2. Industry shall restrict abstraction of 170 CMD of ground water through four existing bore well as per CGWA NOC dated 01.05.2018.</li> </ol>

		Road, Wada, Tal. Shahpur, Dist. Thane.			3. Trade effluent generation shall be NIL and shall obtain specific permission from the Board, for carrying out any trade effluent generating activity if any, and shall amend the consent accordingly.
3	MPCB- CONSENT- 0000065263	Western Coal Fields Ltd., Sirpur, Rev. Survey P.C. 21 & 22, Umrer Project, WCL Umred, Nagpur.	APPROVED  Consent to establish 1 <sup>st</sup> Consent to Operate for expansion and amalgamation with existing consent	Up to 31.03.2021	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate for expansion for the additional coal mining activity .i.e. from 3.5 MTPA to 4.9 MTPA in mining lease area of 944.65 Ha.</p> <p>Committee also noted that, PP has obtained Environmental Clearance for additional mining activity and applied for consent to establish. PP has provided STP and ETP for treatment of sewage and trade effluent from existing activity and Analysis results of JVS are within consented limits. Also provided desired dust suppression system for air pollution control.</p> <p>In view of above, it was decided to grant consent to establish and 1<sup>st</sup> operate for expansion and their amalgamation up to 31.03.2021 by imposing following conditions.</p> <p>1. PP shall supply coal having ash content less than 34% by installing coal washeries, if necessary</p> <p>Consent shall be issued only after obtaining NOC of CGWA and additional consent fees from PP, if any.</p>
4	MPCB- CONSENT- 0000065541	ADM Agro Industries Latur & Vizag Pvt. Ltd., G75-86, Latur MIDC, Latur	APPROVED  1st Consent to Operate for 6 TPH Boiler and amalgamation	Up to 30.04.2023	<p>Committee noted that PP has applied for 1<sup>st</sup> consent to operate for 6 TPH coal fired boiler with amalgamation of consents.</p> <p>Committee also noted that, PP has obtained consent to establish and is valid. PP has provided ETP and STP for treatment of trade effluent and sewage generation from existing activity. Also provided mechanical dust collection system to the new boiler.</p> <p>In view of above, it was decided to grant consent to 1<sup>st</sup> operate and amalgamation of consent up to 30.04.2023 by forfeiting BG of Rs.10 Lakhs and obtaining top up BG of Rs.20 lakhs towards O &amp; M of pollution control systems.</p> <p>Consent shall be issued after obtaining additional consent fees from PP, if any.</p>

5	MPCB- CONSENT- 0000065883	Pauni II Expansion OC, Near Sakhari Village, Rajura, Chandrapur.	APPROVED  Consent to Establish for expansion	Up to commission ing or up to 5 years whichever is earlier	<p>Committee noted that, PP has applied for consent to Establish for expansion for the additional coal mining activity from 0.6 MTPA to 3.25 MTPA in mining lease area 1095.52 Ha.</p> <p>Committee also noted that, PP has obtained consent for the existing production qty and Environmental Clearance for additional mining activity. PP has provided ETP for the treatment of trade effluent. Analysis results of JVS are within consented limits. Also provided air pollution control systems at dust generating areas. SRO has reported that mine is not in operation from last one year.</p> <p>In view of above, it was decided to grant consent to establish by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. Consent to operate shall be issued only after obtaining NOC of CGWA.</li> <li>2. PP shall supply coal having ash content less than 34% by installing coal washeries, if required.</li> </ol>
6	MPCB- CONSENT- 0000066214	VHM Industries Ltd., T-2 Additional MIDC Area, Nandgaon Peth, Amravati.	APPROVED  Consent to Establish for expansion	Up to commission ing or up to 5 years whichever is earlier	<p>Committee noted that, PP has applied for consent to Establish for expansion i.e. For manufacturing of additional processed fabrics (Processing, dyeing and printing)-485 MT/M with increase in CI.</p> <p>Committee also noted that, PP has obtained consent for existing production qty and provided ETP and STP for the treatment of trade effluent and sewage. Also proposed to provide dust collector and bag filter to the new boiler. PP has submitted information about no increase in water consumption and trade effluent generation. Analysis results of JVS are exceeding limit for COD and BOD parameter.</p> <p>Further Committee noted that, PP has submitted request letter dated 03.12.2018 to review forfeiture of BG condition imposed in renewal of consent.</p> <p>In view of above, it was decided to grant consent to establish by imposing following conditions.</p>

					<p>1. To forfeit BG of Rs.20 Lakhs as per consent to operate condition and obtain top of BG of Rs.40 Lakhs.</p> <p>Also it was decided to call the PP for technical presentation on pollution control system adopted along with action plan to minimize the pollution.</p>
7	MPCB- CONSENT- 0000066265	Gouri I & II (A) Opencast, Near Gouri village, Rajura, Chandrapur.	APPROVED  Renewal of Consent to Operate for decrease in mining qty. and increase in C.I.	31.03.2020.	<p>Committee noted that, PP has applied for renewal of consent to operate with decrease in coal mining qty from 2.5 MTPA to 1.2 MTPA in mining lease area 676.53 Ha.</p> <p>Committee also noted that, PP has obtained consent for the existing production qty and Environmental Clearance for mining activity. Provided ETP for the treatment of trade effluent and JVS are exceeding the consented limits. Further noted that, the installation work of STP not yet completed.</p> <p>In view of above, it was decided to grant consent to operate for short period up to 31.03.2020 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall supply coal having ash content less than 34% by installing coal washeries, if required.</li> <li>2. PP shall submit NOC of CGWA within 3 months.</li> <li>3. Forfeiture of BG of Rs. 5.0 Lakhs &amp; top up with double the amount towards completion of STP.</li> </ol> <p>Consent shall be issued after obtaining BGs and additional consent fees from PP, if any.</p> <p>It was also decided to call the PP for technical presentation on pollution control system provided along with action plan to reduce pollution.</p>
8	MPCB- CONSENT- 0000066177	Pauni Opencast Mine, WCL, Ballarpur Area, Rajura, Chandrapur.	APPROVED  Renewal of Consent to	Up to 31.03.2020	<p>Committee noted that, PP has applied for renewal of consent to operate for coal mining activity on mining Lease area 255 ha-0.9 MTPA.</p>

			Operate with increase in C.I.		<p>Committee also noted that, PP has obtained consent for the existing production qty and Environmental Clearance for mining activity. PP has provided ETP for the treatment of trade effluent and air pollution control systems at dust generating areas.</p> <p>In view of above, it was decided to grant consent to operate for the period up to 31.03.2020 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall supply coal having ash content less than 34% by installing coal washery, if required.</li> <li>2. PP shall submit NOC of CGWA within 3 months.</li> </ol> <p>Consent shall be issued after obtaining BGs and additional consent fees, if any.</p>
9	MPCB- CONSENT- 0000066281	Technocraft Industries (India) Limited (Garment Division), 375, Village Dhanivali, Murbad, Dist. Thane.	APPROVED  1st Consent to Operate for expansion and amalgamation with increase in C.I.	Up to 31.03.2020	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate for expansion for additional production qty. cotton yarn-100 MT/M, Melange yarn-240 MT/M, Hosiery-1000 MT/M, T shirts-2,25,000 Pcs/M and by products cotton waste-54 MT/M, Melange waste-40 MT/M Fabric waste Chindi-20 MT/M</p> <p>Committee also noted that, PP has obtained consent for existing production qty and provided ETP and STP for the treatment of trade effluent and sewage, however JVS are exceeding COD, BOD and SS parameters. Also provided cyclone separator, wet scrubber to coal fired boiler.</p> <p>In view of above, it was decided to grant 1<sup>st</sup> consent to operate for short period up to 31.03.2020 by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. To forfeit BG of Rs.5.0 Lakhs towards JVS exceedance and obtain top up BG of Rs.10 Lakhs.</li> </ol> <p>Also it was decided to call the PP for technical presentation on pollution control system provided along with action plan to minimize the pollution.</p> <p>Consent shall be issued after obtaining BGs and additional consent fees, if any.</p>

10	MPCB- CONSENT- 0000066508	CG Power & Industrial Solutions Limited, B-110, B-111/B, B- 112/2 Stamping Division, MIDC Industrial Area, Ahmednagar.	APPROVED  Renewal of Consent with change in name, additional plot and increase in C.I.	Up to 28.02.2024	<p>Committee noted that, PP has applied for renewal with addition of plot and name change.</p> <p>Committee also noted that the CI was increased by Rs.30.12 Cr due to addition of plot no B111/B- 7.98 Cr, construction of Shed on plot no. B11/B- 6.71 Cr and shifting of machinery from Kanjur plant - 15.64 Cr etc. These machines are being used for intermediate production for quality improvement.</p> <p>Also noted that Industry has submitted ROC certificate issued by GoI for name change from M/s. Crompton Greaves Ltd to M/s. CG POWER &amp; INDUSTRIAL SOLUTIONS LIMITED. However not obtain plot amalgamation letter from MIDC.</p> <p>It was decided to grant renewal of consent with increase in CI and addition of plot with name change by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. Industry shall extend the BG of Rs. 5 lakh obtained towards O&amp;M of pollution control system to achieve BOD standards of 30 mg/Ltrs at the outlet of STP and 60 % of treated sewage should be recycled for flushing &amp; washing purpose and remaining shall be disposed on land for gardening purposes.</li> <li>2. Industry shall submit the programme for achieving BOD standard of 10 mg/Ltrs within a month.</li> </ol> <p>Consent shall be issued after receipt of plot amalgamation letter from MIDC, latest JVS results of STP outlet and submission of additional requisite consent fee, if any.</p>
11	MPCB- CONSENT- 0000066919	Pauni II Expansion OC, Near Sakhari Village, Rajura, Chandrapur.	APPROVED  1st Consent to Operate for expansion with increase in C.I.	31.03.2020.	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate for expansion for additional coal mining activity from 0.6 MTPA to 3.25 MTPA in mining lease area of 1095.52 Ha.</p> <p>Committee also noted that, PP has obtained consent for the existing production qty and Environmental Clearance for mining activity. PP has provided ETP for the treatment of trade effluent and air pollution control systems at dust generating areas.</p> <p>In view of above, it was decided to grant 1<sup>st</sup> consent to operate for period up to 31.03.2020 by imposing following conditions.</p>

					<p>1. PP shall supply coal having ash content less than 34% by installing coal washeries, if required.</p> <p>2. PP shall submit CGWA NOC within three months.</p> <p>3. PP shall submit BG of Rs.10 Lakhs towards O &amp; M of pollution control system and Rs.5.0 Lakhs towards compliances of consent conditions.</p> <p>Consent shall be issued after submission of NOC of CGWA, BGs and additional consent fees, if any.</p>
12	MPCB- CONSENT- 0000066513	Ruchi Soya Industries Limited, P.H. No. 76, Plot No. 249-252, Butibori Umred Road, Butibori, Nagpur.	APPROVED  Renewal of Consent with increase in C.I.	Up to 31.03.2024	<p>Committee noted that, PP has applied for renewal of consent to operate for Solvent Extracted crude Soyabean oil-81,000 MT/A, De-oiled cake-3,64,500 MT/A, Refined Soyabean oil-76,200 MT/A, Turbo Generator for captive power Generation-0.98 MW and by products- Lecithin-2600 MT/A and Acid oil-900 MT/A with increase in CI under orange category.</p> <p>Committee also noted that, PP has provided ETP of adequate capacity for the treatment of trade effluent and Bag filters to coal fired boiler as APCS.</p> <p>In view of above, it was decided to grant renewal of consent under Red category for the period up to 31.03.2024 by imposing following conditions.</p> <p>1. PP shall extend existing BGs for the period up to 31.07.2024.</p> <p>Consent shall be issued after submission of water budget calculations and receipt of additional consent fees, if any.</p>
13	MPCB- CONSENT- 0000067640	Watson Pharma Pvt. Ltd., Plot No. N-15, Anand Nagar, Additional MIDC, Ambernath (East), Tal. Kalyan, Dist. Thane.	APPROVED  Renewal of Consent	Up to 30.04.2024	<p>Committee noted that industry has applied for renewal of Consent.</p> <p>Also noted that industry has provided combined ETP and treated effluent is 100% recycled/reused to achieve ZLD.</p> <p>Committee further noted that industry has installed online continuous monitoring system.</p>



					<p>In view of above, it was decided to grant plain renewal of Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate combined ETP and recycle 100% treated trade effluent for cooling tower make up so as to achieve ZLD.</li> <li>2. Industry shall ensure OCMS connectivity to Board's Server.</li> <li>3. Industry shall furnish BG of Rs. 25 Lakh (including existing BGs) towards compliance of Consent conditions.</li> </ol>
14	MPCB- CONSENT- 0000056805	Sahakar Shiromani Vasantao Kale S.S.K. Ltd., 943/1, 947-950, 999/1, 999/2, 1000- 1005, Chandrabhaga Nagar, at Post Bhalawani, Tal. Pandharpur, Dist. Solapur.	NOT APPROVED  1 <sup>st</sup> Consent to Operate for expansion	--	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate for expansion for 1000 TCD plant.</p> <p>The committee also noted that the existing unit is not complied with existing consent conditions viz. submission of BG, Provision of CPU, JVS of effluent and air are exceeding the consented standards and not operate ETP properly. Also not complied with the directions by the Board issued on 06.12.2019. Also forfeit BG obtain as per Consent condition for installation of CPU.</p> <p>In view of it was decided to issue SCN for refusal of consent by forfeiting BG of Rs. 5.0 Lakh obtained towards installation of CPU and top-up with double the amount.</p>
15	MPCB- CONSENT- 0000067626	Shreenath Mhaskoba Sakhar Karkhana Ltd. (Distillery Division), Gat No. 225-1 & 2, Shreenathnagar, Patethan, Post Rahu, Tal- Daund, Dist. Pune.	APPROVED  Consent to Establish	Up to commission ing or up to 5 year whichever is earlier	<p>Committee noted that, PP has applied for installation of 2 Nos. of Gas and briquette fired Boilers of capacity 8 TPH &amp; 2 TPH.</p> <p>It is decided to grant consent to Establish for 8 TPH &amp; 2 TPH. Gas and briquette fired Boilers by imposing following conditions;</p> <ol style="list-style-type: none"> <li>1. To provide adequate emission control system ESP/Scrubber to achieve TPM conc. below 50 mg/Nm<sup>3</sup>.</li> <li>2. To amend existing EC for the above changes within 3 month period.</li> <li>3. Industry shall obtain NOC from CGWA / Irrigation department for use of ground water / surface water.</li> </ol>

					4. Industry shall submit BG of Rs. 5 Lakh towards compliance of Consent conditions.
16	MPCB- CONSENT- 0000067927	Coca-Cola India Private Limited, Plot Nos. 1109 - 1110, Village Pirangut, Tal. Mulshi, Dist. Pune.	APPROVED  Consent to Operate [ Part]	Up to 30.04.2020	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate [part] for operation of new by installed ETP of capacity 50 CMD [out of 150 CMD].</p> <p>Committee also noted that, PP has obtained consent to operate for existing production qty for the period 30.04.2020 and consent to establish was approved for installation of new ETP. Also noted completion of Civil work of 150 CMD capacity ETP and out of which 50 CMD ETP module is ready to operate. Also noted out of 90 CMD generated effluent, 50CMD effluent proposed to treat in new ETP and remaining 40 CMD effluent in existing ETP.</p> <p>Also noted provision of STP of adequate capacity for the treatment of sewage, use of treated effluent for gardening and flushing purpose and has obtained NOC of CGWA.</p> <p>In view of above it was decided to grant 1<sup>st</sup> consent to operate [part] for the period up to 30.04.2020 for operation of new ETP of capacity 50 CMD by imposing following conditions:</p> <p>1. PP shall submit BG of Rs.5.0 lakhs towards O &amp; M of ETP.</p> <p>Consent shall be issued after receipt of information of water budged, sources of effluent generation, characteristics of raw effluent and additional consent fees, if any.</p>
17	MPCB- CONSENT- 0000066005	DRT-Anthea Aroma Chemicals Pvt. Ltd., Plot No. 51-A/1, Roth Budruk, Dhatav MIDC, Tal. Roha, Dist. Raigad.	APPROVED  Renewal of Consent to Operate	Up to 31.02.2024	<p>Committee noted that industry has applied for grant of renewal of Consent for mfg. of perfumery chemicals &amp; intermediates.</p> <p>Committee also noted that industry was directed not to start the manufacturing activity due to fire incidence on 19/02/2018.</p>

					<p>Committee further noted that industry has re-built the plant and Board has granted conditional directions to restart mfg. activities on 20/05/2019 and industry has complied with the conditions of the conditional restart directions.</p> <p>In view of above, it was decided to grant Consent to Operate for mfg. product Dihydromyrcenol by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall comply with the conditions of the conditional directions dtd. 20/05/2019.</li> <li>2. Industry shall comply with the conditions of the EC.</li> <li>3. Industry shall 100% recycle treated effluent into process, cooling tower so as to achieve ZLD.</li> <li>4. Industry shall extend all existing BGs imposed towards compliance of the Consent conditions.</li> <li>5. BG of Rs. 5 Lakh is forfeited towards violation of Consent conditions towards mfg. of excess Dihydromyrcenol and High Boiler in year 2017-2018 and industry shall submit top-up double amount of BG i.e. Rs. 10 Lakh towards compliance of the Consent conditions and O&amp;M of pollution control systems.</li> </ol> <p>Consent may be issued after verification of high Boiler disposal path.</p>
18	MPCB- CONSENT- 0000067939	Clean Science and Technology Pvt. Ltd., Plot No. D-26/3, MIDC, Kurkumbh, Ta. Daund, Dist. Pune.	APPROVED  Amendment in Consent to Operate for change in product-mix	--	<p>Committee noted that industry has applied for amendment in Consent to Operate for proposed change in product-mix.</p> <p>Committee also noted that industry has obtained basic EC, provided ETP &amp; APCS, achieved ZLD, submitted proforma of self-assessment of NIPL &amp; NIPL Certificate issued by approved Lab showing that proposed products belongs to same group/ family and overall quantity of proposed products &amp; by-products will not exceed overall Consented quantities.</p> <p>Product mix committee in its meeting held on 20.06.2019 has recommended the case for change in product under product mix with a condition to dispose of the Co-product as Hazardous Waste and shall comply the provision of HW Rules for sale/disposal of co-products.</p>

					<p>In view of above, it was decided to grant amendment in Consent to Operate for proposed change in product-mix subject to the following conditions:</p> <ol style="list-style-type: none"> <li>Existing pollution load shall not increase with the proposed change in product-mix.</li> <li>Industry shall dispose of the by-products as Hazardous Waste and shall comply the provision of HW Rules for sale/disposal of co-products / by products.</li> </ol>
19	MPCB- CONSENT- 0000064084	Padmashri Dr. D. Y. Patil Education Society, Medical College & Hospital and Research Centre, 507/1, Kadamwadi, E Ward, Karvir, Kolhapur.	APPROVED  Renewal of Combined Consent & BMW Authorization with change in name and increase in C.I.	Up to 30.04.2023	<p>Committee noted that, PP has applied for renewal of combine consent and BMW authorization for 650 nos. of beds on Total Plot Area of 60,000 sq.m. and Total Construction BUA of 18925.48 sq.mtrs with increase in CI and change in name.</p> <p>Committee also noted that, PP has obtained combined consent for the 650 nos. of beds and obtained Certificate of BNH. PP has provided ETP and STP of adequate capacity for the treatment of trade and domestic effluent. The analysis results of JVS are within the consented limits. PP has obtained membership of CBWTSDf and submitted annual returns for the period 2018.</p> <p>In view of above, it was decided to grant Combine Consent and BMW Authorization for the period up to 30.04.2023 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>PP Shall extend existing BG's for the period upto 31.08.2023.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
20	MPCB- CONSENT- 0000067557	Prince Aly Khan Hospital, Plot No. CS 376, Aga Hall, Nesbit Road, Mazagoan, Mumbai.	APPROVED  Renewal of Combined Consent & BMW Authorization with increase in C.I.	Up to 31.03.2024	<p>Committee noted that, PP has applied for renewal of combine consent and BMW authorization with increase in CI for 201 nos of Beds and for total plot area 9100 sq. mtrs and BUA 4494 sq. Mtrs.</p> <p>Committee also noted that, PP has obtained combined consent which was valid up to 31.03.2019 for 201 nos of beds. Provided STP for the treatment of Sewage and treated sewage is disposed in the sewerage system of local body. Also obtained Certificate of BNH and membership of CBWTSDf.</p> <p>In view of above, it was decided to grant Combine Consent and BMW Authorization for the period up to 30.04.2024 by imposing following conditions:</p>

					<p>1. PP Shall extend existing BG's for the period up to 31.07.2024.</p> <p>2. PP shall provide primary ETP within 3 months and submit BG of Rs. 2 Lakh towards compliance of the same.</p> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
21	MPCB- CONSENT- 0000068308	JSW Dharamtar Port Pvt. Ltd., At Dharamtar, Post Dolvi, Tal. Pen, Dist. Raigad.	APPROVED  1st Consent to Operate (Part) for expansion of jetty - 319 mtrs additional	Up to 31.08.2024	<p>Committee noted that, PP has applied for 1<sup>st</sup> consent to operate [part] for expansion of jetty -319, Meters, for handling of material for captive purpose only. [Total length of constructed jetty is 1045.5 Mtrs.]</p> <p>Committee also noted that, PP has obtained consent to operate for jetty for total length of 726.5 mtrs and establish for total length 1750 mtrs. PP has provided dust suppression system at Barge unloading hoppers, Dry fog dust suppression system at transfer points and transfer towers, wind barrier of 456 sq.mtrs, covered conveyors belt, Mechanized road sweeping, water sprinkling , covered shed storage , Hatched covered barges provided and mini bulk Carriers used for transportation in the channel.</p> <p>In view of above, it was decided to grant 1<sup>st</sup> Consent to operate for the period up to 31.10.2022 for jetty length 319 mtrs. with amalgamation of existing consent by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide STP of adequate capacity within 3 months and submit bank guarantee of Rs. 5 Lakhs towards compliance of the same.</li> <li>2. PP shall provide one CAAQMS near the jetty.</li> <li>3. PP shall provide closed screw conveyer system to minimize fugitive dust emission within one year for unloading of the material from the barges/ ships.</li> <li>4. PP shall comply with the EC conditions.</li> <li>5. PP shall submit Bank Guarantee of Rs.5 Lakhs towards operation and maintenance of pollution control system.</li> <li>6. PP shall submit Bank Guarantee of Rs.2 Lakh towards compliance of consent conditions.</li> </ol> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>

22	MPCB- CONSENT- 0000069216	Bhanegaon Open Cast Coal Mine Project of M/s Western Coalfields Ltd. (WCL) - a subsidiary of Coal India Ltd., Survey of India Toposheet No. 550/3, Khasrea No. 12/1D & 12/2, Village Bina, Post Khaperkheda, Tal. Kamptee, Nagpur.	NOT APPROVED  1st Consent to Operate for additional coal mining activity 0.55 MTPA [0.6 to 1.15 MTPA]	--	<p>Committee noted that, PP has applied for 1st consent to operate for expansion for additional coal mining activity from 0.6 MTPA to 1.15 MTPA in mining lease area of 347.46 Ha. Also noted that, PP has obtained Environmental Clearance for additional mining activity.</p> <p>Committee has also noted that, PP has not submitted application for consent to establish, not obtained NOC of CGWA and not submitted Bank Guarantee's as per earlier consent conditions.</p> <p>In view of above it was decided to issue Show Cause Notice for refusal of consent to 1<sup>st</sup> operate for expansion.</p>
23	MPCB- CONSENT- 0000066431	Mallak Specialties Pvt. Ltd., Plot No. C-103, MIDC Mahad, Tal. Mahad, Dist. Raigad 402 301.	APPROVED  Consent to 1st Operate for expansion, Renewal of existing Consent and amalgamation	--	<p>Committee noted that industry has applied for grant of Consent to 1st Operate for expansion, renewal of existing Consent and their amalgamation.</p> <p>Committee also noted that industry has obtained EC, Consent to Establish, provided ETP, provided separate dedicated effluent carrying pipeline up to outlet treated effluent sump of CETP/ MIDC, provided online continuous effluent monitoring system at outlet of ETP in their premises and at the inlet of MIDC treated effluent holding Sump.</p> <p>Industry had made presentation before CAC their existing effluent treatment facility and OCMS data connectivity to MPCB Server.</p> <p>In view of above, it was decided to grant Consent to 1<sup>st</sup> Operate for expansion and amalgamation subject to the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall operate ETP so as to achieve Consented standards including BOD-30 mg/l.</li> <li>2. Industry shall recycle/ reuse 1,162 CMD treated effluent into process, for cooling tower make up, air-conditioning, fire-fighting etc. and discharge remaining 2,110</li> </ol>

					<p>CMD treated effluent at the outlet of CETP i.e. treated effluent holding sump CETP (6 MLD new separate MIDC sump.)</p> <ol style="list-style-type: none"> <li>Industry shall comply with the conditions of EC dtd. 28.01.2016.</li> <li>Industry shall routinely monitor pipeline of length 1,558 mtrs. provided for carrying treated effluent from their premises to CETP outlet treated effluent holding sump (6 MLD new separate MIDC sump) and voluntarily stop pumping, if any leakages in pipeline noticed and resume pumping only after repairing the pipeline with information to MPCB in this regard.</li> <li>Industry shall ensure that online continuous effluent monitoring data at outlet of ETP in their premises &amp; after ETP before entering into MIDC Sump are transmitted to MPCB Server round the clock.</li> <li>Industry shall furnish/ top-up BG of Rs. 25 Lakh towards O&amp;M of pollution control systems and towards compliance of the EC &amp; Consent to Operate conditions.</li> </ol> <p>Consent shall be issued after verifying adequacy of ETP &amp; quantum of treated effluent discharge to CETP.</p>
24	MPCB- CONSENT- 0000069059	Kirloskar Oil Engines Limited, Plot No. D-1, Flve Star MIDC Kagal, Hatkanangale, Kolhapur.	APPROVED  1st Consent to Operate and amalgamation	Up to 28.02.2020	<p>Committee noted that, PP has provided Pyrolysis plant for the disposal of Plastic waste generated for their own plant.</p> <p>Committee also noted that, gas scrubbing system to the reactors and uncondensed gas and is reused for heating.</p> <p>It has been decided to grant 1st consent to Operate and amalgamation with existing consent by imposing following conditions.</p> <ol style="list-style-type: none"> <li>This consent is issued with overriding effect over previous consent no. BO/CAC-Cell/UAN.48336-18/CAC-1808000621 dated 14.08.2018 which is valid upto 28.02.2020.</li> <li>Industry shall be obtain authorization for plastic recycler under plastic Rule</li> </ol>
25	MPCB- CONSENT- 0000068936	Jalgaon Jilha Sahakari Dudh Utpadak Sangh	NOT APPROVED  Consent to Establish for	---	<p>Committee noted that, PP has applied for consent to establish for additional milk products and qty with increase in CI.</p>

		Maryadit, S. No. 304/2, 305, 306, 307/2, 308, 322-324, Main Dairy Plant, Shivaji Nagar Road, Near Surat Railway Gate, Jalgaon.	additional products and increase in C.I.		<p>Committee also noted that PP has obtained Consent for the existing production quantity which is valid up to 30.04.2022. PP has provided ETP for the treatment of trade effluent. Treated effluent is used on land for gardening. The analysis results of JVS are exceeded BOD, COD, SS and Chlorides parameters. PP has provided Stack to the DG set. The analysis results of air samples are exceeding TPM parameter.</p> <p>In view of above it was decided defer the case by forfeiting BG of Rs. 2.5 Lakh from the existing BG and obtained top up BG of Rs. 5 Lakh and also PP to make presentation on detailed water budget including recycle and disposal qty of the effluent and submission of action plan along with time bound program to reduce pollution.</p>
26	MPCB- CONSENT- 0000069354	Raymond Luxury Cottons Ltd., T-18/1, Additional MIDC, Nandgaon Peth, Amravati.	NOT APPROVED  Consent to Establish for expansion	---	<p>Committee noted that, PP has applied for consent to Establish for expansion. i.e. for the installation of additional utilities like Boiler of capacity 6 TPH (Stand By), Water Recovery System &amp; D.G. Set of 750 KVA Capacity (Stand By).</p> <p>Committee also noted that, PP has obtained consent for existing products which is valid up to 31.01.2020.</p> <p>In view of above, it was decided to defer the case and call PP for presentation on water budget, sources of effluent generation, pollution control system provided, quantity of effluent recycle, etc.</p>
27	MPCB- CONSENT- 0000069930	Grasim Industries Limited (Unit-Century Rayon), 45,53,56,57, 58, 59, 76,77,78,201,202, 207,55P,51(A), Shahad, Ulhasnagar, Tal.	NOT APPROVED  1st Consent to Operate for additional production (Part-2)	---	<p>Committee noted that, PP has applied for consent to operate for additional production qty [ Phase-II] .i.e. additional production of Viscous Filament Yarn -VFY - 2800 MT/A and By product Anhydrous Sodium Sulphate 1650 MT/A</p> <p>Committee also noted that, PP has obtained consent for existing products which is valid up to 30.09.2019 and obtained consent to Establish for additional production qty including Environmental Clearance for additional production qty on 31.10.2016. However</p>



		Kalyan, Dist. Thane.			<p>not submitted water budget, compliance of existing consent conditions and design details of Air &amp; water pollution control system.</p> <p>It was decided to call PP for the presentation on detailed water budget, sources of effluent generation, compliances of consent conditions and pollution control system provided by the industry.</p>
28	MPCB- CONSENT- 0000069007	Golden Fiber LLP, Plot No. T-8, Addl. MIDC Amaravati Industrial Area (Textile Part), Nadgaon Peth, Amravati.	APPROVED  1st Consent to Operate (Part) with amalgamation	Up to 31.12.2021	<p>Committee noted that, PP has applied for 1st consent to operate [Part] for manufacturing of all type of flax and blended yarn spinning – 6.5 MT/Day, Concrete batching plant -36 m3/hr with amalgamation of the existing consent with increase in CI.</p> <p>Committee also noted that, PP has obtained Consent for existing production which is valid up to 31.01.2023. PP has obtained consent to Establish for additional production. PP has provided ETP and STP for the treatment of trade effluent. Analysis results of JVS samples are fluctuating for COD parameter. Treated effluent disposed to CETP for further treatment and disposal.</p> <p>In view of above it was decided to grant 1st consent to operate [Part] for the period up to 31.01.2023 by forfeiting BG of Rs.1.0 lakhs towards JVS exceedance and by extending existing BGs up to 31.12.2021.</p> <p>It was also decided to call PP for the presentation on fluctuation of JVS results for COD parameter and its control measures proposed.</p> <p>Consent shall be issued after obtaining additional consent fees, if any.</p>
29	MPCB- CONSENT- 0000069719	Airports Authority of India, 224, 225 & 226 Lohegaon, Tal. Haveli, Dist. Pune.	APPROVED  Renewal of Consent to Operate with increase in C.I.	Up to 31.01.2020.	<p>Committee noted that, PP has applied for renewal of consent to operate with increase in CI for airport terminal building /Civil enclave at Pune Airport for operation of civil Enclave /terminal building to facilitate arrival and departure of air passengers Airport at Lohegaon, Sr.no.224,225 and 226, Taluka haveli, Dist:Pune on total plot area 17,000 sq.mtrs and BUA 19,600 sq.mtrs.</p>

					<p>Committee also noted that, PP has obtained consent which was valid up to 31.03.2019. PP has not installed STP and untreated effluent discharged in to sewage system provided by Pune municipal corporation.</p> <p>In view of above, it was decided to grant consent to operate for short period up to 31.01.2020 by imposing following condition:</p> <ol style="list-style-type: none"> <li>1. PP shall submit BG of Rs.5 Lakh towards compliances of consent conditions.</li> <li>2. PP shall install STP within 3 months and submit BG of Rs. 5 Lakh.</li> </ol> <p>Consent shall be issued after receipt of BG.</p>
30	MPCB- CONSENT- 0000069937	Minda Corporation Limited, Plot No. D - 225, 226, 227, Phase - II, Chakan Industrial Area, Bhamboli, Tal. Khed, Dist. Pune.	NOT APPROVED  Renewal of Consent to Operate with additional product and increased C.I.	--	<p>Committee noted that, Industry has provided electric heat treatment furnaces including seven tank process as pre- treatment for powder coating activity. Also noted that, PP has not obtained consent for the additional activity.</p> <p>It was decided to defer the case and call the PP for presentation before CAC as they have increased C.I. by Rs. 27.91 Crs. and installed one additional heat treatment &amp; Melting furnaces without obtaining Consent from the Board.</p>
1	MPCB- CONSENT- 0000055414 & 75646	Dr.Aabaji Thatte Seva aur Anusandhan Santha,  Khasra no.25, P.H.no.42 at Mauza –Jamtha, Nagar	APPROVED  Renewal of Combined Consent & BMW Authorization with increase in no. of beds and C.I.	31.08.2023.	<p>Committee noted that, PP has applied for renewal of combine consent and BMW authorization with increase in no's of beds from 75 to 225 beds, increase in CI and for total plot area 57,400 sq. mtrs and BUA 5720 sq. Mtrs.</p> <p>Committee also noted that, PP has obtained consent to Establish for 350 nos of beds and consent for 75 nos of beds which was valid up to 31.08.2018. Now PP has applied for 225 nos of beds. Also obtained Environmental Clearance for total plot area-57,400 sq.mtrs. and total construction area-71,479.41 sq.mtrs. PP has provided STP for the treatment of Sewage. Treated effluent is disposed in the sewerage system provided by local body. PP has obtained Certificate of BNH and obtained membership of CBWTSDF.</p>

					<p>In view of above, it was decided to grant Combine Consent and BMW Authorization for the period up to 31.08.2023 by imposing following conditions:</p> <p>1. PP Shall submit BG's as per HCE's.</p> <p>Consent shall be issued after receipt of additional consent fees, if any.</p>
--	--	--	--	--	--