

**List of Cases to be submitted before 10th Consent Committee Meeting of 2014-15
scheduled on 30.07.2014 at 11:00 a.m. (Booklet No. - 17)**

| Sr. No. | Name & Address | Capital Investment | Applied For | Section | Page No. | Remarks |
|---------------------|---|--------------------|----------------------------------|---------|-----------|---------|
| Resubmission | | | | | | |
| 1 | Hilton Infrastructure , CTS No. 207, 1/207 & 208 of Taredeo Div., Ward No. D- 4042-46 & 4039(D Ward), Situated at 122 - 138, Shuklaji Street, Mumbai | 146 Crs. | Establish | RO(HQ) | 1 to 19 | |
| 2 | Pam Glatt Pharma Technologies Pvt. Ltd. , Gat No. 1100, 1109 & 1116/1, A/p- Shirwal, Dist - Pune | 41.26 Crs. | Renewal (Expansion) | JD(APC) | 20 to 39 | |
| 3 | Ruby Mills Ltd. , F. P. No. 29, The Ruby - Pvt. I.T. Park, F. P. No. 29, TPS III, Mahim Division, Denapati Bapat Marg, Dadar (W) | 176.33 Crs. | Renewal | RO(HQ) | 40 - 60 | |
| 4 | Shri Adinath Sahakari Sakhar Karkhana Ltd. , Shelgaon, Bhalwani, Adinathnagar, Tal - Karmala, Dist - Solapur | 28.30 Crs. | Renewal | JD(WPC) | 61 - 84 | |
| Fresh Agenda | | | | | | |
| 1 | Yogsiddhi Developers (Kandivali) , CTS No. 147, of Village Akurti, Kandivali (E), Tal - Borivali (W), Mumbai | 120.92 Crs. | Establish | RO(HQ) | 85 - 112 | |
| 2 | Kohinoor Group Constructions and Real Estate, "Shangrila" , S. No. 22/3, CTS No. 4688, Waghire, Pimpri, Tal - Maval, Dist - Pune | 40.31 Crs. | Establish | RO(HQ) | 113 - 126 | |
| 3 | Pranshu Developers, "Versatile Valley" , S. No. 11(H. No. 9), 12(H. No. 5), 13, 14, 15, 16, (H. No. 1B), Village - Nilje, Kalyan, Dist - Thane | 250 Crs. | Establish | RO(HQ) | 127 - 138 | |
| 4 | Kalyanee Fortune Constructions, "Acropolis" , Sr. No. 41/1, 41/2/1 & 41/2/14, Village - Sus, taluka - Mulshi, Dist - Pune | 121.78 Crs. | Establish | RO(HQ) | 139 - 150 | |
| 5 | Bramhacorp Limited, "Pune One" , Sr. no. 11, 11/1 to 11/18, 12/3 & 12/4, Cannanught Road, Sadhuwaswani Chowk, Tal & Dist Pune | 165.08 Crs. | Establish | RO(HQ) | 151 - 162 | |
| 6 | Morya Developers, "Morya Srusti" , Sr. No. 220 to 250, Village - Kirkatwadi, Tal - Haveli, Dist - Pune | 77 Crs. | Establish | RO(HQ) | 163 - 174 | |
| 7 | Wimco Ltd. , P.B. No. 04, Off Kalyan - Badalapur Road, Ambernath, Dist - Thane | 331.09 Crs. | Establish | JD(WPC) | 175 - 188 | |
| 8 | Ferrero India Pvt. Ltd., (Formerly know as Imsofer Mfg. India Pvt. Ltd.) , Plot No. F-13, MIDC Baramati, Tal - Baramati, Dist - Pune | 529.89 Crs. | Establish & Operate (Expansion) | JD(WPC) | 189 - 213 | |
| 9 | Dai Ichi Karkaria , Mumbai-Pune Road, Kasarwadi, Tal - Haveli, Dist - Pune | 34.68 Crs. | 1st Operate with (Amalgamation) | AS(T) | 214 - 232 | |
| 10 | Advanced Enzymes Technologies Ltd. , Plot No. A - 61/62, MIDC Malegaon, Tal - Sinnar, Dist - Nashik | 48.43 Crs. | Operate & Establish (New Boiler) | AS(T) | 233 - 248 | |
| 11 | Vinati Organics Ltd. , A-22/1, MIDC Mahad, Dist - Raigad | 45.79 Crs. | Renewal (with increase in C.I.) | AS(T) | 249 - 259 | |
| 12 | Pidilite Industries Ltd. , A-22/1, MIDC Mahad, Dist - Raigad | 54.34 Crs. | Renewal (with increase in C.I.) | AS(T) | 260 - 276 | |
| 13 | Multi Organic Pvt. Ltd. , Plot No. A-1, MIDC Industrial Area, Dist - Chandrapur | 36.42 Crs. | Renewal (with increase in C.I.) | AS(T) | 277 - 295 | |

| | | | | | | |
|----|---|-------------|------------------------------------|---------|-----------|--|
| 14 | BOC India Ltd. , Plot No. T-15, MIDC Taloja, Dist - Raigad | 52.74 Crs. | Renewal (change of name) | AS(T) | 296 - 317 | |
| 15 | Vaishnodevi Dairy Products Pvt. Ltd. , Gat No. 88/1B, Sahajpur Nandur Road, Village - Nandur, Tal - Daund, Dist - Pune | 36.79 Crs. | Renewal | JD(WPC) | 318 - 337 | |
| 16 | Vaishnodevi Dairy Products Pvt. Ltd. , Gat No. 88/1B, Sahajpur Nandur Road, Village - Nandur, Tal - Daund, Dist - Pune | 36.79 Crs. | Establish (Expansion) | JD(WPC) | 338 - 346 | |
| 17 | Abhay Cotex Private Limited , Nardana Industrial Area, Plot no. T-9, Babhale Village, Shindkheda, Dhule | 54.35 Crs. | 1st Operate | JD(WPC) | 347 - 363 | |
| 18 | Manganga Sahakari Sakhara Karkhana Ltd. , Sonardiddhnagar, A/p - Atpadi, Dist - Sangli | 53 Crs. | Renewal (with increase in C.I.) | JD(WPC) | 364 - 380 | |
| 19 | Shreyas Intermediates Ltd. , Plot No. F-21, MIDC Lote, Tal - Khed, Dist - Ratnagiri | 45 Crs. | Renewal | AS(T) | 381 - 409 | |
| 20 | Vasantdada Shetkari SSK Ltd., (Sugar Unit) , Madhvnagar Road, Sangli, Dist - Sangli. | 65.70 Crs | Renewal | JD(WPC) | 410 - 422 | |
| 21 | Vasantdada Shetkari SSK Ltd., (Acetic Acid Plant) , Madhvnagar Road, Sangli, Dist - Sangli. | 65.70 Crs | Renewal | JD(WPC) | 423 - 434 | |
| 22 | Uniworth Textile Ltd. , Plot No. B-129, Nagpur MIDC Butibori, Nagpur. | 43.56 Crs. | Renewal | JD(WPC) | 435 - 457 | |
| 23 | Pepsico India Holdings Pvt. Ltd., (Frito-Lay Division) , C-5, MIDC Ranjagaon, Tal - Shirur, Dist - Pune | 295.36 Crs. | Renewal | JD(WPC) | 458 - 478 | |
| 24 | Aje India Pvt. Ltd. , Plot no. A-21/1/2, A-21/1/2pt, A-21/2, A-21/3, MIDC Patalganga Area, tal - Panvel, Dist - Raigad | 59.41 Crs. | Renewal | JD(WPC) | 479 - 498 | |
| 25 | HSBC Software Development India Pvt. Ltd. , 25A, Raheja Woods, Riverside, Kalyaninagar, Pune | 34.75 Crs. | Renewal | RO(HQ) | 499 - 510 | |
| 26 | HSBC Software Development India Pvt. Ltd. , 25B, Raheja Woods, Riverside, Kalyaninagar, Pune | 46.64 Crs. | Renewal | RO(HQ) | 511 - 522 | |

| | Review Item | | | | | |
|---|--|-----------|-------|---------|-----------|--|
| 1 | Application for renewal of consents of Ballon Industries in Dhanu Area | _____ | _____ | JD(WPC) | 523 - 524 | |
| 2 | Royal Energy Ltd., Vill - Vanivali, Tal - Khalapur, Dist - Raigad | _____ | _____ | AS(T) | 525 - 554 | |
| 3 | Request of waiver of bank Guarantee from M/s Sneha Foods Ltd. | _____ | _____ | JD(WPC) | 555 - 566 | |
| 4 | Request of waiver of bank Guarantee from M/s Dhanlaxmi Fabrics Ltd. | _____ | _____ | JD(WPC) | 567 - 580 | |
| 5 | Renewal of NOC for collection, reception, storage, transportation and disposal of non-hazardous waste to M/s V. R. Waste mangment, S. No. 441, A/p - Moshi, Tal - Haveli, Dist- Pune | _____ | _____ | RO(HQ) | 581 - 586 | |
| | | | | | | |
| | | | | | | |
| | 10th CC Booklet No. 17 | | | | | |
| | JD(WPC) | 12 | | | | |
| | AS(T) | 7 | | | | |
| | RO(HQ) | 10 | | | | |
| | JD(APC) | 1 | | | | |
| | PSO | 0 | | | | |
| | Total | 30 | | | | |

CC- Resubmission Agenda

Agenda no. 1

| | | | | |
|---|--|--|--|--------------------------|
| Region : SRO Mumbai I | | Section :RO(HQ) | | Date : |
| Name & Address | | M/s.Hilton Infrastructure, CTS No.207,1/207 & 208 of Tardeo Div., Ward No.D.4042-46 &4039(D Ward),Situated at 122-138, Shuklaji Street,Mumbai-4000 08. | | |
| Consent For | | C to E | | |
| Capital Investment | | Rs.146 Cr. | | |
| Previous Consent Validity | | --- | | |
| Industry Type | | O08 Building and construction projects more than 20,000 Sq mtr | | |
| Industry Category | | Orange | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO () |
| | | Details :- Water consumption - 143 CMD. Sewage Generation -121 CMD Capacity of STP Proposed -150 CMD | | |
| Water Cess | | Assessment Done : | | Paid Upto : |
| <u>BG Details</u> | | <u>Amount :</u> | | <u>Validity :</u> |
| | | <u>BG Obtained against :</u> | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | |
| Submission of Environmental Statement | | Period | | |
| Other Relevant Information | | Application for grant of Consent to Establish for construction of residential project for Total Plot area - 4,245.86 Sq. mtrs Total Construction BUA - 34,196.36 Sq. mtrs PP has not obtained EC from competent authority. (Minutes of SEAC Meeting held on 15/2/2014 is attached) | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>Nonhazardous waste</p> <p>Wet garbage: 303 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:143 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge-18 Kg/Day(manure)</p> <p>Said project consist of 2 Buildings</p> <p>1 rehab(wing B & C)</p> <p>Wing B: 2 basement +Gr+ 13 upper floors.</p> <p>Shops(Wing C):2 basement+ Gr+ 8 upper floors</p> <p>1 Sale:2 Wings(Wing A1 & A2)=Upto 16th floors.</p> <p>SRO reported that, PP has constructed the rehab building upto 13th floor and the construction of sale building of 16 floor is under progress and completed up to 2 basement.</p> <p>The case was discussed in CC Meeting dated 10/6/2014 and it was decided to issue SCN for refusal for C to E and stop work, as pp has started the construction work without C to E and EC.</p> <p>SCN issued on 16/6/2014 and PP has submitted reply of SCN which is received in HQ Dated 7/7/2014 in which PP has mentioned that PP has voluntarily stopped the construction activity and total area constructed is 12,272.39 Sq.Mtrs and Applicant has also submitted architect plan.</p> |
| Recommendation of SRO/RO | <p>SRO reported that there is part existing plinth on location of rehab bldg, PP has informed that constructed part of previous builder will be demolished as not as per revised plan.</p> |

Maharashtra Pollution Control Board

Agenda no. 2

| | | | |
|---|--|--------------------|--------------------------|
| Region : SRO Satara | Section : JD(APC) | | Date : 04/07/2014 |
| Name & Address | Pam Glatt Pharma Technologies Pvt. Ltd. , Gat No. 1100,1109 & 1116/1, A/P. Shirwal, Tal. Khandala., Dist- Pune | | |
| Consent For | Renewal with expansion | | |
| Capital Investment | Total 41.26 Cr. (Existing 21.63 Cr + Exp. 1.62 Cr) | | |
| Previous Consent Validity | 31.07.2013 | | |
| Industry Type | G47 Jobbing and machining | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES | | |
| | Details :- ETP Provided 12 M3 Per Day STP Provided 12 M3 Per Day | | |
| Compliance Of Air Pollution Related Conditions | Provided Acoustic Enclosure to Stack to DG Set | | |
| Water Cess | Assessment Done : Aug 2013 | Paid Upto : | |
| BG Details | Amount : -- | Validity : | |
| | BG Obtained against : | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-2013 | |
| Other Relevant Information | <ul style="list-style-type: none"> - Industry has applied for grant of renewal of consent to operate with expansion. Earlier consent was issued under Orange Category, now falls under RED Category. This industry does not satisfy RRZ Policy 2009. Industry has already undertaken excess production quantity. - This case was discussed in CC meeting 09.05.2014 in this meeting it was decided to issue SCN for refusal of consent to operate as industry does not satisfies RRZ Policy. - SCN was issued to industry 16.05.2014. | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <ul style="list-style-type: none">- Industry has submitted letter dated 18.06.2014 stating that their technical team is on tour and requested to give time for submission of reply to SCN. |
| Recommendation of SRO/RO | This decision may be taken at HQ Level. |

Maharashtra Pollution Control Board

Agenda no. 3

| | | | | |
|---|---|-------------------------|--------------------|---------------|
| Region : RO Mumbai | | Section : RO(HQ) | | Date : |
| Name & Address | M/s.Ruby Mills Ltd., F.P no. 29 , The Ruby - Pvt I.T. Park, F.P No 29, TPS III, Mahim Div, Senapati Bapat Marg, Dadar (W) | | | |
| Consent For | Renewal of Consent. | | | |
| Capital Investment | Rs.176.33 Cr | | | |
| Previous Consent Validity | 30/09/2014 | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | | NO () | |
| | Details :- Water consumption - 543 CMD. Effluent Generation- 493 CMD STP Provided - 500 CMD | | | |
| Water Cess | Assessment Done : | | Paid Upto : | |
| BG Details | Amount : | | Validity : | |
| | BG Obtained against : | | | |
| | Details of BG forfeited/encashed , if any : | | | |
| Submission of Environmental Statement | Period | | | |
| Other Relevant Information | Application for grant of Renewal of consent for IT Park project for Total Plot area - 12,204.58 Sq. mtrs Total Construction BUA - 62,586.00 Sq.mtrs Applicant has obtained C to 1 st O (part) Dated 28/1/2013 which is valid upto 31/7/2013 Total Plot area - 12,204.58 Sq. mtrs Total Construction BUA - 62,586.00 Sq.mtrs | | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>Nonhazardous waste</p> <p>Wet garbage: 6 Kg/Day</p> <p>Dry garbage:10 Kg/Day(will be handed over to MCGM)</p> <p>STP Sludge: 15 Kg/Day (Manure).</p> <p>The case was discussed in CC Dated 18/3/2014 and it was decided to issue SCN for refusal of renewal of consent ,as PP has not submitted BR+BG as per previous consent conditions.</p> <p>SCN issued to PP Dted 28/3/2014 and PP has submitted reply of SCN (Copy attached) in which PP has mentioned that PP has submitted BG of Rs. 10 Lakh+ 2 Lakh to RO Office.</p> <p><u>The case was discussed in Consent Committee Meeting of the Board dated 9/5/2014 and It was decided to keep case in abeyance and put up in next CC after submission of Board Resolution for violation as per previous consent by PP in proper format.</u></p> <p>The applicant has submitted the Board of resolution copy(Copy attached).</p> <p><u>PP has submitted consent fee for period upto 31.7.2015 and PP has submitted consent fee for again 2 years ie. 31.7.2017 we may add condition regarding balanced consent fee adjusted during next renewal of consent, if approved.</u></p> |
| Recommendation of SRO/RO | RO recommended grant of renewal of Consent may be taken at higher level. |

Maharashtra Pollution Control Board

Agenda no. 4

| | | | | | |
|---|--|--|--|---|--|
| Region : RO Pune | | Section : JD (WPC) | | Date : | |
| Name & Address | | M/s. Shri Adinath Sahakari Sakhar Karkhana Ltd. , Shelgaon, Bhalwani, Adinathnagar, Tal-Karmala, Dist-Solapur | | | |
| Consent For | | Applied for renewal of consent. | | | |
| Capital Investment | | C.I. of Rs. 28.30 Cr. | | | |
| Previous Consent Validity | | Previous consent granted dtd. 17.10.2012 valid upto: 31.12.2013. | | | |
| Industry Type | | R74 Sugar (excluding Khandsari) | | | |
| Industry Category | | Red/LSI. | | | |
| Compliance Of Water Pollution Related Conditions | | YES | | | |
| | | <p>Details :- ETP comprising screen chamber, O & G trap, equalization tank, aeration tank, clarifier & SDB.</p> <p>JVS result are exceeding standards.</p> <p>Industry has provided 60 acres land for disposal of treated effluent, which is adequate</p> | | | |
| Compliance Of Air Pollution Related Conditions | | <p>Boiler, fly ash arrestor provided.</p> <p>As per CREP guidelines ESP/wet scrubber not provided.</p> | | | |
| Water Cess | | Assessment Done : Submitted regularly | | Paid Upto : <u>Paid regularly.</u> | |
| <u>BG Details</u> | | A) <u>Amount</u> : Rs. 5.00/- Lakhs. | | <u>Validity</u> : 14.07.2016 | |
| | | B) <u>Amount</u> : Rs. 2.00/- Lakhs. | | <u>Validity</u> : 14.07.2016 | |
| | | C) <u>Amount</u> : Rs. 4.00/- Lakhs | | <u>Validity</u> : 14.07.2016 | |
| | | <p>A) <u>BG Obtained against</u> : O & M of ETP and pollution control devices.</p> <p>B) <u>BG Obtained against</u> : Necessary arrangement to cover effluent collection system.</p> | | | |

Maharashtra Pollution Control Board

| | | |
|--|--|------------|
| | C) BG Obtained against : Compliance of CREP norms. | |
| | <u>Details of BG forfeited/encashed , if any :--</u> | |
| Submission of Environmental Statement | Period | Submitted. |
| Other Relevant Information | <p>As per CREP guidelines ESP/wet scrubber not provided to boiler.</p> <p>Industry has provided 60 acres land for disposal of treated effluent, which is adequate</p> <p>As per consent granted dtd. 17.10.2012, industry has submitted B.G. of Rs. 11.00/- lakhs.</p> | |
| Recommendation of SRO/RO | Decision regarding grant of consent may be taken at HQ level. | |
| Re-submitted | <p>The case of the industry was discussed in CC meeting on 09.05.2014 & it was decided to issue SCN for refusal of consent, as JVS result are exceeding, CREP non complied and not submitted BG of Rs. 11.00/- Lakhs as per previous consent conditions. Accordingly, SCN issued on 09.05.2014.</p> <p>The Regional Officer has submitted proposal on 26.05.2014, for initiating action against the industry. The said proposal received on 09.07.2014. In the proposal RO reported following non-compliances.</p> <ol style="list-style-type: none"> 1) Industry has not provided flow meter at inlet of ETP. 2) Industry has not provided STP plant for treatment of domestic effluent. 3) Industry has not submitted BG. as per consent dtd. 17.10.2013. <p>The Sub-Regional Officer submitted compliance report by mail on 19.07.2014 and reported as below.</p> <ol style="list-style-type: none"> a) Industry has submitted Bank Guarantee of Rs. 11.0/- Lakhs as per consent conditions. b) Till date industry has not provided wet scrubber to the existing boiler. and not started work of up-gradation of APC system. c) Till date industry has not started work of up-gradation of ETP. | |

CC-Fresh Agenda

Agenda no. 1

| | | | | |
|---|--|------------------------|--------------------------|---------------|
| Region : SRO Mumbai IV | | Section :RO(HQ) | | Date : |
| Name & Address | M/s.Yogsiddhi Developers (Kandivali) , CTS No.147, of Village Akurli, Kandivali (E), Tal- Borivali (W),Mumbai. | | | |
| Consent For | C to E | | | |
| Capital Investment | Rs.120.92 Cr | | | |
| Previous Consent Validity | | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :- Water consumption - 427 CMD. Sewage Generation -367 CMD Capacity of STP Proposed(2 Nos) For rehab: 220 CMD For sale : 190 CMD | | | |
| Water Cess | Assessment Done : | | Paid Upto : | |
| <u>BG Details</u> | <u>Amount :</u> | | <u>Validity :</u> | |
| | <u>BG Obtained against :</u> | | | |
| | <u>Details of BG forfeited/encashed , if any :</u> | | | |
| Submission of Environmental Statement | Period | | | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | <p>Application for expansion and amendment in earlier Consent to Establish for construction of residential project under SRA Scheme for</p> <p>Total Plot area - 7,767.20 Sq. mtrs</p> <p>Total Construction BUA - 50,375.64 Sq. mtrs</p> <p>Board has issued C to E Dated 24/12/2010 with condition of obtaining EC from competent authority.</p> <p>Total Plot area - 7,767.20 Sq. mtrs</p> <p>Total Construction BUA - 22,057.44 Sq. mtrs</p> <p>PP has obtained EC from GOM Dated 5/2/2011 for,</p> <p>Total Plot area - 7,767.20 Sq. mtrs</p> <p>Total Construction BUA - 40,451.63 Sq. mtrs</p> <p>PP has obtained expansion and amendment in existing EC from GOM Dated 29/4/2014 for,</p> <p>Total Plot area - 7,767.20 Sq. mtrs</p> <p>Total Construction BUA - 50,375.64 Sq. mtrs</p> <p>Nonhazardous waste</p> <p>Wet garbage: 425 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:976 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge-55 Kg/Day(manure)</p> <p>Said project consist of 1 building with 6 wings.</p> <p>SRO reported that, During the visit on 17.06.2014 it was observed that construction of 11th slab of Wing A is in progress & 5th Slab of Wing B is in progress. 2nd Slab of Wing C nd 2nd slab of Wing D is in progress. Plinth level of Wing E & F is in progress.</p> <p>PP has not submitted affidavit for compliance of C to E and EC.</p> |
| Recommendation of SRO/RO | RO recommended grant of C to E for total Construction BUA of 50,375.64 Sq. mtrs |

Maharashtra Pollution Control Board

Agenda no. 2

| | | | | |
|--|--|--|-------------------|-----------------|
| Region : Pune | | Section : RO(HQ) | | Date : /07/2014 |
| Name & Address | | M/s. Kohinoor Group constructions and Real Estate "Shangrila", S. No. 22/3 CTS No. 4688, Waghire, Pimpri, Tal. Maval, Dist: Pune. | | |
| Consent For | | Establish | | |
| Capital Investment | | 40.31 Crs | | |
| Previous Consent Validity | | | | |
| Industry Type | | O08 Building and Construction projects more than 20,000 sq.mtr. | | |
| Industry Category | | Orange | | |
| Compliance Of Water Pollution Related Conditions | | YES () | NO () | |
| | | Details :- | | |
| Water Cess | | Assessment Done : | Paid Upto : | |
| <u>BG Details</u> | | <u>Amount :</u> | <u>Validity :</u> | |
| | | <u>BG Obtained against :</u> | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | |
| Submission of Environmental Statement | | Period | | |
| Other Relevant Information | | <p>M/s. Kohinoor Group constructions and Real Estate has applied for consent to establish for their Residential project "Shangrila", at S. No. 22/3 CTS No. 4688, Waghire, Pimpri, Tal. Maval, Dist: Pune.</p> <p><u>For Area Details of Project :-</u> Total Plot Area: 15,900.00 Sq. meters Total BUA Area: 36,816.45Sq. meters Capital investment of part operate Project is Rs. – 40.31Crs</p> <p>The project proponent has applied for Environment Clearance from Govt. of Maharashtra vide letter dated: 22/02/2012 for Residential Project construction activity.</p> <p>Details of water consumption as under :-</p> | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>Water consumption – 205.32CMD Sewage Generation – 184.79CMD</p> <p>Proponent has installed STP of 185 CMD capacity for treatment of sewage. Non-hazardous Waste: Bio degradable Waste : 450 kg/day – to PCMC Non- Bio Degradable: 275 kg/day – sale to authorised party</p> <p>DG Set – 1250 KVA x 1 Nos. – during operation phase DG Set – 50 KVA x 1 Nos. – during construction phase</p> <p>The case was discussed in the 4th CC meeting held on 16/05/2014 and it was decided to issue SCN for refusal for consent to establish and stop work, as PP has started construction work without C to E from Board and EC.</p> <p>The SCN was issued on 30/05/2014.</p> <p>Till date no any reply received from PP.</p> |
| Recommendation of SRO/RO | <p>RO Pune has recommended that Phase-I is almost completed. Occupancy of the two buildings already handed over the occupancy to the buyers</p> |

Maharashtra Pollution Control Board

Agenda no. 3

| | | |
|---|--|--|
| Region : Kalyan | Section : RO(HQ) | Date :SRO Date of receipt;- 20/06/2014 Ro (HQ) Date of receipt;- 01/07/2014 |
| Name & Address | M/s. Pranshu Developers, “Versatile Valley”, S.No. 11 (H.No.9), 12 (H.No.5), 13 , 14, 15, 16, (H. No. 1 B), Village:- Nilje, Kalyan, Dist. Thane | |
| Consent For | C to E | |
| Capital Investment | 250.0 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 2251 CMD , Effluent Generated :- 1935 CMD Proposed STP Capacity :- 1991 CMD(1267CMD + 345CMD + 379CMD) | |
| Water Cess | Assessment Done :- | Paid Upto : |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| | Details of BG forfeited/encashed , if any : | |
| Submission of Environmental Statement | Period | -- |

Maharashtra Pollution Control Board

| | | | | | |
|-----------------------------------|---|--------------------|-------------------------------------|------------------|--|
| Other Relevant Information | Applied for | C to E | MMRDA Rental Housing Project | | |
| | Plot Area | 43,670.0 sq.m | Built up area | 1,48,556.79 sq.m | |
| | EC Status | Applied | Dated | | |
| | River Distance | 4.4 km | Name of River | Ulhas River | |
| | Water Consumption | 2251.0 CMD | Effluent Generated | 1935.0 CMD | |
| | STP Capacity | 1991.0 CMD | Recycle water | 790.0 CMD | |
| | Bio-degradable | 5169.0 Kg/D | Treatment | OWC | |
| | Non-Boi degradable | 2238.0 Kg/D | Treatment | Local Body | |
| | No of DG Sets | 5 | Capacity | KVA | |
| | Construction status | Not Started | Date of Visit | 25/06/2014 | |
| | <p style="text-align: center;">Applicant has not started construction activity, applied for EC, We may consider consent to establish with BG and affidavit for not to take any effective step.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 4

| | | |
|---|---|---|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;-16/05/2014 RO (HQ) Date of receipt;- 16/07/2014 |
| Name & Address | M/s. Kalyanee Fortune Constructions, “Acropolis”, Sr.No. 41/1,41/2/1,&41/2/14, Village:- Sus, Taluka Mulshi, Dist. Pune. | |
| Consent For | C to E | |
| Capital Investment | 121.78 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 216.0 CMD , Effluent Generated :- 187.0 CMD Proposed STP Capacity :- 200.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| | Details of BG forfeited/encashed , if any : | |
| Submission of Environmental Statement | Period | -- |

Maharashtra Pollution Control Board

| | | | | |
|-----------------------------------|--|--------------------|------------------------------|-----------------|
| Other Relevant Information | Applied for | C to E | Residential buildings | |
| | Plot Area | 26300.0 sq.m | Built up area | 57644.08 sq.mt |
| | EC Status | Applied | Dated | 19/01/2013 |
| | River Distance | 1.8 Km | Name of River | Mula (II Class) |
| | Water Consumption | 216.0 CMD | Effluent Generated | 187.0 CMD |
| | STP Capacity | 200.0 CMD | Recycle water | 78.0 CMD |
| | Bio-degradable | 485.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 693.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 5 | Capacity | 320 x4 +380 |
| | Construction status | Not Started | Date of Visit | --- |
| | <p style="text-align: center;">SRO Visited site and observed that applicant has constructed plinth of site office,</p> <p style="text-align: center;">As per EIA notification Compound wall and security cabins allowed, applicant has not started construction of building hence we may consider consent to establish with BG and Affidavit for not to take any effective step prior to EC.</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 5

| | | | | |
|---|---|--|-------------------------------------|------------------|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 03/05/2014 Ro (HQ) Date of receipt;- 04/07/2014 | | |
| Name & Address | M/s. Bramhacorp Limited "PuneOne" Sr. No. 11, 11/1 to 11/18, 12/3 & 12/4, Cannought Road, Sadhuwaswani Chowk, Tal & Dist : Pune | | | |
| Consent For | C to E | | | |
| Capital Investment | 165.08 Crore | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | |
| Industry Category | Orange | | | |
| Compliance Of Water Pollution Related Conditions | YES () | | NO () | |
| | Details :- Water Consumption :- 183.0 CMD , Effluent Generated :- 165.0 CMD Proposed STP Capacity :- 170.0 CMD | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | |
| BG Details | Amount : | Validity : | | |
| | BG Obtained against : | | | |
| | Details of BG forfeited/encashed , if any : | | | |
| Other Relevant Information | Applied for | C to E | Commercial shops and offices | |
| | Plot Area | 15490.0 sq.m | Built up area | 52,897.86 sq.mt |
| | EC Status | Applied | Dated | 20/05/2013 |
| | River Distance | 1.0 Km | Name of River | Mula -Mutha (IV) |
| | Water Consumption | 183.0 CMD | Effluent Generated | 165.0 CMD |
| | STP Capacity | 170.0 CMD | Recycle water | 107.0 CMD |
| | Bio-degradable | 581.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 273.0 Kg/D | Treatment | Local Body |

Maharashtra Pollution Control Board

| | | | | |
|---|----------------------------|--------------------|----------------------|--------------------------|
| | No of DG Sets | 3 | Capacity | 2x1000.0 & 1x1250 KVA |
| | Construction status | Not Started | Date of Visit | 07/05/2014 |
| <p>RO Pune recommended that Consent to establish may be granted by imposing condition that not to take any effective steps towards construction of project unless obtained EC.</p> <p>In view of above PP has not started construction activity we may consider consent to establish with BG and not to take any effective prior to EC.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 6

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|-----------------|--------------------|--------|------------------------------|--|------------------|--------------|----------------------|----------------|------------------|---------|--------------|------------|-----------------------|--------|----------------------|-----------------|--------------------------|-----------|---------------------------|-----------|---------------------|-----------|----------------------|-----------|-----------------------|-------------|------------------|-----|---------------------------|-------------|------------------|------------|----------------------|---|-----------------|-----------|
| Region : Pune | Section : RO(HQ) | Date : SRO Date of receipt;- 15/04/2014 Ro (HQ) Date of receipt;- 05/06/2014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Name & Address | M/s. Morya Developers "Morya Srusti" Sr. No. 220 to 250, Village Kirkatwadi, Tal : Haveli, Dist : Pune | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consent For | C to E | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capital Investment | 77.00 Crore | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Industry Category | Orange | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Compliance Of Water Pollution Related Conditions | YES () | | NO () | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Details :- Water Consumption :- 725.0 CMD , Effluent Generated :- 569.0 CMD Proposed STP Capacity :- 640.0 CMD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Cess | Assessment Done :- | Paid Upto : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BG Details | Amount : | Validity : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BG Obtained against : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Details of BG forfeited/encashed , if any : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other Relevant Information | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2" style="width: 50%;">Residential buildings</td> </tr> <tr> <td>Plot Area</td> <td>39700.0 sq.m</td> <td>Built up area</td> <td>45,436.0 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>26/03/2014</td> </tr> <tr> <td>River Distance</td> <td>2.5 Km</td> <td>Name of River</td> <td>Mula (II Class)</td> </tr> <tr> <td>Water Consumption</td> <td>725.0 CMD</td> <td>Effluent Generated</td> <td>569.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>640.0 CMD</td> <td>Recycle water</td> <td>260.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>1544.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>1104.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>525.0 KVA</td> </tr> </table> | | | Applied for | C to E | Residential buildings | | Plot Area | 39700.0 sq.m | Built up area | 45,436.0 sq.mt | EC Status | Applied | Dated | 26/03/2014 | River Distance | 2.5 Km | Name of River | Mula (II Class) | Water Consumption | 725.0 CMD | Effluent Generated | 569.0 CMD | STP Capacity | 640.0 CMD | Recycle water | 260.0 CMD | Bio-degradable | 1544.0 Kg/D | Treatment | OWC | Non-Boi degradable | 1104.0 Kg/D | Treatment | Local Body | No of DG Sets | 1 | Capacity | 525.0 KVA |
| Applied for | C to E | Residential buildings | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plot Area | 39700.0 sq.m | Built up area | 45,436.0 sq.mt | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EC Status | Applied | Dated | 26/03/2014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| River Distance | 2.5 Km | Name of River | Mula (II Class) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Consumption | 725.0 CMD | Effluent Generated | 569.0 CMD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| STP Capacity | 640.0 CMD | Recycle water | 260.0 CMD | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bio-degradable | 1544.0 Kg/D | Treatment | OWC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Non-Boi degradable | 1104.0 Kg/D | Treatment | Local Body | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| No of DG Sets | 1 | Capacity | 525.0 KVA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Maharashtra Pollution Control Board

| | | | | | |
|--|--|----------------|--|----------------------|------------|
| | Construction status | Started | | Date of Visit | 06/05/2014 |
| | <p>Field officer visited on site and observed that PP has constructed Site office of around 500 sq.feet and land leveling is done on the 18,000 sq.mtrs is observed. During visit no construction activity observed,</p> <p>In view of above we may consider consent to establish with condition not to take any effective step prior to EC.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 7

| | | |
|---|---|----------------------|
| Region : SRO Kalyan - I | Section : JD (WPC) Section | Date : |
| Name & Address | M/s. Wimco Ltd. P. B. No. 04, off. Kalyan - Badalapur Road, Ambarnath, Dist - Thane | |
| Consent For | Consent to Establish | |
| Capital Investment | 331.09 Cr. | |
| Previous Consent Validity | Industry has obtained previous consent to operate for manufacturing of Safety Matches on the same plot under Red/LSI category which was issued vide letter no. ROK-318/Ulhas/Thane/CC-1039 dt. 29.11.2001 valid up to 31.01.2006 | |
| Industry Type | O5 – Bakery & Confectionary units with production capacity > 1 TPD | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES | |
| | Details: - ETP will be provided Septic tank will be provided for DE. | |
| Water Cess | Assessment Done : | Paid Up to : |
| BG Details:- | Amount:- --- | Validity :--- |
| | BG Obtained against : --- | |
| | Details of BG forfeited/ encashed, if any :--- | |
| Submission of Environmental Statement | Period | --- |
| Other Relevant Information | <ul style="list-style-type: none"> Industry is in existence with land and building located in non MIDC area and now applied for consent to establish for change in product from safety matches (Red Category) to confectionery items Biscuits (Orange category), hence no requirement of EC for the built up area of the same. | |
| Recommendation of SRO/RO | <ul style="list-style-type: none"> SRO has recommended case for grant of consent to establish if approved. | |

Maharashtra Pollution Control Board

Agenda no. 8

| | | | | |
|---|--|--|--|---------------|
| Region : RO Pune | | Section : JD (WPC) | | Date : |
| Name & Address | | M/s. Ferrero India Pvt. Ltd., (Formerly Known as: Imsofer Mfg. India Pvt. Ltd.), Plot No. F-13, MIDC Baramati Tq. Baramati Dist. Pune. | | |
| Consent For | | Applied for C to E with amendment in existing consent with increase in production qty. and increase in C.I. | | |
| Capital Investment | | <p>Previous consented C.I. of Rs. 76.63 Cr.</p> <p>Enhanced C.I. of Rs. 453.26 Cr. (major investment in imported machinery).</p> <p>Total C.I. of Rs. 529.89 Cr.</p> | | |
| Previous Consent Validity | | <p>Previous consent dtd. 23.10.2013 valid upto: 30.06.2015, granted for manufacturing of</p> <p>1) Kinder Joly Chocolate – 364000 Kg/M and</p> <p>2) TIC TAC – 130000 Kg/M.</p> <p>Now applied for C to E with amendment in existing consent with increase in production qty & C.I..</p> <p>1) Chocolate and Confectionary—500000 Kg/M and</p> <p>2) TIC TAC – 190000 Kg/M.</p> | | |
| Industry Type | | O05 Bakery & confectionery units with production capacity > 1 tp | | |
| Industry Category | | Orange/LSI | | |
| Compliance Of Water Pollution Related Conditions | | YES | <p>I.E. generation qty. to the tune of 45 CMD.</p> <p>D.E. generation qty. to the tune of 55.00 CMD.</p> | |
| | | <p>Details :-) ETP comprising primary, secondary and tertiary system provided.</p> <p>JVS result dated 14.01.2012 submitted,</p> <p>mail sent to RO/SRO to submit recent collected JVS result.</p> <p>SRO reported that industry has provided combine effluent treatment plant of capacity 100 CMD.</p> <p>Industry reported that the sewage and trade effluents mixing together – after primary treatment. (see consent application sr. no. 22 (a) & (b)).</p> | | |
| Compliance Of Air Pollution Related | | Boiler with chimney height 18.00 mtr. provided. | | |

Maharashtra Pollution Control Board

| | | |
|--|--|---|
| Conditions | | |
| Water Cess | Assessment Done : --- | Paid Upto : --- |
| <u>BG Details</u> | <u>Amount : ----</u> | <u>Validity : -----</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | Environmental statement for the year 2012-13 submitted. |
| Other Relevant Information | <p>Construction BUA of C to E is 27000 Sq.m and previous construction BUA is 18385. Total construction BUA is 45385 Sq.m.</p> <p>Industry has submitted building completion letter dated 26.06.2012 with total BUA is 4538 Sq.m.</p> <p>Industry has submitted AFFIDAVIT vide industry letter 09.06.2014 in the said letter industry stated that the majority of the plant and machinery are imported from the group companies outside India on the direction of Parent Company and the value of those imported plant machinery got accounted in subsequent years as and when invoices were raised by the supplying companies.</p> <p>In the AFFIDAVIT industry stated that the built up area as available in building completion certificate of MIDC dated 2011 is exactly the same as on date and the same built up area is already considered in existing consent to operate.</p> | |
| Recommendation of SRO/RO | RO recommended grant of Consent to Establish and operate along with amendment may be taken at HQ. level by imposing appropriate BG. | |

Maharashtra Pollution Control Board

Agenda no. 9

| | | | | | |
|---|--|---|--|-----------------------------|--|
| Region :Pune | | Section : AST | | Date : July 2014 | |
| Name & Address | | M/s Dai Ichi Karkaria ,Mumbai-Pune Road ,Kasarwadi, Tal- Haveli ,Dist- Pune | | | |
| Consent For | | 1 st C to O with amalgamation of existing consent. | | | |
| Capital Investment | | Previous CI- Rs. 34.16 Cr. ,Current CI- Rs. 34.68 Cr Total- CI Rs.34.68 Cr | | | |
| Previous Consent Validity | | 31/09/2016 | | | |
| Industry Type | | R- 56 Organic Chemicals manufacturing | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | Yes | | | |
| | | Existing IE : 250 CMD ,DE:18 CMD , Proposed IE & DE is Nil. Full-fledged treatment is provided to treat trade effluent, 80 CMD Disposal on land for gardening & remaining recycle/reuse .JVS reports are within limit. | | | |
| Water Cess | | Assessment Done : Oct-2013 | | Paid Upto : Dec-2013 | |
| Compliance Of Air Pollution Related Conditions | | Yes | | | |
| | | Mechanical dust collector to control | | | |
| BG Details | | Amount :Nil | | Validity : Nil | |
| | | BG Obtained against : NA | | | |
| | | Details of BG forfeited/encashed , if any : NA | | | |
| Submission of Environmental Statement | | Period | | 2012-13 | |
| Other Relevant Information | | <ol style="list-style-type: none"> 1. This is existing unit & now applied for 1st C to O for new briquette fired boiler. 2. C to E was granted for installation of briquette fired boiler replacing existing oil fire boiler. 3. Industry has complied with C to E conditions. | | | |

Maharashtra Pollution Control Board

| | |
|-----------------------------|---|
| | <ol style="list-style-type: none">4. PP has provided Mechanical dust collector to control air emissions.5. SRO has called additional information vide letter dtd 31/12/2013 & PP has submitted reply for same which seems to in order. |
| Recommendation of RO | RO has recommended considering case with amalgamation of existing consent. |

Maharashtra Pollution Control Board

CC Item –

Agenda no. 10

Maharashtra Pollution Control Board

| | | |
|---|---|-----------------------------|
| Region : Nashik | Section : AS(T) | Date: /07/2014 |
| Name & Address | M/s Advanced Enzymes Technologies Ltd., Plot No. A-61/62, MIDC Malegaon, Tal. Sinnar, Dist. Nashik | |
| Consent for | Renewal of Consent to Operate & Consent to Establish for additional Coal fired Boiler of 4 TPH capacity. | |
| Capital Investment | Total Rs. 48.43 Crores (Existing C.I. Rs. 47.66 Crores+ Proposed C.I. Rs. 0.77 Crores) | |
| Consent Valid upto | 31/07/2014 | |
| Industry Type | Distillery including Fermentation | |
| Industry Category | Red | |
| Compliance of Water Pollution Related Conditions | YES (-) | NO (-) |
| | Details: Provided ETP consisting of collection tank, clarifier, Multi Evaporation System followed by RO plant for the treatment of 48 CMD of industrial effluent. After treatment, treated effluent is recycled/ reused 100% in the process. JVS result of effluent sample collected on 30/04/2014 shows that concentration of BOD, COD & SS parameters exceeds the Consented limits. | |
| Compliance of Air Pollution Related Conditions | YES (-) | NO (-) |
| | Details :- Provided stack of adequate height to boiler, Spray Dryer & Cage Mill and DG Sets. Proposed: Proposed to provide APCS as per requirement including dust collector to coal fired boiler and scrubbers at various mfg. sections/operations. | |
| Water Cess | Assessment done: Returns filed upto March 2014. | Paid upto: May 2013. |
| BG Details | Amount: -- | Validity: -- |
| | BG obtained against: -- | |
| | Details of BG forfeited/ enchased, if any: -- | |
| Submission of Environmental Statement | Period | 2013-14 |

Maharashtra Pollution Control Board

| | |
|--|---|
| <p>Other Relevant Information</p> | <p>i) Existing industry engaged in mfg. of 15 Nos. of enzyme products having Consent with the validity upto 31/07/2014.</p> <p>ii) Now, industry has applied for grant of renewal of Consent to Operate and grant of Consent to Establish for installation of 4 TPH Coal fired Boiler.</p> <p>iii) Industry's C.I. increased from Rs. 44.47 Crs. to Rs. 47.66 Crs. in last 5 years due to upgradation/modernization of existing mfg. facilities.</p> <p>iv) C.I. of Rs. 0.77 Crs. is involved in proposed Coal fired Boiler & Dust Collector. JVS result of effluent sample collected on 30/04/2014 shows that concentration of BOD, COD & SS parameters exceeds the Consented limits. After treatment, treated effluent is recycled/ reused 100% in the process.</p> |
| <p>Recommendation of SRO/RO</p> | <p>S.R.O. has recommended to grant renewal of Consent to Operate of the existing unit for one year period & Consent to Establish for additional 4 TPH Coal fired Boiler.</p> |
| <p>Recommendation of HQ (including consent fees details/ delay payment charges)</p> | <p>We may club both the applications together and consider renewal of Consent and Consent to Establish for additional 4 TPH Coal fired Boiler by imposing the following:</p> <p>i) B.G. of Rs. 5 Lakh towards 100% use of treated effluent and not to discharge effluent outside the factory premises.</p> <p>Firm has paid Consent fee of Rs. 3,95,000/- for 5 years term as per Env. Dept.'s revised Consent fee G.R. dtd. 25/08/2011.</p> |
| <p>Consent Recommended upto</p> | <p>Upto 31/07/2019 for existing unit & upto commissioning or upto 5 years whichever is earlier for installation of additional 4 TPH Coal fired Boiler.</p> |

Maharashtra Pollution Control Board

Agenda no. 11

| | | | |
|---|---|---------------------------|---------------|
| Region : Raigad | Section :AST | | Date : |
| Name & Address | Vinati Organics Ltd,B-12,B-13,MIDC Mahad Dist-Raigad | | |
| Consent For | Renewal with increase in C.I | | |
| Capital Investment | 35.90 Cr to 45.79 Cr | | |
| Previous Consent Validity | 31/03/2014. | | |
| Industry Type | R59 Petrochemicals(manufacture of and not merely use of a raw material) | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details:- Skimmer tank, 2 nos Neutralization tank, settling tank, aeration tank and sand filters. The treated effluent is discharged to CETP. | | |
| Compliance Of Air Pollution Related Conditions | Details: - Multi Cyclone dust collector, bag filters provided. | | |
| Water Cess | Assessment Done : Returns Submitted upto-Sept-13 | Paid Upto : Dec-12 | |
| BG Details | Amount : | Validity : | |
| | BG Obtained against : | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-13 | |
| Other Relevant Information | Application for renewal of Consent with increase in C.I. This office vide e-mail dtd-18/06/2014,30/06/2014 had called clarification on wrong dates mentioned in the processing sheet for inward of application, date of application, along with latest JVS results for Air and water, Compliance of consent condition No-9 [Applicant should provide holding tank for storage of treated effluent of capacity to store effluent generated for minimum 12 hrs. The stored effluent should be discharged into MIDC drain at a controlled rate during the day time i.e 06.00 hrs | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|---|
| | <p>to 18.00 hrs. There should not be any discharge of effluent into CETP during night time.] Details of existing production carried out by industry supporting with R.G register copies and status of earlier C to E granted. However till date report is awaited. RO was again reminded vide e-mail dtd-10/07/2014.</p> |
| Recommendation of RO/SRO | <p>This is for renewal of consent. During processing it is observed that the investment is increased by Rs.9.89 Cr since 2009 and industry has not paid fee on the same. The same is communicated to the industry vide this office letter dtd 09/04/2014. Industry has submitted their reply on 21/05/2014 stating that the investment is increased during last year and requested to reconcile the fee from the fee paid and grant the consent for one year. In view of above, the case may be considered for renewal of consent for one year.</p> |

Maharashtra Pollution Control Board

Agenda no. 12

| | | | |
|---|--|----------------------------|---------------|
| Region : Raigad | Section : AST | | Date : |
| Name & Address | Pidilite Industries Ltd, A-22/1, MIDC Mahad Dist-Raigad | | |
| Consent For | Renewal with increase in C.I | | |
| Capital Investment | 39.0 Cr to 54.34 Cr | | |
| Previous Consent Validity | 31/01/2014. | | |
| Industry Type | R05 Basic Chemicals and electro chemicals and it derivatives. | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details:- Neutralization tank, Coagulation and clarification, Bio-reactor, R.O, multi effect evaporator. The treated effluent is discharged to CETP. | | |
| Compliance Of Air Pollution Related Conditions | Details: - Steam is taken from adjacent sister concern M/s. Pidilite Industries Ltd plot No-A-21 MIDC Mahad. | | |
| Water Cess | Assessment Done : Returns Submitted upto-Sept-13 | Paid Upto : Dec--12 | |
| BG Details | Amount : | Validity : | |
| | BG Obtained against : | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-13 | |
| Other Relevant Information | Application for renewal of Consent with increase in C.I.RO Raigad had reported non- compliances of the industry, Hence this office vide letter dtd-09/06/2014 had called detail action taken report on the non compliances along with latest JVS results for Air and water, details of B.G. However till date report is awaited. RO was again reminded vide e-mail dtd-10/07/2014. | | |
| Recommendation of RO/SRO | In view of the non-compliances, renewal of consent for one year with suitable B.G may be granted. | | |

Maharashtra Pollution Control Board

Agenda no. 13

| | | | |
|---|--|--|---------------|
| Region : Chandrapur | Section : AST | | Date : |
| Name & Address | Muti Organic Pvt Ltd, Plot No-A-1, MIDC Industrial area Dist-Chandrapur. | | |
| Consent For | Renewal with change in product mix. | | |
| Capital Investment | 36.42 Cr | | |
| Previous Consent Validity | 28/02/2014. | | |
| Industry Type | R05 Basic Chemicals and electro chemicals and it derivatives. | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details:- Unit has provided full fledge treatment facility for treatment of trade effluent. Treated effluent is 100 % recycled/reused. It is a Zero discharge unit. | | |
| Compliance Of Air Pollution Related Conditions | Details: - Muticyclone system to control particulate matter emission from boiler. | | |
| Water Cess | Assessment Done : Returns Submitted upto-April-14 | Paid Upto : April-12 | |
| BG Details | Amount : | Validity : | |
| | 1)Rs. 5.0 lacs 2) Rs.4.0 lacs 3) Rs.3.0 lacs | 1) 07/07/2014. 2) 07/11/2014. 3) 07/11/2014. | |
| | BG Obtained against : 1)Direction 2) Consent condition 3) Consent condition | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-13 | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | Application for renewal of consent with change in product mix and increase in C.I from 24.50 Cr to 36.42Cr.New entry in CC. Industry has submitted that the increase in C.I is due to replacement of old equipments, addition Boiler TP-15 and addition of 2Nos of D.G sets. Industry proposed to increase quantity of product Beta Naphthol from 500 TPM to 525 TPM and a newproduct1-Fluoronaphthalene-25 TPM by deleting exiting product-Resorcinol-50TPM.Overall quantity will remain same i.e-2150 TPM. Industry has submitted No increase in pollution load certificate dtd-25/05/2014 from Institute of chemical Technology (ITC) Mumbai for proposed change in product mix. Report regarding B.G, JVS result cess details, ETP capacity, stack wise APC, fuel called from SRO/RO vide e-mail dtd-14/6/14, 30/6/14, 10/7/14, However till date the report is awaited. |
| Recommendation of RO/SRO | Consent to operate may be granted upto-28/02/2019. |

Maharashtra Pollution Control Board

Agenda no. 14

| | | | |
|---|---|-------------------------------|------------------------|
| Region : SRO Taloja | Section : AST section | | Date : /07/2014 |
| Name & Address | M/s. BOC India Ltd., Plot No. T-25, MIDC Taloja, Dist. Raigad | | |
| Consent For | Change of name in existing consent | | |
| Capital Investment | 5274 Lacs | | |
| Previous Consent Validity | 31.12.2015 | | |
| Industry Type | R10 Chlorine, fluorine, bromine, iodine, iodine and their compound | | |
| Industry Category | Red/LSI | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details: - I.E. is Nil. There is no generation of HW | | |
| Water Cess | Assessment Done: | Paid Upto : 15.02.2013 | |
| BG Details | Amount : NA | | Validity : NA |
| | BG Obtained against : NA | | |
| | Details of BG forfeited/encashed , if any : NA | | |
| Submission of Environmental Statement | Period | 2012-13 | |
| Other Relevant Information | Certificate of Incorporation and memorandum for change in name. C-50 | | |
| Recommendation of SRO/RO | Application is received for change in name. Existing consent with name as M/s. BOC India Ltd is valid upto 31.12.2015 and having C.I is Rs. 40.11 Crs, with application industry submitted C.I is as Rs. 52.74 Crs. means CI is increased by Rs. 12.63 Crs. Industry submitted consent fee of Rs. 50,000/- for increase in investment. Industrial effluent is Nil. There is no generation of HW. Industry submitted certificate of Incorporation and memorandum for change in name. Hence consent may be granted upto period 31.12.2015 with name as Linde India Ltd. | | |

Maharashtra Pollution Control Board

Agenda no. 15

| | | | | | | |
|---|--|---------|------------|-------------------------|---------------|---------|
| Region : RO Pune | Section : J.D. (WPC) | | | | Date : | |
| Name & Address | M/s. Vaishnodevi dairy Products Pvt Ltd. , Gat No. 88/1B, Sahajpur Nandur Road, Nandur Village, Tal:- Daund, Dist:- Pune | | | | | |
| Consent For | Applied for renewal of consent. | | | | | |
| Capital Investment | Existing C.I. of Rs. 14.56 Cr. <u>Expansion C to E, C.I. of Rs. 22.20 Cr.</u> Total C.I. of Rs. Rs. 36.79 Cr. | | | | | |
| Previous Consent Validity | 30/09/2013 | | | | | |
| Industry Type | Agrobase | | | | | |
| Industry Category | Red/LSI. | | | | | |
| Compliance Of Water Pollution Related Conditions | YES | Sr. No. | Effl. qty. | Existing | Proposed. | Total |
| | | 1) | I.E. | 137 | 135 | 272 CMD |
| | | 2) | D.E. | 2 | 10 | 12 CMD |
| | Details :- ETP comprising, screen chamber, equalization tan, O &G trap, Buffer tank, UASB reactor, aeration tank, secondary clarifier, treated effluent sump provided. 2, acres open land available for disposal of treated effluent, which is inadequate. | | | | | |
| Compliance Of Air Pollution Related Conditions | Boiler - Dust collection system is provided. | | | | | |
| Water Cess | Assessment Done : ---- | | | Paid Upto : ---- | | |
| BG Details | Amount : ----- | | | Validity : ----- | | |
| | BG Obtained against : ----- | | | | | |
| | Details of BG forfeited/encashed , if any : ----- | | | | | |

Maharashtra Pollution Control Board

| | | |
|--|--|----------------|
| Submission of Environmental Statement | Period | Not submitted. |
| Other Relevant Information | <p>1) SCN for refusal of consent was issued on 07.04.2014.</p> <p>2) SRO Pune-I, has submitted the compliance report on 11.06.2014 by mail against the SCN issued on 07.04.2014.</p> <p>3) In the compliance report, submitted by SRO stated that, the Board official visited to industry on 22.04.2014 observed the following compliances.</p> <p>a) Industry has operated ETP but not upto the mark, it requires scientific concentration on O & M.</p> <p>b) Industry has disposed ghee beri in open pit located in factory premises.</p> <p>c) Now industry has disposed partly- treated effluent for gardening on nearby agricultural land (agreement of nearby farmers are not submitted).</p> <p>d) Now industry has disposed partly –treated effluent for gardening on nearby agricultural land but it may create water & ground water pollution.</p> <p style="text-align: center;">For treatment of existing effluent Up-gradation in existing ETP is required, also full-fledged ETP proposal with time bound programme is required for additional effluent generation from expansion activity.</p> <p>Expansion proposal for C to E is received on 16.06.2014 at HQ.</p> <p>Now industry is going for expansion with capital investment is of Rs. 22.20 Cr. AND</p> <p>Capital investment of existing unit is of Rs. 14.59 Cr.</p> <p>Total capital investment (existing + expansion)= RS. 14.59 + 22.20 /-</p> <p>= <u>Rs. 36.79 Cr.</u></p> <p><u>Hence, the said industry now falls under purview of CC committee.</u></p> | |
| Recommendation of SRO/RO | RO recommended decision about grant of consent may be taken at HQ level by giving chance of personal hearing. | |

Maharashtra Pollution Control Board

Agenda no. 16

| | | | | | | |
|--|--|---------------------------|------------|-----------------------|---------------|---------|
| Region : RO Pune | | Section : JD (WPC) | | | Date : | |
| Name & Address | M/s. Vaishno Devi Dairy Products Pvt. Ltd. , Gat No.88/1B,Nandur village,Tal-Daund,Dist-Pune. | | | | | |
| Consent For | Applied for C to E (expansion). | | | | | |
| Capital Investment | Existing consented C.I. of Rs. 14.59 Cr. <u>C to E capital investment of Rs. 22.20 Cr.</u> Total C.I. of Rs. 36.79 Cr. | | | | | |
| Previous Consent Validity | Existing consent dtd. 11.10.2011 valid up to: 30.09.2013. | | | | | |
| Industry Type | R47 Milk processing and dairy products (Integrated project) | | | | | |
| Industry Category | Red/LSI | | | | | |
| Compliance Of Water Pollution Related Conditions | YES | Sr. No. | Effl. qty. | Existing | Proposed. | Total |
| | | 3) | I.E. | 137 | 135 | 272 CMD |
| | | 4) | D.E. | 2 | 10 | 12 CMD |
| <p>Details :- Existing, ETP comprising, screen chamber, equalization tan, O &G trap, Buffer tank, UASB reactor, aeration tank, secondary clarifier, treated effluent sump provided.</p> <p>For C to E (expansion) industry has started the civil work of proposed ETP.</p> <p>3.5 acres land available for disposal of treated effluent, which is inadequate.</p> | | | | | | |
| Compliance Of Air Pollution Related Conditions | Industry has proposed 5 TPH boiler for C to E (expansion). | | | | | |
| Water Cess | Assessment Done :--- | | | Paid Upto :--- | | |

Maharashtra Pollution Control Board

| | | |
|--|--|------------------------------|
| <u>BG Details</u> | <u>Amount : ---</u> | <u>Validity : ---</u> |
| | <u>BG Obtained against : ---</u> | |
| | <u>Details of BG forfeited/encashed , if any :--</u> | |
| Submission of Environmental Statement | Period | ---- |
| Other Relevant Information | <p>Location of the proposed unit is about 2.10 Km away from A-IV Class of River Mula-Mutha.</p> <p>Total Construction BUA area is not given for existing & proposed unit.</p> <p>P.D. issued by RO on 18.01.2014 to existing unit.</p> <p>Board Office has issued SCN on 07.04.2014 to exiting unit.</p> | |
| Recommendation of SRO/RO | RO recommended decision about grant of consent to establish may be taken at Higher level. | |

Maharashtra Pollution Control Board

Agenda no. 17

| | | | | |
|---|--|------------------|--------------------|---------------|
| Region : SRO Jalgaon II | | Section : | | Date : |
| Name & Address | Abhay Cotex Private Limited , Nardana Industrial area, MIDC, Plot No. T-9, Babhale village, Shindkheda, Dhule | | | |
| Consent For | CO | | | |
| Capital Investment | 54.35 Crores | | | |
| Previous Consent Validity | Consent to Establish granted on 20.01.2012 | | | |
| Industry Type | R83 Vegetable oils including solvent extraction and refinery | | | |
| Industry Category | Red | | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | | |
| | Details :- Provided ETP of capacity 50 CMD, which comprises of O& G trap, Equalization Tank, Aeration Tank, Tube Settler Intermediate Storage Tank, Sludge Drying Bed, Treated Water Storage Tank. | | | |
| Water Cess | Assessment Done : NO | | Paid Upto : | |
| BG Details | Amount : | | Validity : | |
| Submission of Environmental Statement | Period | Not Submitted | | |
| Other Relevant Information | Previously industry has applied for 1 st consent to operate on 22.05.2012 same was forwarded to HQ through RO Nashik vide letter no.MPCB/SROJ-II/1592 dtd.09.08.2012.Consent copy not submitted by Industry | | | |
| Recommendation of SRO/RO | SRO Remark : We may renew the consent upto 30.08.2015,if approved RO Remark : The Application is recommended Please. | | | |

Maharashtra Pollution Control Board

Agenda no. 18

| | | | |
|---|---|--|--------------------------|
| Region : SRO Sangli | Section : JD(WPC) | | Date : 18/07/2014 |
| Name & Address | Manganga Sahakari Sakhara Karkhana Ltd , Sonarsiddhnagar,A/p-Atpadi,Dist. Sangli | | |
| Consent For | CR (with increase in C.I) | | |
| Capital Investment | 5300 Lacs (Increased by Rs.5.24 Crs.) | | |
| Previous Consent Validity | 31/12/2013 | | |
| Industry Type | R74 Sugar (excluding Khandsari) | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | <p>Details :- Total Water consumption is 233.</p> <p>I.E generation is 132 CMD. D.E generation is 50 CMD.</p> <p>ETP is provided with secondary treatment. The treated effluent is disposed on the 75 Acres land for gardening / irrigation. (This is adequate). JVS results dtd.16.12.2013 is highly exceeding the norms.</p> | | |
| Compliance Of Air Pollution Related Conditions | Industry has provided Fly ash arrestor as an APC system. | | |
| Water Cess | Assessment Done :Nov 2013 | Paid Upto : Dec 2012 | |
| BG Details | Amount : 1. Rs.5.0 Lakhs 2. Rs.1.0 Lakhs, 3. Rs.1.0 Lakhs | Validity : all BG's are valid upto 31.12.15 | |
| | BG Obtained against : Consent conditions 1. For o & M of PCS, 2. To avoid ingress of of Bagasse, 3. towards installation of Wet scrubber within 4 Months. | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-13 | |
| Other Relevant Information | <ul style="list-style-type: none"> • Industry has submitted BG of Rs.5.0 Lakhs for O & M ETP and APC system as per the consent condition valid upto 31.12.2015. • Industry has submitted BG of Rs.1.0 Lakhs instead of Rs.2.0 Lakhs for avoiding ingress of Bagasse. • Industry has submitted BG of Rs. 1.0 Lakhs instead of Rs.2.0 Lakhs towards installation of Wet scrubber within 4 Months. • RO Kolhapur has issued P.D vide letter dtd.05.02.2014. (it is observed that industry is mostly non-complied). | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <ul style="list-style-type: none">• Industry has submitted their reply to PD vide letter dtd.28.02.2014.• R.O Kolhapur has issued Interim Direction vide letter dtd.17.06.2014 for copy attached. |
| Recommendation of SRO/RO | Renewal of consent may be decided as per sectoral approach. |

Maharashtra Pollution Control Board

Agenda no. 19

| CC Agenda | | |
|--|--|--------------------------------------|
| Region : Kolhapur | Section : AS(T) | Date: /07/2014 |
| Name & Address | M/s. Shreyas Intermediates Ltd. Plot No. D-21, MIDC Lote, Tal. Khed, Dist. Ratnagiri. | |
| Consent for | Plain renewal of consent. | |
| Capital Investment | Rs. 45 Crore. | |
| Consent Valid up to | 28.02.2014 | |
| Industry Type | Dye & Dye Intermediates | |
| Industry Category | RED/LSI | |
| Compliance of Water Pollution Related Conditions | YES (√) | |
| | Details: I. E. generation is 110 m ³ /d. Industry has provided primary & tertiary treatment to treat the trade effluent. Treated effluent is discharged to CETP. JVS analysis results are exceeding the consented limits. | |
| Compliance of Air Pollution Related Conditions | YES () | NO () |
| | Details: - Industry has provided Scrubbers to process reactor and dust collector to Boiler stack control air emissions. | |
| Water Cess | Assessment Done: details not given | Paid up to: details not given |
| BG Details | Amount: 50,000/- not renewed and BG's of 5 lakh and 1 Lakh not submitted against consent conditions and Rs. 10 lakh (3+3+2+2) against Conditional Direction Dtd 08.05.2014 | Validity : ---- |
| | BG obtained against: Consent condition Nos. 12 &13 and Conditional Direction dtd. 08.05.2014 | |
| | Details of BG forfeited/ enchased, if any: | |
| Submission of Environmental Statement | Period | 2012-2013 |
| Other Relevant Information | Sub- Regional officer Chiplun has put Prosecution proposal against PP dtd 05.03.2014 and 14.09.2012 | |
| Recommendation of SRO/RO | Vide Board consent No. BO/RO Kolhapur/PCI-I/EIC-KP-11815-13/CC-2911 dtt6/4/2013 Valid up to 28/2/2014. The condition of TOC and BG of Rs. 5 Lakh and Rs. 1 Lakh was incorporated. Industry has not installed TOC Analyzer till date and from the office record | |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <p>it seems that industry has not submitted BG of Rs.5 Lakh is to be taken towards O & M of the ETP and 1.0 Lakh towards installation of TOC Analyzer. Vide this office letter no. SROCH/TB/423/14 dt-24/2/2014 the status of directions was informed. In view of above non compliances this office has submitted proposal for taking action against this industry vide no. WP/SROCH/498/14 dt-5/3/2014. And earlier vide this office letter no. SROCH/TB/2091/12 dtd. 14/9/2012 prosecution proposal is submitted. . The industry has not paid JVS pending amount since 2004 to Oct 2013 Rs. 2, 15,680/- in spite of reminder. Letter dtd. 13.12.13 enclosed. Board has issued conditional direction dtd. 24.12.2012 & interim dim dtd.10.05.13 for installation of TOC analyzer. Industry yet not installed the same. Results of JVS are not satisfactory. Industry has not submitted cess detail, Form-4 & Env. Statement. This office has send query letter to industry on 15.03.14 Reply awaited. In view of above decision regarding renewal of consent may be taken at higher level.</p> |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 20

| | | | |
|---|--|-------------------------------|--------------------------|
| Region : SRO Sangli | Section : JD(WPC) | | Date : 21.07.2014 |
| Name & Address | Vasantdada Shetkari Sah.Sakhar Karkhana Ltd (Sugar Unit) , Madhavnagar Road Sangli,Tal-Miraj. | | |
| Consent For | CR | | |
| Capital Investment | 5755.9 Lacs (Total C.I of the Industry is Rs.65.70 Crs.) | | |
| Previous Consent Validity | 31/12/2013 | | |
| Industry Type | R74 Sugar (excluding Khandsari) | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details :- I.E generation is to the tune of 370 CMD. ETP is provided with secondary treatment. JVS analysis results of effluent dtd.16.12.2013, 20.01.2014 are exceeding the limits and dtd.24.02.2014 are within limits. | | |
| Compliance Of Air Pollution Related Conditions | Industry has 8 Nos of Bagasse fired Boiler, out of which as an APC system Multicyclone Dust Collector is provided to Boiler No.1,2,3,6,7,8 and wet scrubber is provided to boiler 4 & 5. JVS analysis results of Air are exceeding the norms. | | |
| Water Cess | Assessment Done : 31.03.2014 | Paid Upto : 31.12.2012 | |
| BG Details | Amount : | Validity : | |
| | BG Obtained against : Industry has not submitted BG of Rs.5.0 Lakhs and Rs.2.0 Lakhs as per the previous consent condition | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | 2012-13 | |
| Other Relevant Information | 1. SRO reported that there are repeated complaints against this industry regarding Air Pollution from local residents. 2. Industry has not submitted BG of Rs.5.0 Lakhs and Rs.2.0 Lakhs as per the previous consent condition for O & M of ETP, APC system and to avoid ingress of bagasse respectively. | | |
| Recommendation of SRO/RO | Renewal of consent may be decided at HQ level. | | |

Maharashtra Pollution Control Board

Agenda no. 21

| | | | |
|---|---|--------------------|--------------------------|
| Region : SRO Sangli | Section : JD(WPC) Section | | Date : 19.07.2014 |
| Name & Address | Vasantdada Shetkari SSK Ltd (Acetic Acid Plant) , Madhavnagar Road,Sangli, Dist.- Sangli | | |
| Consent For | CR | | |
| Capital Investment | 815 Lacs | | |
| Previous Consent Validity | 31/12/2008 | | |
| Industry Type | R05 Basic Chemicals and electro chemicals and its derivatives in | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details :- The I.E generation is to the tune of 94 CMD. Effluent was previously treated in the Sugar ETP and the primary treatment provided at this plant is not in operational condition. | | |
| Compliance Of Air Pollution Related Conditions | Stack of height 24 mtrs is provided to LDO fired Boiler. | | |
| Water Cess | Assessment Done : | Paid Upto : | |
| BG Details | Amount : | Validity : | |
| | BG Obtained against : | | |
| | Details of BG forfeited/encashed , if any : | | |
| Submission of Environmental Statement | Period | | |
| Other Relevant Information | <ul style="list-style-type: none"> • Industry has not submitted BG of Rs.5.0 lakhs as per the previous consent condition towards installation and commissioning of separate ETP, for the treatment of effluent generated from this unit within 4 Months. • Effluent was previously treated in the Sugar ETP and SRO reported that the primary treatment provided at this plant is not in operational condition. | | |
| Recommendation of SRO/RO | SRO has recommended that consent may be considered after completion of total work of the plant and compliance of consent conditions. | | |

Maharashtra Pollution Control Board

Agenda no. 22

| | | | | |
|---|--|--|--|----------------------------------|
| Region : SRO Nagpur II | | Section : JD (WPC) | | Date : |
| Name & Address | | M/s. Uniworth Textile Ltd., Plt No. B-129, Nagpur MIDC Butibori Nagpur | | |
| Consent For | | Applied for renewal of consent with same production qty. | | |
| Capital Investment | | C.I. of Rs.43.56 Cr. | | |
| Previous Consent Validity | | 31/05/2014 | | |
| Industry Type | | R84 Yarn/ textile processing involving any effluent/ emission | | |
| Industry Category | | Red/LSI | | |
| Compliance Of Water Pollution Related Conditions | | <p>YES</p> <p>Details :- ETP comprising primary & secondary treatment provided.</p> <p>industry has upgraded the ETP with installation of newly sand & carbon filter , presently treated effluent routed through sand & carbon filter.</p> <p>Treated effluent sending to CETP Butibori through pipelines.</p> | | |
| Compliance Of Air Pollution Related Conditions | | Thermopack Boiler with dust collector arrangement provided. | | |
| Water Cess | | Assessment Done : | | Paid Upto : : April 2013. |
| BG Details | | Amount : Rs. 75000/- | | Validity : 17.09.2014. |
| | | BG Obtained against : the Direction issued on 27.08.2012 for up-gradation of ETP. | | |
| | | Details of BG forfeited/encashed , if any : ----- | | |
| Submission of Environmental Statement | | Env. Statement submitted for the year 2012-2013. | | |
| | | Period | | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|---|
| Other Relevant Information | industry has upgraded the ETP with installation of newly sand & carbon filter , presently treated effluent routed through sand & carbon filter. Treated effluent sending to CETP Butibori through pipelines. Approx. 40,000 Sq.mtr. + 65400 Sq. mtr., open land available for disposal of treated effluent. |
| Recommendation of SRO/RO | SRO recommended to place the case before CC for further order. |

Maharashtra Pollution Control Board

Agenda no. 23

| | | | | |
|--|--|--|-------------------------------|--------|
| Region : RO Pune | | Section : JD (WPC) | | Date : |
| Name & Address | | M/s. Pepsico India Holdings Pvt Ltd. (Frito-Lay Division) , C-5, MIDC Ranjagoan, Tal-Shirur Dist-Pune. | | |
| Consent For | | Applied for renewal of consent . | | |
| Capital Investment | | Previous consented C.I. of Rs. 236.57 Cr. Enhanced C.I. of <u>Rs. 59.06 Cr. (justification not given)</u> Total C.I. of Rs. 295.36 Cr. | | |
| Previous Consent Validity | | 31/05/2014 | | |
| Industry Type | | O30 Food and food processing including fruits & vegetable proc | | |
| Industry Category | | Orange/LSI. | | |
| Compliance Of Water Pollution Related Conditions | | YES | | |
| | | Details :- ETP comprising, primary & secondary treatment provided. JVS result, BOD exceeding the consent limit | | |
| Compliance Of Air Pollution Related Conditions | | Boiler, bag filter & cyclone dust collector provided | | |
| Water Cess | | Assessment Done : Cess returns submitted | Paid Upto :-- | |
| <u>BG Details</u> | | <u>Amount</u> : Rs. 5.0/- Lakhs. | <u>Validity</u> : 26.03.2015. | |
| | | <u>BG Obtained against</u> : towards O & M of pollution control system. | | |
| | | <u>Details of BG forfeited/encashed , if any</u> : | | |

Maharashtra Pollution Control Board

| | | |
|--|---|----------------------------------|
| Submission of Environmental Statement | Period | for the year 2012-2013 submitted |
| Other Relevant Information | <ol style="list-style-type: none"> 1) 11687.04 Sq.mtrs land available for disposal of treated effluent, which is inadequate. 2) Due to non functioning of CETP, problems occurring in the area & the Board had issued the directions to CETP as well as to the member industries for disconnection of conveying system. 3) As per the Board directions industry has to provide adequate treatment and disposal facility to achieve zero discharge <u>OR</u> provide adequate land for disposal of treated effluent. 4) Additional fees for increase in C.I. not submitted | |
| Recommendation of SRO/RO | RO recommended, decision of grant of consent may be taken at HQ level after receipt of reply & additional consent fees from industry | |

Maharashtra Pollution Control Board

Agenda no. 24

| | | |
|---|---|------------------------------|
| Region : SRO Raigad I | Section : JD (WPC) Section | Date : |
| Name & Address | Aje India Pvt Ltd , Plot no: A-21/1/2,A-21/1/2pt,A-21/2, A-21/3, MIDC Patalganga Area Tal: -Panvel Dist : Raigad | |
| Consent For | Consent to Renewal | |
| Capital Investment | 59.41 Cr. | |
| Previous Consent Validity | 30.04.2014 | |
| Industry Type | R 51- Non alcoholic Beverages | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES | |
| | Details: - ETP provided comprising of primary, secondary & tertiary treatment system. Septic tank is provided for DE. Treated effluent disposed to CETP | |
| Water Cess | Assessment Done : | Paid Up to : Jan 2014 |
| BG Details:- | Amount:- --- | Validity :--- |
| | BG Obtained against : --- | |
| | Details of BG forfeited/ encashed, if any :--- | |
| Submission of Environmental Statement | Period | 2013-2014 |
| Other Relevant Information | <ul style="list-style-type: none"> • CI of industry is Rs. 59.41 Cr. Previous CI was Rs. 44.39 Cr. Rs. 15.02 CI is increased due to installation of machinery for packaged drinking water. | |
| Recommendation of SRO/RO | <ul style="list-style-type: none"> • As per SRO report renewal may be consider due to new machinery installation for drinking water and recommend considering renewal with increase in capital investments. • As per RO report, <ul style="list-style-type: none"> - Industry has not yet sent any HW to CHWTSDF - Industry has installed additional package drinking water line without obtaining consent from the Board. - JVS results of water exceeding dt. 25.03.2013, 26.11.2013, 27.01.2014 And recommended to forfeit BG of 5 lakhs and issue renewal of consent subject to submission of suitable BG to ensure above compliance. | |

Maharashtra Pollution Control Board

Agenda no. 25

| | | |
|---|---|-------------------|
| Region : RO PUNE | Section :RO(HQ) | SRO Date:- |
| Name & Address | M/s. HSBC Software Development India Pvt. Ltd., 25A, Raheja Woods, Riverside, Kalyaninagar, Pune. | |
| Consent For | C to R | |
| Capital Investment | 34.75 Cr. | |
| Previous Consent Validity | ---- | |
| Industry Type | IT and ITES | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 8.0 CMD, Effluent generated 7.0 CMD. STP Proposed of Capacity : 10.0 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| Submission of Environmental Statement | Period | |
| | | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for Renewal of consent for IT & ITES activity. 2. The IT project covering total built up area of 1,23,321 sq.ft (12054.83 m²). 3. Earlier Consent valid for period upto 28/02/2014 for BUA 1,77,715.0 sq.mtrs plot area not mentioned in the consent. 4. Capital investment of the project is 34.75 Cr 5. 3no. of DG sets having capacity 1010.0 KVA each. 6. Applicant has submitted BG of Rs 5 lakh as per C to O condition. 7. Applicant has submitted common biogas plant between building 25A & 25B 8. Industry has submitted fees of Rs 75,000 towards renewal of consent. 9. In view of above we may consider consent to renewal with return of existing BG of Rs. 5lakhs & 2 Lakhs and obtain BG of Rs 3 Lakhs as per BG policy. | |

Maharashtra Pollution Control Board

Agenda no. 26

| | | |
|--|---|------------|
| Region : RO PUNE | Section :RO(HQ) | SRO Date:- |
| Name & Address | M/s. HSBC Software Development India Pvt. Ltd.,25B, Raheja Woods, Riverside Kalyaninagar, Pune. | |
| Consent For | C to R | |
| Capital Investment | 46.64 Cr. | |
| Previous Consent Validity | ---- | |
| Industry Type | IT and ITES | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 8.0 CMD, Effluent generated 7.0 CMD. STP Proposed of Capacity : 10.0 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| Submission of Environmental Statement | Period | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for Renewal of consent for IT & ITES activity. 2. The IT project covering total area of around 197505 sq.feet (19262 m²) with total built up area of 136512 sq.ft (13344.28 m²) 3. Earlier Consent valid for period upto 28/02/2014 for BUA 1,04,823 sq.mtrs plot area not mentioned in the consent. 4. Capital investment of the project is 46.64 Cr 5. 3no. of DG sets having capacity 725 KVA each. 6. Applicant has submitted BG of Rs 5 lakh as per C to O condition. 7. Applicant has submitted common biogas plant between building 25A & 25B 8. Industry has submitted fees of Rs 75,000 towards renewal of consent. 9. In view of above we may consider consent to renewal with return of existing BG of Rs. 5lakhs & 2 Lakhs and obtain BG of Rs 3 Lakhs as per BG policy. | |