

**List of Cases to be submitted before 12th Consent Committee Meeting of 2014-15  
scheduled on 26.08.2014 at 02:30 p.m. (Booklet No. - 22)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
<b>Resubmission</b>						
1	KSL and Industries Ltd., C.S. No. 101/1,2,3,4,5, Empress City, Nr. Gandhi Sagar, Dist - Nagpur.	99.53 Crs.	Operate (Amalgamation)	RO(HQ)	1 to 12	
2	Ganga Papers india Ltd., Gat No. 241 to 244, Vill. Bobedohal, Borgaon, Tal - Maval, Dist - Pune	39.03 Crs.	Renewal	JD(WPC)	13 to 37	
3	Endurance Technologies Ltd., B-2, MIDC Waluj, Aurangabad	70.92 Crs.	Renewal with 1st Operate	JD(APC)	38 - 59	
4	Bajaj Electricals Ltd., Plot No. B-7, MIDC Ranjangaon, Tal - Shirur, Dist - Pune	57.89 Crs.	Renewal	JD(APC)	60 - 108	
<b>Fresh Agenda</b>						
1	Ashta Liners Pvt. Ltd., 334/2-B, Sangli, Islampur Road, Ashta, Tal - Walwa	32.58 Crs.	Renewal	JD(APC)	109 - 124	
2	Fairfield Atlas Ltd., Unit - 2, Sr. No. - 157, A/p - Devarwadi, Tal - Chandgad	59.77 Crs.	Renewal	JD(APC)	125 - 140	
3	Ashar Realty Pvt. Ltd., CST 254(P), H. No. 1 & 5(p), S. No. 256(p), 277(p), 278(p) and 279(p), H. No. 3(p), Vill. Panch Pakhadi	35 Crs.	Renewal	RO(HQ)	141 - 154	
4	The Intercontinental Marine Drive (The S. L. Hotel) Ltd., 135 Marine Drive, Netaji Subhash Chandra Road, Mumbai	71.06 Crs.	Renewal	RO(HQ)	155 - 169	
5	Hotel Health View Resorts Ltd., CTS No. 182, Medha Road, Mahableshwar, Tal - Mahableshwar, Dist - Satara	27.37 Crs.	Renewal	RO(HQ)	170 - 181	
6	Gloria Associates, Sr. No. 47/4A, 4B, 5, 6, 9, 11, 12, 16, Opp. Ambrosia Mulshi Road, Bavdhan, Pune	44.11 Crs.	Operate (Part)	RO(HQ)	182 - 191	
<b>Fresh Agenda - New Entry to CC</b>						
1	Ashvi Developers Pvt. Ltd. & Atithi Builders, Aristo Solitaire, Plot bearing CTS No. 235(pt), 236/A, to 236/F of village Pahadi Goregaon, Near Bangur Nagar, Jn. Of M.G. Road and link road, Goregaon (W), Mumbai	279.31 Crs.	Establish	RO(HQ)	192 - 210	
2	Spenta Builders Pvt. Ltd., Plot Bearing CTS No. 832-B, Village - Mohilil, Kurla Andheri Road, Kurla (W), Mumbai	82 Crs.	Establish	RO(HQ)	211 - 228	
3	International Biotech Park Lts., "The Crown Greens", Plot No. 17, International Biotech Park at Rajiv Gandhi IT/BT Park, Phase-II, MIDC, Hinjewadi, Pune	104 Crs.	Establish	RO(HQ)	229 - 241	
4	Playtor Childspaces Pvt. Ltd., "Playtor Ranjangaon", Gat No. 697, At Karegaon Village, Tal - Shirur, Dist - Pune	83.84 Crs.	Establish	RO(HQ)	242 - 255	
5	Vidhrabha Infotech Pvt. Ltd., Plot No. 28, Survey No. 43-51, 53 & 96, IT Park, Gayatri Nagar, Nagpur	74.50 Crs.	Establish	RO(HQ)	256 - 266	

<b>Review Item</b>						
1	KPIT Technology Limited, 35 & 36, Rajiv Gandhi Infotech Park, Phase-I, MIDC Hinjewadi, Pune	_____	_____	RO(HQ)	267 - 279	
2	Karad Taluka Sahkari Kharedi Vikri Sangh Ltd., (Koyana Granulated Fertilizer Factory) Milkat No. G. B. 134/6, Malkapur, Tal - Karad, Dist - Satara	_____	_____	AS(T)	280 - 305	
	JD(WPC)	1				
	AS(T)	0				
	RO(HQ)	10				
	JD(APC)	4				
	PSO	0				
	<b>Total</b>	<b>15</b>				

## **CC-Resubmission Agenda**

### **Agenda no. 1**

<b>Region : Nagpur</b>		<b>Section : RO(HQ)</b>		<b>Date : /08/2014</b>
<b>Name &amp; Address</b>	<b>M/s. KSL and Industries Ltd.,C.S. No.101/1,2,3,4,5,Empress City,Nr. Gandhi Sagar,Dist-Nagpur.</b>			
<b>Consent For</b>	CO with Amalgamation			
<b>Capital Investment</b>	99.53 Crs			
<b>Previous Consent Validity</b>	-----			
<b>Industry Type</b>	O08 Building and Construction projects more than 20,000 sq.mtr.			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>		
	<b>Details :-</b>			
<b>Water Cess</b>	<b>Assessment Done :</b>		<b>Paid Upto :</b>	
<b><u>BG Details</u></b>	<b><u>Amount :</u></b>		<b><u>Validity :</u></b>	
	<b><u>BG Obtained against :</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Submission of Environmental Statement</b>	<b>Period</b>			

## Maharashtra Pollution Control Board

<p><b>Other Relevant Information</b></p>	<p><b>M/s. M/s. KSL and Industries Ltd.</b> has applied for amalgamation of three consents i.e. consent to operate for IT &amp; ITES product, Shopping Mall cum residential, Shopping Mall at C.S. No.101/1,2,3,4,5,Empress City,Nr. Gandhi Sagar,Dist-Nagpur.<b>For Area Details of Project :-</b>  <b>Total Plot Area: 75331.367 Sq. meters</b>  <b>Total BUA Area: 150621.14 Sq. meters</b>  <b>Capital investment of part operate Project is Rs. – 99.53 Crs</b></p> <p><u>The project proponent has obtain <b>Environment Clearance from Govt. of Maharashtra</b> vide letter dtd.20/10/2008 for IT &amp; ITES Project at plot no.1 &amp; 2,City Plot No.101/1,101/2 and dtd.21/04/2008 for shopping malls, amenity building &amp; hotel at C.S.No.101/3,101/4,101/5.</u></p> <p><b>Details of water consumption as under :-</b>  Water consumption – <b>1311.0 CMD</b>  Sewage Generation – <b>1018.0 CMD</b></p> <p><b>Proponent has not provided STP for treatment of sewage. Also proposal STP not provided. Presently disposed into municipal sewer line.</b>  <b>Non-hazardous Waste:</b>  <b>Solid Waste : 6.2 kg/day-Storage facility.</b>  <b>DG Set – 1165 KVA x 5 Nos.</b></p> <p><b>Presently Mall is in operation and Residential project is ready.</b></p> <p><b>Board has granted 4 Nos of C to E for IT &amp; ITES Project, Shopping Mall Cum Residential, Shopping Mall &amp; Hotel activity.</b></p> <p><b>PP has requested not to consider hotel activity only three consent amalgamate.</b></p> <p><b>The case was discussed in the 5<sup>th</sup> CC meeting held on 30/05/2014 and it was decided to keep the case in abeyance and put up in next CC meeting, after obtaining necessary information from PP regarding BUA,EC and C to E.</b></p> <p><b>Additional information was called from RO,Nagpur,SRO,Nagpur-I &amp; PP on 26/06/2014 by e-mail. Also reminder was given on 01/08/2014 by e-mail.</b></p> <p><b>But Till date no any reply received.</b></p>
<p><b>Recommendation of SRO/RO</b></p>	<p><b><u>SRO Nagpur-I</u> has recommended that personal hearing/directions may be imposed on the project proponent before granting C to O along with amalgamation.</b></p>

# Maharashtra Pollution Control Board

## Agenda no. 2

<b>Region : SRO Pune II</b>		<b>Section : JD-WPC</b>		<b>Date : 25.08.2014</b>	
<b>Name &amp; Address</b>		M/s.Ganga Papers India Ltd. , Gat No.241 to 244, vill. Bobedohal, Borgaon, Tal - Mval, Dist - Pune			
<b>Consent For</b>		Consent to Renewal			
<b>Capital Investment</b>		39.03 Crores			
<b>Previous Consent Validity</b>		31/12/2013			
<b>Industry Type</b>		R61 Pulp and Paper (Paper manufacturing with or without pulping)			
<b>Industry Category</b>		Red			
<b>Compliance Of Water Pollution Related Conditions</b>		<b>YES ( )</b>		<b>NO ( )</b>	
		<b>Details :-</b>  Industrial water consumption is 465 CMD whereas I.E. generation is 232 CMD. Domestic water consumption is 35 CMD whereas D.E. generation is 20 CMD.  Industry has provided ETP which comprises of Grit Chamber,Primary Clarifier,Aeration Tank,Secondary Clarifier,Holding Tank,Decanter and SDB.			
<b>Water Cess</b>		<b>Assessment Done : Sep-2013</b>		<b>Paid Upto : June-2012</b>	
<b><u>BG Details</u></b>		<b><u>Amount :</u> NA</b>		<b><u>Validity :</u></b>	
		<b><u>BG Obtained against :</u></b>			
		<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Submission of Environmental Statement</b>		<b>Period</b>		April-2012 to March 2013.	
<b>Other Relevant Information</b>		Application was discussed in CC meeting on dtd. 09.05.2014 as per the Mom It was decided to issue SCN for refusal of renewal of consent. SCN was issued on 21.05.2014 for following non compliances: 1. JVS results are exceeding prescribed standards			

## Maharashtra Pollution Control Board

	<ol style="list-style-type: none"><li>2. They have changed fuel patter i.e. coal + bagasse to coal + pet coke without permission from Board without providing required APC system</li><li>3. The industry is located in NDZ of river Pawane (A-II class) as per RRZ Policy, 2009.</li></ol> <p>In view of above non compliances firm has submitted No Increase in Pollution load certificate of Dr. Babasaheb Ambedkar Marathwada University,Aurangabad due to interchange of product production quantity. Also SRO has submitted the present status and latest ETP outlet results which are within consented limits. As per SRO Pune II report firm has only requested to use the Petcoke as fuel in future,but currently firm is not using Petcoke as a fuel and decided to not use in future also, the said unit was established way back in 1986 i.e.much before the enforcement of RRZ policy dtd.13.07.2009.</p>
<b>Recommendation of SRO/RO</b>	

# Maharashtra Pollution Control Board

## Agenda no. 3

<b>Region :</b> SRO Aurangabad I		<b>Section :</b> JD APC		<b>Date :</b>
<b>Name &amp; Address</b>	Endurance Technologies Ltd. B 2 , MIDC Waluj			
<b>Consent For</b>	CR with first operate for expansion			
<b>Capital Investment</b>	7092.0 Lacs			
<b>Previous Consent Validity</b>	30/11/2013			
<b>Industry Type</b>	R21 Ferrous and Non ferrous metal extraction involving different			
<b>Industry Category</b>	Red			
<b>Compliance Of Water Pollution Related Conditions</b>	YES			
	Details :- Indl effluent 4.0 CMD provided primary, secondary & tertiary treatment. Domestic effluent is 37 CMD, provided STP			
<b>Compliance Of Air Pollution Related Conditions</b>	Yes			
	Provided wet scrubber to both the furnaces.			
<b>Water Cess</b>	Assessment Done :March-2012		Paid Upto :march-2012	
<b>BG Details</b>	<b><u>Amount : NIL</u></b>		<b><u>Validity :NA</u></b>	
	<b><u>BG Obtained against : NA</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :NA</u></b>			
<b>Submission of Environmental Statement</b>	2012-2013			
	<b>Period</b>			
<b>Other Relevant Information</b>	Case discussed in CC dated 27/6/2014, it was decided to issue SCN for consent refusal as industry have submitted incorrect Board Resolution. Now industry have submitted the revised Board Resolution in the Board's format.			
<b>Recommendation of SRO/RO</b>	Grant of renewal with expansion after submission of Board resolution.			

# Maharashtra Pollution Control Board

## Agenda no. 4

Region : Pune	Section : JD(APC)	Date : /08/2014
<b>Name &amp; Address</b>	M/s. Bajaj Electricals Ltd., Plot No. B-7, MIDC, Ranjangaon, Tal. Shirur, Dist. Pune	
<b>Consent For</b>	Renewal of consent to operate.	
<b>Capital Investment</b>	RS.57.89 Crs	
<b>Previous Consent Validity</b>	31/03/2014	
<b>Industry Type</b>	G-34 Electrical and Electronic items assembling.	
<b>Industry Category</b>	Red /LSI	
<b>Compliance Of Water Pollution Related Conditions</b>	Yes	
	<b>Details :-</b> Sewage – 50.00 CMD STP – 2 Nos. Provided Effluent – 07.00 CMD ETP Provided	
<b>Compliance Of Air Pollution Related Conditions</b>	Scrubber system provided.	
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :</b>
<b>BG Details</b>	<b>Amount : Rs.</b>	<b>Validity :</b>
	<b>BG Obtained against :</b>	
	<b>Details of BG forfeited/encashed , if any :</b>	
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-2013
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. M/s. Bajaj Electricals Ltd., Plot No. B-07, MIDC, Ranjangaon, Tal. Shirur, Dist. Pune has applied for renewal of consent.</li> <li>2. Earlier consent obtained vide No. BO/JD (APC)/EIC No. PN-8923-11/O/CC-329 dated 19/04/2012 valid till 31/03/2017.</li> <li>3. This case was discussed in the CC meeting dated 27.06.2014. In this meeting it was decided to SCN as industry has failed to upgrade ETP, Provision of flow meter and disposal of spent acid at ARP.</li> <li>4. Industry has submitted reply on 23.06.2014 stating that they are sending spent acid to M/s Essar Steel India Ltd for acid recovery.</li> <li>5. SRO Pune-II has submitted compliance report on 21.08.2014 stating that-                         <ol style="list-style-type: none"> <li>I. They are treating rinsing effluent in their existing ETP. They are sending spent acid to M/s Essar Steel India Ltd for acid recovery.</li> <li>II. Installation work of on line flow meter yet to be complete</li> </ol> </li> </ol>	



## Maharashtra Pollution Control Board

<b>Recommendation of SRO/RO</b>	RO Pune commented that the treated effluent is used for preparation of lime slurry and high TDS effluent is evaporated in LPG fired pans without Board's permission. The CETP is not adequate. The industry has not followed the consent condition for spent acid to send to authorized reprocessor.
---------------------------------	--

**CC-Fresh Agenda**

**Agenda no. 1**

<b>Region : SRO Sangli</b>		<b>Section :JD APC</b>		<b>Date :</b>
<b>Name &amp; Address</b>	Ashta Liners Pvt Ltd , 334/2-B,Sangli,Islampur Road,Ashta,Tal-Walwa			
<b>Consent For</b>	CR			
<b>Capital Investment</b>	3258.8 Lacs			
<b>Previous Consent Validity</b>	31/12/2010			
<b>Industry Type</b>	R35 Foundry operations			
<b>Industry Category</b>	Red			
<b>Compliance Of Water Pollution Related Conditions</b>	YES			
	Details :- Incl. effluent is NIL, domestic effluent is 2.0 CMD.			
<b>Compliance Of Air Pollution Related Conditions</b>	Yes			
	Provided fume extraction system with dust collector to Induction furnace(3 nos), Dust collector to Shot blasting, knock out section and sand reclamation plant.			
<b>Water Cess</b>	Assessment Done : Not done		Paid Upto :---	
<b><u>BG Details</u></b>	<b><u>Amount : Rs. 5.0 lacs</u></b>		<b><u>Validity :01/02/2015</u></b>	
	<b><u>BG Obtained against : O &amp; M</u></b>			
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-2013		
<b>Other Relevant Information</b>	Applied for renewal of consent without any changes in product & its quantities. CI Casting 2250 MT/M. CI is Rs. 32.58 cr and existing was Rs. 31.16 cr, increase is of Rs. 1.42 cr. Incl. effluent is NIL, domestic effluent is 2.0 CMD. Provided fume extraction system with dust collector to Induction furnace(3 nos), Dust collector to Shot blasting, knock out section and sand reclamation plant. Paid cess upto July 2012, BG of Rs. 5.0 lacs is submitted by industry valid upto 01/02/2015. JVS results of stack air monitoring of dates 22/8/2013 & 18/10/2013 for parameter total particulate matter are 160 & 385 respectively which is exceeding limits.			
<b>Recommendation of SRO/RO</b>	Grant of Renewal			

# Maharashtra Pollution Control Board

## Agenda no. 2

Region : SRO Kolhapur		Section : JD APC		Date :
Name & Address	Fairfield Atlas Ltd Unit 2 , Sr No-157,A/p-Devarwadi,Tal-Chandgad			
Consent For	CR			
Capital Investment	5977 Lacs			
Previous Consent Validity	30/06/2014			
Industry Type	R27 Heavy engineering including ship building (With investment o			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Indl effluent is 3.0 CMD, provided ETP, domestic effluent is 30 CMD provided STP. JVS results are within limits			
Compliance Of Air Pollution Related Conditions	Yes			
	Fume extraction system is provided to furnaces, dust collector is not provided. Shot blasting is provide with wet scrubber.			
Water Cess	Assessment Done :Not done		Paid Upto :---	
<u>BG Details</u>	<u>Amount : Rs. 10.0 lacs &amp; Rs.2.0 lacs</u>		<u>Validity :--</u>	
	<u>BG Obtained against : For O &amp; M of pollution control devices &amp; submission of BR respectively.</u>			
Submission of Environmental Statement	Period	2012-2013		
Other Relevant Information	Applied for renewal of consent without any changes in product & its quantities. Mfg. Automobile transmission gears. CI is Rs. 59.77 cr & existing was Rs. 55.24 cr, increase is of Rs. 4.53 cr. Indl effluent is 3.0 CMD, provided ETP, domestic effluent is 30 CMD provided STP. JVS results are within limits. Fume extraction system is provided to furnaces, dust collector is not provided. Shot blasting is provide with wet scrubber. Submitted cess returns upto April 2014, enviro nmnt statement for year 2012-2013. BG of Rs. 2.0 lacs & Rs. 10.0 lacs, BR is submitted. SRO recommended grant of renewal of consent with suitable BG for dust collector to furnace.			
Recommendation of SRO/RO	May be granted with condition of BG for dust collection system			

# Maharashtra Pollution Control Board

## Agenda no. 3

<b>Region :</b> SRO Thane I		<b>Section :</b> RO(HQ)		<b>Date :</b> 22/08/2014			
<b>Name &amp; Address</b>		Ashar Realty Pvt. Ltd. , CST 254/(p), H. No. 1 and 5 (p), S. No. 256(p), 277(p), 278(p) and 279(p) H.No. 3 (p), Vill. Panch pakhadi					
<b>Consent For</b>		CR					
<b>Capital Investment</b>		3500 Lacs					
<b>Previous Consent Validity</b>		31/03/2013					
<b>Industry Type</b>		O08 Building and construction projects more than 20,000 Sq mtr					
<b>Industry Category</b>		Orange					
<b>Compliance Of Water Pollution Related Conditions</b>		YES ( )		NO ( ) ---- N. A.----			
		Details :- ---- N. A.----					
<b>Water Cess</b>		Assessment Done : ---- N. A.----		Paid Upto :			
<b>BG Details</b>		<b>Amount :</b> 3.0 Lacs		<b>Validity :</b> 25/07/2014			
		<b>BG Obtained against :</b> compliance of consent conditions					
		<b>Details of BG forfeited/encashed , if any :</b> NO.					
<b>Sub. of Env. Statement</b>		<b>Period</b>					
<b>Other Relevant Information</b>		<b>Applied for</b>		<b>C to O (Renewal)</b>			
				Commercial project (IT Park).			
		<b>Plot Area</b>		22856 Sq. Mtrs.		<b>Built up area</b>	
						45712 sq. Mtrs.	
		<b>EC Status</b>		Obtained		<b>Dated</b>	
						08/12/2009	
		<b>River Distance</b>		N. A.		<b>Name of River</b>	
				N. A.			
<b>CRZ applicability</b>		Not submitted		<b>Type of CRZ</b>			
				Not submitted			
<b>Water Consumption</b>		308 CMD		<b>Effluent Generated</b>			
				247 CMD			
<b>STP Capacity</b>		300 CMD		<b>Recycle Water</b>			
				223 CMD			

## Maharashtra Pollution Control Board

	<b>Bio-Degradable</b>	<b>548 kg/Day</b>	<b>Treatment</b>	<b>Composting by OWC</b>
	<b>Non-Bio degradable</b>	<b>822 kg/Day</b>	<b>Treatment</b>	<b>Local Body</b>
	<b>Nos of DG Sets</b>	<b>2 (Two)</b>	<b>Capacity</b>	<b>320, 200 KVA</b>
	<b>Construction Status</b>	<b>construction completed</b>	<b>Date of visit</b>	<b>23/05/2014.</b>
	<ol style="list-style-type: none"> <li>1. Industry is already having EC vide No. 21-498/2007-IA-III, dtd. 08/12/2009.</li> <li>2. SRO Thane – I has reported that, industry has submitted application after laps of one year and not submitted satisfactory explanation regarding the same.</li> </ol>			
<b>Recommendation of SRO/RO</b>	<b>The case may be decided at Head Office level.</b>			

# Maharashtra Pollution Control Board

## Agenda no. 4

<b>Region :</b> SRO Mumbai I		<b>Section :</b>		<b>Date :</b>
<b>Name &amp; Address</b>		The Intercontinental Marine Drive (The G. L. Hotel) Ltd , 135, Marine Drive, Netaji Subhash Chandra Road, Mumbai		
<b>Consent For</b>		CR		
<b>Capital Investment</b>		71.06 Crs.		
<b>Previous Consent Validity</b>		31/05/2014		
<b>Industry Type</b>		R29 Hotels (3 Star & above) and Hotels having 100 rooms and above		
<b>Industry Category</b>		Red		
<b>Compliance Of Water Pollution Related Conditions</b>		<b>YES ( )</b>		<b>NO ( )</b>
		<b>Details :- Provided STP comprising of primary, secondary and tertiary treatment.</b>		
<b>Water Cess</b>		<b>Assessment Done :</b>		<b>Paid Upto :</b>
<b>BG Details</b>		<b>Amount :Rs. 5 Lakhs &amp; Rs. 50,000 /-</b>		<b>Validity : 22/06/2017</b>
		<b>BG Obtained against :</b> O & M of STP.		
		<b>Details of BG forfeited/encashed , if any : No</b>		
<b>Submission of Environmental Statement</b>		<b>Period</b>	2012-2013.	
<b>Other Relevant Information</b>		<p><b>M/s. The International Marine Drive(The G.L.Hotel) Ltd., 135,Marine Drive,Netaji Subhash Chandra Road,Mumbai has applied for <b>renewal of consent – For hotel activity (5 Star Category) with 59 rooms (with Swimming Pool )</b>.</b></p> <p><b>Earlier consent granted</b> vide No.: BO/AS(T)/EIC No.MU-4287-12/R/CC-1524 dated <b>20/02/2013 valid upto 31/05/2014</b></p> <p><b>Existing CI- Rs.69.98 Crs. Current CI-Rs.71.06 Crs.</b> Increased in CI due to the renovation of the restaurant.(Clarification Submitted by Hotel Authority)</p> <p><b>Fees Paid-Rs.4,15,000 /-(Paid additional fees for increased in CI)</b></p>		

## Maharashtra Pollution Control Board

	<p><b>Details of water consumption &amp; generation</b> Domestic – 65.00 CMD Sewage – 45.00 CMD Industrial – 20.00 CMD (for swimming pool) Effluent – NIL</p> <p><b>Provided STP of 65.00 CMD Capacity .</b></p> <p><b>Ozonization process</b> is provided to <b>swimming pool &amp; back wash</b> is treated into <b>STP</b>.</p> <p><b>Solid waste</b> is handed over to <b>MCGM</b>.</p> <p><b>D.G.Set-500 KVA.</b></p> <p><b>Exhaust system provided to the kitchen with stack.</b></p> <p>The Hotel has submitted <b>B.G of Rs.2 lakhs towards O &amp; m of pollution control system</b> which was <b>valid upto 31/05/2014</b> as per previous consent condition.</p> <p><b>As capital investment of hotel is <u>Rs. 71.06 Crs</u></b>, it is proposed to place application <b>before Consent Committee of the MPC Board for further discussion</b></p> <p><b>Submitted for your approval please.</b></p>
<b>Recommendation of SRO/RO</b>	<b>SRO Mumbai-I has recommended that consent may be granted upto 31/05/2019.</b>

# Maharashtra Pollution Control Board

## Agenda no. 5

<b>Region :</b> SRO Satara		<b>Section :</b>		<b>Date :</b> /08/2014
<b>Name &amp; Address</b>	Hotel Health View Holiday Resorts Ltd. , CTS. No. 182,Medha Road,Mahableshwar,Tal-Mahableshwar,Dist-Satara			
<b>Consent For</b>	CR			
<b>Capital Investment</b>	27.37 Crs			
<b>Previous Consent Validity</b>	31/12/2012			
<b>Industry Type</b>	O37 Hotels (Less than 3 star); Hotels having > 20 rooms and less than 100 rooms			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-</b> Provided STP comprising of primary, secondary and tertiary treatment.			
<b>Water Cess</b>	<b>Assessment Done :</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount : Rs. 5 Lakhs &amp; Rs. 50,000 /-</b>		<b>Validity : 22/06/2017 each.</b>	
	<b>BG Obtained against :</b> O & M of STP and compliance of consent conditions respectively.			
	<b>Details of BG forfeited/encashed , if any :</b>			
<b>Submission of Environmental Statement</b>	<b>Period</b>			
<b>Other Relevant Information</b>	<p><b>M/s. Health View Holiday Resorts Ltd.,C.S.No.182,Medha Road,Tal-Mahableshwar,Dist-Satara has applied for renewal of consent – For hotel activity with 59 rooms (with Swimming Pool ).</b></p> <p><b>Earlier consent granted vide No.: MPCB/RO(HQ)/PN-17998-13/CR/CC-8761 dated 17/10/2013 valid upto 31/05/2014</b></p> <p><b>CI- Rs.27.37 Crs. Fees Paid-Rs.3,75,000 /-</b></p> <p><b>Details of water consumption and generation:</b>  <b>Domestic – 30.00 CMD</b>  <b>Sewage – 24.50 CMD</b>  <b>Industrial – 2.00 CMD (for Boiler)</b></p>			



## Maharashtra Pollution Control Board

	<p style="text-align: center;"><b>Effluent - NIL</b></p> <p>Provided <b>STP of 30.00 CMD</b> Capacity .</p> <p><b>Solid waste</b> is handed over to <b>Municipal Council</b>.</p> <p><b>D.G.Set-380 KVA * 2 nos. and One Boiler</b></p> <p><b>Exhaust system provided to the kitchen with stack.</b></p> <p>The Hotel has submitted <b>B.G of Rs.5 lakhs towards O &amp; M of STP</b> which was <b>valid upto 22/06/2017</b> as per previous consent condition and <b>Rs.50,000 /-</b> towards compliance of consent conditions.</p> <p><b>As this hotel falls in Eco Sensitive Zone Mahableshwar</b>, it is proposed to place application <b>before Consent Committee of the MPC Board for further discussion</b></p> <p><b>Submitted for your approval please.</b></p>
<b>Recommendation of SRO/RO</b>	<b>SRO Satara has recommended that consent may be renewed by forfeiting B.G. of Rs. 5 lakhs as sometimes the JVS results of STP are exceeding the consented parameters.</b>

# Maharashtra Pollution Control Board

## Agenda no. 6

Region : SRO Pune - I		Section : RO (HQ) Section – Fresh application		Date : 25/08/2014		
Name & Address		Gloria Associates. , Sr. NO. 47/4A, 4B, 5,6,9,11,12,16, Opp. Hotel Ambrosia, Mulshi Road, Bavdhan, Pune.				
Consent For		CO (Part)				
Capital Investment		44.11 Crores				
Previous Consent Validity		Up to commissioning of the unit or five years whichever is earlier.				
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr				
Industry Category		Orange				
Compliance Of Water Pollution Related Conditions		YES ( )		NO ( )		
		Details :-				
Water Cess		Assessment Done : --- N. A.---		Paid Upto :		
<u>BG Details</u>		<u>Amount</u> : --- N. A.---		<u>Validity</u> : ---- N. A.----		
		<u>BG Obtained against</u> : ---- N. A.----				
		<u>Details of BG forfeited/encashed , if any :</u>				
Submission of Environmental Statement		Period	N. A.			
Other Relevant Information		The application is for part consent to operate for the residential project.				
		Applied for	C to O Part	Residential project.		
		Plot Area	28020 Sq. Mtrs.	Built up area	<u>15109 Sq. Mtrs</u>	
		EC Status	obtained	Dated	24/12/2007	
		River Distance	4.0 Km	Name of River	Mutha (A-II)	
		CRZ applicability	N. A.	Type of CRZ	N. A.	
		Water Consumption	178 CMD	Effluent Generated	101 CMD	

## Maharashtra Pollution Control Board

	<b>STP Capacity</b>	<b>275 CMD</b>	<b>Recycle Water</b>	<b>21 CMD</b>
	<b>Bio-Degradable</b>	<b>150 kg/Day</b>	<b>Treatment</b>	<b>Composting by pit</b>
	<b>Non-Bio degradable</b>	<b>225 kg/Day</b>	<b>Treatment</b>	<b>Local Body</b>
	<b>Nos of DG Sets</b>	<b>----</b>	<b>Capacity</b>	<b>----</b>
	<b>Construction Status</b>	<b>construction completed</b>	<b>Date of visit</b>	<b>21/07/2014.</b>
	<p>9) SRO Pune – I, has recommended the case for grant of part consent to operate (i.e. for E, F and D buildings having BUA 15109 Sq. Mtrs.).</p> <p>It is proposed to place application before Consent Committee of the MPC Board for further discussion.</p>			
<b>Recommendation of SRO/RO</b>	<p>As authority has obtained C to E and same is expired on dt.16/04/2013 also validity of EC expired on dt.24/12/2012. Now, proponent has applied for part C to O for built up area 15109 sq. mtr (i.e for building E, F and G only). In view of above part consent to operate may be granted after submission of C to E fees (which is already expired), and submission of valid EC, if approved.</p>			

## CC-Fresh Agenda – New Entry to CC

### Agenda no. 1

<b>Region :</b> SRO Mumbai II.	<b>Section :</b> RO(HQ)		<b>Date :</b>
<b>Name &amp; Address</b>	M/s.Ashvi Developers Pvt.Ltd.& Atithi Builders ,  Aristo Solitaire Plot bearing CTS no.235(pt),236/A to 236/F of village Pahadi Goregaon near bangur nagar,Jn.of M.G.Road and link road,Goregaon (W),Mumbai		
<b>Consent For</b>	C to E		
<b>Capital Investment</b>	27931 Lacs		
<b>Previous Consent Validity</b>			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr		
<b>Industry Category</b>	Orange		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details :-</b>  Water consumption                      - 212 CMD.  Sewage Generation                      -156 CMD  Capacity of STP Praposed(2 nos)-145 CMD & 30 CMD		
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>	
	<b><u>BG Obtained against :</u></b>		
	<b><u>Details of BG forfeited/encashed , if any :</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>		

## Maharashtra Pollution Control Board

<b>Other Relevant Information</b>	<p>Application for construction of residential project for</p> <p>Total Plot area - 60,714.1 Sq. mtrs</p> <p>Total Construction BUA -1,03,469.56 Sq. mtrs</p> <p><u>PP has not obtained EC from Competent authority.</u></p> <p>PP has applied for EC and it was discussed in 26th Meeting of SEAC of State Govt. held on 28,29 and 30th April 2014(Copy of minutes attached) minutes attached.</p> <p>Nonhazardous waste</p> <p>Wet garbage: 410 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:185 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge- 23 Kg/Day(manure)</p> <p>Construction status</p> <p>The project comprises one rehab building (Gr+7 floors)and one sale building upto 50 floors and out of which 5th floor of one building is completed and remaining work is under progress</p>
<b>Recommendation of SRO/RO</b>	<p>SRO recommended grant of C to E at HQ Level.</p>

# Maharashtra Pollution Control Board

## Agenda no. 2

<b>Region :</b> SRO Mumbai II.	<b>Section :</b> RO(HQ)	<b>Date :</b>
<b>Name &amp; Address</b>	M/s.Spenta Builders Pvt.Ltd. , Plot bearing CTS no 832-B, Village Mohili Kurla Andheri road,Kurla (W),Mumbai	
<b>Consent For</b>	C to E	
<b>Capital Investment</b>	Rs.82 Cr.	
<b>Previous Consent Validity</b>	--	
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr	
<b>Industry Category</b>	Orange	
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>
	<b>Details :-</b> Water consumption - 140 CMD. Sewage Generation -114 CMD Capacity of STP Praposed -125 CMD	
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :</b>
<b><u>BG Details</u></b>	<b><u>Amount :</u></b>	<b><u>Validity :</u></b>
	<b><u>BG Obtained against :</u></b>	
	<b><u>Details of BG forfeited/encashed , if any :</u></b>	
<b>Submission of Environmental Statement</b>	<b>Period</b>	
<b>Other Relevant</b>	Application for consent to Establish for construction of residential project for Total Plot area - 8,102.7 Sq. mtrs	

## Maharashtra Pollution Control Board

<b>Information</b>	<p>Total Construction BUA -29,739.19 Sq. mtrs</p> <p>PP has not obtained EC from Competent authority.</p> <p>the PP has applied for EC and it was discussed in 26th Meeting of SEAC of State Govt. held on 28,29 and 30th April 2014 minutes attached with an application</p> <p>Nonhazardous waste</p> <p>Wet garbage: 306 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:131 Kg/Day(will be handed over to authorized party)</p> <p>The project comprises 4 buildings as wing A,B,C &amp; D of 2B+ stilt+11 floors out of which construction work of wing A,B,C completed upto 2B+Stilt+6th and remaining work is under progress.</p> <p>SRO reported that Due to violation observed by SEAC/State Govt. This office has filed complaint against the developer in the court of H'ble Metropolitan Magistrate 65th court, Andheri and the matter is under subjudice.</p>
<b>Recommendation of SRO/RO</b>	SRO recommended grant of C to E at HQ Level

# Maharashtra Pollution Control Board

## Agenda no. 3

<b>Region : Pune</b>	<b>Section : RO(HQ)</b>	<b>Date :SRO Date of receipt;- 16/04/2014</b>		
		<b>Ro (HQ) Date of receipt;- 04/07/2014</b>		
<b>Name &amp; Address</b>	M/s. International Biotech Park Ltd. "The Crown Greens"  Plot No 17, International Biotech Park at Rajiv Gandhi IT/Bt park,  Phase-II, MIDC, Hinjewadi Pune-411057			
<b>Consent For</b>	<b>C to E</b>			
<b>Capital Investment</b>	104.00 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>		
	<b>Details :-Water Consumption:331.0 CMD, Effluent generated 201.0 CMD. STP Proposed of Capacity : 210.0 CMD</b>			
<b>Water Cess</b>	<b>Assessment Done :-</b>	<b>Paid Upto :</b>		
<b>BG Details</b>	<b>Amount : 5 Lakhs</b>	<b>Validity :</b>		
	<b><u>BG Obtained against : Compliance of Consent condition</u></b>			
	<b><u>Details of BG forfeited/encashed , if any :</u></b>			
<b>Other Relevant Information</b>	<b>Applied for</b>	C to E	<b>Residential Project</b>	
	<b>Plot Area As per Earlier C to E</b>	21,330.0 sq.m	<b>Built up area</b>	38,312.0 sq.mt
	<b>Now applied for Plot area</b>	21,330.0	<b>BUA</b>	77,889.82 sq.mtr
	<b>EC Status</b>	Obtained	<b>Dated</b>	26.11.2012
	<b>Plot area as per EC</b>	21,330.0	<b>BUA as per EC</b>	77889.82
	<b>River Distance</b>	3.0 Km	<b>Name of River</b>	Mula



## Maharashtra Pollution Control Board

	<b>Water Consumption</b>	331.0 CMD	<b>Effluent Generated</b>	201.0 CMD
	<b>STP Capacity</b>	210.0 CMD	<b>Recycle water</b>	93.0 CMD
	<b>Bio-degradable</b>	423.20 Kg/D	<b>Treatment</b>	OWC
	<b>Non-Boi degradable</b>	423.20 Kg/D	<b>Treatment</b>	Local Body
	<b>No of DG Sets</b>	2	<b>Capacity</b>	400.0 KVA Each
	<b>Construction status</b>	<b>Started</b>	<b>Date of Visit</b>	15/05/2014
<p><b>Applicant has applied for amendment in consent to Establish as per Environment Clearance. Applicant has paid consent fess for expansion hence we may consider consent to establish as per environment clearance subject to no change in validity period.</b></p>				
<b>Recommendation of SRO/RO</b>				

# Maharashtra Pollution Control Board

## Agenda no. 4

<b>Region : Pune</b>	<b>Section : RO(HQ)</b>		<b>Date :SRO Date of receipt;- 16/06/2014</b>	
			<b>Ro (HQ) Date of receipt;- 30/07/2014</b>	
<b>Name &amp; Address</b>	M/s. Playtor Childspaces Pvt. Ltd. "Playtor Ranjangaon"  Gat No. 697, At Karegaon Village, Tal : Shirur Dist : Pune			
<b>Consent For</b>	<b>C to E</b>			
<b>Capital Investment</b>	83.84 Crore			
<b>Industry Type</b>	O08 Building and construction projects more than 20,000 Sq mtr			
<b>Industry Category</b>	Orange			
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>		<b>NO ( )</b>	
	<b>Details :-Water Consumption:1079.0 CMD, Effluent generated 935.0 CMD. STP Proposed of Capacity : 940.0 CMD</b>			
<b>Water Cess</b>	<b>Assessment Done :-</b>		<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>		<b>Validity :</b>	
<b>Other Relevant Information</b>	<b>Applied for</b>	C to E	<b>Residential Project</b>	
	<b>Plot Area</b>	52600.0 sq.m	<b>Built up area</b>	61065.26 sq.mt
	<b>EC Status</b>	Applied	<b>Dated</b>	29.03.2014
	<b>River Distance</b>	6.0 Km	<b>Name of River</b>	Ghod (A-II)
	<b>Water Consumption</b>	1079.0 CMD	<b>Effluent Generated</b>	935.0 CMD
	<b>STP Capacity</b>	940.0 CMD	<b>Recycle water</b>	392.0 CMD
	<b>Bio-degradable</b>	2159.0 Kg/D	<b>Treatment</b>	OWC
	<b>Non-Boi degradable</b>	1440.0 Kg/D	<b>Treatment</b>	Local Body
	<b>No of DG Sets</b>	3	<b>Capacity</b>	200+320+500 KVA

## Maharashtra Pollution Control Board

	<table border="1"><tr><td><b>Construction status</b></td><td><b>Not Started</b></td><td></td><td><b>Date of Visit</b></td><td>26/06/2014</td></tr></table>	<b>Construction status</b>	<b>Not Started</b>		<b>Date of Visit</b>	26/06/2014
<b>Construction status</b>	<b>Not Started</b>		<b>Date of Visit</b>	26/06/2014		
	<p>Applicant has not started construction activity, applied for EC, and satisfy RRZ criteria hence we may consider consent to establish with condition Not to take any effective step and BG of Rs.5 Lakhs for compliance of consent conditions.</p>					
<b>Recommendation of SRO/RO</b>						

# Maharashtra Pollution Control Board

## Agenda no. 5

<b>Region :</b> SRO Nagpur I	<b>Section :</b> ro(hq)	<b>Date :</b>												
<b>Name &amp; Address</b>	M/s.Vidhrabha Infotech Pvt Ltd , Plot No. 28, Survey No. 43-51,53 & 96, IT Park, Gayatri Nagar, Nagpur.													
<b>Consent For</b>	C to E													
<b>Capital Investment</b>	Rs.74.50 Cr													
<b>Previous Consent Validity</b>														
<b>Industry Type</b>	O39 Infrastructure development project													
<b>Industry Category</b>	Orange													
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>												
	<b>Details :-</b>  <b>Effluent generated-15 CMD.</b>  <b>STP proposed-32 CMD</b>													
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :</b>												
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>												
	<b>BG Obtained against :</b>													
	<b>Details of BG forfeited/encashed , if any :</b>													
<b>Submission of Environmental Statement</b>	<b>Period</b>													
<b>Other Relevant Information</b>	The application for consent to establish for construction of IT Project. <table border="1" style="width: 100%; margin-top: 10px;"> <tr> <td><b>Applied for</b></td> <td>C to E</td> <td colspan="2"><b>Construction of IT Activity</b></td> </tr> <tr> <td><b>Plot Area</b></td> <td>9,883.78 sq.mt</td> <td><b>Built up area</b></td> <td>50,157.030 sq.mt</td> </tr> <tr> <td><b>EC Status</b></td> <td>Applied</td> <td><b>Dated</b></td> <td>16/01/2013</td> </tr> </table>		<b>Applied for</b>	C to E	<b>Construction of IT Activity</b>		<b>Plot Area</b>	9,883.78 sq.mt	<b>Built up area</b>	50,157.030 sq.mt	<b>EC Status</b>	Applied	<b>Dated</b>	16/01/2013
<b>Applied for</b>	C to E	<b>Construction of IT Activity</b>												
<b>Plot Area</b>	9,883.78 sq.mt	<b>Built up area</b>	50,157.030 sq.mt											
<b>EC Status</b>	Applied	<b>Dated</b>	16/01/2013											

## Maharashtra Pollution Control Board

	<b>River Distance</b>	500 Mtrs	<b>Name of River</b>	Nag (A-IV)
	<b>Water Consumption</b>	32 CMD	<b>Effluent Generated</b>	15 CMD
	<b>STP Capacity</b>	20 CMD		
	<b>Bio-degradable</b>	Details not submitted by PP and SRO	<b>Treatment</b>	Details not submitted
	<b>Non-Bio degradable</b>		<b>Treatment</b>	by PP and SRO
	<b>No of DG Sets</b>		<b>Capacity</b>	Details not submitted
	<b>Construction status</b>		<b>Date of Visit</b>	by SRO

Not obtained EC from Competent authority but applied for EC for constriction of township project at S.No. 43, 44, 46, 47, 48, 49,50/2 on 8/10/2013.

Mailed to SRO/RO dated 1/8/2014 for delay of submission of SRO consent processing along with present construction status of the project and SRO has communicated only construction status by fax on 25/8/2014 that PP has started construction work.

SRO has issued letter to PP dated 7/7/2014 regarding distance of project from river and reply of PP awaited.

PP has not submitted following details along with consent processing

- 1)Architect plan having area statement details for Total construction  
BUA of 50,157.030 Sq.Mtrs
- 2) Details regarding proposed construction project and present status.
- 3)Details of non Hazardous waste will be generated(Wet & dry garbage and its disposal)
- 4)Distance certificate from Irrigation department regarding distance of

## Maharashtra Pollution Control Board

	<p>project from river or map showing STP &amp; MSW distance is above 100 mtrs and 500 mtrs from HFL line of river.</p> <p>5) Details regarding DG Sets and fuel quantity.</p> <p><b><u>Mailed to SRO/RO dated 1/8/2014 and 22/8/2014 for delay of submission of SRO consent processing along with present construction status of the project and SRO has communicated only construction status by fax on 25/8/2014 that PP has started construction work upto 10%</u></b></p>
<b>Recommendation of SRO/RO</b>	Recommended for C to E after submission reply of query letter issued by SRO.