

**List of Cases to be submitted before 20th Consent Committee Meeting of 2014-15
scheduled on 26.12.2014 at 11:00 a.m. (Booklet No. - 38)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Jangid Construction, "Jangid Galaxy", S. No. 199/7, Kavesar, Thane	121.50 Crs.	Establish	RO(HQ)	1 to 18	
2	Raj Enterprises, "Y.K. Nagar", at S. No. 346B+356B, H. No. B, S. No. 346B+356B, H. No. C.S. No. 347, H. no. 1, A/4, Village - Bolinj, Tal- Vasai, Dist- Thane	24.38 Crs.	1st Operate (Part)	RO(HQ)	19 to 37	
3	Hoerbiger India Pvt. Ltd., Gut No. 303/1, 310, 312, 313, 314, 316, Village - Kondapuri, Tal - Shirur, Dist - Pune	44.84 Crs.	Operate	JD(APC)	38 to 64	
4	Western Coalfield Ltd., Dhorwasa Open Cast Coal Mine, Telwasa Sub Aera, Post - Bhadrawati, Dist - Chandrapur	23.89 Crs.	Renewal	JD(APC)	65 - 93	
5	Shri Adinath Sahakari Sakhar Karkhana Ltd., Shelgaon, Bhalwani, Adinathnagar, Tal - Karmala, Dist - Solapur	28..30 Crs.	Renewal	JD(WPC)	94 - 117	
Fresh Agenda						
1	Bhagwati Builders and Developers, Sector - 9, Ulwe, Navi Mumbai	82.61 Crs.	Establish	RO(HQ)	118 - 128	
2	Xrbia Developers Ltd., "Megacity Warai", S. No. 6(Part), 9(Part), 10(Part), 12(Part) At Village - Warai, Tal - Karjat, Dist - Raigad	94.90 Crs.	Establish	RO(HQ)	129 - 141	
3	Money Magnum Nest Pvt. Ltd., CTS No. 5808(pt), F.P. No. 274(pt) of TPS - III, Village - Ghatkopar, Ghatkopar(E), Mumbai	95.70 Crs.	Establish	RO(HQ)	142 - 156	
4	Satyam Builders & Land Developers, "Imperial Heights", Sector 11, Ghansoli, Navi Mumbai	80.47 Crs.	Establish	RO(HQ)	157 - 169	
5	Shagun Reality, "Whit Woods", Plot No. 204, Sector - 23, Ulwe, Navi Mumbai	41.25 Crs.	Estalish	RO(HQ)	170 - 183	
6	Neeta Developers, Shree Sai Seva Krupa CHS Ltd. & Santaji Dhanaji SRA CHS (Prop)", CTSA No. 4C & 4C/a to 4C/22, Village Kurla III, Neharu Nagar, Kurla(E), Mumbai	96 Crs.	Establish	RO(HQ)	184 - 197	
7	Satyam Developers, Sahakarwadi Saharkar SRA Cha Ltd., CTS No. 62/A2 to 62/A6, Dindoshi, Goregaon(E), Mumbai	50 Crs.	Establish	RO(HQ)	198 - 207	
8	Dharmesh Construction Pvt. Ltd., "Acme Hills", CTS No. 827 D/1(pt), Shree Krishna Nagar, Film City Road, Goregaon(E), Mumbai	195.97 Crs.	Establish (Amendment)	RO(HQ)	208 - 222	
9	The Dharamsi Morarji Chemicals Co. Ltd., Plot No. - 105-A, MIDC Dhatav, Dist- Raigad	66.41 Crs.	Establish (Expansion)	AS(T)	223 - 239	
10	Shri Tradco Dessan Pvt. Ltd., Sr. No. 93/94, Mumbai - Agra Road, Biladi Phata, Deopur, Tal & Dist: Dhule	15 Crs.	Establish (Expansion)	JD(WPC)	240 - 253	
11	Reliance Infrastructure Ltd., Plot A, CTS No. 34, F.P.No. 61 of TPS V, Santacruz (E), Mumbai	349.25 Crs.	1st Operate	RO(HQ)	254 - 268	
12	Puranik Builders Pvt. Ltd., "Puranik City Phase III", S. No. 51/2 of Village - Vadavali, Sr. No. 59/2, 59/3, 60, 61/3, 61/4A, 64/2, 64/3(pt) at Village - Mogharpada, Thane(W)	51.69 Crs.	1st Operate (Part)	RO(HQ)	269 - 284	

13	Anshul Speciality Molecule Ltd., 108/109/110 MIDC Dhatav Roha, Dist - Raigad	37.75 Crs.	Amedment (change in product mix)	AS(T)	285 - 297	
14	Arkema Chemicals Pvt. Ltd., D - 43(1), TTC MIDC, Shrvane, Navi Mumbai	39.05 Crs.	Renewal (Amalgamation)	AS(T)	298 - 323	
15	Maharashtra Polybutenes Ltd., Plot No. R-802, TTC Industrial Area, T.B. Road, Navi Mumbai	42.97 Crs.	Renewal (with increasae in C.I.)	AS(T)	324 - 341	
16	Superb Hygienic Disposal, CBMWTSDF, Nagpur	1.02 Crs.	Operate	PSO	342 - 346	
17	Enviro Vigil, TMC Chatrrapati Shivaji Maharaj Campus, Kalwa, Thane	13 lakh	Operate	PSO	347 - 369	
18	S. S. Services, Sewage Treatment Plant Compund, S. No. 638, C.S. No. 17695, Near Sangli Naka, Ichalkaranji	24.42 lakhs	Operate	PSO	370 - 388	
19	FJFM Hospital Vadala Mission, Tal. - Newasa, Dist - Ahmednagar	42.18 lakhs	Operate	PSO	389 - 415	
20	St. Lukes Hospital, Shirampur	1.43 Crs.	Operate	PSO	416 - 437	
21	Hirananda Healthcare Pvt. Ltd., Navi Mumbai	77.63 Crs.	Operate	PSO	438 - 461	
22	Sakhar Kamgar Hospital Trust, Ahmednagar	63.01 lakhs	Operate	PSO	462 - 477	
23	Johnson and Johnson Limited, MIDC Waluj, Aurangabad	42.79 Crs.	Operate	PSO	478 - 504	
24	Jai Bhavani Sahakari Sakhar Karkhana Ltd., Shivaji Nagar, Tal: georai, Dist: Beed	54.37 Crs.	Renewal	JD(WPC)	505 - 515	
25	Vasant Sahakari Sakhar karkhana Ltd., Pusad, At Pophali, Tal - Umerkhed	32.41 Crs.	Renewal	JD(WPC)	516 - 524	
26	Pratapgad SSK Ltd., At - Songaon-Karandoshi, Tal - Jawali, Dist - Satara	39.93 Crs.	Renewal	JD(WPC)	525 - 533	
27	Deccan Sugar Pvt. Ltd., At mangrul, Post - Belora, Tal & Dist - Yavatmal	27.06 Crs.	Renewal	JD(WPC)	534 - 539	
28	Poonam Garden Development, Plot No. 472/1, 453, 479/7, 454, Village - Navghar, Mira Road (E), Dist - Thane	89.68 Crs.	Renewal	RO(HQ)	540 - 554	
29	Tata Motors Ltd., Sr. No. 59-62, PO - Bebedohol Opposite Mumbai Pune Highway, Tal - Maval, Dist - Pune	51.82 Crs.	Renewal	JD(APC)	555 - 571	
30	Ace Calderys Limited (Nagapur Refractory Work), Plot No. (A1/1 & A1/P)/2, MIDC Butibori, Dist - Nagpur	34.85 Crs.	Renewal	JD(APC)	572 - 587	
31	KEC International Limited, Plot No. B-215, MIDC Butibori, Tal - Hingna, Dist - Nagpur	43.22 Crs.	Renewal	JD(APC)	588 - 603	
32	Shree Bhimeshwari Ispat Pvt. Ltd., Plot No. J-17, Additional MIDC Satara, Tal & Dist - Satara	37.13 Crs.	Renewal	JD(APC)	604 - 618	
	Fresh Agenda - New Entry to CC					
1	Kopran Ltd., Plot No. K-4/4, MIDC Mahad, Dist - Raigad	47.25 Crs.	Renewal (with change in product mix)	AS(T)	619 - 651	

	Review Item					
1	Gangacare Hospital Ltd., Panchsheel Square, Nagpur	_____	_____	PSO	652 - 673	
2	Ashar Realtors, S. No. 324A, Vill. Majiwade, Pokhran Road No. 2, Thane	_____	_____	RO(HQ)	674 - 678	
3	Request for extension "Time for Compliance" of M/s Nagreeka Export Ltd.	_____	_____	JD(WPC)	679 - 690	
4	Draft Guideline & Bank Guarantee Regime for Captive Incinerators	_____	_____	JD(APC)	691 - 716	
5	Application for renewal of consents of Dahanu Area.	_____	_____	JD(APC)	717 - 723	
	JD(WPC)	6				
	AS(T)	5				
	RO(HQ)	13				
	JD(APC)	6				
	PSO	8				
	Total	38				

CC- Resubmission Agenda

Agenda no. 1

Region : Thane	Section :RO(HQ)	SRO Date :- 01/09/2014 RO(HQ) Date :- 13/10/2014
Name & Address	M/s.Jangid Construction,"Jangid Galaxy",S.No.199/7,Kavesar,Thane.	
Consent For	C to E	
Capital Investment	121.50 Crs.	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr.	
Industry Category	Orange	

Resubmission

CC Date	24/11/2014
CC decision	It was decided to issue SCN for refusal of consent to establish & stop work as PP has started construction work without C to E & EC
SCN Issued on	04/12/2014
Reply received on	12/12/2014
Reply	<p>1) They already stopped construction activities.</p> <p>2) They have started construction activities after getting CC from TMC & total construction work is 12,168.74 sq.m which is below 20,000 sq.m & also they have applied for EC on 30/11/2012.</p> <p>3) N.A. orders obtained from District Collector.</p>
FO	<ul style="list-style-type: none"> ➤ PP has applied for EC on 30/11/2012(copy enclosed) & also they have stopped construction activities. ➤ We may place case before CC for further decision.
RO(HQ)	<ul style="list-style-type: none"> ➤ SCN was issued on 4/12/2014 as per decision of CC dtd. 24/11/2014 for starting construction without C to E & EC ➤ Reply dtd. 8/12/2014 to SCN is received from PP on 18/12/2014 ➤ PP communicated that they have stopped construction activity ➤ In view of the this,we may consider C to E with condition not to take further effective steps till EC + BG of Rs.5 lakh for compliance of C to E condition + affidavit for CRZ + BG Of Rs. 2 lakh for BR.

Maharashtra Pollution Control Board

Agenda no. 2

Region : Thane	Section : RO(HQ)	SRO Date :- 02/08/2014 RO(HQ) Date :- 13/10/2014
Name & Address	M/s.Raj Enterprises, "Y.K.Nagar", at S.No. 346B+356B, H.No. B, S.No. 346B+356B, H.No.C,S.No.347,H.No.1,A/4,Village-Bolinj,Tal-Vasai,Dist-Thane	
Consent For	C to O (Part)	
Capital Investment	24.38 Crs	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr.	
Industry Category	Orange	

Resubmission

CC Date	24/11/2014
CC decision	It was decided to keep case abeyance & put up in next CC after clarification regarding EC revalidation
SCN Issued on	E-mail send to PP on 09/12/2014
Reply received on	18/12/2014
Reply	Proposal of revalidation with expansion was discussed in 77 th meeting of SEIAA held on 26 th ,27 th & 29 th November,2014.(Minutes enclosed) & SEIAA has recommended to grant EC
FO	<ul style="list-style-type: none"> ➤ The case was discussed in the 77th meeting of SEIAA dtd.26,27 & 29/11/2014 & it was decided to grant EC to the project for Total Plot Area- 25,930 sq.m & Total BUA-44,023.57 sq.m ➤ We may place case before CC for further decision.
RO(HQ)	<ul style="list-style-type: none"> ➤ Application for part C to O. ➤ Discussed in CC dtd. 24/11/2014,decided to keep abeyance & put up after clarification about EC revalidation. ➤ Mail sent to PP on 09/12/2014 reg. clarification of revalidation of EC. ➤ PP replied on 18/12/2014,states that proposal for revalidation of EC was discussed in the 77th meeting of SEIAA held on 26th,27th,29th November,2014 & it was decided to grant EC but yet not granted. ➤ We may consider part C to O after receipt of EC copy from PP with BG of Rs. 3 lakh + affidavit for part C to O.

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : JD(APC)		Date : /12/2014
Name & Address	M/s. Hoerbiger India Pvt. Ltd.,Gut no.303/1,310,312,313,314,316,Village:Kondapuri,Tal :Shirur, Dist. Pune		
Consent For	Consent to Establish/ operate for additional activity.		
Capital Investment	44.84 Crs.		
Previous Consent Validity	Consent to operate 31.01.2015 under Green category.		
Industry Type	R-36 Heat treatment activity.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes (√)		
	Details :- domestic effluent : 18.5 CMD STP Provided, Industrial 1.2 CMD ETP provided [Only collection tank provided]		
Compliance Of Air Pollution Related Conditions	Yes- Dust collector to shot blasting section.		
Water Cess	Assessment Done : ---	Paid Upto :---	
<u>BG Details</u>	<u>Amount : -----</u>	<u>Validity :-----</u>	
	<u>BG Obtained against : ---</u>		
	<u>Details of BG forfeited/encashed , if any : -----</u>		
Submission of Environmental Statement	Period	2012-.13	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. Industry has applied for consent to establish and operate for additional activity.i.e.Heat treatment, shot blasting and ultrasonic activity.2. Earlier consent obtained under green category vide No. ROP/E-26/CC/UB/Pune/513/12 dated 01.09.2012 valid till 31.01.2015.3. Unit located 6.0 km from River Vel [A-II Class] Satisfies RRZ.4. Unit not covered under Western Ghat area.5. As per CPCB industry category this additional activity falls under red category-R-36. [Heat treatment]6. This case was discussed in the CC meeting held 05.11.2014.In this meeting it was decided to issue SCN for refusal of consent as industry has started operation of additional activity without obtaining consent to establish.7. Industry has submitted reply vide letter dated 20.11.2014 stating that shot blasting activity is in existence from 2003 and stress relieving furnaces are not new furnaces. And ultrasonic activity is part of R& D activity.
Recommendation of SRO/RO	<ol style="list-style-type: none">1. RO –Pune has reported that industry has started additional activities without obtaining permission from the Board.

Maharashtra Pollution Control Board

Agenda no. 4

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: /12/2014
Name & Address	M/s. Western Coalfield Ltd, Dhorwasa Open Cast Coal Mine, Telwasa Sub Area, Post: Bhadrawati, Dist: Chandrapur.	
Consent for	Renewal of consent.	
Capital Investment	Rs. 23.89 Crores	
Consent Valid up to	31.03.2014	
Industry Type	Coal Mine	
Industry Category	RED/LSI	
Compliance of Water Pollution Related Conditions	YES (Y)	
	Domestic Effluent-72 CMD. STP of capacity 0.40 MLD Industrial Effluent – 10890 CMD. Including mine discharge.	
Compliance of Air Pollution Related Conditions	YES (Y)	
	Water sprinkling during transportation/loading/unloading of coal provided.	
Water Cess	Assessment Done: ---.	Paid up to: ---.
BG Details	Amount: Rs.5.0 Lakhs	Validity: 10/05/2013
	BG obtained against: Towards compliance of ID.	
	Details of BG forfeited/ encashed, if any: ---	
Submission of Environmental Statement	---	
Other Relevant Information	<ol style="list-style-type: none"> 1) Heavy dust emission was observed at Weigh Bridge area due to coal transportation. 2) They have installed rain guns for water spraying but not found in operation. 3) The road at weigh bridge area is totally damaged and dust was observed accumulated on approach road which leads into heavy dust emissions during coal transportation. 4) 4) They have installed fixed water sprinklers at coal stockyard but not found in operation. 5) Justification as present Capital investment shown as Rs. Rs. 23.89 cr but in previous consent it was mentioned as Rs. 62.74 Cr not submitted. 6) Bank Guarantee of Rs. 5.0 Lakhs as per previous consent condition towards O & M of pollution control system not submitted. 7) The case was discussed in Boards CC Meeting, dt: 11/08/2014 and it was decided to issue SCN for refusal for the non compliances. SCN for refusal issued vide dt: 21/08/2014. 8) In response to SCN for refusal applicant has submitted reply dt: 12/12/2014 and stated as, 	

Maharashtra Pollution Control Board

	<ol style="list-style-type: none">1) Due to peak summer season & unavailability of sufficient mine water discharge water sprinkling was not proper.2) Weigh bridge road has been repaired and in addition they are going to black topped road amounting Rs. 21 Lacs very shortly.3) Water sprinklers provided at coal stack yards.4) Actual CI is Rs. 23.89 Cr.5) Applicant has already applied for revocation of BG of Rs. 5.0 Lakhs towards O & M.
Recommendation of SRO/RO	Recommended the case for grant of renewal of consent to operate up to 31/06/2016 with a condition to forfeit the BG of Rs. 5.0 lacs and obtaining suitable BG for proper operation and maintenance of air pollution control systems

Maharashtra Pollution Control Board

Agenda no. 5

Region : SRO Solapur		Section : JD (WPC)		Date : 24.12.2014.	
Name & Address		M/s. Shri Adinath Sahakari Sakhar Karkhana Ltd. , Shelgaon, Bhalwani, Adinathnagar, Tal-Karmala,Dist-Solapur			
Consent For		Applied for renewal of consent.			
Capital Investment		Capital Investment of Rs. 28.30 Cr.			
Previous Consent Validity		Valid upto: 30.08.2014.			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI.			
Compliance Of Water Pollution Related Conditions		YES			
		<p>Details :- ETP comprising, oil skimmer, flow meter primary tube settle, diffused aeration, secondary clarifier, activated carbon filter & pressure sand filter provided.</p> <p>Industry has started work of ETP up gradation.</p> <p>JVS result is not submitted.</p>			
Compliance Of Air Pollution Related Conditions		Industry has provided multi-cyclone dust collector to boiler.			
Water Cess		Assessment Done :		Paid Upto :	
BG Details		<p>A) <u>Amount :</u> Rs. 2.0/- Lakhs.</p> <p>B) <u>Amount:</u> Rs. 2.0/- Lakhs.</p> <p>C) <u>Amount</u> Rs. 4.0/- Lakhs</p> <p>D) <u>Amount:</u> Rs. 5.0/- Lakhs.</p> <p>E) <u>Amount:</u> Rs. 30.10/- Lakhs.</p>		<p><u>Validity :</u> 13.07.2016.</p> <p>Validity: 13.07.2017.</p> <p>Validity : 13.07.2016.</p> <p>Validity: 13.07.2016.</p> <p>Validity: 09.09.2015.</p>	
		<p>A) <u>BG Obtained against :</u> submitted against consent condition dated 17.10.2012 towards providing necessary arrangements to cover the effluent collection system to avoid ingress of bagasse and other materials.</p> <p>B) <u>BG Obtained against:</u> as per consent dtd. 17.10.2012.any non – compliance of consent conditions/directions or damage etc. caused to the Environment by reason of any breach of provisions .</p> <p>C) <u>BG Obtained against:</u> ,As per consent dtd. 17.10.2012,.Towards the compliance of the CREP Norms.</p>			

Maharashtra Pollution Control Board

	<p>D) BG Obtained against: As per consent dtd. 17.10.2012, Towards the O & M of ETP and Air pollution control devices.</p> <p>E) BG obtained against: As per consent dtd. 05.08.2014.</p>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	Not submitted.
Other Relevant Information	<ol style="list-style-type: none"> 1) The cane crushing capacity of the unit is 2500 TCD. 2) Industry has reduced the waste water generation qty. to 100 liters per ton of cane crushed. 3) Industry has provided multi-cyclone dust collector to boiler. 4) 60, acres land available for disposal of treated effluent, which is adequate. 5) Industry has covered the effluent collection system to avoid the ingress of bagasse & other material. 	
Recommendation of SRO/RO	---	
Re-submitted	<p>As per CC decision dated 10.10.2014 SCN for refusal of consent was issued on 28.11.2014 for following non compliances.</p> <ol style="list-style-type: none"> 1) Industry has not provided adequate air pollution Control system as per CREP guidelines. 2) Industry has not provided flow meter and data logger for recording purpose at the inlet of ETP of sugar unit. <p>Thereafter, Industry has submitted compliance report on 04.12.2014 which is as below.</p> <ol style="list-style-type: none"> 1) Under the compliance of CREP norms for up gradation of air pollution control system by providing wet scrubber is under progress. The erection and commissioning of same will be done as early as possible. 2) Provided flow meter for recording purpose at the inlet of ETP as on 10.11.2014. <p>In view of above compliance made by the industry we may grant consent for further period of 6 months, if approved.</p>	

CC-Fresh Agenda

Agenda no. 1

Region : Raigad	Section : RO(HQ)	Date :SRO Date of receipt;- 26/9/2014		
		Ro (HQ) Date of receipt;- 26/11/2014		
Name & Address	M/s.Bhagwati builders and developers., Sector-9,Ulwe, Navi Mumbai			
Consent For	C to E			
Capital Investment	Rs.82.61Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :- Water Consumption :- 250.02 CMD , Effluent Generated :- 180.42 CMD Proposed STP Capacity :- 200CMD			
Water Cess	Assessment Done :-	Paid Upto :		
BG Details	Amount :	Validity :		
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for consent to establish for construction of residential project			
	Applied for	C to E	Residential project.	
	Plot Area	12,099.850 sq.mtrs	Built up area	53,228.467 sq. mtrs
	EC Status	Obtained	Dated	12/5/2014
	Plot Area	12,099.850 sq.mtrs	Built up area	53,228.467 sq. mtrs In EC total construction BUA is not mentioned only FSI & Non FSI Separately mentioned FSI:18107.927 Sq. Mtrs &

Maharashtra Pollution Control Board

				Non FSI:35,120.54 Sq.Mtrs
	Water Consumption	250.02CMD	Effluent Generated	180.42 CMD
	STP Capacity	200 CMD		
	Bio-degradable	410 Kg/D	Treatment	Will be treated in OWC
	Non-Bio degradable	280 Kg/Day	Treatment	Will be given to authorized party.
	Construction status	Not started	Date of Visit	As per SRO Noting.
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Maharashtra Pollution Control Board

Agenda no. 2

Region : Raigad	Section : RO(HQ)	SRO Date of receipt:- 07/11/2014 RO (HQ) Date of receipt:- 20/12/2014		
Name & Address	M/s. Xrbia Developers Ltd , "Megacity Warai", S.No.6(part),9(part),10(part),12(part) at Village- Warai,Tal-Karjat,Dist-Raigad			
Consent For	C to E			
Capital Investment	Rs.94.90 Crs.			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 978 CMD , Effluent Generated :- 782 CMD, Proposed 2 nos. of STP Capacity :- 650 & 150 CMD each			
Water Cess	Assessment Done :- ---	Paid Upto : ---		
BG Details	Amount : ---	Validity : ---		
	BG Obtained against : ---			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for grant of Consent to Establish for construction of residential project.			
	Applied for	Consent to Establish	Residential Project	
	Plot Area	90,350.0 sq.m	Built up area	73,505.0 sq.m
	EC Status	Obtained from GOM	Dated	30/09/2014
	Plot Area	90,350.0 sq.m	Built up area	73,505.0 sq.m
	Bio-degradable	1450 Kg/D	Treatment	Proposed to provide OWC
	Non-Bio degradable	2170 Kg/D	Treatment	Will be given to

Maharashtra Pollution Control Board

				authorized party.
	STP Sludge	57 Kg/D		Used as manure
	No of DG Sets	3 nos.	Capacity	100,125,250 KVA
	Construction Status	Not started	Date of Visit	17/12/2014
Recommendation of SRO/RO	SRO Raigad-II reported C to E may be granted ,if approved.			

Maharashtra Pollution Control Board

Agenda no. 3

Region : Mumbai	Section : RO(HQ)	SRO Date of receipt:- 07/10/2014	
		Ro (HQ) Date of receipt:- 01/12/2014	
Name & Address	M/s. Money Magnum Nest Pvt. Ltd, CTS No. 5808 (pt), F.P. No. 274(pt) of TPS – III Village Ghatkopar, Ghatkopar (E), Mumbai - 77.		
Consent For	C to E		
Capital Investment	Rs. 95.70 Crs.		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()		NO ()
	Details :- Water Consumption :- 348.0 CMD , Effluent Generated :- 298.0 CMD, Provided STP 2 Nos. of total Capacity :- 202 CMD		
Water Cess	Assessment Done :- ---		Paid Upto : ---
BG Details	Amount : Rs.-		Validity :
	BG Obtained against:		
	Details of BG forfeited/encashed, if any :		
Other Relevant Information	Application for grant of Consent to Establish for construction of residential cum commercial building project under SRA scheme.		
	Applied for	Consent to Establish	Residential Cum Commercial Project
	Plot Area	8954.10 sq.m	Built up area 51315.54 sq.m
	EC Status	Obtained	Dated 01/07/2013
	Plot Area	8954.10 sq.m	Built up area 51315.54 sq.m
	Bio-degradable	851 Kg/day	Treatment Mechanical Composting
	Non-Bio	406 Kg/day	Treatment Will be given to

Maharashtra Pollution Control Board

	degradable			authorized party.
	STP Sludge	45 Kg/D		Used as manure
	No of DG Sets	2.nos.	Capacity	320 KVA & 450 KVA
	Construction status	Demolition and land leveling	Date of Visit	15/11/2014
Recommendation of SRO/RO	SRO Mumbai – III reported that C to E may be granted.			

Maharashtra Pollution Control Board

Agenda no. 4

Region : Navi Mumbai	Section : RO(HQ)	SRO Date of receipt:- 07/10/2014 Ro (HQ) Date of receipt:- 15/12/2014	
Name & Address	M/s. Satyam Builders & Land Developers, "Imperial Heights," Sector 11, Ghansoli, Navi Mumbai.		
Consent For	C to E		
Capital Investment	Rs. 80.47 Crs.		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :- 142.65 CMD , Effluent Generated :- 128.4 CMD, Provided STP Capacity :- 130 CMD		
Water Cess	Assessment Done :- ---	Paid Upto : ---	
BG Details	Amount : Rs.-	Validity :	
	BG Obtained against:		
	Details of BG forfeited/encashed, if any :		
Other Relevant Information	Application for grant of Consent to Establish for construction of residential cum commercial building project.		
	Applied for	Consent to Establish	Residential Cum Commercial Project
	Plot Area	13027.775 sq.m	Built up area 69600.251 sq.m
	EC Status	Obtained from GOM	Dated 10/04/2014
	Plot Area	13027.775 sq.m	Built up area 69600.251 sq.m
	Bio-degradable	0.33 T/D	Treatment OWC
	Non-Bio	0.22 T/D	Treatment Will be given to

Maharashtra Pollution Control Board

	degradable			authorized party.
	STP Sludge	50 Kg/D		Used as manure
	No of DG Sets	1.nos.	Capacity	400 KVA
	Construction status	----	Date of Visit	----
Recommendation of SRO/RO	SRO Navi Mumbai – II reported that C to E may be granted.			

Maharashtra Pollution Control Board

Agenda no. 5

Region : Raigad	Section : RO(HQ)	SRO Date of receipt:- 20/10/2014		
		Ro (HQ) Date of receipt:- 12/12/2014		
Name & Address	M/s. Shagun Reality, "Whit Woods," Plot No. 204, Sector 23, Ulwe, Navi Mumbai, Tal-Panvel, Dist-Raigad.			
Consent For	C to E			
Capital Investment	41.25 Crs			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 149.51 CMD , Effluent Generated :- 104.74 CMD, Proposed STP of Capacity :- 120 CMD			
Water Cess	Assessment Done :- ---		Paid Upto : ---	
BG Details	Amount :		Validity :	
	BG Obtained against:			
	Details of BG forfeited/encashed, if any :			
Other Relevant Information	Application for grant of Consent to Establish for construction of residential building project.			
	Applied for	Consent to Establish Residential Project		
	Plot Area	6898.90 sq.m	Built up area	29499.211 sq.m.
	EC Status	Obtained from GOM	Dated	05/09/2014
	Plot Area	6898.90 sq.m	Built up area	29499.211 sq.m.
	Bio-degradable	0.25 T/D	Treatment	OWC
	Non-Bio degradable	0.16 T/D	Treatment	Will be given to authorized party.

Maharashtra Pollution Control Board

	STP Sludge	20 Kg/D		Used as manure
	No of DG Sets	2.nos.	Capacity	400 KVA
	Construction status		Date of Visit	
Recommendation of SRO/RO	SRO Raigad – I reported that this is construction of residential building project, C to E may be granted after CC from CIDCO is obtained.			

Maharashtra Pollution Control Board

Agenda no. 6

Region : Mumbai	Section : RO(HQ)	SRO Date of receipt:- 16/10/2014	
		Ro (HQ) Date of receipt:- 15/12/2014	
Name & Address	M/s. Neeta Developers, "Shree Sai Seva Krupa CHS Ltd., Varsha Adarsh CHS Ltd., & Santaji Dhanaji SRA CHS (prop)," CTS No. 4C & 4C/a to 4C/22 Village Kurla III, Neharu Nagar, Kurla (E) Mumbai.		
Consent For	C to E		
Capital Investment	Rs. 96.00 Crs.		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()		NO ()
	Details :- Water Consumption :- 458.00 CMD , Effluent Generated :- 410.00 CMD, Provided STP 2 Nos. of Capacity :- 415 CMD		
Water Cess	Assessment Done :- ---		Paid Upto : ---
BG Details	Amount : Rs.-		Validity :
	BG Obtained against:		
	Details of BG forfeited/encashed, if any :		
Other Relevant Information	Application for grant of Consent to Establish for construction of residential cum commercial building project under SRA scheme.		
	Applied for	Consent to Establish	Residential Cum Commercial Project
	Plot Area	7320.37 sq.m	Built up area 32546.59
	EC Status	Obtained from GOM	Dated 07/10/2014
	Plot Area	7320.37 sq.m	Built up area 32546.59 sq.m
	Bio-degradable	1.011 T/D	Treatment OWC
	Non-Bio	0.709	Treatment Will be given to

Maharashtra Pollution Control Board

	degradable			authorized party.
	STP Sludge	40 Kg/D		Used as manure
	No of DG Sets	2.nos.	Capacity	100 KVA & 125 KVA
	Construction status	Started	Date of Visit	18/11/2014
Recommendation of SRO/RO	SRO Mumbai – II reported that this is construction of residential cum commercial building project under SRA scheme and PP has started construction work without C to E.			

Maharashtra Pollution Control Board

Agenda no. 7

Region : Mumbai	Section : RO(HQ)	SRO Date of receipt:- 14/10/2014 Ro (HQ) Date of receipt:- 15/12/2014
Name & Address	M/s. Satyam Developers,Sahakarwadi Saharkar SRA CHS Ltd., CTS No.62/A2 to 62/A6,Dindoshi,Goregaon (E),Mumbai.	
Consent For	C to E	
Capital Investment	Rs. 50.0 Crs.	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 228.0 CMD , Effluent Generated :- 200.0 CMD, Provided STP Capacity :- 210 CMD	
Water Cess	Assessment Done :- ---	Paid Upto : ---
<u>BG Details</u>	<u>Amount</u> : Rs.-	<u>Validity</u> :
	<u>BG Obtained against:</u>	
	<u>Details of BG forfeited/encashed, if any :</u>	

Maharashtra Pollution Control Board

Other Relevant Information	Application for grant of Consent to Establish for construction of residential cum commercial building project under SRA scheme.				
	Applied for	Consent to Establish		Residential Cum Commercial Project	
	Plot Area	5,768.00 sq.m		Built up area 27,515.00 sq.m	
	EC Status	Applied		Dated 16/06/2014	
	Plot Area	5,768.00 sq.m		Built up area 27,515.00 sq.m	
	Bio-degradable	359 Kg/day		Treatment Mechanical Composting	
	Non-Bio degradable	293 Kg/day		Treatment Will be given to authorized party.	
	STP Sludge	12 Kg/D		Used as manure	
	No of DG Sets	1.nos.		Capacity 380 KVA	
	Construction status	completed		Date of Visit 17/11/2014	
	Recommendation of SRO/RO	SRO Mumbai – II reported that PP has applied for EC however Envi. Dept., GOM has issued directions vide letter dtd. 11/06/2014 & directed to MPCB to file prosecution against PP. Accordingly RO, Mumbai has filed prosecution vide case no. 240/SW/2014 dtd.24/07/2014 now the matter is sub judice.			

Maharashtra Pollution Control Board

Agenda no. 8

Region : Mumbai	Section : RO(HQ)		Date :SRO Date of receipt;- 9/9/2014	
			Ro (HQ) Date of receipt;- 20/09/2014	
Name & Address	M/s.Dharmesh construction Pvt. Ltd., “Acme Hills” CTS No.827 D/1(pt),Shree Krishna nagar, Film city road, Goregaon(E),Mumbai-400065.			
Consent For	C to E			
Capital Investment	Rs.195.97 Cr			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
P	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 1058 CMD , Effluent Generated :- 873 CMD Proposed STP Capacity :-311CMD,280CMD,289CMD			
Water Cess	Assessment Done :-		Paid Upto :	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for Amendment in consent to establish for construction of residential project under SRA Scheme.			
	Applied for	Amendment in	Residential project under SRA Scheme.	
		C to E		
	Plot Area	16,172.25	Built up area	1,07,408.81sq. mtrs
		sq.mtrs		
	Previous consent	C to E	Dated	1.9.2009
	Plot Area	16,172.25	Built up area	64,401.56 sq. mtrs
		sq.mtrs		
EC Status	Obtained	Dated	3.2.2011	

Maharashtra Pollution Control Board

	Plot Area	16,172.25 sq.mtrs		Built up area	90,107.85 sq. mtrs
	Water Consumption	1058 CMD		Effluent Generated	873 CMD
	STP Capacity	311CMD 280CMD 289 CMD			
	Bio-degradable	2204 Kg/D		Treatment	Will be treated in OWC
	Non-Bio degradable	1457 Kg/Day		Treatment	Will be given to authorizedparty.
	STP Sludge	88 Kg/Day			
	No of DG Sets	5 Nos		Capacity	250 KVA x4,750 KVA
	Construction status	Construction work of one rehab building is completed		Date of Visit	As mentioned in SRO.
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish				

Maharashtra Pollution Control Board

Agenda no. 9

Region : Raigad	Section :AST		Date :
Name & Address	The Dharamsi Morarji Chemicals Co Ltd, Plot No-105-A MIDC Dhatav Dist-Raigad.		
Consent For	Consent to Establish Expansion		
Capital Investment	Existing-66.41 Cr applied for 1.24 Cr		
Previous Consent Validity	31/12/2014.		
Industry Type	R05 Basic chemical and electro chemicals and it derivatives.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - Primary, secondary and tertiary treatment provided .		
Compliance Of Air Pollution Related Conditions	YES ()	NO ()	
	Details: - scrubber proposed		
Water Cess	Assessment Done :	Paid Upto :	
BG Details	Amount :	Validity :	
	BG Obtained against:		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	Application received from CAC cell which was forwarded by SRO to the cell. The application is for consent to Establish Expansion with C.I of Rs. 1.24 Cr. The exiting consent is valid upto-31/12/2014 with C.I of Rs.66.41 Cr. It is in preview of CC. Regarding the existing consent Non-Compliance issued were reported by SRO/RO and this office has issued safe closure upto12/12/2014 .The applied products require E.C and falls in western Ghat area (Dhatav City),However the unit is located in MIDC Dhatav Tq-Roha Dist-Raigad.		

Maharashtra Pollution Control Board

Recommendation of SRO	Industry has applied for C2E for expansion. Existing consent to operate is valid up to 31/12/2014. The expansion products are synthetic organic chemicals hence EC is applicable, industry has not yet obtained EC. Applicability of Western Ghat Notification is to be confirmed before issuing Consent. The JVS results of ETP outlet are exceeding the prescribed limit; also industry is discharging untreated effluent directly into storm nalla; for the various non-compliance proposal for issuance of directions is submitted to HQ. It is submitted that the application for C2E for the expansion may be refused & suitable directions may be issued to industry, if approved.
------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Maharashtra Pollution Control Board

Agenda no. 10

Region : SRO Dhule		Section : JD-WPC		Date : 12.12.2014	
Name & Address		Shri Tradco Dessan Pvt. Ltd. , Sr. No. 93/94, Mumbai Agra road, Biladi Phata, Deopur, Tal & Dist. Dhule			
Consent For		CE			
Capital Investment		15.00 Crores			
Previous Consent Validity		30.11.2014			
Industry Type		R46 Manufacturing of Starch/Sago			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Industrial water consumption is 1165 CMD whereas I.E. generation is 860 CMD.Domestic water consumption is 25 CMD whereas D.E. generation is 20 CMD.			
Water Cess		Assessment Done :		Paid Upto :	
BG Details		Amount : Rs. 5.0 Lacks		Validity : 30/11/2014	
		BG Obtained against : towards O & M of pollution control equipments as per Consent condition			
		Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement		Period		Details not submitted by SRO.	
Other Relevant Information		<p>Industry has applied for consent to establish for expansion of electricity generation plant of 1.25 M.W. /day and Maize Starch Powder- 3854 MT/M. The electricity will be generated with the help of biogas</p> <p>The existing industry is located at about 0.5 Km from notified River Panzara</p>			

Maharashtra Pollution Control Board

	<p>Class(A-II).</p> <p>Industry has proposed to enhance existing capacity of ETP to treat the total (550 +860 M3/D) effluent quantity 1415 M3/D.</p> <p>Case was discussed in RRZ meeting held on 04.09.2014 and suggested to submit pollution related certificate from UDCT,Matunga, hence Industry has submitted pollution load assessment of M/s. Shri Tradco Dessan Pvt. Ltd.</p>
<p>Recommendation of SRO/RO</p>	<p>Existing consent is valid up to 30/11/2014.Now industry has applied for consent to establish for expansion of electricity generation plant of 1.25 M.W. /day and Maize Starch Powder- 3854 MT/M. The electricity will be generated with the help of biogas. SRO has stated that, industry is having existing ETP of capacity 600 M3/d and they have propose to enhance the capacity of same up to 1425 M3/d to treat the total effluent. Industry has provided mechanical dust collector followed by bag filters to the coal fired boiler. Industry has submitted the Bank guarantee of Rs.5.0 Lac towards the O and M of pollution control equipments which is valid up to 30/11/2014. The existing industry is located at about 0.5 Km from notified River Panzara there is increase in pollution load due to expansion. However SRO has recommended that decision regarding grant of Consent to establish for the Expansion may be taken at HQ level. In view of above the application is submitted for your consideration Please</p>

Maharashtra Pollution Control Board

Agenda no. 11

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 17/9/2014	
		Ro (HQ) Date of receipt;- 18/10/2014	
Name & Address	M/s.Reliance Infrastructure Ltd., Plot A,CTS No.34,F.P.No.61 of TPS V, Santacruz(E),Mumbai-400 055		
Consent For	Consent to 1 st Operate		
Capital Investment	Rs.349.25 Cr		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
P	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :- 332 CMD , Effluent Generated :- 162 CMD Proposed STP Capacity :165CMD		
Water Cess	Assessment Done :-	Paid Upto :	
BG Details	Amount :	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Other Relevant Information	Application for Consent to 1 st Operate for construction of IT park ie. office building project		
	Applied for	Consent to 1 st Operate	for construction of IT Park ie.office building.
	Plot Area	15,514 sq.mtrs	Built up area 61,461 sq. mtrs
	Previous consent	C to E for C.I.189.98 Cr.	Dated 8.1.2010
	Plot Area	21,432 sq.mtrs	Built up area 86,695 sq. mtrs

Maharashtra Pollution Control Board

	Amended EC Status	15,448 sq.mtrs	Dated	13.7.2012
	Plot Area	15,514 sq.mtrs	Built up area	61,367 sq. mtrs
	Water Consumption	331 CMD	Effluent Generated	162 CMD
	STP Capacity provided	165 CMD		
	Bio-degradable	235 Kg/D	Treatment	OWC Purchase order is placed.
	Non-Bio degradable	550 Kg/Day	Treatment	Will be given to authorized party.
	STP Sludge	15 Kg/Day		
	No of DG Sets	2 Nos	Capacity	1500 KVA
	Construction status	Construction work is completed	Date of Visit	As mentioned in SRO.
	<u>PP has submitted additional consent fee for increased in C.I.</u>			
Recommendation of SRO/RO	SRO Recommended grant of Consent to operate.			

Maharashtra Pollution Control Board

Agenda no. 12

Region : Thane	Section : RO(HQ)	SRO Date of receipt:- 09/10/2014 Ro (HQ) Date of receipt:- 01/12/2014		
Name & Address	M/s.Puranik Builders Pvt.Ltd.,“Puranik City Phase III”, S.No.51/2 of Village-Vadavali & S.No.59/2, 59/3, 60, 61/3, 61/4A, 64/2, 64/3(pt) at Village-Mogharpada,Thane(W).			
Consent For	C to 1 st O (Part)			
Capital Investment	Rs.51.69 Crs.			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 155 CMD , Effluent Generated :- 118 CMD, Provided STP Capacity :- 150 CMD			
Water Cess	Assessment Done :- ---		Paid Upto : ---	
BG Details	Amount : Rs.5 Lakh & Rs. 2 lakh		Validity : 18/12/2017 each	
	BG Obtained against : Towards the compliance of consent conditions.			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Application for grant of Consent to 1 st Operate (part) for construction of residential cum commercial building project.			
	Applied for	Consent to 1 st Operate (Part)	Residential Cum Commercial Project	
	Plot Area	18,750.57 sq.m	Built up area	16,690.03 sq.m
	EC Status	Obtained from GOM	Dated	17/01/2013
	Plot Area	18,750.57 sq.m	Built up area	44,695.76 sq.m
	Previous Consent	C to E	Dated	28/10/2013
	Plot Area	18,750.57 sq.m	Built up area	44,695.76 sq.m

Maharashtra Pollution Control Board

	Bio-degradable	385 Kg/D	Treatment	OWC
	Non-Bio degradable	165 Kg/D	Treatment	Will be given to authorized party.
	STP Sludge	47 Kg/D		Used as manure
	No of DG Sets	1.nos.	Capacity	320 KVA
	Construction status	Completed	Date of Visit	27/10/2014
Recommendation of SRO/RO	<p><u>SRO,Thane-I</u> reported that there is no any construction activities observed at site during visit. STP provided, Rain Water harvesting system provided. C to O (part) may be granted subject to EC conditions.</p> <p><u>RO,Thane</u> recommended that grant of part C to O shall be considered after receipt of compliance of letter issued by this office & submission of BG.</p>			

Maharashtra Pollution Control Board

Agenda no. 13

Region : Raigad	Section : AST		Date :
Name & Address	Anshul Speciality Molecule Ltd,108/109/110 MIDC Dhatav Roha Dist-Raigad.		
Consent For	Amendment with change in product mix.		
Capital Investment	Existing-31.54 cr Expansion-37.75 Cr.		
Previous Consent Validity	31/10/2018.		
Industry Type	R05 Basic chemical and electro chemicals and it derivatives.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - Oil separator, Primary collection tank, equalization tank, Primary settling tank, Bio reactor, Secondary settling tank, Guard tank. Treated effluent is discharge to RIA CETP. Design capacity of ETP is 54.0 CMD. has provided on line pH meter with data logger, also installed separate energy meter for pollution control equipments		
Water Cess	Assessment Done : Return submitted upto July-2014	Paid Upto : June-13	
BG Details	Amount : 5.0 lakh	Validity : 31/12/2016	
	BG Obtained against: no increase in pollution load/operation of two boilers at a time.		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2013-14	
Other Relevant Information	Application received from SRO Raigad-II recommending for amendment in consent with change in product Mix. The existing consent is valid upto-31/10/2018.The application was wrongly marked to CC cell, which was forwarded by the cell to our section on 2/12/2012. The C.I of Industry is increased from 31.54 cr to 37.75 cr. Industry has submitted NIPL certificate from BATU vide letter dtd-06/09/2014 and details in boards proforma. The industry has applied for change in product mix by substitution of existing product [1]S.No-7 Tetrakis (Hydroxymethyl) Phosphonium Sulphate/Chloride(THPs/THPC) – 30 MT/M OR new Product 4-Hydroxy-3iodo-5nitrobenzonitrile -5.0 MT/M ,[2]S.No-8 Calcium/Sodium Hypophosphite -15.0		

Maharashtra Pollution Control Board

	<p>MT/M OR Ethyl Oxalyl Chloride -5.0 MT/M. It is noted that due to substitution of this two products two new by products are generated and the total quantity of exiting by products is increasing by 67.45 MT/M. In view of above as the byproducts quantity is increasing than the existing consent after change in product mix, hence it does not satisfy the product mix circular dtd-14/12/2006.</p>
Recommendation of SRO	<p>Industry has applied for amendment of consent for incorporation of new products as substitute for some of the existing products without increase in pollution load. It is submitted that amendment of consent with an overriding effect to existing C2O may be granted for period up to 31/10/2018, if approved.</p>

Maharashtra Pollution Control Board

Agenda no. 14

Region : SRO Chiplun	Section : AST Section	Date : .12.2014
Name & Address	M/s Arkema Chemicals Pvt. Ltd., D-43 (1), TTC MIDC, Shrvane, Navi Mumbai.	
Consent For	Renewal with amalgamation of two adjacent units.	
Capital Investment	39.05 Crs	
Previous Consent Validity	31.12.2014	
Industry Type	R59 Petrochemicals (Manufacture of and not merely use of as raw	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES (<input checked="" type="checkbox"/>)	
	Details: - Industry has provided primary and secondary ETP. JVS report are seems within the consented standards limit.	
Water Cess	Assessment Done: Sept 2013	Paid Upto: Sept 2013
BG Details	Amount : NA	Validity : NA
	BG Obtained against : NA	
	Details of BG forfeited/encashed , if any : NA	
Compliance Of Air Pollution Related Conditions	YES (<input checked="" type="checkbox"/>) NO (<input type="checkbox"/>)	
	Industry has provided adequate stack height to boiler. JVS report are seems within the consented standards limit.	
Submission of Environmental Statement	Period	2013-14
Other Relevant Information	<p>It is CC case.</p> <ol style="list-style-type: none"> 1. Industry has applied for consent to renewal and amalgamation with M/s. Noble Synthetics Pvt. Ltd. Plot no: D-43 (5) TTC MIDC Shirwane Navi Mumbai. 2. Earlier Consent of M/s. Arkema Chemicals India Pvt Ltd plot no: D-43 (1) TTC MIDC Shirwane Navi Mumbai is valid upto 31/12/2014 and consent of M/s. Noble Synthetics Pvt Ltd. Plot no: D-43 (5) TTC MIDC Shirwane Navi Mumbai is valid upto 31/01/2015. 3. Applicant has submitted CA Certificate showing capital investment of the Both Industries i.e. M/s. Arkema Chemicals India Pvt Ltd plot no: D-43 (1) TTC MIDC Shirwane Navi Mumbai Rs. 35.91 Crs and M/s. Noble Synthetics Pvt Ltd. Plot no: D-43 (5) TTC MIDC Shirwane Navi Mumbai Rs. 3.14 Crs Total Capital investment Rs. 39.05 Crs. 4. Both industries were manufacturing of synthetics Resins such as Acrylic Resins, Polyamide Resins, Polyester Resins, Powder Resin, Alkyd Resin and Hard Resin of the production capacity 750 MT/M. 5. DE- 8.5 M3/D for that industry provided septic tank with soak pit. 6. IE- 18 M3/D for that industry has provided primary and secondary treatment facility having capacity 30 m3/ day and which is further connected to CETP TBIA for further treatment and disposal. 7. Both units have provided their separate effluent treatment plants in their existing premises and CETP connection for treatment of industrial effluent. 8. Applicant has provided 2 boilers each boiler is attached to stack having 32.00 mtrs height. 9. Applicant has provided 2 nos of DG Set having capacity 380 KVA and 250 KVA in their premises. 10. Applicant has submitted fuel consumption: 	

Maharashtra Pollution Control Board

	<p style="text-align: center;">PNG 2350 SCMD (boiler no: 1) , Furnace oil : 50 Kg /HR (boiler no: 2) , HSD : 50 Lit/HR (DG Set no: 1) HSD: 50 Lit/HR (DG Set no: 2).</p> <ol style="list-style-type: none"> 11. Analysis results of JVS samples collected for water, Air and Stack are within the consented limits. 12. Applicant (both industries) has submitted Environmental statement for the financial year 1st April 2013 to 31st March 2014. Annual returns under Hazardous Waste (MH&TM) Rules, 2008 for financial year 1st April 2013 to 31st March 2014, Cess returns and made payment for cess for the period 01/04/2013 to 30/09/2013 and 01/10/2011 to 30/09/2013 to MPC Board. 13. Regional Office Navi Mumbai has issued show cause notice for non-compliance of Consent conditions (Air Pollution and Smell nuisance) vide letter dated: 25/03/2014. 14. Industry has submitted their reply vide letter dated: 01/04/2014 giving assurance for change in fuel pattern by replacing Furnace oil as fuel with Pipe line Natural gas. 15. Applicant has submitted intimation letter vide letter dated: 16/07/2014 and informing MPC Board they have changed their fuel pattern from Furnace Oil to PNG. 16. Industry has submitted consent fees of Rs. 2, 25,100 towards obtaining renewal and merging of consent to operate to MPC Board. 17. This office has issued query letter to industry to submit additional consent fees of Rs, 30,000/- for increase in capital investment from Rs. 31.37 Crs to Rs. 35.91 Crs (difference of Rs. 4.54 Crs) 18. Industry vide letter dated: 25/11/2014 has submitted additional consent fees of Rs. 30,000/- for increase in capital investment.
<p>Recommendation of SRO/RO</p>	<p>SRO has recommended to grant merging and Renewal of consent to operate up to period 31/12/2017 to M/s. Arkema Chemicals India Pvt. Ltd.</p>

Maharashtra Pollution Control Board

Agenda no. 15

Region : SRO Navi Mumbai-II	Section : AST		Date : /12/2014
Name & Address	Maharashtra Polybutenes Ltd., Plot No. R-802, TTC industrial area, T. B. Road, Navi Mumbai		
Consent For	C to R with increase in CI		
Capital Investment	42.97 Crs		
Previous Consent Validity	30.11.2014		
Industry Type	R27 Heavy engineering including ship building (With investment		
Industry Category	Red/LSI		
Compliance Of Water Pollution Related Conditions	YES (√)		
	I. E.-70 CMD. Industry has provided primary, secondary and tertiary treatment facility to ETP. JVS report shows pH slightly on higher side i. e more than 9.0		
Water Cess	Assessment Done : Nov-2013	Paid Upto: ...	
BG Details	Amount:	Validity:	
	BG Obtained against: ...		
	Details of BG forfeited/encashed , if any : ...		
Submission of Environmental Statement	Period	2013-14	
Compliance of Air Pollution Related Conditions	Yes (√)	NO	
	Details: Industry has provided adequate stack height to FO fired Boiler and Oil fired Heater.		
Other Relevant Information	<ol style="list-style-type: none"> 1. It is CC case 2. Industry is covered under Red category. 3. Industry has applied for consent to renewal with increase in CI. Previous consent is valid for mfg. Polybutenes and Light Polymers upto 30.11.2014. 4. IE is 70 CMD. for that industry has provided Primary, Secondary treatment system. JVS reports show that pH slightly on higher side. 5. DE is 8 CMD. Industry is a member of CETP. 6. Industry has submitted Cess returns upto Nov.2013. 7. Environment statement for year 2013-14. Form-IV for year 2013-14. 8. Industry has informed that their plant was shut down since 13.12.2013 9. Now they were started their plant on Monday 13.10.2014. 10. Industry has paid one term consent fees Rs.75,000/- and fees for increased CI Rs. 15,000/- 		
Recommendation of SRO/RO	Renewal of consent may be granted for one year, if approved.		

Agenda no. 16

CC Item	
Region :Nagpur Section : PSO	Date :-
Name & Address	M/s. Superb Hygienic Disposal, CBMWTSDF, Nagpur
Consent for	Fresh application for C to O for Common Biomedical Waste treatment and disposal facility.
Capital Investment	Rs. (1.02 Crore) C.A. certificate not enclosed in prescribed format
Consent /BMW authorization valid upto	BMW authorization from Board valid upto 31.12.2014. Status of renewal of BMW authorization is not enclosed
Industry Type	RED/R-14
Compliance of Water Pollution Related Conditions	Details:- ETP is provided
Water Cess	Assessment Done: -- Fees Paid for Consent- Rs. 15,100=00 for 3 years.
Submission of Environmental Statement	--
Compliance of Air Pollution Related Conditions	Details: - Ventury scrubber and stack of 30 mtrs. height
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a fresh application for obtaining Consent to Operate for CBMWTSDF. 2. The applicant has submitted the application on 27.12.2013 to RO Nagpur which was forwarded by SRO- Nagpur –I and received to HQ by undersigned on 11.09.2014. <u>C-3</u> and <u>NS-1</u> 3. The commissioning year of the facility was since January, 2005, <u>C-4</u>. 4. The capital investment certified by C.A. is Rs. 1.02 Cr. However, the same is not submitted in prescribed format, including cost of land and machinery. <u>C-12 & C-13</u>. 5. They have submitted Consent fee of Rs. 15,000/- for three years period, i.e. 04.06.2015. <u>C-3</u> 6. Built up area and TPA is not mentioned. 7. Detail of D.G. set including fuel type and quantity used per month along with stack height is not mentioned.

Maharashtra Pollution Control Board

	<p>8. Detail of ETP is also not mentioned.</p> <p>9. Analysis report of ETP from 01.02.2013 to 30.11.2013 shows pH and BOD are exceeding for most of the samples, C-23 & C-24.</p> <p>10. They have provided incinerator of capacity 200 kg.hr. followed by APCD and stack of 30 metres height.</p> <p>11. Autoclave and Shredder is provided for treatment of BMW.</p> <p>12. Analysis report of stack from 26.20.2010 to 23.08.2013 shows particulate matter exceeding for every month when HCl for June, 2011, C-25.</p> <p>13. Distance from the River Nag of Class A-IV is not mentioned, NS-1.</p> <p>14. Applicability of EC/RRZ is not provided.</p> <p>15. Membership of CHWTSDf for disposal of incineration ash and ETP sludge is not enclosed.</p> <p>16. Water Budget is not provided.</p>
<p>Recommendation of SRO/RO</p>	<p>1) SRO, Nagpur-I has issued letter on 28.07.2014 for required information in the application at Sr. No. 13, 14, 15, 16, 26, 27 (O), (P), cost of land, additional fee of Rs. 45,000/- and distance certificate from Irrigation department. C-1</p> <p>2) SRO, Nagpur-I has recommended to grant consent by imposing performance B.G.</p>

Agenda no. 17

CC Item		
Region :Thane	Section : PSO	Date :-
Name & Address	M/s. Enviro Vigil, TMC Chatrapati Shivaji Maharaj Campus, Kalwa, Thane	
Consent for	Fresh application for C to O and renewal of BMW authorization for Common Biomedical Waste treatment and disposal facility.	
Capital Investment	Rs. (13.0 Lakhs) C.A. certificate not enclosed	
Consent /BMW authorization valid upto	BMW authorization from Board valid upto 31.03.2014. Now applied for renewal alongwith authorization fees for three years period i.e. upto 31.03.2017	
Industry Type	RED/R-14	
Compliance of Water Pollution Related Conditions	Details:- ETP is provided	
Water Cess	Assessment Done: --	Fees Paid for Cosent- Rs. 7,500=00 for 5 years Authorization – 52500/- for 3 years – for operation of facility in the name of Enviro Vigil, Thane and for collection and transportation in the name of Enviro Vigil Treatwaste, Thane
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: -1) Ventury scrubber and stack of 30 mtrs. height 2) D.G.Set of capacity 36 KVA provided	
Other Relevant Information	1) This is fresh application for obtaining C to O for operating CBMWTSDf at Thane. 2) This is a renewal application for grant of BMW authorization for operation of CBMWTSDf at Thane 3) This office has also received application of M/s. Enviro Vigil Treatment unit sisiter concern of Enviro Vigil, Thane for obtaining renewal authorization for collection and transportation of BMW from the allotted area of Enviro Vigil and hand over to M/s. Enviro vigil for further	

Maharashtra Pollution Control Board

	<p>treatment and disposal.</p> <p>4) The previous BMW authorization granted by Board was valid upto 31.03.2014. C-3</p> <p>5) Now they have applied for further 3 years period. C-1</p> <p>6) The capital Investment mentioned is Rs. 30.0 lakhs C.A. certificate is not provided.</p> <p>7) They have submitted Consent fees of Rs. 7,500=00 for five year period i.e. upto 04.06.2017. However, C.I. certified by C.A. is required.</p> <p>8) The year of commissioning of the said facility is since March 2003. C-2</p> <p>9) The Total Plot Area is 3,330 sq. mtrs and BUA is 450 sq.mtrs. C-2</p> <p>10) They have provided D.G.Set of capacity 36 KVA followed by stack of 3mtrs. height . Fuel is HSD and is used about 10.0 KLD NS-3</p> <p>11) ETP is provided. However, capacity is not mentioned.</p> <p>12) They have obtained membership of MWML, Taloja for disposal of ETP sludge and Incineration ash.</p> <p>13) They have provided double chamber incinerator of capacity 50 kg/hr followed by APCD and stack of 30 mtrs. height.</p> <p>14) Autoclave and Shredder is provided.</p> <p>15) Manifest of CHWTSDF is enclosed dtd. 6.5.2013. C-15</p> <p>16) Water budget is not enclosed.</p> <p>17) Annual Report for the year 2012 is provided. C-88</p> <p>18) The Area allotted to this facility is Thane Municipal Corporation area in addition to this they are temporarily permitted to collect and transport BMW from below mentioned area till new incineration based facility operates in this area.</p> <ul style="list-style-type: none">- Nallasopara, Vasai- Virar, Mirabhayander of Thane District- Pen and Alibag from Raigad District. <p>19) Self monitoring report carried out by Airoclean Associates lab. are enclosed.</p> <p>20) Analysis report of ETP carried by Board for the month Jan, March, April and May- 2013 are enclosed which shows mentioned parameters within prescribed limit.C-</p>
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Maharashtra Pollution Control Board

	<p><u>26</u></p> <p>21) Stack monitoring report carried by Board for the month December -2012, Jan, Feb, April and May- 2013 are enclosed which shows mentioned parameters within prescribed limit. However, June-2013 results are exceeding the limit <u>C-26</u></p> <p>22) Spore test report carried by Board for the month September 2012, March and May- 2013 shows negative results. <u>C-85 to C-87</u></p> <p>23) They have enclosed to copy of RC Book of 9 nos. of vehicles registered on the Enviro treatwaste.</p>
Recommendation of SRO/RO	SRO- Thane –I has recommended to grant authorization for a period upto 31.03.2017.

Agenda no. 18

CC Item		
Region :Kolhapur	Section : PSO	Date :-
Name & Address	M/s. S.S.Services, Sewage Treatment Plant Compound, S.No.638, C.S.No. 17695, Near New Sangli Naka, Ichalkaranji	
Consent for	Fresh application for C to O for Common Biomedical Waste treatment and disposal facility.	
Capital Investment	Rs. (24.42 Lakhs)	
Consent Valid upto	BMW authorization from Board valid upto 31.03.2016 imposing condition of B.G. Rs. 7.50 lakhs.	
Industry Type	RED/R-14	
Compliance of Water Pollution Related Conditions	Details:- ETP is provided	
Water Cess	Assessment Done: --	Paid upto- Rs. 7,500=00
Submission of Environmental Statement	--	
Compliance of Air Pollution Related Conditions	Details: - 1) Ventury scrubber and stack of 30 mtrs. height 2) D.G.Set of capacity 20 KVA provided	
Other Relevant Information	1) This is a fresh application for C to O for Common Biomedical Waste treatment and disposal facility. 2) They have obtained BMW authorization from Board valid upto 31.03.2016 imposing condition of B.G. Rs. 7.50 lakhs. <u>C-20</u> 3) The capital Investment certified by C.A. dated 16.01.2014 is 24.42 lakhs. <u>C-27</u> 4) They have submitted Consent fees of Rs. 7,600/- for fiveyear period i.e. upto 04.06.2017 <u>C - 10.</u> 5) The year of commissioning of the said facility is since April, 2003. <u>C-11</u> 6) The Total Plot Area is 712.50 sq. mtrs and BUA is 135.0 sq.mtrs. <u>C-11</u> 7) They have provided D.G.Set of capacity 20 KVA followed by stack of 1mtrs. height and Diesel is used as fuel. Quantity of fuel is not submitted. <u>C-14</u> 8) Autoclave and Shredder is provided.	

Maharashtra Pollution Control Board

	<p>9) ETP is provided. However, capacity is not mentioned.</p> <p>10) They have obtained membership of MEPL, CHWTSDF, Ranjangaon for disposal of ETP sludge and Incineration ash.</p> <p>11) They have provided of incinerator of capacity 50 kg/hr respectively followed by ventury scrubber and stack of 30 mtrs. height.</p> <p>12) Particulate matter is exceeding for the month from July to December, 2013. <u>C-7</u></p> <p>13) Spore Test report is not enclosed.</p> <p>14) BOD is exceeding for the month April, September and November, 2013. <u>C-6</u></p>
<p>Recommendation of SRO/RO</p>	<p>Inrespect of the SCN issued by Board on 18.12.2013 SRO- Kolhapur has submitted the compliance status in tabular form. Hence recommended to grant Consent to this facility.</p>
<p>Recommendation of HQ(including Consent fees details/delay payment charges)</p>	<p>1) Distance from Panchaganga River is 3.32 Km. <u>NS-1</u></p> <p>2) Status inrespect of applicability of Environment clearance (as per MoEF, EIA Notification dated, 14.09.2006), RRZ (as per GoM Notification dated, 13.07.2009) and CRZ (as per MoEF Notification dated, 19.02.1991) as amended is not mentioned.</p> <p>3) As per the compliance report of SRO- Kolhapur the facility operator has not provided Automatic feeding system to Incinerator and has not submitted B.G. of Rs. 7.50/- lakh which was imposed in the BMW authorization granted by Board.</p> <p>4) We may consider combining the BMW authorization application along with this Consent application.</p> <p>5) Submitted for information and order, for placing before CC meeting, please.</p>
<p>Consent Recommended upto</p>	<p>Recommended for grant Combined of consent and BMW authorization upto 31.03.2016 by ensuring the compliance of B.G.imposed in the existing BMW authorization and the remaining fees of Consent after calculation shall be considered for further period.</p>

Agenda no. 19

Statement of Combined Consent and BMW Authorization application for CC meeting																						
Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)			Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G.Status	Non Compliance -JVS (ETP/Stack)
											RRZ	DE (CMD)	CRZ									
											C to E (Validity)	C to O (Validity)										
											Others (CMD)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
1	M/s. FJFM Hospital Vadala Mission, Tal. Newasa, Dist. Ahmednagar	Applied for BMW authorization	Hospital 150 42.18 lakhs	Valid upto 31.03.2016	Private	6,000/- for Consent and Rs. 15,000/- for BMWA	21.03.1937 NM First time applied for consent	NM	NM	No	NM	12 5 NM	NA	Provided STP of capacity 12.0 CMD	250 KVA	150 lit/hr Diesel	NM	M/s. Bioclean System (India), Pvt. Ltd., CBMWTS DF, Ahmednagar	NM	NM	NM	
	Remarks	<p>1) Capital investment is excluding land cost. Hence, cost of land in prescribed format certified by C.A. is required. Based on the capital investment applicant shall submit Consent to Operate fees from 04.06.2012 to 04.06.2016</p> <p>2) Total Plot Area and Built-up Area in sq. mtrs. is not provided.</p> <p>3) Feasibility report of STP is not provided. STP comprising of collection tank, equilization, dual media filter, sludge drying bed and settling tank.</p> <p>4) Self attested under taking on letter head stating date of commissioning of the hospital and non applicability of EC and RRZ is required.</p> <p>5) SRO has not taken follow up from 2013 for renewal of authorization</p> <p>6) SRO Ahmednagar verification report received on 28.10.2014</p> <p>a) Proper segregation of BMW in female ward is not found. b) STP was not in operation due to power failure.</p> <p>The above information is called through email from the applicant on 09.12.2014. Meanwhile the application may be placed before CC meeting.</p>																				
	Recommendations	Recommended to place before CC meeting and consider CCA for aperiod upto 04.06.2016 on obtaining above mentioned documents and additional fees payable, if any.																				

Agenda no. 20

Statement of Combined Consent and BMW Authorization application for CC meeting

Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)		Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G.Status	Non Compliance -JVS (ETP/Stack)
											RRZ	CRZ										
			Beds*				C to E (Validity)															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
1	M/s. St. Lukes Hospital, Shirampur	31.08.2014	Hospital 200 1.43 crore	Valid upto 31.03.2013	Private	15,100/- for Consent and 15,000/- for BMW authorization	1953 NM First time applied	NM	NM	NM	NM NM NM	35 2 NM	NA	STP provided 20.0 m3/day	160 KVA 250 KVA	30 lit/M	NM	NA	Bioclean System (India) Pvt. Ltd, Ahmednagar	NM	NM	
Remarks		1) Total Plot Area and BUA is not mentioned 2) Capital Investment certified by C.A.is required in prescribed format. 3) Consent fees is required as per the C.I. from 04.06.2012 to 04.06.2017 alongwith D.R. receipt. 4) Feasibility report f STP is required. 5) Self attested undertaking for non applicability of EC and RRZ poicy is required. 6) valid copy of Bombay Nursing Home Act, is required. 7) Previous BMW authorization was valid upto 31.08.2014. Now they have applied for renewal alongwith fees for three years i.e. 31.08.2017																				
Recommendations		Place before CC for decision inrespect of granting CCA to this hospital for aperiod upto 04.06.2017 on obtaining above required documents.																				

Agenda no. 21

Statement of Combined Consent and BMW Authorization application for CC meeting																					
Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)	Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G.Status	Non Compliance -JVS (ETP/Stack)
			RRZ				DE (CMD)														
			CRZ				IE (CMD)														
			C to E (Validity)				Others (CMD)														
		C.I. (Rs. Crore)					C to O (Validity)														
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	M/s. Hiranandani Healthcare Pvt. Ltd., Navi Mumbai	31.03.2014	Hospital	Valid upto 31.03.2013 applied for renewal	Private	6,25,100/- for Consent and 15,000/- for BMW authorization	30.12.2008	11148.36	20,980.68	Applicable	NM	208	NA	Not provided	750 KVA 2nos.	100 lit/hr	NM	NM	M/s. Mumbai Waste Management, CBMWTS DF, Talaja	NM	NM
	Remarks	1) Land cost is not mentioned in Capital Investment. Land and Building leased from NMC. 2) BUA is more than 20,000 sq.mtrs, Environment Clearance clarification is required. 3) Earlier BMW authorization with STP condition. As reported by the applicant Sewage generated from the hospital is sent to NMMC through sewer line at Common STP at Sec-18, Vashi for further treatment, hence ETP/ STP is not installed. However, combined ETP/ STP is required.																			
	Recommendations	Place before CC for decision in respect of granting CCA to this hospital																			

Maharashtra Pollution Control Board

Agenda no. 22

Statement of Combined Consent and BMW Authorization application for CC meeting																						
Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commisining (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearence Appliance (Y/No)	Applica bility (Y/No)	Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/ST P (Y/N/ Inadequate)CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Membe r HW Facility (Y/N/NA)	Membe r CBMW F/ Captive	B.G.Sta tus	Non Compli ance - JVS (ETP/St ack)	
											RRZ	DE (CMD)										
											CRZ	IE (CMD)										
												Others (CMD)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
1	M/s. Sakhar Kamgar Hospital Trust, Ahmednagar	28.02.2015	Hospital	Valid upto 31.03.2014	Private	20,000/- for Consent	1965	1.56 Hector	5,065.71	NA	NA	20	NA	Provided STP	65 KVA	7 lit/hr	NM	M/s. Bioclean System (India), Pvt. Ltd., CBMW TSDF, Ahmednagar	NM	Impose d B.G. of Rs. 2.0 lakhs in BMW authori zation	NM	
			150				NM				NA	15										
			63.01 lakhs (Revised C.I. is required)					First time applied					NM									
	Remarks	1) Feasibility report of STP is not provided. 2) Status of B.G. imposed by Board of Rs. 2.0 lakhs in BMW autjorization is not reported. The above information is called through email from the applicant on 09.12.2014. Meanwhile the application may be placed before CC meeting.																				
	Recommen dations	Recommended to place before CC meeting and consider CCA for a period upto 04.06.2016 on obtaining above mentioned documents and revised C.I. certificate and fees applicable from the applicant.																				

Maharashtra Pollution Control Board

Agenda no. 23

Scrutiny Sheet for CC Meeting																					
Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)	Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G. Status	Non Compliance -JVS (ETP/Stack)
			Beds*				RRZ				DE (CMD)										
			C to E (Validity)				CRZ				IE (CMD)										
			C.I. (Rs. Crore)				C to O (Validity)				Others (CMD)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Johnson and Johnson Limited, MIDC, Waluj, Aurangabad	A) BMWA valid till 31.05.2012. 2. Applied for renewal B) Cosnet valid upto 20.02.2015	Industrail R & D 42.79	N.A.	Private	7,500/-	NM NM 20.02.2015	NM	NM	NM	NM NM	As per Consent	NM	Provided ETP	As per Consent	As per Consent	As per Consent	NM	Water Grace Product, Aurangabad	No B.G. imposed	NM
Remarks		<p>1) Previous BMW authorization granted by Board was valid upto 31.05.2012. Now they have applied for renewal alongwith fees for 3 years period i.e. upto 31.05.2015.</p> <p>2) They have obtained C to O from Board for manufacturing activity of Sugical Sutures and other sugeons requisites valid for a period 20.02.2015</p> <p>3) They have obtained membership of M/s. Water Grace Product, CBMWTSDF, Aurangabad for treatment and disposal of BMW.</p> <p>4) Show Cause Notice for refusal was issued on 03.05.2014</p> <p>5) Personal hearing was extended to the facility operator on 10.11.2014. Accordingly, they have submitted revised category and quantity of BMW, BMW Annual Report for the year 2012 and 2013 certified by the facility operator and reason for withdrawing category no. 2 i.e. Animal Waste from the application submitted to Board as they have closed down their in-house Animal facility. Hence Animal Waste is not required in their authorization.</p> <p>6) Baord may grant Combined Consent and BMW authorization to M/s. Johnson and Johnson incorporating B.G. as applicable and in coturminus with C to O i.e. upto 20.02.2015</p>																			
Recommendations		Place before CC meeting for decision.																			

Page 1

Maharashtra Pollution Control Board

Agenda no. 24

Region : SRO Jalna		Section : JD-WPC		Date : 12.12.2014	
Name & Address		Jai Bhavani Sahakari Sakhar Karkhana Ltd. , Shivaji Nagar, Tal Georai Dist.Beed.			
Consent For		Consent To Renewal			
Capital Investment		54.37 Crores			
Previous Consent Validity		31.07.2012.			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Industrial water consumption is 240 CMD whereas I.E. generation is 165 CMD. Domestic water consumption is 100 CMD whereas D.E. generation is 70 CMD.			
Water Cess		Assessment Done : Details not submitted by SRO.		Paid Upto :	
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>	
		<u>BG Obtained against :</u> Rs. 5.0 Lakh/- towards O & M of pollution control device Rs. 2.0 Lakh/- towards providing necessary arrangements to cover effluent collection system and to avoid ingress of bagasse.			
		<u>Details of BG forfeited/encashed , if any :</u>			
Submission of Environmental Statement		Period		Details not submitted by SRO.	
Other Relevant Information		As per the information given by the industry & as per previous consent Unit has maintained effluent quantity below 100 litre per tons of sugar cane crushing. Adequate land is available for the treated effluent disposal Flow meter is not provided to inlet of ETP. Covering to the drainge carrying effluent to the ETP is not provided. Only dust collector is provided as APC.			
Recommendation of SRO/RO		In view of above, Consent may not consider & issue a direction as per BG regime protocol.			

Maharashtra Pollution Control Board

Agenda no. 25

Region : SRO Chandrapur	Section : JD (WPC)		Date : 10.12.2014
Name & Address	Vasant Sahakari Sakhar Karkhana Ltd. Pusad, At Pophali, Tal. - Umerkhed		
Consent For	CR		
Capital Investment	32.41 Cr.		
Previous Consent Validity	31.08.2014		
Industry Type	R74 Sugar (excluding Khandsari)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- <ul style="list-style-type: none"> • IE – 250 CMD treated into ETP O&G chamber, Primary Clarifier, Aeration Tanks, Secondary clarifiers, SDB and treated water storage tank. Treated effluent disposes on 70 acre of land. • DE – 100 CMD treated into septic tank followed by soak pit. • APC – Installed cyclone type dust collector attached to Boiler. No change in fuel no change in pollution load. 		
Water Cess	Assessment Done : Not submitted		Paid Up to : Not submitted
<u>BG Details</u>	<u>Amount :</u> 1. Rs. 4 Lakhs 2. Rs. 2 Lakhs 3. Rs. 5 Lakhs 4. Rs. 2.5 Lakhs 5. Rs. 9 Lakhs 6. Rs. 1 Lakhs 7. Rs. 3 Lakhs 8. Rs. 12 Lakhs 9. Rs. 10 Lakhs 10. Rs. 5 Lakhs		<u>Validity :</u> 1. 31.12.2014 2. 31.12.2014 3. 31.12.2014 4. 31.12.2014 5. 31.12.2015 6. 31.12.2015 7. 31.12.2015 8. 31.12.2015 9. 31.12.2015 10. 31.12.2015
	BG Obtained against : as per policy for compliance for specific conditions for sugar unit.		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	Not submitted	
Other Relevant Information	<ul style="list-style-type: none"> • CREP Compliances <ul style="list-style-type: none"> - 100 lit waste water/ton generation – Complied (IE 250 MLD) - 15 days storage tank – Complied (land available for disposal is 70 acre) - ESP/Bag Filter/Wet scrubber/ Ventury Scrubber to Bagasse fire Boiler- Not complied (installed dust collector) • JVS Results from last consent granted up to consent validity i.e. (31.12.2013 to 31.08.2014) are not submitted however dt. 16.02.2012, 22.03.2012, 10.12.2012, 24.01.2013, 03.12.2013 are exceeding. 		
Recommendation of SRO/RO	<ul style="list-style-type: none"> • As per SRO recommendation consider case for renewal of consent to operate up to 31.08.2015 		

Agenda no. 26

Region : SRO Satara		Section : JD (WPC)		Date : 11.12.2014	
Name & Address		M/s. Pratapgad Ssk Ltd. , At- Songaon-Karandoshi,Tal-Jawali Dist- Satara			
Consent For		Applied for- renewal of consent for same production qty.			
Capital Investment		Capital investment: Rs. 39.93 Cr.			
Previous Consent Validity		Previous consent details: granted on 16.09.2014 valid upto: 30.09.2014.			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI			
Compliance Of Water Pollution Related Conditions		YES			
		<p>Details :- ETP status: ETP comprises oil & grease chamber, equalization tank, aeration tank, clarifier, & SDB provided.</p> <p>SRO reported that O & M of ETP is very poor, nearby Grampanchayat frequently imparting complaint regarding disposal of effluent into nalla/odha.</p> <p>39, acres land available for disposal of treated effluent which is adequate.</p>			
Compliance Of Air Pollution Related Conditions		<p>APC status: Boiler mechanical dust collector provided.</p> <p>As per CREP norms wet scrubber not provided</p>			
Water Cess		Assessment Done : information not submitted		Paid Upto :	
<u>BG Details</u>		<u>Amount :</u> Rs. 33.10 /- Lakhs, as per previous consent dtd. 16.09.2014.		<u>Validity :</u> industry has not submitted the total BG of Rs. 33.10/- Lakhs.	
		<u>BG Obtained against : --</u>			
		<u>Details of BG forfeited/encashed , if any :</u>			
Submission of Environmental Statement		Period Information not submitted.			
Other Relevant Information		<ol style="list-style-type: none"> 1) 39, acres land available for disposal of treated effluent which is adequate. 2) JVS results are not meeting with consented standards. 3) As per CREP norms wet scrubber not provided. 4) O & M of ETP is very poor, nearby Grampanchayat frequently imparting complaint regarding disposal of effluent into nalla/odha. 5) industry has not submitted the total BG of Rs. 33.10/- Lakhs. 			
Recommendation of SRO/RO		SRO recommended for refusal of consent.			

Agenda no. 27

Region : SRO Chandrapur	Section : JD (WPC)	Date : 10.12.2014
Name & Address	M/s. Deccan Sugar Pvt. Ltd. at Mangrul, Post - Belora, Tal & Dist. - Yavatmal	
Consent For	C to R	
Capital Investment	27.06 Cr.	
Previous Consent Validity	31.12.1997	
Industry Type	R74 Sugar (excluding Khandsari)	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- <ul style="list-style-type: none"> • IE – 600 CMD O&G trap, Anaerobic Lagoon, Aeration Tanks, Secondary Clarifiers, SDB. Treated effluent disposes on 50 acre of land. • DE – 40 CMD treated into septic tank followed by soak pit. • APC – Installed cyclone type dust collector attached to Boiler. 	
Water Cess	Assessment Done : Not submitted	Paid Up to : Not submitted
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	Not submitted
Other Relevant Information	<ul style="list-style-type: none"> • CREP Compliances <ul style="list-style-type: none"> - 100 lit waste water/ton generation – Non Complied (IE 600 MLD) - 15 days storage tank – Non Complied (land available for disposal is 50 acre) - ESP/Bag Filter/Wet scrubber/ Ventury Scrubber to Bagasse fire Boiler- Not complied (installed dust collector) • JVS Results dt. 24.01.2014 is exceeding. 	
Recommendation of SRO/RO	<ul style="list-style-type: none"> • As per SRO recommendation consider case for renewal of consent to operate up to 31.07.2015 after receipt of required consent fees. 	

Agenda no. 28

Region : Thane	Section : RO(HQ)	SRO Date of receipt:- 10/10/2014		
		Ro (HQ) Date of receipt:- 08/12/2014		
Name & Address	M/s. Poonam Garden Development, Plot No.472/1,453,479/7,454, Village- Navghar, Mira Road (E),Dist-Thane			
Consent For	C to R			
Capital Investment	Rs.89.68 Crs.			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :- Water Consumption :- 1948.0 CMD , Effluent Generated :- 1141.2 CMD, Provided STP Capacity :- 1250 CMD			
Water Cess	Assessment Done :- ---	Paid Upto : ---		
BG Details	Amount : Rs.5 Lakh & Rs. 10 lakh	Validity : 25/09/2015 & 16/09/2015 respectively		
	BG Obtained against : Towards O & M of STP & MSW & ID respectively.			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for grant of Renewal of Consent to Operate for construction of residential cum commercial building project.			
	Applied for	C to R	Residential Cum Commercial Project	
	Plot Area	72,040 sq.m	Built up area	1,01,810 sq.m
	EC Status	Obtained from GOM	Dated	01/05/2007
	Plot Area	72,040 sq.m	Built up area	1,01,810 sq.m
	Previous Consent	C to O	Dated	30/11/2014
	Plot Area	72,040 sq.m	Built up area	1,01,810 sq.m
	Bio-degradable	2916.30 Kg/D	Treatment	Bio-Composting
	Non-Bio degradable	4375.20 Kg/D	Treatment	Will be given to authorized party.
	STP Sludge	171.0 Kg/D		Used as manure
	No of DG Sets	1.nos.	Capacity	75 KVA
	Construction status	Completed	Date of Visit	28/11/2014
	Recommendation of SRO/RO	SRO,Thane-II reported that PP has provided STP & proper arrangement for collection & disposal of effluent, composting, in view of above, submitted for your approval for grant of renewal of consent.		

Agenda no. 29

Region : Pune-II	Section : JD(APC)		Date : /12/2014
Name & Address	M/s. Tata Motors Ltd. Sr.no.59-62, PO: Bebedohol opposite Mumbai Pune High way, Tal: Maval Dist: Pune		
Consent For	Renewal of consent to operate.		
Capital Investment	Rs.51.82 Crs.		
Previous Consent Validity	31.12.2014		
Industry Type	R21, ferrous and non ferrous metal extraction		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes.		
	Domestic Effluent – 80.00 CMD, STP Provided. Analysis results are within the consented limits. Industrial Effluent – Nil.		
Compliance Of air Pollution Related Conditions	Yes- Fumes extraction system with bag filters provided to melting shop furnace section.		
Water Cess	Assessment Done :Sept-2014	Paid Upto : Feb-2012	
<u>BG Details</u>	<u>Amount</u> : 5.0 Lakhs	<u>Validity</u>: 30.04.2015.	
	<u>BG Obtained against:</u> Towards o& M of pollution control system.		
	<u>Details of BG forfeited/encashed , if any :-</u>		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for grant of plain renewal of consent to operate. 2. Earlier consent was valid up to 31.12.2014. 3. CI was increased by Rs.1.20 Crs due to modernization of plant and machinery. 4. Industry has submitted BG of Rs.5.0 Lakhs as per earlier consent condition. 		
Recommendation of SRO/RO	- SRO Pune-II has recommended case for grant of consent up to 31.12.2019.		

Maharashtra Pollution Control Board

Agenda no. 30

Region : SRO Nagpur II		Section : JD (APC)		Date : /12/2014
Name & Address	M/s. Ace Calderys Limited (Nagpur Refractory Works), Plot No.(A 1/1 & A 1/P)/2, MIDC Butibori, Dist: Nagpur			
Consent For	CR			
Capital Investment	3485 Lacs			
Previous Consent Validity	30/11/2014			
Industry Type	R06 Ceramics, Refractories			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES	Industrial effluent is NIL.		
	Details :- For treatment of domestic effluent septic tank followed by Soak pit provided.			
Water Cess	Assessment Done : Oct 2014		Paid Upto : Dec -2012	
BG Details	Amount : Rs. 2.0 Lakhs		Validity : 31/07/2014	
	BG Obtained against : Submission of Environment Statement.			
	Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement	Period	2013-2014		
Other Relevant Information	1] Industry has submitted stack monitoring reports & ambient air monitoring reports which reveals that parameters with consented limits. 2] Industry has also submitted letter for change in name of Industry from M/s. Ace Calderys Limited to M/s Calderys India Refractories Limited. 3] Industry has submitted consent fees along with increased CI of Rs. 2,50,000/- for three terms i.e upto: 30/11/2017.			
Recommendation of SRO/RO	SRO-II recommended that case is forwarded to consent committee for further orders please.			

Maharashtra Pollution Control Board

Agenda no. 31

Region : SRO Nagpur II		Section : JD (APC)		Date : / /2014
Name & Address	M/s. KEC International Limited. Plot No. B-215, MIDC Butibori, Tq.Hingna, Dist. Nagpur.			
Consent For	CR			
Capital Investment	4322 Lacs			
Previous Consent Validity	30/09/2012			
Industry Type	R27 Heavy engineering including ship building (With investment o			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES (Y)	No industrial effluent generation.		
	Details :- For treatment of domestic effluent septic tank followed by Soak pit provided.			
Water Cess	Assessment Done : Sep 2014.		Paid Upto : ..	
BG Details	Amount : Rs. 5.0 Lakhs		Validity : 31/08/2014	
	BG Obtained against : O & M of pollution control system.			
	Details of BG forfeited/encashed , if any : NA			
Submission of Environmental Statement	Period	2013-2014		
Other Relevant Information	1] Industry has submitted process details & water budget along with APC details. Industry has submitted self monitored stack emission monitoring & ambient air monitoring which revels parameters within consented limits. 2] Industry has paid fee of Rs. 2,90,100/- for three terms and against increase in capital investment of Rs. 1.42			
Recommendation of SRO/RO	SRO-II, Nagpur has recommended that consent may be granted for the period up to 31.10.2017.			

Agenda no. 32

Region : Pune	Section : JD(APC)		Date : /12/2014
Name & Address	M/s Shree Bhimeshwari Ispat Pvt. Ltd., Plot no.J-17, Additional MISC Satara,Tal & Dist: Satara.		
Consent For	Plain Renewal of consent.		
Capital Investment	Rs.37.13Crs		
Previous Consent Validity	31.07.2014		
Industry Type	R-36 Industry involving metal surface treatment		
Industry Category	Red/LSI		
Compliance Of Water Pollution Related Conditions	Yes		
	Domestic Effluent – 6.0 CMD, Septic tank and Soak pit provided. Industrial Effluent – Nil.		
Compliance Of Air Pollution Related Conditions	NO- FES system and venturi scrubber water separator provided. Analysis results of JVS are exceeding the consented limits.		
Water Cess	Assessment Done: --	Paid Up to : -----	
<u>BG Details</u>	<u>Amount</u> : Rs. 15.0 Lakhs.	<u>Validity</u> :	
	<u>BG Obtained against:</u> towards O& M of PCS and not exceeding the production qty.		
	<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement	Period	--	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for plain renewal of consent. 2. SRO-Satara has submitted proposal for issuance of closer directions for following non compliances <ol style="list-style-type: none"> I. Industry has not submitted BG of Rs.15 Lakhs and affidavit as per the consent conditions. II. Industry has not provided secondary emission control system. III. Industry has not submitted reply to proposed directions issued by RO Pune dated 20.09.2014 and SRO Satara's letter dated 17.07.2014. IV. Stack monitoring results are exceeding the consented limits [Date 13.08.2014 ,RSPM- 171 mg/M³ , 237 mg/M³] V. Frequent complaints receiving regarding nuisance causing due to air pollution. 		
Recommendation of SRO/RO	- RO-Pune has recommended to issue closure direction for non compliances.		

CC-Fresh Agenda - New Entry

Agenda no. 1

Region : Raigad	Section : AST		Date :
Name & Address	Kopran Ltd, Plot No-K-4/4 MIDC Mahad Dist-Raigad.		
Consent For	Renewal with change in product mix.		
Capital Investment	47.25 Cr [new entry in CC]		
Previous Consent Validity	31/05/2014		
Industry Type	Bulk drugs		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - Industry has provided full ledge ETP with capacity of 150 CMD.		
Compliance Of Air Pollution Related Conditions	YES ()	NO ()	
	Details: -Dust collector /cyclone provided and process scrubber provided		
Water Cess	Assessment Done : returns submitted upto oct-14	Paid Upto : Dec-13	
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>	
	<u>BG Obtained against:</u>		
	<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement	Period	2013-14	
Other Relevant Information	<p>Industry has applied for renewal of consent with change in product mix. It was reported by SRO Mahad that industry had provided briquette fire boiler however in existing consent only oil fired boiler is shown. SRO's report was silent on the previous consent condition no-11 i.e provision of holding tank for storage of treated effluent of capacity to store effluent generated for minimum 12 hours and details of C.I after installation of briquette fired boiler.SRO has recommended to consider for renewal subject to assessment of pollution load by competent institute as industry had not submitted proper details about NIPL. Hence industry and SRO Mahad was informed to submit the same vide email dtd-8/8/14. SRO Mahad vide email dtd-5/11/2014 submitted the reply with CA certificate on C.I from 2011 to 2014,mentioning that letter is been given to industry for payment of Rs.9000/- difference fee on increase in C.I.SRO also reported that industry has taken production of two new products however the report was silent on NIPL. Hence SCN for refusal of consent was issued to industry vide letter dtd-12/11/2014 for providing of briquette fire boiler and taking production of two new products and not submitting NIPL. Meanwhile the file was send to CAO for verification of fees paid w.r.to increase in C.I. In this regards CAO asked PP to submit balance sheet of industry as per circular dtd-29/12/2011along with schedule of fixed assets from industry. In the time being this office received reply to SCN vide letter dtd-12/11/14 from PP. In the reply PP submitted that they had incorporated the briquette boiler details in their</p>		

Maharashtra Pollution Control Board

	<p>earlier application for amendment in consent at SRO Mahad vide letter dtd-14/02/2011 however they had not received the amendment for the same. Regarding manufacturing of two new products PP submitted that due to increase in market demand from 2013 and for survival they had manufacture two product however not exceeded the total consented quantity of 39.76 MT/M. Now they had stopped the same. Regarding NIPL PP submitted all details in Boards performa and certificate from Dr. Babasaheb Ambedkar Technological university giving required details justifying NIPL. The PP also submitted the details of C.I as per the suggestion of CAO along with CA certificate for multiple units and balance sheet. It was observed from details submitted that the C.I increases from 24.98 Cr to 47.25 Cr for which PP submitted the difference fees of Rs.1,25,000/- for applied period. Hence due to increase in C.I the case now comes under perview of CC. [new entry].</p>
<p>Recommendation of SRO</p>	<p>The case may be considered for renewal subject to assessment of pollution load certificate by competent authority.</p>
<p>Recommendation of HQ (including consent fees details / delay payment charges)</p>	<ul style="list-style-type: none"> • As per the C.I assessment carried out by CAO the C.I has been increased from 24.98 Cr to 47.25 Cr hence fall under perview of CC [new entry]. • Accordingly PP has submitted the difference fees for future period upto 2019.However there is need to inform about increase in C.I in part for recovery of consent fee for past period. • As the proposed product mix are in same category and overall previously granted consented limit, we may consider the case for change in product mix by imposing B.G of 5.0 lakh towards O & M and subject to submission of previous C.I and payment of fees towards the same.
<p>Consent Recommended Upto</p>	<p>31/05/2019.</p>