

Maharashtra Pollution Control Board

List of Cases to be submitted before 5th Consent Committee Meeting of 2014-15 scheduled on 10.06.2014 at 11:00 a.m. (Booklet No. - 10)						
Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Xrbia North Hinjewadi Developers Pvt. Ltd., S. No. 1 Village - Bebadohal, Tal - Maval, Dist- Pune	46.50 Crs.	Establish	RO(HQ)	1 to 16	
2	Vertical Infra "Oriana", Sr. No. 7/1A + 2A + 2B, Keshavnagar-Mundhwa, Pune	45 Crs.	Establish	RO(HQ)	17 to 31	
3	Tanish Associates, S. No. 490/1, 490/2, 4, Charholi (Bk), Haveli, Pune	285 Crs.	Establish	RO(HQ)	32 - 46	
4	Maredian Realtors Pvt. Ltd., CTS No. 188/A & 188/B of village Bandivali, S. V. Road, Jogeshwar (W), Mumbai	75 Crs.	Establish	RO(HQ)	47 - 69	
5	Navkar Builder & Developers, CTS No. 942C, Village - Eksar, Borivali (W), Mumbai	7.75 Crs.	Establish	RO(HQ)	70 - 92	
6	Sneh Enterprises, CS No. 374/4B/11/1 of village Eksar, Borivali (W), Mumbai	300 Crs.	Establish	RO(HQ)	93 - 117	
7	Benchmark Townplanning LLP, "Sirocco Grande", Survey No. 11, Hissa No. 6/1, 6/2, 7, Village - Punavale, Tal - Mulsi, Dist - Pune	97 Crs.	Establish	RO(HQ)	118 - 134	
8	Kallappanna Awade Co-operative Industrial Estate and Integrated Textile Park Ltd., Gat No. 153 to 155 to 176, Hatkanagale, Gat No. 1044 to 1055, Tardal and Gat No. 357, 358 Majale, Tal - Hatkanagale, Dist - Kolhapur	107.10 Crs.	Establish	RO(HQ)	135 - 161	

Maharashtra Pollution Control Board

9	ACE Links, CTS No. 1980(pt) of fort Div. and 153(pt) of back bay reclamation scheme III, Nariman Point, Mumbai	62.44 Crs.	Establish	RO(HQ)	162 - 183	
10	Viraj Alcohols and Alided Industries Ltd., (Expansion), Gat No. - 511, A/p- Kapari, Tal- Shirala, Dist - Sangli	48.63 Crs.	Establish (Expansion)	JD(WPC)	184 - 216	
11	Atharva Developers, "The Springs", Plot No. 4, Sector - 20, Roadpali, Kalmboli, Tal -Panvel	67.83 Crs.	Establish & Operate	RO(HQ)	217 - 229	
12	Suyog Development Corporation Ltd., "Suyog Nisrag", Gat No. 1428 (2414 Old), 1395/1 (2381 Old), Mauje-Wagholi, Tal - Haveli, Dist - Pune	85.91 Crs.	1st Operate (Part)	RO(HQ)	230 - 242	
13	DTL Ancillares Ltd. , Unt III, 373, Kharabwadi, Nr. WMDC Indl Area, Chakan, Tal- Khed, Dist - Pune	44.92 Crs	1st Operate	JD(APC)	243 - 270	
14	Kalpataru Construction, "Kalpataru Estates" , Phase-I,II,III, Sr. No. 85/1B/2/1, 85/1A	208.54 Crs.	1st Operate	RO(HQ)	271 - 290	
15	Trans Thane Creek Waste Management Association, Plot No. - P-128, TTC MIDC Indl. Area Near L & T Infotech Ltd., Shil Mahape Road, Mahape, Navi Mumbai	20.90 Crs.	Renewal	RO(HQ)	291 - 326	
	Fresh Agenda					
1	Mphasis Ltd. , 101, 201, Building No. 4, InfinityIT Park, Dindoshi, Malad (E)	39.22 Crs.	Establish	RO(HQ)	327 - 337	
2	Tata Consultancy Services , At Plant No. 12, Godrej Boyce Complex, LBS Marg, Vikroli (E), Mumbai	101.06 Crs.	Establish & Operate	RO(HQ)	338 - 348	
3	Tata Consultancy Services Ltd. , 1st to 13th Floor, Kensington B-wing, Hiranandani Business Park at Powai.	157.29 Crs.	1st Operate	RO(HQ)	349 - 372	

Maharashtra Pollution Control Board

4	Peepul Tree Properties Pvt. Ltd., Infinity IT Park, Building No. 4, Dindoshi, Malad (W), Mumbai	250.89 Crs.	Renewal	RO(HQ)	373 - 390	
5	Delta Magnets Ltd., (Formerly Know as G.P. Electronics Ltd.), Plot No. B-87, MIDC Ambad, Nashik	46.53 Crs.	Renewal	JD(APC)	391 - 407	
6	Gupta Global Resources Ltd., Vill. Gouri, Tal - Rajura, Dist - Chandrapur	29.97 Crs.	Renewal	JD(APC)	408 - 424	
7	Western Coalfields Ltd., Kolarpimpri Open Cast Mine, WCL Wani North Area, Tal - Wani, Dist - Yavatmal	65.87 Crs.	Renewal (Expansion)	JD(APC)	425 - 445	
8	Western Coalfields Ltd., Sasti Underground Mine, WCL Ballarpur Area, At Po. Sasti, Tal - Rajura, Dist - Chandrapur	30.45 Crs.	Renewal	JD(APC)	446 - 462	
	Review Item					
1	Appeal to revoke Closure Direction issued to M/s WCL, Kolarpimpri OCM & M/s WCL Junad Open Cast Mine, of Wani North Area, Tal - Wani, Dist - Yavatmal	_____	_____	JD(APC)	463 - 480	
2	Application for grant of cosnent to establish for expansion of M/s Kailash Vahan Udyog Ltd., Khed, Pune	_____	_____	JD(APC)	481 - 493	
	JD(WPC)	1				
	AS(T)	0				
	RO(HQ)	17				
	JD(APC)	5				
	PSO	0				
	Total	23				

Maharashtra Pollution Control Board

CC-Resubmission

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 16/12/2013 Ro (HQ) Date of receipt;- 18/02/2014
Name & Address	M/s. Xrbia North Hinjewadi Developers Pvt. Ltd., S.No.1 Village- Bebadohal, Taluka Maval, Dist Pune.	
Consent For	C to E	
Capital Investment	46.50 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 440.0 CMD , Effluent Generated :- 317.0 Proposed STP Capacity :-360 CMD	
Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	

Maharashtra Pollution Control Board

Other Relevant Information	Applied for	C to E	Residential		
	Plot Area	26100 sq.mt	Built up area	29290 sq.mt	
	EC Status	Applied	Dated	02/07/2012	
	River Distance	@ 0.05 Km	Name of River	Pawana (A-II)	
	Water Consumption	440.0 CMD	Effluent Generated	317.0 CMD	
	STP Capacity	360.0 CMD	Recycle water	175.0 CMD	
	Bio-degradable	880.0 Kg/D	Treatment	OWC	
	Non-Boi degradable	587.0 Kg/D	Treatment	Local Body	
	No of DG Sets	1	Capacity	350.0 KVA	
	Construction status	Not started	Date of Visit	23/10/2013	
	Resubmission :-				
	<p>Application for consent to establish was discussed in CC meeting held on 29/04/2014, during discussion it was decided to issue the distance certificate from Executive Engineer, Irrigation Department.</p> <p>As per decision applicant has submitted reply on 5/05/2014 with Executive Engineer certificate, Architect Certificate and NOC from SWACH sanstha for recyclable and non recyclable waste disposal.</p> <p>In view of above we may consider consent to establish with following condition 1) Excess treated effluent generated from STP shall be connected to sewer line provided by local</p>				

Maharashtra Pollution Control Board

	body. 2) Applicant shall not store & disposal MSW within 500mtrs from HFL of Pawana River.
--	--

Agenda no. 2

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s. Vertical Infra "Oriana" Sr. No. 7/1A + 2A + 2B, Keshavnagar-Mundhwa Pune, Maharashtra.	

Maharashtra Pollution Control Board

Consent For	C to E	
Capital Investment	45.0 Cr.	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 119 CMD, Effluent generated 111 CMD. STP Proposed of Capacity : 115.0 CMD	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for consent to Establish 2. The Residential project covering total area of around 18,900.0 Sq. mt with total built up area of 34,278.94 sq mtrs 3. PP has applied Environment clearance From SEIAA on 22/04/13. 4. Capital investment of the project is 45.00 Cr. 5. Total water consuming 119.0 m3/day of water out of which 80.0 m3/day fresh water will be supplied by Local body & generating about 111.0 m3/day of sewage, which PP has proposed to provide STP of capacity 115 m3/day 6. PP has proposed to provide organic waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender. 7. 1 no. of DG sets proposed having capacity, 160.0 KVA. 8. Proposed site is located near about 300.0 m from Mula Mutha (A-IV,Class). 9. The site is visited by field officer and observed that the project proponent has not started construction activity on site. <ul style="list-style-type: none"> • The application for consent to establish was discussed in CC meeting held on 13/12/2013, during discussion it was decided to issue SCN for refusal of consent to establish and stop work as location falls in the NDZ of Mula –Mutha river (A-II) class and PP not replied to the SRO query letter and not submitted required information. • Applicant has submitted reply on 15/02/2014 in reply applicant stated that “Site is about 300 m away from the river line, we are applying to RRZ authority to obtain their NOC” <p><u>Resubmission</u></p> <p>Application for consent to establish was discussed in CC meeting held on 29/04/2014,</p>	

Maharashtra Pollution Control Board

	<p>during discussion it was decided to issue the distance certificate from Executive Engineer, Irrigation Department.</p> <p>As per decision applicant has submitted reply on 15/05/2014 with Executive Engineer certificate, Architect Certificate. As per certificate STP location 362 mtrs & OWC location 505 mtrs from Mula-Muth river.</p> <p>We may consider consent to Establish With BG & Affidavit for not to take any effective step.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 19/12/2013 Ro (HQ) Date of receipt;- 18/02/2014
Name & Address	M/s. Tanish Associates, S.No. 490/1, 490/2, 491, Charholi (Bk), Haveli, Maharashtra.	
Consent For	C to E	
Capital Investment	285.0 Crore	
Previous Consent Validity	-	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of	YES ()	NO ()

Maharashtra Pollution Control Board

Water Pollution Related Conditions	Details :- Water Consumption :- 1290.0 CMD , Effluent Generated :- 1033 CMD Proposed STP Capacity :- 1050 CMD																																										
Water Cess	Assessment Done :-		Paid Upto :																																								
BG Details	Amount :		Validity :																																								
	BG Obtained against :																																										
	Details of BG forfeited/encashed , if any :																																										
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2" style="text-align: center;">Residential cum Commercial</td> </tr> <tr> <td>Plot Area</td> <td>57,000 sq.mt</td> <td>Built up area</td> <td>136458.0sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>16/01/2013</td> </tr> <tr> <td>River Distance</td> <td>1.5 Km</td> <td>Name of River</td> <td>Indrayani (A-II)</td> </tr> <tr> <td>Water Consumption</td> <td>1290.0 CMD</td> <td>Effluent Generated</td> <td>1033.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>1050.0 CMD</td> <td>Recycle water</td> <td>480.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>2700.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>1800.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>4</td> <td>Capacity</td> <td>500 KVA each</td> </tr> <tr> <td>Construction status</td> <td>Started/Stopped</td> <td>Date of Visit</td> <td>25/01/2014</td> </tr> </table> <p>Resubmission</p> <ul style="list-style-type: none"> The application for consent to establish was discussed in CC meeting held on 29/04/2014, during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance. Board has issued SCN on 09/05/2014. 			Applied for	C to E	Residential cum Commercial		Plot Area	57,000 sq.mt	Built up area	136458.0sq.mt	EC Status	Applied	Dated	16/01/2013	River Distance	1.5 Km	Name of River	Indrayani (A-II)	Water Consumption	1290.0 CMD	Effluent Generated	1033.0 CMD	STP Capacity	1050.0 CMD	Recycle water	480.0 CMD	Bio-degradable	2700.0 Kg/D	Treatment	OWC	Non-Boi degradable	1800.0 Kg/D	Treatment	Local Body	No of DG Sets	4	Capacity	500 KVA each	Construction status	Started/Stopped	Date of Visit	25/01/2014
Applied for	C to E	Residential cum Commercial																																									
Plot Area	57,000 sq.mt	Built up area	136458.0sq.mt																																								
EC Status	Applied	Dated	16/01/2013																																								
River Distance	1.5 Km	Name of River	Indrayani (A-II)																																								
Water Consumption	1290.0 CMD	Effluent Generated	1033.0 CMD																																								
STP Capacity	1050.0 CMD	Recycle water	480.0 CMD																																								
Bio-degradable	2700.0 Kg/D	Treatment	OWC																																								
Non-Boi degradable	1800.0 Kg/D	Treatment	Local Body																																								
No of DG Sets	4	Capacity	500 KVA each																																								
Construction status	Started/Stopped	Date of Visit	25/01/2014																																								

Maharashtra Pollution Control Board

	<ul style="list-style-type: none">• After hosting minutes of meeting on website applicant has submitted reply on 05/05/2014 in reply applicant stated that “we have already stopped the construction work at site and affidavit for the same was submitted along with the application of consent to establish. We assure you that we will not initiate any construction work before obtaining Environmental clearance and Consent to Establish”. <p>In view of above we may consider consent to establish with BG & BR with affidavit.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 4

Region : RO Mumbai	Section :RO(HQ)		Date :
Name & Address	M/s. Maredian Realtors Pvt. Ltd., CTS No.188/A & 188/B of village Bandivali, S.V.Road,,Jogeshwar(W),Mumbai.		
Consent For	C to E		
Capital Investment	Rs.75 Cr.		
Previous Consent Validity	--		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related	YES ()	NO ()	

Maharashtra Pollution Control Board

Conditions	Details :- Water consumption - 166 CMD. Effluent Generation- 142 CMD STP Proposed - 150 CMD	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Application for grant of Consent to Establish for construction of residential cum Commercial project for Total Plot area - 8659.00 Sq. mtrs</p> <p>Total Construction BUA - 31,262.07 Sq.mtrs</p> <p>PP has not obtained EC from GOM from Competent Authority.</p> <p>Nonhazardous waste –</p> <p>Wet garbage:3334.50 Kg/Day(will be treated in organic waste converter)</p> <p>Dry garbage:230.50 Kg/Day(will be handed over to MCGM)</p>	

Maharashtra Pollution Control Board

	<p>STP Sludge: 14 Kg/Day(manure)</p> <p><u>Construction status</u></p> <p>Said project consist of total 3 Nos of buildings.</p> <p>SRO reported that construction work of residential building is completed upto 15 floors.</p> <p><u>SRO reported that, PP has voluntarily stopped construction work.</u></p> <p>Applicant has submitted,</p> <p>1)Commencement Certificate dated 23/7/2008.</p> <p>2)Affidavit for compliance of conditions stipulated in EC.</p> <p><u>The case was discussed in CC Meeting dated 18/3/2014 and It was decided to issue SCN for refusal for C to E with stop work, as PP started constriction work without C to E and EC Clearance.</u></p> <p>Accordingly SCN issued to pp dated 28/3/2014.</p> <p>PP has communicated reply vide letter dated 1/4/2014 ,in which PP has mentioned that PP has stopped construction activity.</p> <p>Total area constructed on site till date is 15,415 Sq. Mtrs.</p>
Recommendation of SRO/RO	RO Recommended the grant of C to E with condition of not effective steps without obtaining C to E.

Maharashtra Pollution Control Board

Agenda no. 5

Region : RO Mumbai	Section : RO(HQ)	Date :
Name & Address	M/s.Navkar Builder & Developers , CTS No.942C,Village-Eksar, Borivali (W), Mumbai	
Consent For	C to E	
Capital Investment	Rs.7.75 Cr	
Previous Consent Validity	--	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water consumption – 83.50 CMD. Effluent Generation- 66 CMD STP Proposed - 75 CMD	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>

Maharashtra Pollution Control Board

	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Application for grant of Consent to Establish for construction of residential project for</p> <p>Total Plot area - 4143.8 Sq. mtrs</p> <p>Total Construction BUA - 14,430.0 Sq.mtrs</p> <p>Said project not attract Environmental Clearance</p> <p><u>Said project falls under CRZ Category and not obtained CRZ Clearance from Competent authority.</u></p> <p>Nonhazardous waste –</p> <p>Wet garbage & Dry garbage:226 Kg/Day(will be treated in organic waste converter.</p> <p>Construction status</p> <p>Said project having 1 building with 15floors.</p> <p>SRO reported that PP has construction work upto 6th floors without obtaining CRZ Clearance.</p> <p>Hence RO has issued Show Cause Notice dated 03/12/2013 for starting construction in CRZ Area.</p> <p>PP vide letter dated 21/01/2014 had submitted the reply of SCN (copy attached) in which PP has mentioned that the construction activity on the said plot are being carried</p>	

Maharashtra Pollution Control Board

	<p>out in non-CRZ area as approved by MCGM plans.</p> <p>PP had appointed IRS Chennai for demarcation of CRZ line across the plot area. It has been submitted by industry that IRS Chennai had certified that the said plot doesn't fall under CRZ as per CRZ Notification 2011 <u>but no details regarding the same is attached.</u></p> <p>The Copy of DP remarks from MCGM DATED 14/9/2011 is attached in which mentioned that land under reference CTS No.942C falls within CRZ.</p> <p><u>The case was discussed in CC Meeting dated 18/3/2014 and It was decided to issue SCN for refusal for C to E, as PP started constriction work without C to E and CRZ Clearance.</u></p> <p>Accordingly SCN issued to pp dated 28/3/2014.</p> <p>PP has communicated reply vide mail dated 23/4/2014 ,on the basis of letter issued from RO Mumbai /SRO Mumbai (Copy attached).</p> <p>Accordingly mailed to Applicant /RO/SRO Dated 2/5/2014 regarding submission of reply on the basis of SCN issued dated 28/3/2014 but reply from PP is awaited.</p>
Recommendation of SRO/RO	RO recommended that necessary decision regarding grant of C to E shall be taken in the light of above stated facts

Agenda no. 6

Region : RO Mumbai	Section : RO(HQ)	Date :
Name & Address	M/s. Sneh Enterprises. , CTS No.374B/11/1 of Village Eksar, Borivali (W)	

Maharashtra Pollution Control Board

Consent For	C to E	
Capital Investment	Rs.300 Cr.	
Previous Consent Validity	--	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water consumption - 537 CMD. Sewage Generation - 437 CMD Capacity of STP Praposed - 370 CMD(residential) 75 CMD(Commercial)	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental	Period	

Maharashtra Pollution Control Board

Statement		
Other Relevant Information	<p>Application for grant of Consent to Establish for construction of residential cum commercial project for</p> <p>Total Plot area - 25,457.95 Sq. mtrs</p> <p>Total Construction BUA - 1,28,074.75 Sq.mtrs</p> <p><u>PP has not obtained EC from GOM but applied for same 30/1/2012.</u></p> <p>Nonhazardous waste</p> <p>Wet garbage: 1106Kg/Day(treated in organic waste converter)</p> <p>Dry garbage 711 Kg/Day(will be handed over to MCGM)</p> <p>STP Sludge: 5 Kg/Day(manure)</p> <p>Said project consist of Residential Bldg with three wings (2B+Gr+3Pd+1st to 31 Floor) and Commercial Bldg (2B+Gr+1st Up Floors)</p> <p>SRO Reported that, During the visit on 26.12.2013 it was observed that construction of Commercial Bldg No.2 completed upto G+2nd Floor and Residential bldg No.3 completed upto plinth level.</p> <p>The case was discussed in CC dated 24/2/2014 and It was decided to issue SCN for refusal of consent to establish and stop work, as PP has started construction work without obtaining C to E and Environmental Clearance.</p> <p>SCN with stop work direction issued on 4/3/2014 and PP has submitted reply of SCN which is received in HQ Dated 13/3/2014(Copy of reply attached)in which PP has mentioned that no constriction activity is in progress.</p> <p>The case was discussed in CC Meeting dated 29/4/2014 and It was decided to keep the case in abeyance and putup after confirmation of RO/SRO regarding StopWork.</p>	

Maharashtra Pollution Control Board

	Accordingly SRO Mumbai IV has communicated present status report vide mail dated 21/5/2014 in which PP has reported that project proponent has stopped construction activity(copy attached)
Recommendation of SRO/RO	RO Recommended the grant of C to E with condition of not taking effective steps prior to obtaining EC.

Agenda no. 7

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 31/01/2014 Ro (HQ) Date of receipt;- 01/04/2014
Name & Address	M/s. Benchmark Townplanning LLP “Sirocco Grande”, Survey No. 11, Hissa No. 6/1, 6/2, 7, Village Punavale, Tal. Mulsi, Dist Pune.	
Consent For	C to E	
Capital Investment	97.0 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	

Maharashtra Pollution Control Board

Industry Category	Orange																																										
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																									
	Details :- Water Consumption :- 210 CMD , Effluent Generated :- 164.0 CMD Proposed STP Capacity :- 170.0 CMD																																										
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2">Residential</td> </tr> <tr> <td>Plot Area</td> <td>14,300.0 sq.mt</td> <td>Built up area</td> <td>32,086.24sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>Not submitted</td> </tr> <tr> <td>River Distance</td> <td>500 mtrs</td> <td>Name of River</td> <td>Pawana (A-II)</td> </tr> <tr> <td>Water Consumption</td> <td>210 CMD</td> <td>Effluent Generated</td> <td>164.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>170.0 CMD</td> <td>Recycle water</td> <td>88.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>243.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>365.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>82.5 + 125.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>Started</td> <td>Date of Visit</td> <td>26/02/2014</td> </tr> </table> <p>Applicant has completed construction of 3 building, applicant has not submitted architect plan showing STP & MSW location from Pawana River.</p> <p>Resubmission</p> <ul style="list-style-type: none"> The application for consent to establish was discussed in CC meeting held on 09/05/2014, during discussion it was decided to issue SCN for refusal of consent to 			Applied for	C to E	Residential		Plot Area	14,300.0 sq.mt	Built up area	32,086.24sq.mt	EC Status	Applied	Dated	Not submitted	River Distance	500 mtrs	Name of River	Pawana (A-II)	Water Consumption	210 CMD	Effluent Generated	164.0 CMD	STP Capacity	170.0 CMD	Recycle water	88.0 CMD	Bio-degradable	243.0 Kg/D	Treatment	OWC	Non-Boi degradable	365.0 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	82.5 + 125.0 KVA	Construction status	Started	Date of Visit	26/02/2014
Applied for	C to E	Residential																																									
Plot Area	14,300.0 sq.mt	Built up area	32,086.24sq.mt																																								
EC Status	Applied	Dated	Not submitted																																								
River Distance	500 mtrs	Name of River	Pawana (A-II)																																								
Water Consumption	210 CMD	Effluent Generated	164.0 CMD																																								
STP Capacity	170.0 CMD	Recycle water	88.0 CMD																																								
Bio-degradable	243.0 Kg/D	Treatment	OWC																																								
Non-Boi degradable	365.0 Kg/D	Treatment	Local Body																																								
No of DG Sets	2	Capacity	82.5 + 125.0 KVA																																								
Construction status	Started	Date of Visit	26/02/2014																																								

Maharashtra Pollution Control Board

	<p>establish and stop work as PP has started construction work without C to E and environment clearance. Board has issued SCN on 19/05/2014.</p> <ul style="list-style-type: none">• Applicant has submitted reply through E-mail on 23/05/2014 in reply applicant stated that “we have started construction of first phase as per sanction plan below 20,000 m² we have stopped the construction after receipt of another office memorandum on 31/10/2013. We assure you that no construction will be initiated before obtaining EC and consent to establish from Bard”.• Applicant has also submitted architect plan showing location of MSW and STP at 509.85 mtrs. 531.25 mtrs. <p>In view of above we may consider consent to establish with BG & BR with affidavit.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 8

Region : Kolhapur		Section : RO(HQ)		Date : /03/2014	
Name & Address		M/s. Kallappanna Awade Co-Operative Industrial Estate and Integrated Textile Park Ltd. Gat No. 153 to 155 to 176, Hatkanagale, Gta No. 1044 to 1055, Tardal and Gat No. 357,358 Majale, Tal. Hatkanagale, Dist. Kolhapur			
Consent For		CE			
Capital Investment		107. 10 Crs			
Previous Consent Validity					
Industry Type		O39 Infrastructure development project			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :-			
Water Cess		Assessment Done :		Paid Upto :	

Maharashtra Pollution Control Board

<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>M/s. Kallappanna Awade Co-Operative Industrial Estate and Integrated Textile Park Ltd. has applied for consent to establish for their Co-Operative Industrial Estate and Integrated Textile Park, at Gat No. 153 to 155 to 176, Hatkanagale, Gta No. 1044 to 1055, Tardal and Gat No. 357,358 Majale, Tal. Hatkanagale, Dist. Kolhapur.</p> <p>Proposed Textile Park having Textile/Engineering and Fabrication/Casting Industries.</p> <p><u>For Area Details of Project :-</u> Total Area: 200 Acre Total Area of Textile Park-56 Acres(90 Plots) Total Area of Engineering Industries-94 Acres (64 Plots) Total Area under Road-20 Acre Total Area Under Open Space-26 Acre Total Area Under Amenities-04 Acre Capital investment of part operate Project is Rs. – 107.10Crs Details of water consumption as under :- Water consumption Domestic – 1080.00 CMD Sewage Generation – 800.00 CMD Industrial - 620.00 CMD Proponent has proposed STP of 1000 CMD capacity. Non-hazardous Waste: Bio degradable Waste: 6000 kg/day – vermi-composting proposed. This project comes under Textile Park of Ministry of Commerce & Industry, Govt. of India. In this Park Weaving & Garments Stitching will be carried out without any process and some part for Engineering Industries.</p>	

Maharashtra Pollution Control Board

	<p>The case was discussed in the 23rd CC meeting held on 13/03/2014 and it was decided to seek clarification about applicability of Environment Clearance. Letter was issued to PP on 15/03/2014 also e-mail. Applicant has submitted clarification about Environment Clearance on 18/03/2014 along with undertaking on 100 Rs. stamp paper for making application to Environment Department .also applicant has given assurance that they will not start any infrastructure and construction work at above site till they get consent to establish and environment clearance.</p> <p>The case was again discussed in the 2nd CC meeting held on 29/04/2014 and it was decided to keep case in abeyance and call PP in next CC for presentation for common infrastructure facilities proposed.</p> <p>PP has given presentation for common infrastructure facilities proposed in 3rd CC meeting held on 09.05.2014 and in this meeting it was decided to keep case in abeyance and put up after receipt of following information:</p> <ol style="list-style-type: none"> 1) Details of plot sizes/activities. 2) Regarding textile/engineering units-further details of operation to ascertain pollution load. 3) Calculation for domestic effluent load and conveyance system for domestic effluent. 4) Management of MSW & Sand/Slag etc., 5) Details of members of society. 6) Acknowledgement of EC application from Environment Dept. <p>PP has submitted reply on 23.05.2014 through E-mail and submitted relative information. PP has applied for EC on 22.05.2014</p>
Recommendation of SRO/RO	SRO Kolhapur has recommended that the case may be granted by incorporate condition for 100 % recycle/gardening .

Agenda no. 9

Region : SRO Mumbai I	Section : RO(HQ)	Date :
Name & Address	M/s.ACE LINKS., CTS No.1980(pt) of fort Div, and 153(pt)of back bay reclamation scheme III,	

Maharashtra Pollution Control Board

	Nariman Point, Mumbai	
Consent For	C to E	
Capital Investment	Rs.62.44 Cr	
Previous Consent Validity	---	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details : Water consumption - 139 CMD. Sewage Generation -118 CMD Capacity of STP Praposed - 130 CMD	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
Submission of Environmental Statement	Period	

Maharashtra Pollution Control Board

Other Relevant Information	<p>Application for grant of Consent to Establish for construction of residential project <u>for CTS No.1980(pt) of fort Div. and 153(pt)of back bay reclamation scheme III,Nariman Point,Mumbai for</u></p> <p>Total Plot area - 5,323.07 Sq. mtrs</p> <p>Total Construction BUA -19,032.05 Sq. mtrs</p> <p><u>Said project not require EC but falls under CRZ-II Area</u></p> <p><u>PP has obtained CRZ Clearance from GOI Dated 17/11/2006 for 153(pt)of back bay reclamation scheme III,Nariman Point,Mumbai (Copy of same is attached)</u></p> <p>Nonhazardous waste</p> <p>Wet garbage: 318 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:139 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge: 18 Kg/Day(used as manure)</p> <p>Said project consist of 2 Nos of bildings (Sale+CRZ)</p> <p>In field visit report dated 12/9/2013, it is mentioned that rehab building Gr+6 floor completed and occupancy observed and work of sale bldg upto plinth level completed.</p> <p>Applicant has submitted ,</p> <p>1)LOI Certificate from SRA Dated 6/4/2010 built up area permitted on plot is 8849.60 Sq.Mtrs</p> <p><u>The case was discussed in CC Meeting dated 29/4/2014 and It was decided to keep case in abeyance and put up in next CC after obtaining clarification from PPregarding plot number, construction made on whichplot and detail plan of architect.</u></p> <p>Accordingly mailed to applicant dated 5/5/2014 and PP has communicated reply in which PP has mentioned that 1.As the CRZ clearance is obtained for Plot Bearing no. 153/A (Part), the construction of rehab and sale building under SRA is only</p>
-----------------------------------	--

Maharashtra Pollution Control Board

	<p>restricted up to plot no. 153/A (Part) only.</p> <p>2. Though small area of neighbouring plot no. 150/A (Part) is encroached with slum dwellers, there is no construction plan on that plot (which is RG reservation), however the encroached area of Plot no. 150/A (Part) will be cleared from slum dwellers and handed over to competent authority.</p> <p>3. Further to inform you that C.S no. 1980 is allotted to plot no. 153/A (Part) as per city survey records.</p> <p>4. Forwarding you the copy of approved layout plan which clearly shows that all the construction is on plot no. 153/A (Part) only.</p>
Recommendation of SRO/RO	SRO recommended grant of C to E.

Agenda no. 10

Region : SRO Sangli	Section : JD (WPC)	Date : 26.05.2014
Name & Address	Viraj Alcohols And Allied Industries Ltd Expansion , Gat No-511,A/p-Kapari, Tal-Shirala Dist-Sangli	
Consent For	C to E for expansion	
Capital Investment	48.63 Cr	
Previous Consent Validity	Existing C to O was issued dt. 04.01.2013 valid up to 31.08.2014	

Maharashtra Pollution Control Board

Industry Type	R15 Distillery including Fermentation industry	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-	
Water Cess	Assessment Done :	Paid Up to :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/ encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<ul style="list-style-type: none"> Distance from Morna River (A-II Class) is 1.5 km. attracts RRZ criteria. Industry has obtained EC from MoEF vide no J-11011/185/2006-IA II (I) dt. 25.06.2006 	
Recommendation of SRO/RO	<ul style="list-style-type: none"> Establish may be considered after confirming that, there is no expansion in distillery capacity with opinion of expert committee, state excise department & taking affidavit from industry by issuing appropriate directions. Consent to establish for up gradation and modernization may be consider subject no increase pollution load and production activity. 	
Recommendation of HQ (including consent fees details / delay payment charges)	<ul style="list-style-type: none"> Industry has paid consent fee Rs. 50,100/- for consent to establish. C to E for expansion is recommended for issue SCN for refusal considering the fact that it is 1.5 km from river Morana in A- II Zone with stop work of expansion and not to increase production till C to E and EC and RRZ clearance is obtained. 	

Maharashtra Pollution Control Board

	<p>Resubmission</p> <ul style="list-style-type: none">• Case was discussed in CC 12.02.2014 and decided to issue SCN for Refusal• SCN for refusal issued dt.07.03.2014• Industry has replied for the SCN• As per company submission,• It is not expansion at present but only revamping of old machinery and equipments with new technology and construction of higher capacity storage silo for raw material.• This shall not increase production capacity or effluent quantity generation but it will improve product quality for further better usages.• Further states that this will help them in future to increase capacity but shall undertake only after receipt of Environmental Clearance and Maharashtra Pollution Control Board consent.• As per RO/SRO submission,• a. Company has constructed 6 distillation columns and hence it is clear that they are intending to increase production capacity but this factory falls in restriction zone of RRZ.• As mentioned by company in its application including the area of expansion Total Buildup area will be more than 20,000 m² (20,678.65 m²) (S.N. 9 of application) hence it will attract Environmental clearance for construction.• Considering all above and reply of SCN for refusal case is resubmitted to CC for consideration and further decision on C to E.
Consent Recommended Up to	C to E

Maharashtra Pollution Control Board

Agenda no. 11

Region : Raigad		Section : RO(HQ)		Date : /05/2014	
Name & Address		M/s. Atharva Developers "The Springs" , Plot No. 4, Sector-20, Roadpali, Kalmboli, Tal. Panvel			
Consent For		CO			
Capital Investment		6783 Lacs			
Previous Consent Validity					
Industry Type		O39 Infrastructure development project			
Industry Category		Orange			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :-			
Water Cess		Assessment Done :		Paid Upto :	
BG Details		Amount :		Validity :	

Maharashtra Pollution Control Board

	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>M/s. Atharva Developers has applied for consent to establish & Operate for their Residential cum commercial construction activity “The Springs”, at Plot No. 4, Sector-20,Roadpali, Kalmboli, Tal. Panvel CTS No. 120 to 125, 154 to 171 and 173, Village Hinjawadi, Tal:- Mulshi, Dist:- Pune.</p> <p><u>For Area Details of Project :-</u> Total Plot Area: 16,199.57Sq. meters Total BUA Area : 24,211.05 Sq. meters Capital investment of part operate Project is Rs. – <u>67.83 Crs</u></p> <p><u>The project proponent has obtained Environment Clearance from Govt. of India vide no: 21-609/2007-IA-III; dated: 13/05/2008 for Residential cum commercial construction activity</u> <u>For Area Details of Project :-</u> Total Plot Area: 16,199.57Sq. meters Total BUA Area : 24,211.05 Sq. meters</p> <p>The project proponent has not obtained C to E from MPC Board and completed the work. And also obtained Occupancy Certificate from CIDCO.</p> <p>Details of water consumption as under :- Water consumption – 220.00CMD Sewage Generation – 178.00 CMD</p> <p>Proponent has not installed STP for treatment of sewage.</p> <p>Non-hazardous Waste: Bio degradable Waste : 325 kg/day Non- Bio Degradable : 488 kg/day</p>	

Maharashtra Pollution Control Board

	<p>Proponent has not provided for facility for treatment and disposal of MSW.</p> <p>Project proponent has paid consent fees of Rs. 1,00,000/-</p> <p>The case was discussed in the 21st CC meeting held on 12/02/2014 and it was decided to issue SCN for refusal of consent for establish, as PP has started construction work without C to E from Board, not provided STP and invalid EC.</p> <p>The SCN was issued on 18/02/2014.</p> <p>PP has requested for 15 days time for submitting the reply to SCN vide letter dtd. 01.03.2014</p> <p>But till date no any reply received from PP.</p>
Recommendation of SRO/RO	<p>RO Raigad has commented that the proponent has constructed the project without obtaining C to E from Board. STP is not provided. C to E and operate may be refused or either C to E may be issued subject to provision of STP and compliance of Environmental Clearance with suitable Bank Guarantee.</p>

Agenda no. 12

Region : RO PUNE	Section :RO(HQ)	Date :
-------------------------	------------------------	---------------

Maharashtra Pollution Control Board

Name & Address	M/s Suyog Development Corporation Ltd. "Suyog Nisarg" Gat. No. 1428 (2414 Old), 1395/1 (2381 Old) Mauje – Wagholi, Tal-Haveli, Dist-Pune. 412207	
Consent For	C to O (Part)	
Capital Investment	85.91 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 493 CMD, Effluent generated 393 CMD. STP Proposed of Capacity : 400 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. PP has applied for consent to 1st Operate (part).2. PP applied for Residential & commercial project covering total area of around 40,950.0 Sq. mt with total built up area of 32,156.3 sq mtrs3. PP has obtained environment clearance from SEIAA having total plot area 40,950.0 sq.mtrs BUA 49,313.65 sq.mtrs on 04/11/2011.4. PP has obtained consent to Establish on dated 05/07/2012.5. Plot area & BUA in Environment clearance & Consent to establish same.6. Capital investment of the project is 85.91 Cr.7. Total water consuming 493.0 m3/day & generating about 393.0 m3/day of sewage, PP has not provided Sewage treatment plant.8. PP has provided organic waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender.9. 2 no. of DG sets having capacity, 125 x2 KVA each.10. Applicant has not submitted BG of Rs. 5.0 Lakh as per C to E condition.11. PP has completed 9 nos of residential building out of 13 residential & commercial building. Construction work not as per the structure mentioned in the Environment clearance. Completed BUA 32156.3 out of 49,313.65 sq.mtrs. <p>Resubmission</p> <ul style="list-style-type: none">• The application for consent to operate was discussed in CC meeting held on 31/01/2014, during discussion it was decided to issue SCN for refusal of consent to Operate as applicant has not provided sewage treatment plant and not submitted BG of Rs 5 Lakh as per consent to establish condition. Board has issued SCN on 11/02/2014.• Applicant has not submitted reply of SCN issued by board. <p>In view of above we may not consider consent to operate as applicant has not submitted reply of SCN.</p>
-----------------------------------	--

Maharashtra Pollution Control Board

Agenda no. 13

Region : SRO Pune II	Section : JD(APC) Section	Date : 11.05.2014.
Name & Address	DTL Ancillaries LTD , Unit III 373, Kharabwadi, Near WMDC Industrial Area, Chakan, Tal: Khed, Dist: Pune.	
Consent For	1st Consent to operate.	
Capital Investment	Rs. 44.92.8 Crs	
Previous Consent Validity	Consent to Establish obtained.	
Industry Type	O23 Engineering and fabrication units (With investment on Plant	
Industry Category	Green	
Compliance Of Water Pollution Related Conditions	YES (<input checked="" type="checkbox"/>)	
	Details: - Ind. Eff: 49 CMD ETP provided., Dom. Effluent: 5.0 CMD, septic tank provided.	

Maharashtra Pollution Control Board

Compliance Of Air Pollution Related Conditions	NO (√) Industry has not provided scrubber to phosphating section.	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount : ----</u>	<u>Validity : ----</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	-----
Other Relevant Information	<ul style="list-style-type: none"> - This case was discussed in the CC meeting held on 24.02.2014. In this meeting it was decided to issue final closure direction to the industry as industry is in operation without obtaining consent for expansion activities and not providing air pollution control system. - Refusal order was issued to the industry on 28.02.2014. SRO-Pune II has reported that during the visit on 07.03.2014, industrial activities were not in operation. - Industry has submitted reply vide letter dated 03.03.2014 stating that they have submitted reply to RO Pune .They have not started production. They are using low concentrated 0.3 % phosphoric acid which is in stable form hence scrubber is not required .They have provided proper ventilation arrangement. - Industry has requested to withdraw closer direction and to grant consent to operate. 	

Maharashtra Pollution Control Board

	<p>- The case was again resubmitted before CC dated 29.04.2014 along with above details, but it was decided to keep the case in abeyance and resubmit after re –examination.</p> <p>Industry have stopped the manufacturing activities since 04.03.2014 and complied with the direction and provided pollution control systems.</p>
Recommendation of SRO/RO	RO Pune has recommended to issue direction to the industry.

Maharashtra Pollution Control Board

Agenda no. 14

Region : RO Pune	Section : RO(HQ)	Date :
Name & Address	M/s. Kalpataru Construction, "Kalpataru Estates", Phase-I,II,III, S.No. 85/1B/2/1, 85/1A, 86/2B/1, 90/2/1 & 91/1A, At Pimpale Gurav, Pune.	
Consent For	C to O 1 st with amalgamation of existing phase.	
Capital Investment	208.54 Cr.	
Previous Consent Validity	COU	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES () NO ()	
	Details :-Water Consumption;-625.15 CMD, Effluent generated 500 CMD Proposed STP capacity 500 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">10. PP has applied for consent to 1st Operate11. The Residential project covering total area of around 84,000 sq.mtrs with total built up area of 121232.4 sq mtrs12. PP has obtained environment clearance From MoEF on 02nd Jan 2007 for total plot area 84800 sq.mtrs and total BUA of 77,627.68 sq.mtrs. Total three phases having 16 building.13. PP has obtained consent to establish on 09/12/2011 for total plot area 84,800 sq.mtrs and BUA of 77,627.68 sq.mtrs.14. Out of which PP has obtain consent to operate part for two phases having BUA 63,572.54 sq.mtrs which is valid for period upto 31/12/2013.15. Now PP has applied for 1st operate for third phase and amalgamation of earlier two phase i.e operate for complete project having BUA 121232.4 sq.mtrs16. Total water consuming 625.15 m3/day of water out of which 404 m3/day fresh water will be supplied by PMC & generating about 500 m3/day of sewage, which PP has provided STP of capacity 500 m3/day, Treated 202.05 m3/day waste water will be used for utilities, and partially of which 152.0 m3/day will be used for gardening.17. Bio-degradable waste 1456.50 Kg/Day and 971 kg/D generated per day. PP has provided vermicomposting pit for Bio degradable waste.18. 4 no. of DG sets each having capacity, 125x2,200,320 KVA.19. Proposed site is located near about 10 mtrs Pawana river (A-IV,Class).20. The existing STP located near Pawana River.21. The total cost of the project is Rs 208.54 Crore for which they have paid Rs. 417198.0 as consent fees for 1st Operate.22. PP has submitted BG of Rs 10 Lakhs which is valid for period upto 07/06/2014.23. PP has constructed 6 buildings in phase-I,10 Buildings in Phase-II, and 9 Buildings
-----------------------------------	--

Maharashtra Pollution Control Board

	<p style="text-align: center;">in Phase-III.</p> <p>24. SRO Pimpri-Chinchwad has asked clarification regarding total construction BUA.</p> <ul style="list-style-type: none"> • The case was discussed in CC meeting held on 15/10/2013 during discussion it was decided to issue SCN for refusal as EC is not valid and BUA mention in EC in application of C to O not match. • Applicant has submitted reply of SCN issued on 09/12/2013 in reply PP stated that MoEF has published EIA notification on 14th Sept 2006 in which project having BUA 20,000 sq. mtrs required EC. And that time definition of BUA was builtup area , area open to sky will be activity area as per this definition non FSI area excluded from BUA, on this basis we approached MoEF to obtained environmental clearance for Permissible BUA 77672.68 sq.mtrs Non FSI area 48,266 sq.mtrs not mentioned in the EC. • No of Building mentioned in EC :- Ph I -6 Bldg., Ph II-10bldg., Ph III-10bldg. total -26 Bldg. • PP actually constructed:- Ph I -6 Bldg., Ph II-10bldg., Ph III-9 bldg total:-25 bldg. • As per minutes of SEIAA meeting held on 27/01/2014, as per minutes of meeting if project proponent has not commissioned the project within five years then required revalidation as a fresh application and if Project proponent has commissioned the project within 5 years then no revalidation required. (Minutes of meeting attached with the agenda) • Submitted for CC discussion.
<p>Recommendation of SRO/RO</p>	<p>RO, Pune has recommended that decision regarding grant of consent may be taken at HQ level after receipt of reply.</p>

Maharashtra Pollution Control Board

Agenda no. 15

Region : Navi Mumbai	Section : RO(HQ)	Date : /05/2014
Name & Address	Trans Thane Creek Waste Management Association	
Consent For	CR	
Capital Investment	2090 Lacs	
Previous Consent Validity	30.09.2013	
Industry Type	R14 Common Treatment and Disposal facilities (CETP, TSDF,E-Waste)	
Industry Category	Red	

Maharashtra Pollution Control Board

Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount : 5.0 Lakhs</u>	<u>Validity : 23/06/2013</u>
	<u>BG Obtained against : Conditional Directions</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	<p>M/s. Trans Thane Creek Waste Management Association has applied for renewal of consent with amendment for disposal of additional quantity of Hazardous Waste.</p> <p><u>For:</u></p> <p>i. Secured Landfill : 12800 MT/A</p> <p>ii. Solidification, Landfill, Physical, Chemical Treatment and landfill : 8800 MT/A</p> <p>iii. Co-processing of Hazardous Waste in Cement Klins : 3000 MT/A</p> <p>iv. treatment of hazardous liquid waste containing heavy metals and toxic compounds : 30 MT/A</p> <p><u>Earlier Consent granted vide No.: BO/ROHQ/COR/NM/TSDF/09/B-712 dated 18/07/2009</u></p> <p><u>For:</u></p> <p>Secured Landfill : 1,800 MT/A</p> <p>Solidification & Landfill : 7,000 MT/A</p> <p>Physical, Chemical Treatment and landfill : 1,800 MT/A</p>	

Maharashtra Pollution Control Board

	<p>Details of water consumption as under :-</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">Domestic –</td> <td style="width: 10%; text-align: center;">60</td> <td style="width: 20%;">CMD</td> </tr> <tr> <td>Industrial Processing -</td> <td style="text-align: center;">102</td> <td>CMD</td> </tr> <tr> <td>Industrial Cooling -</td> <td style="text-align: center;">1488</td> <td>CMD</td> </tr> <tr> <td>Agriculture/Gardening -</td> <td style="text-align: center;">350</td> <td>CMD</td> </tr> </table> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 70%;">Sewage generation-</td> <td style="width: 10%; text-align: center;">40</td> <td style="width: 20%;">CMD</td> </tr> <tr> <td>Effluent Generation-</td> <td style="text-align: center;">90</td> <td>CMD</td> </tr> </table> <p>Primary, Secondary and tertiary treatment plant is provided for treatment of effluent and septic tanks are provided for sewage treatment</p> <p>Project proponent has paid consent fees of Rs. 3,50,000/-- towards fees for renewal of consent fees for increased CI .</p> <p>The case was discussed in the 20th CC meeting held on 31/01/2014 and it was decided to keep case in abeyance and put up in next CC after performance audit report from NEERI.</p> <p>The work order is given to NEERI for performance audit report on 11.03.2014.</p> <p>Performance Audit Report is awaited from NEERI.</p> <p>Meantime TTCWMA requested for renewal of consent to operate vide letter dtd. 18/03/2014 and 15/05/2014.</p>	Domestic –	60	CMD	Industrial Processing -	102	CMD	Industrial Cooling -	1488	CMD	Agriculture/Gardening -	350	CMD	Sewage generation-	40	CMD	Effluent Generation-	90	CMD
Domestic –	60	CMD																	
Industrial Processing -	102	CMD																	
Industrial Cooling -	1488	CMD																	
Agriculture/Gardening -	350	CMD																	
Sewage generation-	40	CMD																	
Effluent Generation-	90	CMD																	
<p>Recommendation of SRO/RO</p>	<p>RO Navi Mumbai has recommended plain renewal and separate letter for obtaining NOC from MIDC, MoEF for proposed facility of co-processing of Hazardous Waste in Cement Klins and treatment of hazardous liquid waste containing heavy metals and toxic compounds.</p>																		

CC-Fresh Agenda

Agenda no. 1

Region : SRO Mumbai IV	Section : RO(HQ)		Date :
Name & Address	M/s.Mphasis Ltd.,101,201, building No.4,Infinity IT Park,Dindoshi,Malad(E)		
Consent For	C to E,		
Capital Investment	C.I. is Rs.39.22 Cr. Since PP is on rental basis, PP has not submitted investment of land/building in CA Certificate		
Previous Consent Validity	--		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related	YES ()	NO ()	

Maharashtra Pollution Control Board

Conditions	Details :- Water consumption - 301 CMD. Sewage Generation -275 CMD Capacity of STP Proposed -290 CMD	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Application for grant of Renewal of Consent for IT Activity.</p> <p>SRO reported that, Previously PP has applied for Consent to Establish & Operate dated 30.3.2011 since due to incomplete information ,Application was returned to head office due to non submission of</p> <ol style="list-style-type: none"> 1.Area statement of project. 2.water balance of project. 3.IOD, Laypout plan. 	

Maharashtra Pollution Control Board

	<p>4.APC Equipment details.</p> <p>5.Solid waste management plan.</p> <p>(Copy of letter attached).</p> <p><u>PP has not obtained C to E & Operate from Board.</u></p> <p><u>and submitted consent fee of Rs.2,55,000/- .</u></p> <p>Unit is on rental basis in the Building of M/s.Peepul Tree Properties Pvt. Ltd(owner)</p> <p>M/s.Peepul Tree Properties has also applied for renewal of consent for STP Activity and agenda was also submitted for placing before CC Meeting for discussion.</p> <p>SRO reported that,</p> <p>PP has not submitted,</p> <p>1)balance sheet.</p> <p>2)details of cess returns & payment mode.</p> <p>3)copy of Environment statement.</p> <p><u>4)details of water budget, solid waste details.</u></p> <p>SRO has issued letter to PP 12th March,2014 & reply awaited.</p> <p>SRO reported that M/s. Peepul tree has provided STP having capacity 200 CMD.</p>
Recommendation of SRO/RO	<p>SRO recommended consent may be granted after receipt of above information.</p>

Maharashtra Pollution Control Board

Agenda no. 2

Region : SRO Mumbai IV		Section : RO(HQ)		Date :	
Name & Address		M/s. Tata Consultancy Services, at Plant No.12,Godrej BOYCE Complex, LBS Marg,Vikroli(E),Mumbai			
Consent For		C to Operate,			
Capital Investment		C.I. mentioned by PP is Rs.101.06 Cr. PP has submitted CA Certificate without including land/building cost & not submitted the certificate of owner/lesser/licensor stating the cost of assests.			
Previous Consent Validity		--			
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category		Orange			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Water Consumption-200 CMD Effluent generation-160 CMD. SRO reported that centralized STP provided by M/s.Godrej Industries.			
Water Cess		Assessment Done :		Paid Upto :	
BG Details		Amount :		Validity :	

Maharashtra Pollution Control Board

	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Application for grant of Consent to Establish & Operate for IT Activity at Plant No.12,Godrej BOYCE Complex,LBS Marg,Vikroli(E),Mumbai</p> <p>Said project is in operation from July,2009 but not submitted consent fee of lapse period.</p> <p>Non Hazardous Waste:</p> <p>Wet Garbage: 72,000 Kg/Annum</p> <p>SRO reported that indigestive pant provided by M/s.Godrej industries</p> <p>Dry Garbage: 50,000 Kg/Annum</p> <p>SRO reported that PP has not submitted,</p> <ol style="list-style-type: none"> 1.Details of E-Waste generation & its disposal. 2.Cess details. 3.Copy of EC & Consent to Establish for infrastructure Bldg. <p>SRO has issued letter to PP dated 4/4/2014 and reply awaited.</p>	
Recommendation of	SRO recommended consent may be granted after receipt of above information.	

Maharashtra Pollution Control Board

SRO/RO	
---------------	--

Agenda no. 3

Region : SRO Mumbai III	Section : RO(HQ)	Date :
Name & Address	Tata Consultancy services Ltd., 1 st to 13 th Floors , Kensington B- wing, Hiranandani Business Park at Powai.	

Maharashtra Pollution Control Board

Consent For	CO	
Capital Investment	C.I. mentioned by PP 1 st to 4 th floor is Rs.47.20Cr. 5 th to 8 th floor is Rs.58.93Cr 9 th to 13 th floor is Rs.51.16 Cr. Total C.I. is 157.29 Cr.	
Previous Consent Validity	---	
Industry Type	IT & ITES Activity	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption-125 CMD Effluent generation-100 CMD. Applicant mentioned that waste water recycled through STP but capacity of STP is not mentioned.	
Water Cess	Assessment Done :	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	

Maharashtra Pollution Control Board

		<u>Details of BG forfeited/encashed , if any :</u>
Submission of Environmental Statement	Period	
Other Relevant Information		<p>Application for grant of Consent to Operate for IT Activity.</p> <p>PP has applied for Consent application ,separately floor wise for IT PARK at <u>Kensington,B-Wing, Hiranandani Buisiness park, Powai for</u></p> <p>1st to 4th floor(CO1403000229)</p> <p>5th to 8th floor(CO1403000231)</p> <p>9th to 13th floor(CO1403000232)</p> <p><u>All 3 cases are herewith submitted together for placing before CC Committee meeting.</u> PP has submitted CA Certificate without including land/building cost & not submitted the certificate of owner/lesser/licensor stating the cost of assests.</p> <p>SRO reported that,Said project is in operation from July,2009 but not submitted consent fee of lapse period.</p> <p>Non hazardous waste:</p> <p>Biodegradable waste :50,000 Kg/Annum</p> <p>(Treated through bio digester)</p> <p>SRO reported that PP has not submitted,</p> <p>1.Details of E-Waste generation & its disposal.</p> <p>2.Cess details.</p> <p><u>3.Copy of Environmental Clearance & Consent for bldg.Kensington of</u></p>

Maharashtra Pollution Control Board

	<p><u>hiranandani builder SEZ project.</u></p> <p>SRO has issued letter to PP dated 4/4/2014 and reply awaited.</p>
Recommendation of SRO/RO	SRO recommended consent may be granted after receipt of above information

Agenda no. 4

Region : SRO Mumbai IV	Section : RO(HQ)	Date :
Name & Address	M/s.Peepul Tree Properties Pvt Ltd. , Infinity IT Park,Building No.4, Dindoshi, Malad(w), Mumbai-97	
Consent For	Renewal of Consent	
Capital Investment	C.I. of project is Rs.250.89Cr C.I increased from Rs.1 Cr to Rs.250.89Cr	
Previous Consent Validity	Regional Office Mumbai has granted consent for operation of STP (its capacity not mentioned in consent) which is valid up to 31.01.2013 and having C.I. is Rs.1 Cr.	

Maharashtra Pollution Control Board

Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- <u>PP has applied for effluent discharge of 300.00 CMD while STP provided of 200 CMD capacities.</u>	
Water Cess	Assessment Done :	Paid Upto :
BG Details	Amount :	Validity :
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Project proponent has applied for renewal of consent for STP having capacity 200 CMD at infinity IT Park,239,Buiding No.4,Dindoshi,Maad(E),Mumbai.</p> <p>SRO reported that,</p> <p>1.From the documents submitted by PP vide letter dated 21/10/2013,</p> <p>carpet area of building is 6,185 Sq. Mtrs</p> <p>Total built up area is 80,464 Sq. Mtrs.</p>	

Maharashtra Pollution Control Board

	<p>2)However as per new categorization of CPCB's June 2012 individual STP cat. is not included due to which application processed considering cat no. O-8.</p> <p>Applicant has not submitted details of solid waste/ HW.</p> <p>PP has submitted,</p> <p>IOD is granted in name of M/s.Ferani hotels Ltd.,for Bldg. No.4 at CTS No. 827A(pt),S.no.239(pt) of village, malad.</p> <p>Plinth level work completed before 28th Jan 2004.</p>
Recommendation of SRO/RO	<p>RO Recommended , decision may be taken at higher level that whether consent may be granted or not as the individual STP Cat is not mentioned in new categorization or whether consent may be granted considering construction project having total built up area 80464 Sq.Mtrs.</p> <p>PP has paid fee of Rs. 15,000/- along with applications against the total fees of Rs.5,01,740/-.</p> <p>Also PP has not paid required amount of consent fee. However as the STP categorization is not define in the CPCB's list of categorization of industries, this office has not instated for the fees at actual.</p>

Agenda no. 5

Region : Nashik	Section : JD(APC)	Date : /05/2014
Name & Address	M/s. Delta Magnets Ltd. (Formerly known as G P Electronics Ltd.), Plot No. B-87, MIDC, Ambad, Nashik.	
Consent For	Renewal of consent.	
Capital Investment	46.53 Crs	
Previous Consent Validity	31/12/2013	
Industry Type	R21 Ferrous and Non Ferrous metal extraction.	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES (√)	
	Details :- Domestic Effluent – 05.00 CMD, Industrial Effluent – 16 CMD. Septic tank provided.	
Compliance Of Air Pollution Related Conditions	YES (√) Bag filter provided.	

Maharashtra Pollution Control Board

Water Cess	Assessment Done: Nov-2013.	Paid Upto :
<u>BG Details</u>	<u>Amount</u> : Rs. 5.0 Lakhs	<u>Validity:</u> 19.12.2013.
	<u>BG Obtained against:</u> O & M of pollution control system.	
	<u>Details of BG forfeited/encashed , if any :</u> -----	
Submission of Environmental Statement	Period	2012-2013.
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent. 2. Earlier consent obtained vide No. MPCB/JD (APC)/EIC No. NK-10483-12/R/CC-540 dated 30/08/2012 valid till 31/12/2013. 	
Recommendation of SRO/RO	SRO Nashik has recommended the renewal upto 31/12/2015	
Recommendation of HQ (including consent fees details / delay payment charges)	Recommended for grant of renewal of consent to operate upto 31.12.2015, with submission of Bank Guarantee of Rs.5.0 Lakhs towards O & M of pollution control system. Industry has paid consent fees Rs. 1, 51,500/- in the Board.	
Consent Recommended Up to	31/12/2015.	

Maharashtra Pollution Control Board

Agenda no. 6

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: /05/2014
Name & Address	M/s. Gupta Global Resources Ltd., Vill: Gouri Tal: Rajura, Dist: Chandrapur.	
Consent for	Applied for renewal of consent	
Capital Investment	C.I. is Rs.29.97 Crores	
Consent Valid upto	31.03.2014	
<u>Industry Type</u>	Coal Washery	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent is 3.5 CMD. Septic Tank provided.	
	Industrial Effluent is – 360.0 CMD. Primary treatment provided.	
	YES ()	

Maharashtra Pollution Control Board

Compliance of Air Pollution Related Conditions	1) Wet Scrubber provided to Crusher, Screening Section & transfer Point	
Water Cess	Assessment Done: ---	Paid up to: ---
<u>BG Details</u>	Amount: Rs.2.0/- Lacs	Validity:
	BG obtained against: --- Industry has not submitted the BG of Rs.2.0/- Lakhs as per the previous consent condition i.e towards O & M of PCS.	
	Details of BG forfeited/ encashed, if any: ---	
Submission of Environmental Statement	Period: Plant is not operation since August 2011	
Other Relevant Information	Industry has not renewed the bank guarantee of Rs.5.0/- Lacs which was obtained towards compliance of direction issued dated 27.10.2010.	
Recommendation of SRO/RO	Renewal of Consent is recommended for the period up to 31.03.2015..	
Recommendation of HQ (including consent fees details/ delay payment charges)	We may grant renewal up to 31.3.2015 with condition of obtaining BG for O & M of Pollution control system and compliance of conditions. (Consent fees of Rs.1,25,000/- paid)	

Maharashtra Pollution Control Board

Consent Recommended up to	31.03.2015.
----------------------------------	-------------

Agenda no. 7

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: 23/05/2014

Maharashtra Pollution Control Board

Name & Address	M/s Western CoalFields Ltd., Kolarpimpri Open Cast Mine Mine ,WCL Wani North Area, Tal- Wani, Dist. Yavatmal	
Consent for	Renewal of consent with expansion from 1.05 mtpa to 1.5 mtpa.	
Capital Investment	Rs.65.87 Crores	
Consent Valid up to	31.10.2014 (For existing Coal Mine-1.05 mtpa)	
<u>Industry Type</u>	Coal Mine	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent-100 CMD. Septic Tank & Soak pit provided. Industrial Effluent – 3100 CMD. ETP provided for treatment of workshop effluent.	
Compliance of Air Pollution Related Conditions	No	
	Four nos of fixed rain guns are provided at CHP and three nos of mobile water tankers are provided for water sprinkling at Mine Haul Roads. Analysis results of AAQM carried out on 1.2.2013, 27-28 may-2013 are exceeding the standards for the parameter RSPM.	
Water Cess	Assessment Done: ---.	Paid up to: ---.
<u>BG Details</u>	Amount: Rs.10.0 Lakhs	Validity: 22.08.2014

Maharashtra Pollution Control Board

	BG obtained against: Towards compliance of interim direction dated 5.8.2010.	
	Details of BG forfeited/ encashed, if any: ---	
Submission of Environmental Statement	Period: 2012-13	
Other Relevant Information	<ul style="list-style-type: none"> • The distance of kolarpimpri opencast mine from notified river Wardha is 1.0 kms. Thus the mine is not meeting the RRZ policy in respect of Wardha River (A-II Class). • The Board has issued closure directions to the said mine vide letter no. MPCB/ROC/Dir/171/941/2013 dated 07/05/2013 in view of complaint received from Hon'ble MP Shri. Hansraj Ahir regarding air pollution at Bramhani, Nilapur and adjoining villages and non compliance observed during the visit of RO Chandrapur dated 20 & 22 march 2013. 	
Recommendation of SRO/RO	SRO recommended consent to operate for the existing coal production capacity only i.e 1.05 mtpa for the period up to 31.10.2014, only after compliance of the directions issued by Board vide letter dated 7.5.2013.	
Recommendation of HQ (including consent fees details/ delay payment charges)	<p>We may not grant consent to operate to the unit even for existing 1.05mtpa coal mining as the mine is closed by MPCB. Compliance is not yet done fully. Expansion may be refused.</p> <p>(Consent fees of Rs.1900000/- paid)</p>	
Consent Recommended up to	---	

Maharashtra Pollution Control Board

Agenda no. 8

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: 23/05/2014
Name & Address	M/s Western CoalFields Ltd., Sasti Underground Mine ,WCL Ballarpur Area, At Po.Sasti, Tal- Rajura, Dist. Chandrapur	
Consent for	Plain renewal of consent.	
Capital Investment	Rs.30.45 Crores	

Maharashtra Pollution Control Board

Consent Valid up to	31.03.2014	
<u>Industry Type</u>	Coal Mine	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent-100 CMD. Septic Tank & Soak pit provided. Industrial Effluent – 3100 CMD. Primary treatment provided.	
Compliance of Air Pollution Related Conditions	YES ()	
	Water sprinkling during transportation/loading/unloading of coal	
Water Cess	Assessment Done: ---.	Paid up to: ---.
<u>BG Details</u>	Amount: Rs.5.0 Lakhs	Validity: 26.09.2014
	BG obtained against: Towards O & M of PCS as per earlier consent conditions.	
	Details of BG forfeited/ enchased, if any: ---	

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period: 2012-13
Other Relevant Information	---
Recommendation of SRO/RO	Recommended Renewal up to 31.03.2016.
Recommendation of HQ (including consent fees details/ delay payment charges)	We may grant plain renewal up to 30.3.2016 with condition of extension of existing BG of Rs.5.0/- Lakhs up to consent validity period. (Consent fees of Rs.657000/- paid)
Consent Recommended up to	31.03.2016