

Maharashtra Pollution Control Board

List of Cases to be submitted before 6th Consent Committee Meeting of 2014-15 scheduled on 10.06.2014 at 11:00 a.m. (Booklet No. - 11)						
Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Sai Essen Properties, "Aishwaryam Curtyard" , Gat No. 1169, 1170, 1171, 1172, 1241, Near Sane Chowk, Akurdi-Chikhali Road, Pune	65 Crs.	Establish	RO(HQ)	1 to 18	
2	Vedant Buildcon "Kingston Imperia" , S. No. 4/1B, Near Mahatma Phule School, Behind Dharmavat Petrol Pump, Kondhwa-Pisoli Road, Pune	60 Crs.	Establish	RO(HQ)	19 to 32	
3	Nucon Builders, "Naren Bliss & Naren Pearl" , S. No. 135/1 + 3B, 2/2B, 1+3A/1B, 1+3A/2, Magarpatta Road, Mundhwa, Pune	32.34 Crs.	Establish	RO(HQ)	33 - 48	
4	Exotech Zanini Industries Pvt. Ltd. , F-27, MIDC Ranjangaon, Tal- Shirur, Dist - Pune	36.95 Crs	1st Operate	JD(APC)	49 - 75	
5	SIM Reality, "Swaraj" , Gat No. 212 New 1331 Old Gat No. 209 New (P) 1327 old, Moshi, Haveli, Dist - Pune	54.72 Crs.	1st Operate (Part)	RO(HQ)	76 - 93	
6	Jabil Circuit India Pvt. Ltd. , MIDC Ranjangaon, Shirur, Pune	265.31 Crs	Renewal (Amalgamation)	JD(APC)	94 - 112	
7	Gabriel India Ltd. , B-2, MIDC Ambad, Nashik	40.03 Crs	Renewal (Amalgamation)	JD(APC)	113 - 146	
8	Super Auto India Ltd. , Gat No. 38, Nanekarwadi Chakan, Tal- Khed, Dist - Pune	52.73 Crs	Renewal (Amalgamation)	JD(APC)	147 - 172	

Maharashtra Pollution Control Board

Fresh Agenda						
1	BASF India (Ltd) (Lonikand), Dattanagar, Tal - Haveli, Pune	26.37 Crs.	Establish	AS(T)	173 - 184	
2	Vidyavihar Containers Ltd., "Neelkanth Kingdom", CTS No. 237, 237/1-3, 513 to 516 of village Kiroli & CTS No. 634, 635/4-6 of village Kurla at Vidyavihar (W), Mumbai	197.20 Crs.	Establish	RO(HQ)	185 - 205	
3	Vidyavihar Containers Ltd., "Neelkanth Kingdom", CTS No. 237, 237/1-3, 513 to 516 of village Kiroli & CTS No. 634, 635/4-6 of village Kurla at Vidyavihar (W), Mumbai	49.35 Crs.	1st Operate (Part)	RO(HQ)	206 - 218	
4	Ador Welding Ltd., Sr. No. 14/2B/3CTC No. 5222, Akurdi, Chinchwadgaon, Pune	28.92 Crs	Establish	JD(APC)	219 - 237	
5	Bhoomi Constructions, S. No. 122, Near Basket Bridge, Opp. S. B. Patil School, Ravet, Pune	49.50 Crs.	Establish	RO(HQ)	238 - 249	
6	Sai Innovision Associates, "7 Avenues", S. No. 28/1B, 29/5, Near MITCON, Opposite Balewadi Stadium, Balewadi, Pune	91.91 Crs.	Establish	RO(HQ)	250 - 261	
7	Hilton Infrastructure, CTS No. 207, 1/207 & 208 of Tardeo Div., Ward No. D-4042-46 & 4039 (D ward), Situated at 122 - 138, Shuklaji Street, Mumbai	146 Crs.	Establish	RO(HQ)	262 - 282	
8	Star Circlips and Engineering Ltd., Plot No. K- 44, 44/1, MIDC Buitbori, Tal & Dist - Nagpur	36.27 Crs	Establish (Expansion)	JD(APC)	283 - 297	

Maharashtra Pollution Control Board

9	Supermax Personal Care Pvt. Ltd., (Plant II) , Wagle Industrial Estate, P.O.- LBS Marg, Thane	27.91 Crs.	Renewal (Expansion)	JD(APC)	298 - 323	
10	HUF India Pvt. Ltd. , G No. 304(P), Vill - Nanekarwadi, Tal- Khed, Dist - Pune	48.85 Crs	Renewal (Expansion)	JD(APC)	324 - 342	
11	Jai Bhavani Sahakari Sakhar Karkhana Ltd. , Shivaji Nagar, Tal - Georai, Dist - Beed.	54.37 Crs.	Renewal (with increase in C.I.)	JD(WPC)	343 - 349	
12	Sandoz Pvt. Ltd. , Plot No. 8-A/1/1, 8-A/2, 8-B, TTCMIDC Dighe, Navi Mumbai	430.62 Crs.	Renewal (with increase in Production)	AS(T)	350 - 369	
13	Indoco Remedies Ltd. , A-26, A-28/1, 28/2 MIDC Patalganga, Raigad	42.18 Crs.	Renewal (change in product mix)	AS(T)	370 - 385	
14	Burckhardt Compression (I) Pvt. Ltd. , G No. 304, Vill- Kondhapuri, Pune Nagar Road, Tal- Shirur, Dist - Pune	55.68 Crs	Renewal	JD(APC)	386 - 413	
15	Elpro Internationals Ltd. , Sr. No. 170,175,176,180to 185, Chinchwad, Pune	26.58 Crs	Renewal	JD(APC)	414 - 431	
16	Uni Deritend Ltd. , Gut No. 496, Brahmanwada, A/p- Shinde Village, Tal & Dist - Nashik	27.97 Crs	Renewal	JD(APC)	432 - 447	
17	Gupta Global Resources Ltd. , Kh No. 175, Vill- Usgaon, Tal & Dist - Chandrapur	32.03 Crs	Renewal	JD(APC)	448 - 463	

Maharashtra Pollution Control Board

18	Lemken India Agro Equipments Pvt. Ltd. , Plot No. D-59, MIDC Butibori Indl. Area, Tal- Hingana, Dist - Nagpur	61.32 Crs	Renewal	JD(APC)	464 - 481	
19	K Raheja Corporation Services Pvt. Ltd. , Raheja Tower, C-30, Block "G", Bandra Kurla Complex, Bandra (E), Mumbai	104.22 Crs.	Renewal	RO(HQ)	482 - 503	
20	Shree Balaji Ventures, "Ganga Silicon Square" , S. No. 249, 250(part), CTS No. 845, 846, 780, 871, 872, 909 (part), Plot B, Wakad, Pune	80.91 Crs.	Renewal (Part)	RO(HQ)	504 - 515	
21	Platinum Construction, "Platinum Park" , S. No. 16A, 16B, 16C, 16KH, 16G, 16GH, 16D, 16CH, 16CHH, 16J, 16AZ, 16T, 16TH, 16P at Baner, Pune	62 Crs.	Renewal	RO(HQ)	516 - 528	
22	Ellora Paper Mills Ltd. , Devhada Khurd Tumsar, Tal - Mohadi, Dist - Bhandara	25.87 Crs.	Renewal	JD(WPC)	529 - 550	
23	Manganese Ore (I) Ltd. , Chikla Mine, At - Sitasongi, Tal- Tumsar, Dist - Bhandara	25.75 Crs	Renewal	JD(APC)	551 - 559	
	Review Item					
1	SHV Energy Pvt. Ltd., Plot No. D-233/2, Phase II MIDC Chakan, Tal - Khed, Dist - Pune	_____	_____	AS(T)	560 - 567	
2	Grant of consent to the hotels located in Eco Sensitive Zone of Mahabaleshwar	_____	_____	RO(HQ)	568 - 573	
	JD(WPC)	2				
	AS(T)	3				
	RO(HQ)	12				
	JD(APC)	14				

Maharashtra Pollution Control Board

PSO	0
Total	31

CC-Resubmission

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 01/09/2012 Ro (HQ) Date of receipt;- 18/12/2013
Name & Address	M/s. Sai Essen Properties, "Aishwaryam Courtyard" Gat No. 1169, 1170, 1171, 1172, 1241, Near Sane Chowk, Akurdi-Chikhali Road, Pune	
Consent For	C to E	
Capital Investment	65.0 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 752.50 CMD , Effluent Generated :- 677.0 CMD Proposed STP Capacity :- 678.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :

Maharashtra Pollution Control Board

Other Relevant Information			
	Applied for	C to E	Residential
	Plot Area	45800.0 sq.mt	Built up area 108321.22 sq.mt
	EC Status	Applied	Dated 18/03/2014
	River Distance	1.0 Km	Name of River Indrayani
	Water Consumption	752.50 CMD	Effluent Generated 677.0 CMD
	STP Capacity	678.0 CMD	Recycle water 224.0 CMD
	Bio-degradable	1507.14 Kg/D	Treatment OWC
	Non-Boi degradable	1004.0 Kg/D	Treatment Local Body
	No of DG Sets	3	Capacity 125.0 KVA
	<ul style="list-style-type: none"> • M/s. Sai Essen Properties, Akurdi-Chikhali Road, Pune has applied for consent to establish on 01/09/2012. The same application was discussed in CC meeting held on 05/04/2013 and during discussion it was decided to issue refusal of consent to establish as applicant has not submitted reply of SCN and site does not fulfill Distance criteria. • Accordingly Board has issued refusal of consent to establish on 20/04/2013 for site not fulfill distance criteria of Indrayani River (A-II). • Applicant now submitted letter and stated that we have not received Show Cause Notice. And distance from river is 1320.0 mtrs (as per Google map). Also stated that project was recommended by SEAC & SEIAA minutes attached with letter <p>Resubmission:-</p> <p>Application for grant of consent to establish was discussed in CC meeting held on 10/04/2014 during discussion it was PP may approach after obtaining architect plan showing STP and MSW location from HFL of river.</p>		

Maharashtra Pollution Control Board

	<p>As per decision Applicant has submitted architect plan showing STP located 1,234.94 mtrs and Organic waste convertor at 1264.75 mtrs from HFL of Indrayani River.</p> <p>In view of above we may consider consent to establish as project located above 1 Km.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 21/01/2014 Ro (HQ) Date of receipt;- 25/02/2014
Name & Address	M/s. Vedant Buildcon “Kingston Imperia” S.No. 4/1B, Near Mahatma Phule School, Behind Dharmavat Petrol Pum, Kondhwa-Pisoli Road, Pune.	
Consent For	C to E	
Capital Investment	60.00 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 240.0 CMD , Effluent Generated :- 210.0 CMD Proposed STP Capacity :- 210.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :

Maharashtra Pollution Control Board

Other Relevant Information	Applied for	C to E	Residential		
	Plot Area	19,800.0 sq.mt	Built up area	32,261.15 sq.mt	
	EC Status	Applied	Dated	08/05/2013	
	River Distance	@ 10.0 Km	Name of River	Mula-Mutha(A-IV)	
	Water Consumption	240.0 CMD	Effluent Generated	210.0 CMD	
	STP Capacity	210.0 CMD	Recycle water	90 CMD	
	Bio-degradable	475.0 Kg/D	Treatment	OWC	
	Non-Boi degradable	290.0 Kg/D	Treatment	Local Body	
	No of DG Sets	3	Capacity	630 x 2, 315 KVA	
	Construction status	Started	Date of Visit	24/01/2014	
	Resubmission:				
	<ul style="list-style-type: none"> • The application for consent to establish was discussed in CC meeting held on 29/04/2014, during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance. Board has issued SCN on 09/05/2014. • Applicant has submitted reply through E-mail, in reply applicant stated that “we have initiated some construction following to the office order issued on dated 29/06/2013 in which it was clearly mentioned that “Residential project where in construction below 20,000 sq.mtrs has been initiated shall not be treated as violation, accordingly we started construction. However environment department circular date 31/10/2013 such construction will be treated as violation. Accordingly we have stopped the construction at the same time. • Applicant has submitted undertaking on 100 Rs. Stamp paper for not initiate any 				

Maharashtra Pollution Control Board

	<p>construction before obtaining Environment clearance.</p> <ul style="list-style-type: none">• In view of above we may consider consent to establish with BG+ BR+ affidavit.
Recommendation of SRO/RO	

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 31/01/2014 Ro (HQ) Date of receipt;-29/04/2014
Name & Address	M/s. Nucon Builders, "Naren Bliss & Naren Pearl", S. No. 135/1+3B, 2/2A/1, 2/2B, 1+3A/1B, 1+3A/2, Magarpatta Road, Mundhwa, Pune.	
Consent For	C to E	
Capital Investment	32.34 Cr	
Previous Consent Validity	-	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 100.0 CMD , Effluent Generated :- 90.0 CMD Proposed STP Capacity :- 155.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :

Maharashtra Pollution Control Board

<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>		
	<u>BG Obtained against :</u>			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Applied for	C to E	Residential & shops /Showrooms	
	Plot Area	13794.0 sq.mt	Built up area	34587.05 sq.mt
	EC Status	Applied	Dated	17/10/2012
	River Distance	600 mtrs	Name of River	Mula- Mutha
	Water Consumption	181.19 CMD	Effluent Generated	152.9 CMD
	STP Capacity	155.0 CMD	Recycle water	62.08 CMD
	Bio-degradable	332.0 Kg/D	Treatment	OWC
	Non-Boi degradable	271.0 Kg/D	Treatment	Local Body
	No of DG Sets	2	Capacity	45 + 160 KVA
	Construction status	Started	Date of Visit	11/02/2014
	<p>PP has obtained 1st sanction plan from PMC for BUA 18,322.0 sq. mtrs and as per sanction plan construction completed. For expansion phase of 3 building applicant applied for EC. As pre SRO report PP has stopped the construction activity.</p> <p>In view of above we may consider SCN for refusal of consent to establish as PP</p>			

Maharashtra Pollution Control Board

	<p>has started construction without C to E and EC.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : JD(APC)		Date : /06/2014
Name & Address	M/s. Exotech Zanini Industries Pvt. Ltd., F-27, MIDC Ranjangaon, Tal. Shirur, Pune		
Consent For	1 st Operate		
Capital Investment	Rs.36.95 Crs		
Previous Consent Validity	Consent to establish obtained.		
Industry Type	R36 Industry Involving metal surface treatment		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (√)		
	Details :- Dom. Eff – 16.00 CMD ,STP Provided, Ind. Effluent – 160.00 CMD,ETP provided.		
Compliance Of Air Pollution Related Conditions	YES (√) Industry has provided scrubber system and stack to control air emissions.		
Water Cess	Assessment Done :-----	Paid Upto : -----	

Maharashtra Pollution Control Board

BG Details	Amount : Rs. -----	Validity :-----
	BG Obtained against : -----	
	Details of BG forfeited/encashed , if any :	
Submission of Environmental Statement	Period	-----
Other Relevant Information	<ol style="list-style-type: none"> 1. Earlier consent to establish obtained vide No. BO/JD(APC)/EIC No. PN-15607-12/E/CC-857; dated 28/01/2013 and amendment in the consent No. BO/JD(APC)/TB-4/EIC No. PN -15607-12/E/CC-4990 dated 05/06/2013. 2. This case was discussed in CC meeting held on 29.04.2014. In this meeting it was decided to obtain information about disposal path for treated effluent. 3. Industry has submitted reply vide letter dated 12.05.2014 stating that they have provided ETP and allow them for disposal of effluent at CETP. 	
Recommendation of SRO/RO	RO Pune commented that industry has to recycle effluent to the maximum extent and reuse it in process. The industry has provided primary treatment only and proposed to connect to CETP.	

Agenda no. 5

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 26/12/2013 Date RO(HQ):- 28/02/2014
Name & Address	M/s. SIM Reality, "Swaraj" Gat No. 212 New 1331 old Gat No. 209 New (P)1327 old, Moshi, Haveli, Dist. Pune.	
Consent For	C to O (Part)	
Capital Investment	54.72 Crore	
Previous Consent	COU	

Maharashtra Pollution Control Board

Validity																																																			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																																		
Industry Category	Orange																																																		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																																	
	Details :- Water Consumption :- 649.0 CMD , Effluent Generated :- 500.0 Proposed STP Capacity :-500.0 CMD																																																		
BG Details	Amount :		Validity :																																																
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to O (Part)</td> <td colspan="2" style="text-align: center;">Residential 16 buildings</td> </tr> <tr> <td>Plot Area</td> <td>40, 400.0 m²</td> <td>Total Built up area</td> <td>66490.47m²</td> </tr> <tr> <td>C to E</td> <td>Obtained (Valid)</td> <td>Dated</td> <td>24/08/2011</td> </tr> <tr> <td>Plot area as per CE</td> <td>40,400.0 m²</td> <td>BUA as per CE</td> <td>66491.0 m²</td> </tr> <tr> <td>EC Status</td> <td>Obtained (valid)</td> <td>Dated</td> <td>21/10/2011</td> </tr> <tr> <td>Plot area as per EC</td> <td>40,400.0 m²</td> <td>BUA as per EC</td> <td>66490.87 m²</td> </tr> <tr> <td>Water Consumption</td> <td>649.0 CMD</td> <td>Effluent Generated</td> <td>500.0 CMD</td> </tr> <tr> <td>STP installed</td> <td>500.0 CMD</td> <td>Recycle water</td> <td>298.25 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>1270 Kg/D</td> <td>Treatment</td> <td>OWC provided</td> </tr> <tr> <td>Non-Boi degradable</td> <td>850.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>400.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>16 bldg completed</td> <td>Part operate BUA</td> <td>51688.75 m²</td> </tr> </table>			Applied for	C to O (Part)	Residential 16 buildings		Plot Area	40, 400.0 m ²	Total Built up area	66490.47m ²	C to E	Obtained (Valid)	Dated	24/08/2011	Plot area as per CE	40,400.0 m ²	BUA as per CE	66491.0 m ²	EC Status	Obtained (valid)	Dated	21/10/2011	Plot area as per EC	40,400.0 m ²	BUA as per EC	66490.87 m ²	Water Consumption	649.0 CMD	Effluent Generated	500.0 CMD	STP installed	500.0 CMD	Recycle water	298.25 CMD	Bio-degradable	1270 Kg/D	Treatment	OWC provided	Non-Boi degradable	850.0 Kg/D	Treatment	Local Body	No of DG Sets	1	Capacity	400.0 KVA	Construction status	16 bldg completed	Part operate BUA	51688.75 m²
	Applied for	C to O (Part)	Residential 16 buildings																																																
	Plot Area	40, 400.0 m ²	Total Built up area	66490.47m ²																																															
	C to E	Obtained (Valid)	Dated	24/08/2011																																															
	Plot area as per CE	40,400.0 m ²	BUA as per CE	66491.0 m ²																																															
	EC Status	Obtained (valid)	Dated	21/10/2011																																															
	Plot area as per EC	40,400.0 m ²	BUA as per EC	66490.87 m ²																																															
	Water Consumption	649.0 CMD	Effluent Generated	500.0 CMD																																															
	STP installed	500.0 CMD	Recycle water	298.25 CMD																																															
	Bio-degradable	1270 Kg/D	Treatment	OWC provided																																															
	Non-Boi degradable	850.0 Kg/D	Treatment	Local Body																																															
	No of DG Sets	1	Capacity	400.0 KVA																																															
	Construction status	16 bldg completed	Part operate BUA	51688.75 m²																																															

Maharashtra Pollution Control Board

	<p>As per consent to establish condition STP location shall be beyond 100 mtr from HFL.</p> <ul style="list-style-type: none">• The application for consent to establish was discussed in CC meeting held on 13/03/2014, during discussion it was decided to issue SCN for refusal of consent to operate as applicant has failed to comply with the consent to establish condition no 15 i.e location of STP more than 100 mtrs from Indrayani River.• Applicant has submitted reply on 22/04/2014 in reply applicant stated that “Our project boundary is 180 m from the Indrayani River and location of STP is 275 m from the same which is certified by our architect.” Applicant has submitted architect certificate along with letter.• Resubmission Application for consent to establish was discussed in CC meeting held on 9/05/2014 during discussion it was decided to keep the case in abeyance and putup after submission of Distance certificate from Irrigation department. <p>Applicant has submitted distance certificate from irrigation department, as per certificate shortest distance of the plot from HFL of pawana river is 175 Mtrs.</p> <p>In view of above we may consider Consent to operate part with BG and part operate affidavit.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 6

CC/ Item –		
Region : Pune	Section : JD(APC)	Date:
Name & Address	M/s.Jabil Circuit India Pvt. Ltd.,MIDC Ranjangaon,. Shirur, Dist. Pune.	
Consent for	Renewal of consent with amalgamation	
Capital Investment	Total Capital Investment Rs.265.31 Cr	
Consent Valid upto	30/04/2013.	
Industry Type	R-23- Engineering and fabrication unit (with investment on plant)	
Industry Category	Orange	
Compliance of Water Pollution Related Conditions	YES (v)	NO ()
	STP Provided for domestic effluent	
	YES (v)	NO ()

Maharashtra Pollution Control Board

Compliance of Air Pollution Related Conditions	Fumes extraction system provided to soldering section & exhaust given to utility section.	
Water Cess	Assessment Done: Submitted up to	Paid upto: Sep 2012
BG Details	Amount: Nil	Validity –
	BG obtained against: not reported	
	Details of BG forfeited/ encashed, if any: N.A.	
Submission of Environmental Statement	Period	2011-12
Other Relevant Information	<ul style="list-style-type: none"> ○ Present status report of expansion called from SRO on 23 Sep 2013. Now SRO has submitted by email dtd. 30 Jan 14 (Copy enclosed) & reported production level within consented limits, STP provided, Fumes extraction system provided at soldering section, fee paid upto 30/04/2015 (Orange Category). ○ Case was discussed in the CC meeting it was decided to keep case in abeyance and verify whether there is an etching activity in manufacturing process and due to this there is generation of hazardous waste qty. If that's the case then category is RED and case should be referred to CAC cell or take decision as per delegation of power. ○ Industry has submitted reply vide letter dtd. 13/05/2014 stating the following information. <ol style="list-style-type: none"> 1. Manufacturing process does not contain any etching activity hence there is no generation of any etching chemicals through out this process. 2. Industry using consumable chemicals like 1 PA, flux, which they dispose off after expiry at CHWTSDF. 	
Recommendation of	Consent may be renewed after receipt of reply to this office letter.	

Maharashtra Pollution Control Board

SRO/RO	
--------	--

Maharashtra Pollution Control Board

Agenda no. 7

Region : SRO Nashik	Section : JD(APC) Section		Date : .06.2014.
Name & Address	M/s Gabriel India Ltd., B-2, MIDC Ambad, Nashik.		
Consent For	Renewal of Consent to operate with amalgamation.		
Capital Investment	Total CI Rs.40.03 Crs.[Existing Rs.41.43 crs + Rs.8.70 Crs]		
Previous Consent Validity	31.10.2013.		
Industry Type	R27 Heavy engineering including ship building (With investment o		
Industry Category	Red /LSI		
Compliance Of Water Pollution Related Conditions	NO (√)		
	Details:-Ind. Eff: 14 CMD, ETP Provided and Dom.Eff:14CMD soak pit provided. Analysis results of JVS are exceeding the limits. i.e. phosphate.		
Water Cess	Assessment Done :Nov-2012	Paid Upto :Sept-2011	
Compliance Of Air Pollution Related Conditions	NO (√) Details:-Stack attached to Thermic fluid heater. Analysis results of JVS are exceeding the limits.		
BG Details	<u>Amount</u> : Rs.2.0 Lakhs	<u>Validity</u> : 31.07.2012	
	<u>BG Obtained against:</u> Compliances of consent conditions.		
	<u>Details of BG forfeited/encashed , if any :</u>		

Maharashtra Pollution Control Board

Submission of Environmental Statement.	Period	2011-2012
Other Relevant Information	<ul style="list-style-type: none">- Earlier consent is valid up to 31.10.2013.and consent to establish obtained for additional products. Now industry has applied for grant of consent to operate with amalgamation.- This case was discussed in the CC meeting held on 13.03.2014 In this meeting it was decided to issue SCN for non submission of justification of CI, exceeding JVS and about BG.- Industry has submitted reply vide E-mail dated 06.05.2014along with information about CI, they will improve the performance of ETP, Membership of CHWTSDF and copy of the BG submitted.	
Recommendation of SRO/RO	<ul style="list-style-type: none">- RO Nashik recommended to issue SCN for Non submission of BG and exceeding the results.	

Agenda no. 8

Region : Pune	Section : JD(APC)	Date : /06/2014
Name & Address	M/s. Super Auto India Ltd. Gat No. 308, Nanekarwadi, Chakan, Tal. Khed, Dist. Pune	
Consent For	Renewal with amalgamation	
Capital Investment	Rs.52.73 Crs	
Previous Consent Validity	30/11/2013	

Maharashtra Pollution Control Board

Industry Type	Metal Industry [Casting unit]	
Industry Category	Red /LSI	
Compliance Of Water Pollution Related Conditions	YES	
	Details :- Sewage –18.40 CMD STP Provided Effluent – 05.25 CMD ETP Provided. - Analysis results of JVS are exceeding the results. - Fume extraction system and dust Collector system provided.	
Compliance Of Air Pollution Related Conditions	- Fume extraction system and dust Collector system provided.	
Water Cess	Assessment Done : Dec-2013	Paid Upto :
<u>BG Details</u>	<u>Amount : Rs. -----</u>	<u>Validity : -----</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-2013
Other Relevant Information	<ol style="list-style-type: none"> 1. M/s. Super Auto India Ltd. Gat No. 308, Nanekarwadi, Chakan, Tal. Khed, Dist. Pune has applied for renewal of consent with amalgamation. 2. Earlier consent obtained vide No. BO/JD(APC)/EIC No. PN-9527-11/O-dated 14/02/2013 valid till 30/11/2013 3. Industry has obtained C to E for expansion vide No.: BO/JD(APC)/EIC No. PN-9962-11/O/CC- 1631 dated 26/02/2013 4. Earlier CI was Rs.26.2 Crs. Now shown 52.73 Cr. Justification not submitted. 5. Industry has started expanded production qty. 6. This case was discussed in the CC meeting held on 16.05.2014.In this meeting it was decided to issue SCN for undertaken excess production and exceeding the JVS limits. 7. SCN was issued to industry on 22.05.2014. 	

Maharashtra Pollution Control Board

	8. Industry has submitted reply by E mail dated 03.06.2014 stating that due to market demand they have undertaken excess production and they will improve the system to achieve consented limits.
Recommendation of SRO/RO	Decision may be taken at H.Q. level.

CC-Fresh Agenda

Agenda no. 1

Region : Pune		Section : AST		Date : June 2014	
Name & Address		M/s BASF India (Ltd) (Lonikand),Dattanagar ,Tal-Haveli, Pune			
Consent For		Consent to establish			
Capital Investment		26.37 Cr.			
Previous Consent Validity		31/12/2013			
Industry Type		R-85 (New) chemical based R & D activity.			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		Yes			
		Details :- IE-4.0 CMD & DE- 1.2 CMD Proposed to provide STP & ETP comprising primary followed by tertiary treatment. Disposal on land for gardening.			
Water Cess		Assessment Done :		Paid Upto :	

Maharashtra Pollution Control Board

Compliance Of Air Pollution Related Conditions	Yes	
	Industry has proposed to provide adequate air pollution control system.	
<u>BG Details</u>	<u>Amount</u> : Nil	<u>Validity</u> : NIL
	<u>BG Obtained against</u> : NA	
	<u>Details of BG forfeited/encashed , if any</u> : NA	
Submission of Environmental Statement	Period	NA
Other Relevant Information	<ol style="list-style-type: none"> 1. Applied for C to E for R & D activity of pesticide (Formulation). 2. Proposed site located @ 3.5 km away from river Bhima(A-II). 3. Total Built up area 2200 Sq.mtr. 4. Proposed location is not falls under Western Ghat. 5. PP has submitted request letter vide dtd 05.02.2014 stating that for R & D activity of pesticide (Formulation) is falls under orange category. 6. As per revised categorization published by CPCB Mfg of pesticide excluding formulation is mentioned under Red Category(R/58) but pesticide formulation and R & D activity is not mentioned in any category .Also PP has reported that there is no production hence no raw material is required. 7. PP was heard on 7/03/2014 & it was decided to place the matter 	

Maharashtra Pollution Control Board

	<p>before categorization committee for further decision.</p> <p>8. As per categorization committee meeting dtd 15.05.2014 it was decided to consider such type of cases in Red category (R-85 New i.e. Chemical based R & D).</p> <p>9. PP has submitted request letter vide email dtd16/05/2014 for withdrawing consent application due to some technical modifications to be made in process.</p>
Recommendation of SRO/RO	RO has recommended for grant of consent to establish.

Agenda no. 2

Region : RO Thane	Section :RO(HQ)	SRO Date:-08/05/2013
--------------------------	------------------------	-----------------------------

Maharashtra Pollution Control Board

		RO(HQ) :- 23/05/2014
Name & Address	M/s. Vidyavihar Containers Ltd. "Neelkanth Kingdom", CTS No. 237,237/1-3,513 to 516 of village Kirol & CTS No. 634, 635/4-6 of village Kurla at Vidyavihar (W), Mumbai & Maharashtra.	
Consent For	C to Establish	
Capital Investment	197.20 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 1041 CMD, Effluent generated 773.0 CMD. STP Proposed of Capacity :800.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for consent to Establish. (Applied on 08/05/2013) 2. PP applied for Residential & commercial project covering total area of around 96,634 Sq. mt with total built up area as per FSI 71,854.0 sq. mtrs. 3. PP has obtained environment clearance from GOI having total plot area 96,634 sq.mtrs BUA 71,854.56 sq.mtrs on 24th Februry 2006. 4. PP has aapplied consent to establish on 13/06/2005 but not obtained consent. 5. Capital investment of the completed project is <u>197.20 Cr.</u> 6. Total water consuming 1041 m3/day & generating about 773.0 m3/day of sewage, PP has provided STP having capacity 800.0 CMD. 7. PP has provided Vermi-Composting arragement for bio-degradable waste, Non-biodegradable waste send to authorized vender. 8. 4 no. of DG sets having capacity, 380.0 KVA each. 9. Applicant has paid consent to establish fees on of Rs 75,000/- 10. After obtaining environment clearance PP has started construction work without consent to Establish in 2006. 11. Applicant has applied both Establish and operate (part) on 08/05/2013. 12. In viw of above we may consider consent to establish for complete project with BG & BR with additional conset fees of one term.
Recommendation of SRO/RO	Consent to operate decision may please be taken at higher level.

Maharashtra Pollution Control Board

Agenda no. 3

Region : RO Thane	Section : RO(HQ)	SRO Date:- 08/05/2013 RO HQ:- 23/05/2014
Name & Address	M/s. Vidyavihar Containers Ltd. "Neelkanth Kingdom", CTS No. 237,237/1-3,513 to 516 of village Kirol & CTS No. 634, 635/4-6 of village Kurla at Vidyavihar (W), Mumbai & Maharashtra.	
Consent For	C to Operate	
Capital Investment	49.35 Cr	
Previous Consent Validity	----	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 253.0 CMD, Effluent generated 205.0 CMD. STP Proposed of Capacity :220.0 CMD	

Maharashtra Pollution Control Board

BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for consent to Operate (Part). (Applied on 08/05/2013) 2. PP applied for Residential & commercial project covering total area of around 96,634 Sq. mt with total built up area as per FSI 71,854.56 sq. mtrs. 3. PP has obtained environment clearance from GOI having total plot area 96,634 sq.mtrs BUA 71,854.56 sq.mtrs on 24th Februry 2006. 4. PP has completed construction of Phase-I having 7 nos of building and Builtuparea as per FSI 48,554.64 sq.mtrs. 5. PP has already obtain consent to operate part for commercial project on 16/04/2012 & consent was valid upto 31/03/2014. 6. Capital investment of the completed project is 49.20 Cr. 7. Total water consuming 430.0 m3/day & generating about 296.0 m3/day of sewage, PP has provided STP having capacity 300.0 CMD. 8. PP has provided Vermi-Composting arragement for bio-degradable waste, Non-biodegradable waste send to authorized vender. 9. 2 no. of DG sets having capacity, 380.0 KVA each. 10. Applicant has paid consent to establish fees on 28/03/2013 of Rs 75,100.0 11. After obtaining environment clearance PP has started construction work without consent to Establish in 2006. 12. Applicant has applied both Establish and operate (part) on 08/05/2013. <p>In view of above we may consider consent to operate (part) with BG + and part operate affidavit.</p>	

Maharashtra Pollution Control Board

Maharashtra Pollution Control Board

Agenda no. 4

Region : Nashik	Section : JD(APC)		Date : /05/2014
Name & Address	M/s. Ador Welding Ltd., Sr. no. 147/2B/3CTC No.5222, Akurdi, Chinchwadgaon, Pune-19		
Consent For	Consent to Establish .[Additional products with R & D activity]		
Capital Investment	28.92 Crs [Rs.24.88/-Crs + Rs.4.04 /-Crs]		
Previous Consent Validity	31.08.2014.		
Industry Type	R36 Industry or process involving metal surface treatment		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES (✓)		
	Details :- domestic effluent : Nil , Industrial .1.7 CMD will be treated in existing ETP.		
Compliance Of Air Pollution Related Conditions	YES (✓) Bag filter and dust collector to powder coating section.		
Water Cess	Assessment Done : ---	Paid Upto :---	
<u>BG Details</u>	<u>Amount</u> : Rs. 2 Lakhs	<u>Validity</u> :31.12.2014	
	<u>BG Obtained against</u> : Compliances of consent conditions.		

Maharashtra Pollution Control Board

	<u>Details of BG forfeited/encashed , if any : -----</u>	
Submission of Environmental Statement	Period	2012-.13
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for consent to Establish for expansion. 2. Earlier consent obtained vide no. BO/JD (APC)/EIC No.PN-20420-14/R/CC-dated 28.03.2014 valid till 31.08.2014. 3. Industry is located in the catchment of Pawana River [3.0 Km, A-4 Class] satisfy RRZ. 4. This location of proposed unit does not comes under the list of districts /villages in ESA identified by HLWG of Western Ghat and published by MoEF on 13.11.2013. 	
Recommendation of SRO/RO	-RO Pune has recommended to take decision at HQ level.	

Maharashtra Pollution Control Board

Agenda no. 5

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 11/02/2014 Ro (HQ) Date of receipt;- 22/05/2014
Name & Address	M/s. Bhoomi Constructions. S.No. 122, Near Basket bridge, Opp S. B. Patil School, Ravet, Pune- 412101	
Consent For	C to E	
Capital Investment	49.50 Crore	
Previous Consent Validity	-	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 367.69 CMD , Effluent Generated :- 332.50 CMD Proposed STP Capacity :- 333.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :	
Submission of Environmental Statement	Period	--

Maharashtra Pollution Control Board

Other Relevant Information	Applied for	C to E	Residential buildings		
	Plot Area	21,550.0 sq.mt	Built up area	46,355.65 sq.mt	
	EC Status	Applied	Dated	12/03/2013	
	River Distance	1.0 Km	Name of River	Pawana	
	Water Consumption	367.69 CMD	Effluent Generated	332.50 CMD	
	STP Capacity	400.0 CMD	Recycle water	119.23 CMD	
	Bio-degradable	748.05 Kg/D	Treatment	OWC	
	Non-Boi degradable	464.1 Kg/D	Treatment	Local Body	
	No of DG Sets	3	Capacity	125 KVA	
	Construction status	Not Started	Date of Visit	14/03/2014	
	<p>Applied for consent to establish, construction not started, satisfy RRZ criteria, we may consider consent to establish with BG for not to take any effective step prior to EC.</p>				

Maharashtra Pollution Control Board

Agenda no. 6

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 15/02/2014 Ro (HQ) Date of receipt;- 10/04/2014
Name & Address	M/s. Sai Innovision Associates, “7 Avenues”, S.No. 28/1B, 29/5, Near MITCON, Opposite Balewadi Stadium, Balewadi, Pune.	
Consent For	C to E	
Capital Investment	91.91 Crore	
Previous Consent Validity	-	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 260.0 CMD , Effluent Generated :- 207.0 CMD Proposed STP Capacity :- 220.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :

Maharashtra Pollution Control Board

<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>																																									
	<u>BG Obtained against :</u>																																										
	<u>Details of BG forfeited/encashed , if any :</u>																																										
Submission of Environmental Statement	Period	--																																									
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2">Residential Project</td> </tr> <tr> <td>Plot Area</td> <td>32,522.46 m²</td> <td>Built up area</td> <td>52,150.0 m²</td> </tr> <tr> <td>EC Status</td> <td>Obtained</td> <td>Dated</td> <td>18th May 2013</td> </tr> <tr> <td>River Distance</td> <td>@ 400 mtrs</td> <td>Name of River</td> <td>Pawana</td> </tr> <tr> <td>Water Consumption</td> <td>260.0 CMD</td> <td>Effluent Generated</td> <td>207.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>220.0 CMD</td> <td>Recycle water</td> <td>152.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>400.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>332.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>180.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>Started</td> <td>Date of Visit</td> <td>26/02/2014</td> </tr> </table>			Applied for	C to E	Residential Project		Plot Area	32,522.46 m ²	Built up area	52,150.0 m ²	EC Status	Obtained	Dated	18 th May 2013	River Distance	@ 400 mtrs	Name of River	Pawana	Water Consumption	260.0 CMD	Effluent Generated	207.0 CMD	STP Capacity	220.0 CMD	Recycle water	152.0 CMD	Bio-degradable	400.0 Kg/D	Treatment	OWC	Non-Boi degradable	332.0 Kg/D	Treatment	Local Body	No of DG Sets	1	Capacity	180.0 KVA	Construction status	Started	Date of Visit	26/02/2014
	Applied for	C to E	Residential Project																																								
	Plot Area	32,522.46 m ²	Built up area	52,150.0 m ²																																							
	EC Status	Obtained	Dated	18 th May 2013																																							
	River Distance	@ 400 mtrs	Name of River	Pawana																																							
	Water Consumption	260.0 CMD	Effluent Generated	207.0 CMD																																							
	STP Capacity	220.0 CMD	Recycle water	152.0 CMD																																							
	Bio-degradable	400.0 Kg/D	Treatment	OWC																																							
	Non-Boi degradable	332.0 Kg/D	Treatment	Local Body																																							
	No of DG Sets	1	Capacity	180.0 KVA																																							
	Construction status	Started	Date of Visit	26/02/2014																																							
	<p>Applicant has started construction of 6 buildings out of 7 buildings, we may consider consent to establish subject to submission of Architect plan showing STP & MSW location as site located 400mtrs from Pawana river with Board</p>																																										

Maharashtra Pollution Control Board

	<p>Resolution for starting construction without consent to establish.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 7

Region : SRO Mumbai I		Section : RO(HQ)		Date :
Name & Address		M/s.Hilton Infrastructure CTS No.207,1/207 & 208 of Tardeo Div., Ward No.D.4042-46 &4039(D Ward),Situatd at 122-138, Shuklaji Street,Mumbai-4000 08.		
Consent For		C to E		
Capital Investment		Rs.146 Cr.		
Previous Consent Validity		---		
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category		Orange		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		Details :- Water consumption - 143 CMD. Sewage Generation -121 CMD Capacity of STP Proposed -150 CMD		
Water Cess		Assessment Done :		Paid Upto :

Maharashtra Pollution Control Board

<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	
Other Relevant Information	<p>Application for grant of Consent to Establish for construction of residential project for</p> <p>Total Plot area - 4,245.86 Sq. mtrs</p> <p>Total Construction BUA - 34,196.36 Sq. mtrs</p> <p>PP has not obtained EC from competent authority.</p> <p>(Minutes of SEAC Meeting held on 15/2/2014 is attached)</p> <p>Nonhazardous waste</p> <p>Wet garbage: 303 Kg/Day(will be treated in organic waste Converter)</p> <p>Dry garbage:143 Kg/Day(will be handed over to authorized party)</p> <p>STP Sludge-18 Kg/Day(manure)</p> <p>Said project consist of 2 Buildings</p> <p>1 rehab(wing B & C)</p> <p>Wing B: 2 basement +Gr+ 13 upper floors.</p> <p>Shops(Wing C):2 basement+ Gr+ 8 upper floors</p> <p>1 Sale:2 Wings(Wing A1 & A2)=Upto 16th floors.</p>	

Maharashtra Pollution Control Board

	SRO reported that, PP has constructed the rehab building upto 13th floor and the construction of sale building of 16 floor is under progress and completed up to 2 basement.
Recommendation of SRO/RO	SRO recommended grant of C to E with condition of not effective steps without obtaining BG.

Agenda no. 8

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: /06/2014
Name & Address	<i>M/s Star Circlips and Engineering Limited, Plot No.K-44,44/1 MIDC Butibori,Tal & Dist-Nagpur</i>	
Consent for	<i>Applied for consent to establish for expansion (i.e For construction of new shed within factory premises ,relocation of some machineries from existing shed and additionally installation of some new machines without increase in production quantity).</i>	

Maharashtra Pollution Control Board

Capital Investment	Total C.I. is Rs.36.27 Crores (CI of Existing unit is Rs.15.77 cr and expansion unit is Rs.20.5/-crore)	
Consent Valid up to	Existing unit consent is valid up to 31.01.2016.	
<u>Industry Type</u>	Heavy Engineering Unit	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent is 0.45 CMD. Septic Tank provided. Industrial Effluent is Nil.	
Compliance of Air Pollution Related Conditions	YES ()	

Water Cess	Assessment Done: --	Paid up to: ---
<u>BG Details</u>	Amount: ----	Validity: ---
	BG obtained against: --- .	

Maharashtra Pollution Control Board

	Details of BG forfeited/ encashed, if any: ---
Submission of Environmental Statement	Period: 2012-13
Other Relevant Information	---
Recommendation of SRO/RO	Consent to Establish for expansion is recommended

Agenda no. 9

CC Item –		
Region : Thane	Section : JD(APC)	Date
Name & Address	M/S. Supermax Personal Care Pvt. Ltd. (Plant II),Wagle Industrial Estate, P.O., L.B.S. Marg, Thane-400604.	
Consent for	Renewal of consent with expanded capacity.	
Capital Investment	Rs. 27.91 crs	
Consent Valid upto	31.05.2013	
Industry Type	Engineering	
Industry Category	RED	
Compliance of	YES (√)	NO ()

Maharashtra Pollution Control Board

Water Pollution Related Conditions	1. ETP & Septic tank provided. Submitted water budget showing industrial eff. 3 CMD & Domestic eff. 22.5	
Compliance of Air Pollution Related Conditions	YES (√)	NO ()
	Stack provided to D.G. sets.	
Water Cess	Assessment Done: Submitted up to: not reported	Paid upto:
BG Details	Amount: 50,000/-	Validity – not reported
	BG obtained against: towards consent conditions	
Submission of Environmental Statement	Period	Environmental statement report submitted
Other Relevant Information	<ul style="list-style-type: none"> ○ Case was discussed in CC meeting dtd. 10/04/2014. It was decided to issue SCN for refusal of renewal of consent due to increase in production quantity from 0.7 to 7 MT/Day without permission from the board and the location of the unit fall under MMR Zone-II. Industry has submitted reply on this & reported production capacity written wrongly as 7 in place of 0.7 MT/Day (Copy enclosed). ○ Also requested change of name as Vidyut Metallic Pvt. Ltd. Instead of M/s. Supermax Personal Care Pvt. Ltd. 	
Recommendation of SRO/RO	Consent may be refused	

Maharashtra Pollution Control Board

Maharashtra Pollution Control Board

Agenda no. 10

Region : Pune	Section : JD(APC)		Date : /05/2014
Name & Address	M/s. HUF India Pvt. Ltd. Gat No. 304 (P), Village Nanekarwadi, Tal. Khed, Dist. Pune		
Consent For	Renewal with expansion		
Capital Investment	48.85 Crs		
Previous Consent Validity	31/03/2014		
Industry Type	R27 Heavy Engineering		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions			
	Details :- Sewage – 10.00 CMD Septic tank Provided		
Water Cess	Assessment Done :not reported	Paid Upto :	
<u>BG Details</u>	<u>Amount : Rs. Nil</u>	<u>Validity :</u>	
	<u>BG Obtained against : Nil</u>		
	<u>Details of BG forfeited/encashed , if any :Nil</u>		
Submission of Environmental Statement	Period	2012-2013	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. M/s. HUF India Pvt. Ltd. Gat No. 304 (P), Village Nanekarwadi, Tal. Khed, Dist. Pune has applied for renewal of consent with expansion.2. Earlier consent obtained vide No. BO/APAE/TB-2/EIC No. PN-15865/O/CC- 811 dated 14/02/2013 valid till 30/11/20143. Now Industry has applied for renewal of consent with expansion. 4. Water Consumption Domestic – 14.00 CMD Sewage – 10.00 CMD Industry has provided septic tank for treatment of Sewage. 5. Industry has submitted process flow diagram and list of raw materials. 6. CI 48.85 Crs. (CI Increased from 24.72 to 32.85)
Recommendation of SRO/RO	As industry carrying out expansion. Decision of grant of consent may be taken at HQ Level.

Agenda no. 11

Maharashtra Pollution Control Board

Region : Auranagbad		Section : JD-WPC		Date :	
Name & Address		M/s. Jai Bhavani Sahakari Sakhar Karkhana Ltd. , Shivaji Nagar, Tal Georai Dist.Beed.			
Consent For		Renewal of consent with increased in CI by 3 Cs.			
Capital Investment		54.37/- Crs. existing, earlier it was 51.51/- Crs.			
Previous Consent Validity		31/12/2012			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		<p>Details :- It is reported that the industry was not in operation since last 2 years. now applied for 2014 crushing season. Industrial effluent is 165 CMD. Industry has provided ETP which comprises oil & grease trap,Primary settling tank,equilasation cum neutralisation tank,anaerobic lagoon,aeration lagoon,& secondary clarifier.disposal is on land for gardening.</p> <p>Industry has not taken steps for compliance of CREP Guidelines. Fly ash arrestor provided to the Boiler.</p>			
Water Cess		Assessment Done :N A		Paid Upto :NA	
<u>BG Details</u>		<u>Amount : 5+2 Lakhs</u>		<u>Validity :---</u>	
		<u>BG Obtained against :</u> Industry was submitted BG of Rs. 5+ 2 Lakhs as per earlier consent conditions for O& M and to achieve the consented stds.			
		<u>Details of BG forfeited/encashed , if any :</u> Forfeited both the BG of Rs. 5 +2 Lakhs on dt 01.10.2012.			

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	Not submitted
Other Relevant Information	—	
Recommendation of SRO/RO	SRO has submitted the case for taking appropriate decision at HQ level	

Agenda no. 12

CC Item -		
Region :	Navi Mumbai	Section : AS(T)
		Date: 07 /05/2014
Name & Address	M/s. Sandoz Pvt Ltd. Plot No. 8-A/1/1, 8-A/2, 8-B, TTC MIDC Dighe, Navi Mumbai.	
Consent for	Renewal with Change in Category & enhancement in production capacity.	
Capital Investment	Previous Rs. 302.64 Crore, which is increased by Rs. 127.98 Crore. Now Total CI is Rs. 430.62 Crore.	
Consent Valid up to	Existing - 28/02/2014.	
Industry Type	R-60, Pharmaceutical	
Compliance of Water	Yes	
	Details: IE generation as per existing consent is 170 m3/d. & DE	

Maharashtra Pollution Control Board

Pollution Related Conditions	generation is 60 m3/d. Existing ETP comprises primary, secondary & Tertiary treatment facility followed by RO system. RO reject is sent to CETP. JVS results are within consented limits. Industry has increased industrial and domestic water consumption.	
Water Cess	Assessment Done: June-2013	Paid up to: June- 2013
BG Details	Amount: 1,00,000/-	Validity: 16/07/2013
	BG obtained against: RO plant provision, RO reject to CETP through tankers.	
	Details of BG forfeited / enchased, if any: --	
Submission of Environmental Statement	Period- 2012-2013	
Compliance of Air Pollution Related Conditions	Yes	
	Details: Industry has provided Scrubbers.	
Other Relevant Information	<p>Industry was engaged in manufacturing of Pharmaceutical Formulations, R & D of FDF (Finished Dosage Form) and API. Previous consent granted in Red Category by CAC. Now industry has stopped the production of R & D of FDF and API. Applied only for Pharmaceutical Formulations with enhancement in production quantity i.e. from 334 Million units per month to 500 Million units per month. Since it is only formulation activity, the case is in Orange category as per revised industry categorization and in perview of CC.. Industry has increased Water consumption for Domestic purpose by 15 CMD and for industrial purpose by 30 CMD. IE & DE generation is remains unchanged. RO reject is sent to CETP through tankers. Industry is a member of CHWTSDF for disposal of HW. Industry has submitted form –IV & Form-V and paid cess regularly. CI has increased from Rs. 302.64 Crore to Rs. 430.62 Crore.</p>	

Maharashtra Pollution Control Board

	The case was placed before CAC meeting held on 28.04.2014 & it was decided to transfer the case to CC as said industry is under ORANGE category with CI as Rs. 430.62 Crs.
Recommendation of SRO /RO	Case is recommended for grant of renewal of consent up to 28.02.2020.

Agenda no. 13

Region : Raigad	Section : AST	Date :
------------------------	----------------------	---------------

Maharashtra Pollution Control Board

Name & Address	Indoco Remedies Ltd.A-26 A-28/1,28/2 MIDC Patalganga Raigad	
Consent For	Renewal with change in product mix.	
Capital Investment	42.81 Cr	
Previous Consent Validity	31/01/2014.	
Industry Type	R60Pharmaceutical (excluding formulation)	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details:- Unit has provided full fledge treatment facility for treatment of trade effluent. Treated effluent send to CETP.	
Compliance Of Air Pollution Related Conditions	Details:- Dust collector, centralized Scrubber provided for extracting fumes from plant.	
Water Cess	Assessment Done :	Paid Upto :
BG Details	Amount :	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	Application for renewal of consent with change in product mix and increase in C.I from 9.29 Cr to 42.81Cr.Industry has submitted that the increase in C.I I due to purchase of land, construction of building & premises as per stringent	

Maharashtra Pollution Control Board

	<p>quality measures as per Good Manufacturing Practice (GMP) norms. laboratory, Air pollution systems, Full fledge solid warehouse for storage of raw material, packing & finished goods with force draft ventilation system, internal roads, plantation etc.</p> <p>Industry has stopped production of 8 products and proposed 7 new products.</p> <p>The existing consented quantity of total product is 59.4 T/M, now they proposed to manufacture total production quantity 13.0106 T/M.</p> <p>Industry has submitted 'No increase in pollution load' certificate from Dr. Babasaheb Ambedkar Technological University Lonere Dist-Raigad.</p> <p>There is No change in effluent quantity & Hazardous waste quantity, Air emission, fuel.</p>
<p>Recommendation of RO/SRO</p>	<p>As there is reduction in total production quantity from 59.4 MT/M to 13.0106 MT/M after product mixed and BATU has issued "No increase in pollution load" certificate for the same, the renewal of consent with product mix may be granted.</p>
<p>Recommendation of HQ (including consent fees details / delay payment charges)</p>	<ul style="list-style-type: none"> • There is delay in case submission from SRO/RO. • New entry in CC. • Applied for renewal with change in product mix with increase in C.I from 9.29 to 42.81 Cr, justification given towards increase in C.I seems to be in order. • There is increase in raw water consumption for domestic cooling and gardening about 30CMD, however air emission, effluent generation and H.W generation are within the consented limit. • We may consider the case for renewal with change in product mix for two terms with B.G of 5.0 lakh towards compliance of consent conditions and operation and Maintenance.
<p>Consent Recommended Upto</p>	<p>31/01/2016.</p>

Maharashtra Pollution Control Board

Agenda no. 14

Region : Pune	Section : JD(APC)	Date : /05/2014
Name & Address	M/s. Burckhardt Compression (I) Pvt. Ltd., Gat No. 304, Village Kondhapuri, Pune Nagar Road, Tal. Shirur, Dist. Pune	
Consent For	Renewal	
Capital Investment	Rs.55.68 Crs	
Previous Consent Validity	30/04/2014	
Industry Type	R27 Heavy Engineering	

Maharashtra Pollution Control Board

Industry Category	Red	
Compliance Of Water Pollution Related Conditions	Yes	
	Details :- Sewage – 20.00 CMD STP Provided Effluent – 3.50 CMD ETP Provided	
Compliance Of Air Pollution Related Conditions.	Dust collector provided to shot blasting section.	
Water Cess	Assessment Done :	Paid Upto : Feb 2014
<u>BG Details</u>	<u>Amount : Rs.</u>Nil	<u>Validity : -----</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-2013
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent. 2. Earlier consent obtained vide No. BO/APAE/EIC No. PN-9121-11/R/CC-23 dated 19/11/2011 valid till 30/04/2014 3. CI increased from 41.02 Crs. to 55.68 Crs.due to shot blasting 4. Water Consumption Domestic – 24.00 CMD Sewage – 20.00 CMD Industrial – 12.00 CMD 	

Maharashtra Pollution Control Board

	<p>Effluent – 3.50 CMD</p> <p>Industry has provided STP for treatment of Sewage.</p> <p>And ETP for treatment of Effluent</p> <p>5. CI 55.68 Crs.</p>
Recommendation of SRO/RO	Recommended for grant of renewal of consent to operate.

Maharashtra Pollution Control Board

Agenda no. 15

Region : Pune	Section : JD(APC)	Date : /05/2014
Name & Address	M/s. Elpro Internationals Ltd. Sr. No. 170,175,176,180 to 185, Chinchwad, Pune.	
Consent For	Renewal	
Capital Investment	26.58 Crs	
Previous Consent Validity	31/12/2013.	
Industry Type	R27 Heavy Engineering including ship building	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES (√)	
	Domestic Effluent – 1.20 CMD, Septic tank provided. Industrial Effluent – 0.25 CMD,ETP provided.	
Compliance Of Air Pollution Related Conditions	YES (√) Stack provided to DG set section.	
Water Cess	Assessment Done : ----	Paid Upto : ----
<u>BG Details</u>	<u>Amount</u> : Rs.5.0 Lakhs	<u>Validity</u> : 31.12.2014
	<u>BG Obtained against</u> : Towards compliances of consent conditions.	
	<u>Details of BG forfeited/encashed , if any</u> : -----	

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	-----
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for plain renewal of consent. 2. Earlier consent obtained vide No. BO/PAMS/R/EIC No. PN-12125-11/CC/-751 dated 23/01/2013 valid till 31/12/2013. 	
Recommendation of SRO/RO	RO Pune has commented that industry is to submit the CA certificate in Board's prescribed format.	

Agenda no. 16

Region : Nashik	Section : JD(APC)	Date : /05/2014
Name & Address	M/s. Uni Deritend Ltd., Gut No. 496, Brahmanwada, A/P. Shinde Village, Tal. & Dist. Nashik.	
Consent For	Renewal	
Capital Investment	Rs. 27.97 Crs	
Previous Consent Validity	31/03/2014	
Industry Type	R21 Ferrous and No-Ferrous Metal extraction	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	Yes	
	Details :- Sewage – 12.00 CMD STP Provided Effluent – 5.05 CMD ETP Provided	
Compliance Of Air Pollution Related	Yes- Industry has provided dust collector and scrubber to pickling section.	

Maharashtra Pollution Control Board

Conditions		
Water Cess	Assessment Done : Feb-2014	Paid Upto : -----
BG Details	Amount : Rs. -----	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :-----	
Submission of Environmental Statement	Period	2012-2013
Other Relevant Information	1. Industry has applied for renewal of consent with additional pickling activity. 2. Earlier consent obtained vide No. BO/PCI-II/RONK/R/EIC No. NK-2411-09/3921-09/CC-242 dated 26/06/2009 valid till 31/03/2014 3. CI increased from 19.23 Crs. to 27.97 Crs. Due to addition machineries.	
Recommendation of SRO/RO	Recommended for grant of renewal of consent to operate upto 31.03.2019.	

Agenda no. 17

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: /05/2014
Name & Address	M/s. Gupta Global Resources Ltd., Kh/No.175,Vill-Usgaon,Tal & Dist:Chandrapur.	
Consent for	Applied for renewal of consent.	

Maharashtra Pollution Control Board

Capital Investment	C.I. is Rs.32.03 Crores	
Consent Valid upto	31.03.2014	
<u>Industry Type</u>	Coal Washery	
<u>Industry Category</u>	RED/LSI	
Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent is 3.5 CMD. Septic Tank provided. Industrial Effluent is – 45.0 CMD. Primary treatment provided.	
Compliance of Air Pollution Related Conditions	YES ()	
	1) Wet Scrubber provided to Crusher, Screening Section & transfer Point	
Water Cess	Assessment Done: ---	Paid up to: ---
<u>BG Details</u>	Amount: ---	Validity: --
	BG obtained against: --- BG of rs.2.0 Lakhs is not submitted towards O & M as per previous consent conditions.	

Maharashtra Pollution Control Board

	Details of BG forfeited/ encashed, if any: ---
Submission of Environmental Statement	Period: Plant is not in operation since August 2011
Other Relevant Information	
Recommendation of SRO/RO	Renewal of consent is recommended for the period up to 31.03.2015

Maharashtra Pollution Control Board

Agenda no. 18

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: /06/2014
Name & Address	M/s Lemken India Agro Equipment Pvt. Ltd., Plot No.D-59,MIDC Butibori industrial area, Tal Hingna, Dist-Nagpur	
Consent for	Applied for renewal of consent.	
Capital Investment	C.I. is Rs.61.32 Crores	
Consent Valid upto	30.04.2014	
<u>Industry Type</u>	Heavy Engineering Unit	
<u>Industry Category</u>	RED/LSI	

Maharashtra Pollution Control Board

Compliance of Water Pollution Related Conditions	YES ()	
	Domestic Effluent is 8.0 CMD. Septic Tank provided. Industrial Effluent is – 33.0 CMD. Primary & Secondary treatment provided.	
Compliance of Air Pollution Related Conditions	YES ()	
	Industry having paint booth for spray painting and provided dry filter as an APCS.	
Water Cess	Assessment Done: Feb 2014	Paid up to: ---
<u>BG Details</u>	Amount: Rs.5.0 Lacs	Validity: 31.08.2014
	BG obtained against: --- towards O & M as per previous consent conditions.	
	Details of BG forfeited/ encashed, if any: ---	
Submission of Environmental Statement	Period: 2012-13	
Other Relevant Information	---	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	Renewal of consent is recommended for the period up to 30.04.2016
---------------------------------	---

Maharashtra Pollution Control Board

Agenda no. 19

Region : Mumbai	Section : RO(HQ)	
Name & Address	M/s. K Raheja Corporation Services Pvt. Ltd, Raheja Tower, C- 30, Block "G", Bandra Kurla Complex, Bandra (E), Mumbai	
Consent For	Renewal of Consent	
Capital Investment	104.22	
Previous Consent Validity	28/02/2011	
Industry Type	IT & ITES activity	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 94.0 CMD , Effluent Generated :- 65 Proposed STP Capacity :-85.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP applied for renewal of consent on 23/02/2011 for IT and ITES activity. 2. Earlier consent was valid upto 28/02/2011. 	

Maharashtra Pollution Control Board

	<ol style="list-style-type: none">3. Total plot area 4556.17m² and total BUA 19,212 m²4. Capital investment of the existing project 104 Cr.5. Total water consumption 94 m³ effluent generated 65 m³, STP provided capacity 85 m³.6. Bio-degradable waste generated 279.0 Kg/D, non biodegradable 186.0, for biodegradable waste PP has provided composting pit.7. SRO Mumbai-II reported that applicant has obtained consent to operate for existing building on 20/05/2009 valid upto 28/02/2011 and applicant has submitted application for renewal of consent dtd 15/02/2011 but presently under process of HQ.8. Applicant has paid Rs 6, 96,103/- at the time of renewal.9. Application for consent to establish expansion was approved in CC meeting held on 13/03/2014. As per decision board has granted consent to establish expansion on 21/03/2014.10. Applicant has submitted request letter on 11/04/2014 for considering our renewal which is applied on 15/02/2011.11. In view of above the application for renewal not trace at HQ, and applicant has paid fess of Rs 11,60,440/- for period upto 28/02/2017. We may consider plain renewal of consent to operate for IT and ITES activity.
--	--

Maharashtra Pollution Control Board

Agenda no. 20

Region : RO PUNE	Section :RO(HQ)	SRO Date : 03/03/2014 RO HQ date:-20/05/2014
Name & Address	M/s. Shree Balaji Ventures, "Ganga Silicon Square",	

Maharashtra Pollution Control Board

	S.No. 249, 250(part), CTS No. 845, 846, 780, 871, 872, 909 (part), Plot B, Wakad Pune.	
Consent For	C to R (part)	
Capital Investment	80.91 Cr.	
Previous Consent Validity	31/01/2014	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 178.0 CMD, Effluent generated 129.0 CMD. Provided STP of Capacity : 135.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
	<ol style="list-style-type: none"> 1. PP has applied for plain renewal (part) of residential project. 2. <u>Applicant has obtained consent to operate Part having total plot area 24,078.0 m² completed construction BUA of 18,587 m² out of total BUA 44,057.04 m² consent valid upto 31/01/2014.</u> 3. PP has obtained environment clearance from SEIAA having total plot area <u>24,074.0 m²</u> BUA <u>44,057.04 m²</u> on 16th October 2010. 4. Capital investment of the project is <u>80.91 Cr.</u> 5. Total water consuming <u>178.0 m³/day</u> & generating about <u>129.0 m³/day</u> of sewage, <u>PP has provided Sewage treatment plant of capacity 135.0 CMD.</u> 6. MSW is disposed through Organic Waste Converter. 	

Maharashtra Pollution Control Board

	<p>7. 2 no. of DG sets having capacity, 500 & 1500 KVA.</p> <p>8. In view of above we may consider plain renewal.</p>
--	--

Agenda no. 21

Region : RO PUNE	Section :RO(HQ)	SRO Date : 20/02/2014 RO HQ date:-26/05/2014
Name & Address	M/s. Platinum Construction, "Platinum Park", S.No. 16A,16B,16C, 16KH,16G,16GH,16D,16CH,16CHH,16J,16AZ,16T,16 TH ,16P at Baner, Pune.	
Consent For	C to R	
Capital Investment	62.0 Cr.	
Previous Consent Validity	30/04/2014.0	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES () NO ()	
	Details :-Water Consumption: 333.0 CMD, Effluent generated 243.0 CMD. Provided STP of Capacity : 250.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

1. PP has applied for plain renewal of residential project project.
2. **Applicant has obtained consent to operate having total plot area 26,600.0 m² and BUA 83,354.0 m² consent valid upto 30/04/2014.**
3. PP has obtained environment clearance from SEIAA having total plot area **26,600.0 m²** BUA **83,354.0 sq.mtrs** on 01/06/2009.
4. Capital investment of the project is **62.0 Cr.**
5. Total water consuming **333.0 m³/day** & generating about **243.0 m³/day** of sewage, **PP has provided Sewage treatment plant of capacity 250.0 CMD.**
6. MSW is disposed through Organic Waste Converter.
7. **1 no. of DG** sets having capacity, 250.0KVA.
8. In view of above we may consider plain renewal.

Agenda no. 22

Maharashtra Pollution Control Board

Region : Nagpur		Section : JD-WPC		Date : 22 /05/2014	
Name & Address		M/s Ellora Paper Mills Ltd. , Devhada Khurd Tumsar, Tq - Mohadi, Dist - Bhandara			
Consent For		Applied for renewal of consent			
Capital Investment		2587.4 Lacs			
Previous Consent Validity		31.10.2013 (BO/JDWPC/RO Nagpur NG-5669-11/R/CC-735, Dated- 10.12.2012)			
Industry Type		Paper Industry			
Industry Category		Red/LSI			
Compliance Of Water Pollution Related Conditions		<p>YES ()</p> <p>Details :- Industry has provided primary and secondary treatment for generation of industrial effluent- 341 CMD. Which is recycled in the process.</p> <p>Industry has provided wet scrubber to boiler, industry uses coal & husk as fuel.</p>			
Water Cess		Assessment Done : Nov-013		Paid Upto : 31.05.2012	
BG Details		Amount : 10/- Lakhs		Validity : 31.12.2013	
		<p>BG Obtained against : Rs. 1/- L each against installation of addl clarifier- which is already installed, 2. To provide sun dry board mill- complied, 3. Construction of compound wall- complied, 4. Discard oxidation ditches- complied, 5. Provision of tertiary treatment- not complied, 6. Achieve zero discharge- Achieving, 7. Close shade for storage of rice husk & coal- not complied, 8. APC to boiler (8 TPH)- complied,</p>			
		<u>Details of BG forfeited/encashed , if any :NA</u>			

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	
Other Relevant Information		<p>Earlier consent was granted subject to certain conditions No.9,10,& 11 regarding expansion, to submit Board resolution within 1 month and BG of Rs.5/- Lakh for compliance of the same. But it is reported that, the industry has not submitted Board resolution as well as said BG.</p> <p>As per condition No. 10, due to non submission of Board resolution within month period, the consent treated as cancelled hence industry operating without valid consent since long period. During the year 2011, RO Nagpur had issued conditional restart directions vide letter dtd.29.07.2011 subject to O & M of pollution control system, to install clarifier, to provide tertiary treatment, to submit BG of Rs. 10/- Lakh etc. Industry has submitted BG of 10/- Lakh but not complied the various directions as per compliance report submitted vide letter dtd.17.08.013.</p> <p>Present status report and information regarding action taken against non compliances of ID/ Restart order and consent conditions called from RO/SRO vide mail dtd.15.02.014 but reply for the same is awaited.</p> <p>RESUBMISSION- The case was discussed in CC meeting dtd. 24.02.2014 as per decision, SCN was issued vide letter dtd 13.03.2014.due to non compliance of consent conditions No. 9, 10, 11. Which is of-</p> <ul style="list-style-type: none"> i. industry shall submit Board resolution. ii. If not submit within month, the consent will be treated cancelled. and iii. industry shall submit BG of Rs. 5/- Lakhs for compliance of B. Resolution . <p>In response to that industry has submitted their reply vide letter dtd. 26.03.2014, stated that-</p> <ol style="list-style-type: none"> 1.The industry had installed sundry board mill of adequate capacity in compliance of conditional restart directions issued by the Board vide letter dtd. 29.07.2011. 2.Industry had applied for consent to establish for the same vide letter dtd. 15.10.2011 and also had applied for renewal of consent vide letter dtd.

Maharashtra Pollution Control Board

	<p>26.09.2011. 3. Therefore submission of Board Resolution and BG. may not be insisted.</p> <p>4. Also in response to provision of additional clarifier company stated that it could not complete work of additional clarifier due to acute financial crises but now it is under progress. Industry requested to consider for renewal & not to refuse.</p> <p>Point wise compliance called from concern RO/SRO vide e-mail dtd.25.04.2014, yet reply is not received.</p>
Recommendation of SRO	SRO Bhandara has recommended for grant of consent after compliance of consent condition & restart direction.

Agenda no. 23

CC Item –		
Region : Nagpur	Section : JD(APC)	Date: 04/06/2014
Name & Address	M/s Manganese Ore(I) Limited, Chikla Mine, At Sitasaongi, Tal-Tumsar, Dist-Bhandara	
Consent for	Plain renewal of consent.	
Capital Investment	Capital investment of the industry is increased from Rs. 16.21 crore to Rs.25.75 crore. Justification about increase in CI not submitted.	
Consent Valid up to	28.02.2014	
<u>Industry Type</u>	Manganese Ore Mine	

Maharashtra Pollution Control Board

Industry Category	RED/LSI
Compliance of Water Pollution Related Conditions	No
	Domestic Effluent-200 CMD. Septic Tank & Soak pit provided. STP not provided Industrial Effluent – <i>The quantity of mine water discharge/Workshop effluent and its treatment not specified. Analysis results of domestic effluent/Industrial effluent not submitted by SRO</i>
Compliance of Air Pollution Related Conditions	No
	Heavy fugitive emission was observed from transportation of ORE on the haul road. Water sprinkling was not provided. Analysis results of AAQM are not submitted by SRO
Water Cess	Assessment Done: --- Paid up to: ----
BG Details	Amount: ---- Validity: ---
	BG obtained against: The compliance of consent conditions and BG details are not furnished by SRO
	Details of BG forfeited/ encashed, if any: ---
Submission of Environmental Statement	Period: --

Maharashtra Pollution Control Board

Other Relevant Information	--
Recommendation of SRO/RO	SRO recommended refusal of consent.