

**List of Cases to be submitted before 9th Consent Committee Meeting of 2014-15
scheduled on 14.07.2014 at 02:30 p.m. (Booklet No. - 16)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	The Cerebrum IT Park (Zavaray Poonawalla), 1, 3, 4, 5 floor.	88.32 Crs.	Establish & Operate	RO(HQ)	1 to 35	
	The Mestek Ltd. , 2nd floor.	14.23 Crs.	Renewal			
	The Cerebrum IT Park (Yohan Poonawalla) 6th & 7th floor	41.08 Crs.	Establish & Operate			
2	Nirman Trimurti Developers, "Brookfield Willows" , 6/1/14, 6/1/15, 6/1/18, 6/2/1, 6/2/2(P), Pisoli, Tal - Haveli, Dist- Pune	12.10 Crs.	Establish	RO(HQ)	36 to 50	
3	Pratik Construction , K-12, MIDC Taloja, Panvel.	11.87 Crs.	Establish	RO(HQ)	51 - 65	
4	G.K. Associates Royal Rahadki Greens , S. No. 30/1+2+3, 32/2D/3, Rahatki, Tal - Haveli, Dist- Pune	120 Crs.	Establish	RO(HQ)	66 - 81	
5	Symphony Services Crop India Pvt. Ltd. , Amar Apex, Baner Road, Aundh, Pune	42.29 Crs.	Establish & Operate	RO(HQ)	82 - 93	
6	Viraj Profiles Ltd. , Plot no. -G1/4, MIDC Tarapur, Taluka - Palghar, Dist - Thane	49.61 Crs.	1st Operate	JD(APC)	94 - 118	
7	JWR Logistics Private Limited , Sr. No. 13, 15 to 17, 18, 20 & 21, Village - Padeghar, Post - Kundevahal, Off NH-4B, Tal - Panvel, Dist - Raigad	40.10 Crs.	1st Operate	RO(HQ)	119 - 135	
8	JWC Logistics Private Limited , Sr. No. 69/91, Village - Palaspe, Tal - Panvel, Dist- Raigad	45 Crs.	1st Operate	RO(HQ)	136 - 153	
9	Wipro Lighting , L-8, MIDC Waluj, Aurangabad	20.73 Crs.	Renewal	JD(APC)	154 - 191	
Fresh Agenda						
1	YASH Technology Private Limited , Plot No. 23/1, IT & ITES SEZ (MIDC) Rajiv Gandhi Infotech Park, Hinjewadi, Phase-III, Pune	95.40 Crs.	Establish	RO(HQ)	192 - 203	
2	Serene Developers , Sr. No. 12/6, 12/7, 47/2, 47/3, 47/4, 47/5/1, 47//18, 47/19, 50/1/1A/1, 55/15, 82, A/p - Marunje, Tal - Mulshi, Dist- Pune	95 Crs.	Establish	RO(HQ)	204 - 211	
3	V. K. Goyal, Kohinoor Group , Gat No. 8, 12, 16, 18, 19, 20, at Shirgaon, Tal - Mavel, Dist- Pune	60 Crs.	Establish	RO(HQ)	212 - 225	
4	Remi Edelstahl Tabular Ltd. , Plot No. N-211/1, MIDC Tarapur, Tal - Palghar, Dist- Thane	66.92 Crs.	Establish (Expansion)	JD(APC)	226 - 237	
5	Grand Sarovar Premiere, Associted Hospitality & Developers Pvt. Ltd. , Junction of S. V. Road and Veer Savarkar Flyover, Goregaon 9W), Mumbai	45.52 Crs.	Establish & Operate	RO(HQ)	238 - 246	
6	Gupta Global Resources Ltd., (formerly Gupta Coal Field & Washeries Ltd) , S. No. 19, 20/1,20/2,37, Mouza - Brhmani, Tal- Wani, Dist - Yavatmal	32.99 Crs	1st Operate	JD(APC)	247 - 267	

7	Orlikon Balzers Coating India Pvt. Ltd., Plot No. EL-22, J--Block, MIDC Bhosari, Pune	28.21 Crs	Amendment	JD(APC)	268 - 286	
8	Rallis India Ltd., Plot No. D-26, MIDC Lote Parshuram, Tal - Khed, Dist- Ratnagiri	54.57 Crs.	Operate (Amendment)	AS(T)	287 - 307	
9	Smruthi Organics Ltd., A-27, MIDC Chincholi, Tal - Mohol, Solapur	59.57 Crs.	Renewal (with increase in C.I.)	AS(T)	308 - 332	
10	Chemspec Chemicals Pvt. Ltd., Plot No. 3- C, MIDC Taloja, Tal - Panvel, Dist - Raigad	30.64 Crs.	Renewal (with increase in C.I.)	AS(T)	333 - 351	
11	D'Décor Home Fabrics Pvt. Ltd., Plot No. G-15/1, MIDC Tarapur, Tal - Palghar, Dist- Thane.	68.02 Crs.	Renewal	JD(WPC)	352 - 371	
12	Suzlon Energy Ltd., S. No. 170/1-8, Sade Satra Nali, Hadapsar, Pune	276.19 Crs.	Renewal	RO(HQ)	372 - 384	
13	Calista Properties Pvt. Ltd. (Hotel), S. No.8, Hissa No. 1B & 1A/1, Village - Kharadi, Tal - Haveli, Dist - Pune	52.85 Crs.	Renewal	RO(HQ)	385 - 392	
14	Cognizant Technology Solutions India Pvt. Ltd., Plot No. 26 & 27, Rajiv Gandhi Infotech Park, Hinjewadi, Pune	208.66 Crs.	Renewal	RO(HQ)	393 - 406	
15	Devi Construction Copany, "ICC Devi Gaurav Technology Park", S. No. 191 & 192, Plot B, Pimpri Pune.	91.24 Crs.	Renewal	RO(HQ)	407 - 418	
16	Goradia Special Steels Ltd., (formerly Vipras Castings Ltd.), Sr. no. 1/2/33, Vill- Niphani, Tal- Khalapur, Dist -Raigad	32.25 Crs	Renewal	JD(APC)	419 - 428	
17	NRB Bearings Ltd., E-40, MIDC Chikhalthana, Dist - Aurangabad	57.07 Crs	Renewal	JD(APC)	429 - 443	
18	Foundation Brake Manufacturing Ltd., NH- 6, Bambhori, Tal- Dharangaon, Dist - Jalgaon	72.24 Crs	Renewal	JD(APC)	444 - 471	
	Review Item					
1	Jain Ashapuri Developers "Esha Pearl - Safire", Unit II Sr. no. 44 (part), Gangadham - Katraj Road, Marketyard - Annex, Tal - Haveli, Pune	_____	_____	RO(HQ)	472 - 484	
2	Application for grant of consent to establish for expansion of M/s. Kailash Vahan Udyog Ltd., Khed, Pune	_____	_____	JD(APC)	490 - 500	
3	Application for reconsideration of dinal Refusal directions for 1st Consent to Operate: M/s IMC Ltd., Plot No. 6, JNPT, Vill- Nhava-sheva, Navi Mumbai, Tal - Uran, Dist- Raigad	_____	_____	RO(HQ)	501 - 534	
4	Garden county by M/s Sanklecha Construction, Survey No. - 1 to 5 of Gut No. - 307/2 At Adgaon, Shivar, Nashik.	_____	_____	RO(HQ)	535 - 550	
5	Oriental Rubber Industries Ltd., (Unit II), Gat No. 735-A, 736, 737 & 738, Village - Karandi, Tal - Shirur, Dist - Pune	_____	_____	AS(T)	551 - 568	
	JD(WPC)	1				
	AS(T)	3				
	RO(HQ)	15				
	JD(APC)	8				
	PSO	0				
	Total	27				

Resubmission Agenda

Agenda no. 1

M/s. Cerebrum IT Park Building B-1 Stilt.

Floor No	IT applicant name	MPCB Consent Status
1 st Floor #	The Cerebrum IT Park (Zavaray Poonawalla)	Combine Consent to Establish & Operate
2 nd Floor \$	The Mastek Ltd	Consent to Operate valid upto 31/03/2010 (Now applied for renewal
3 rd Floor #	The Cerebrum IT Park (Zavaray Poonawalla)	Combine Consent to Establish & Operate
4 th Floor #	The Cerebrum IT Park (Zavaray Poonawalla)	Combine Consent to Establish & Operate
5 th Floor #	The Cerebrum IT Park (Zavaray Poonawalla)	Combine Consent to Establish & Operate
6 th Floor @	The Cerebrum IT Park (Yohan Poonawalla)	Combine Consent to Establish & Operate
7 th Floor @	The Cerebrum IT Park (Yohan Poonawalla)	Combine Consent to Establish & Operate

Detail of all Three IT Industry Application

Sr.No.	1) The Cerebrum IT Park (Zavaray Poonawalla) 1,3,4,5 Floor (#)	2) The Mastek Ltd, 2 nd Floor (\$)	3) The Cerebrum IT Park (Yohan Poonawalla) 6 th & 7 th Floor (@)
1.	Commissioned in 2008 (Purchase agreement date 26/12/2006)	Commissioned in 2007 (Purchase agreement date 02/05/2008)	Commissioned in 2008 (Purchase agreement date 31/01/2007)
2.	Applied for consent to establish & Operate on 31/03/2011	Applied for renewal of consent on 31/03/2013 Earlier consent valid upto 31/03/2010.	Applied for consent to establish & Operate on 31/03/2011
3.	Built up area 20769.11 sq.mtrs	Built up area 5370.0 sq.mtrs	Built up area 10,699.11 sq.mtrs
4.	Effluent Generated:-30.0CMD	Effluent Generated:- 3.0 CMD	Effluent Generated:- 20.0 CMD
5.	Capital investment :-88.32 Cr	Capital investment :-14.23 Cr	Capital investment :-41.08 Cr
6.	Fees paid 4,50,000+1,25,000=5,75,000/-	Fees paid 50,000+50,000 = 100000/-	Fees paid 3,00,000/- + 60,000= 3,60,000/-

- 1) All above three applicant purchase floors from M/s. Kumar Housing Corporation, Pune.
- 2) Total project divided in Two Plots A & B; 4 Commercial buildings on Plot No B, Named as B1,B2,B3,B4
- 3) These above application from B1 Building.
- 4) The project site located about 500mtrs from Mula - Mutha.
- 5) Combine STP of capacity 90 CMD provided by the above applicant.

- 6) Above applications discussed in CC meeting and decided put up all the three cases of Cerebrum IT Park together in next meeting.
- 7) This office has called distance certificate from Irrigation department, CC of Pune Municipal Corporation, and status of environment Clearance.
- 8) Applicant has submitted CC copy issued by Corporation on dated 13/10/2003. In CC order plot area and BUA not mentioned.
- 9) Applicant has submitted application for distance certificate from Irrigation department but till dated not obtained from the Irrigation department.

In View of above we may return all these three application and submit after getting RRZ certificate or we may consider as all started before RRZ policy 2009, under IT & ITES activity and separately called information from M/s. Kumar Housing Corporation.

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:- 12/12/2013																																									
		Ro (HQ) Date of receipt:- 02/02/2014																																									
Name & Address	M/s. Nirman Trimurti Developers, "Brookfield Willows", 6/1/14,6/1/15,6/1/18,6/2/1,6/2/2(P), Pisoli, Taluka Haveli, Dist. Pune.																																										
Consent For	C to E																																										
Capital Investment	12.10 Crore																																										
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																										
Industry Category	Orange																																										
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																								
	Details :- Water Consumption :- 171.0 CMD , Effluent Generated :- 160.0 CMD Proposed STP Capacity :- 165.0 CMD																																										
BG Details	Amount :		Validity :																																								
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Applied for</td> <td>C to E</td> <td colspan="2">Residential</td> </tr> <tr> <td>Plot Area</td> <td>17,900.0 sq.mt</td> <td>Built up area</td> <td>30,748.01 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>07/06/2013</td> </tr> <tr> <td>River Distance</td> <td>8.0 Km</td> <td>Name of River</td> <td>Mula Mutha(A-IV)</td> </tr> <tr> <td>Water Consumption</td> <td>171.0 CMD</td> <td>Effluent Generated</td> <td>160.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>165.0 CMD</td> <td>Recycle water</td> <td>114.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>360.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>221.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>125.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>Started</td> <td>Date of Visit</td> <td>18/12/2013</td> </tr> </table>			Applied for	C to E	Residential		Plot Area	17,900.0 sq.mt	Built up area	30,748.01 sq.mt	EC Status	Applied	Dated	07/06/2013	River Distance	8.0 Km	Name of River	Mula Mutha(A-IV)	Water Consumption	171.0 CMD	Effluent Generated	160.0 CMD	STP Capacity	165.0 CMD	Recycle water	114.0 CMD	Bio-degradable	360.0 Kg/D	Treatment	OWC	Non-Boi degradable	221.0 Kg/D	Treatment	Local Body	No of DG Sets	1	Capacity	125.0 KVA	Construction status	Started	Date of Visit	18/12/2013
	Applied for	C to E	Residential																																								
	Plot Area	17,900.0 sq.mt	Built up area	30,748.01 sq.mt																																							
	EC Status	Applied	Dated	07/06/2013																																							
	River Distance	8.0 Km	Name of River	Mula Mutha(A-IV)																																							
	Water Consumption	171.0 CMD	Effluent Generated	160.0 CMD																																							
	STP Capacity	165.0 CMD	Recycle water	114.0 CMD																																							
	Bio-degradable	360.0 Kg/D	Treatment	OWC																																							
	Non-Boi degradable	221.0 Kg/D	Treatment	Local Body																																							
	No of DG Sets	1	Capacity	125.0 KVA																																							
	Construction status	Started	Date of Visit	18/12/2013																																							
	PP has started construction of A1 Building and 14 nos of bungalows, PP has not obtained EC, hence we may issue SCN for refusal of Consent to Establish.																																										
<ul style="list-style-type: none"> • Resubmission:- Board has issued SCN on dated 09/05/2014 as per decision of CC 																																											

Maharashtra Pollution Control Board

	<p>meeting held on 29/04/2014 for starting construction without C to E and EC.</p> <ul style="list-style-type: none">• Applicant has submitted reply of SCN issued on 10/06/2014. In reply PP stated that As per sanction plan below 20,000. Sq.mtrs construction started after change of plan and additional 15% FSI the project cross 20,000Sq.mtrs. As on date no such plan has been sanctioned and hence our current sanction is within the prescribed limit of 20,000 sq.mtrs and hence we do not required environment clearance. If in future we proposed construction beyond this limit then we will be Obtained EC and necessary clearance.• Submitted for CC Discussion.
--	--

Maharashtra Pollution Control Board

Agenda no. 3

Region : Mumbai		Section : RO(HQ)		Date :
Name & Address	M/s.Pratik Construction,K-12,MIDC Taloja,Panvel.			
Consent For	C to E			
Capital Investment	11.87Cr.			
Previous Consent Validity	--			
Industry Type	Construction.			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water consumption - 50 CMD. Sewage Generation - 40 CMD			
Water Cess	Assessment Done :		Paid Upto :	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement	Period			
Other Relevant Information	<p>Application for grant of consent to establish for construction of industrial gala having Total Construction BUA-8,218.00 Sq.Mtrs.</p> <p>To be permitted to non polluting unit only.</p> <p>Earlier board has granted C to E to this industry for general fabrication of steel under green category.</p> <p>Applicant has not obtained EC from Competent Authority and SRO reported that applicant has not applied for yet.</p> <p>Distance of the plot from kasardi river is 534 Mtrs. but establishment of red category of industry minimum distance will be 750 mtrs hence attract RRZ Policy.</p> <p>The case was discussed in CC Meeting dated 29/4/2014 and It was decided to issue SCN for Refusal as Project Proponent has failed to submit following information called</p>			

Maharashtra Pollution Control Board

	<p>by Board:</p> <p>(i) Certificate from Executive Engineer, Irrigation Department.</p> <p>(ii) Proposed number of Galas.</p> <p>(iii) Detail regarding infrastructure facilities proposed in pollution angle.</p> <p>The SCN was issued to applicant dated 8/5/2014 and Applicant has not submitted reply of show cause notice.</p>
Recommendation of SRO/RO	<p>RO Recommended the consent to establish will be taken at higher level since said project attract RRZ Policy.</p>

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 09/04/2014 Ro (HQ) Date of receipt;- 12/06/2014																																									
Name & Address	M/s. G. K. Associates Royal Rahadki Greens, S.No. 30/1+2+3, 32/2D/3, Rahatki, Tal-Haveli, Dist. Pune.																																										
Consent For	C to E																																										
Capital Investment	120.0 Cr.																																										
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																										
Industry Category	Orange																																										
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																								
	Details :- Water Consumption :- 363.25 CMD , Effluent Generated :- 275.0 CMD Proposed STP Capacity :- 280.0 CMD																																										
Water Cess	Assessment Done :-		Paid Upto :																																								
BG Details	Amount :		Validity :																																								
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2" style="width: 50%;">Residential</td> </tr> <tr> <td>Plot Area</td> <td>19500.0 sq.mt</td> <td>Built up area</td> <td>46783.2 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>04/05/2012</td> </tr> <tr> <td>River Distance</td> <td>2.0 Km</td> <td>Name of River</td> <td>Pawana</td> </tr> <tr> <td>Water Consumption</td> <td>363.25 CMD</td> <td>Effluent Generated</td> <td>275.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>280.0 CMD</td> <td>Recycle water</td> <td>218.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>611.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>416.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>65.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>Started</td> <td>Date of Visit</td> <td>03/02/2014</td> </tr> </table>			Applied for	C to E	Residential		Plot Area	19500.0 sq.mt	Built up area	46783.2 sq.mt	EC Status	Applied	Dated	04/05/2012	River Distance	2.0 Km	Name of River	Pawana	Water Consumption	363.25 CMD	Effluent Generated	275.0 CMD	STP Capacity	280.0 CMD	Recycle water	218.0 CMD	Bio-degradable	611.0 Kg/D	Treatment	OWC	Non-Boi degradable	416.0 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	65.0 KVA	Construction status	Started	Date of Visit	03/02/2014
	Applied for	C to E	Residential																																								
	Plot Area	19500.0 sq.mt	Built up area	46783.2 sq.mt																																							
	EC Status	Applied	Dated	04/05/2012																																							
	River Distance	2.0 Km	Name of River	Pawana																																							
	Water Consumption	363.25 CMD	Effluent Generated	275.0 CMD																																							
	STP Capacity	280.0 CMD	Recycle water	218.0 CMD																																							
	Bio-degradable	611.0 Kg/D	Treatment	OWC																																							
	Non-Boi degradable	416.0 Kg/D	Treatment	Local Body																																							
	No of DG Sets	2	Capacity	65.0 KVA																																							
	Construction status	Started	Date of Visit	03/02/2014																																							
	Applicant has submitted sanction plan for area 16887.60sq.mtrs plan was sanction on 10/05/2012. At present PP has completed 6 building out of 8 building as per earlier sanction plan. For expansion phase PP has not started construction work.																																										

Maharashtra Pollution Control Board

	<p>Resubmission:-</p> <p>Application was discussed in CC meeting held on 27/06/2014. As per decision board issued SCN.</p> <p>Applicant has submitted reply after hosting minutes of meeting on Board website.</p> <p>In reply applicant stated that our two separate plots and have obtained separate 7/12 & plans. At present completed construction 18573.37 sq.mtrs. both plots do not have potential of construction 20,000sq.mtrs if consider separate. Now we amalgamated both plots and after amalgamation we applied for E.C. and C.E. At present we have stopped construction activity.</p> <p>In view of above we may consider consent to establish with BG+ BR+ and affidavit for not to take any effective step.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 5

Region : RO Pune		Section :		Date :
Name & Address	Symphony Services Corp India Pvt. Ltd. , Amar Apex, Baner Road, Aundh, Pune.			
Consent For	Combine C to E & C to O			
Capital Investment	42.2940 Crore			
Previous Consent Validity				
Industry Type	IT & ITES Activity			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :-			
Water Cess	Assessment Done :		Paid Upto :	
Other Relevant Information	<ol style="list-style-type: none"> 1. Application received for grant of consent to Establish & Operate (combine) for IT-Park Project on Total Plot Area of 5,610sq.mtrs & Total construction BUA of 1,87,000 sq. feets.(18279.0sq.mt) 2. The unit has applied for consent to establish & operate for IT & ITES Activity in 2009 for capital investment of Rs. 33.48 crores, but yet they have not received the consent from the Board. Now they have applied consent to operate with expansion in capital investment for IT & ITES. 3. Applicant has submitted CA-Certificate stating project cost is 42.29 Cr (C-65). 4. Applicant has submitted CC/ OC & approved map & agreement copy (C-16,17,18,20,83). OC <u>approved in 2007</u> 5. Applicant has submitted water balance of project. 6. Total domestic under Consumption is 20 CMD, Total Sewage generation is15 CMD. 7. For the sewage treatment they have septic tank & overflow of the same is connected to the PMC drainage line. 8. Applicant has submitted layout & location plan (C-63, 64). 9. Applicant has submitted solid waste management details. 10. A total biodegradable waste generation is 15 Kg/day; Total non-biodegradable waste generation is 150 Kg/day. 			

Maharashtra Pollution Control Board

	<p>11. D.G.Sets – (230 KVA x 3-nos), Fuel – HSD – 387 Ltrs/Hr.</p> <p>12. RO, Pune has recommended that decision regarding grant of consent may be taken at HQ level as the site is approximately 1.10 Km from River Mutha in A-II class. The proponent has not submitted the distance certificate and states as A (N-4).</p> <ul style="list-style-type: none">• Case was discussed in the CC meeting dated 29.03.2013 The case was deferred by CC and it was decided to keep the case in abeyance and Put up in next CC after submission of distance certificate issued by Executive Engineer Irrigation Dept.• Board has issued letter to RO Pune & PP for submission of distance certificate on dtd 10/04/2013.• PP has not submitted river distance certificate. <p>As per RRZ policy meeting 7/6/2013 STP location 100mtrs & MSW location 500Mtrs from HFL. Site located 1.1 Km from River Mutha A-II class as per processing sheet.</p> <p>We may consider operate from 2007 as per agreement submitted by PP. with difference fees of Rs 2,00,000</p> <p>The case was discussed in CC meeting held on 21/09/2013 during discussion it was decided to issue SCN for refusal of consent to operate as PP has not submitted distance certificate from Irrigation department.</p> <p>PP has submitted reply of SCN issued on 22/11/2013 in which PP informed that they have submitted the application to Executive Engineer, Irrigation Department from River Mutha and as soon as the same is obtained will be submitted immediately.</p> <ul style="list-style-type: none">• In this case the construction BUA below 20,000 sq. mtrs• Applicant has purchased ready building from Pritam Construction.• The project located more than 1 Km from Mutha River but less than 2Km.• PP applied as per IT & ITES circular of the board.• PP has started IT & ITES activity in 2007(Software development) <p>Resubmission:</p> <p>PP informed that they have submitted the application to Executive Engineer, Irrigation Department from River Mutha and as soon as the same is obtained will be submitted immediately.</p> <p>In view of above we may return the application to applicant and apply after obtaining Irrigation Department certificate or we may consider the Consent to operate PP has started activity before RRZ policy and applied for establish & operate on 18/04/2009. Or we may refuse the consent to operate</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 6

CC Item -		
Region : Thane	Section : JD(APC)	Date
Name & Address	M/S. Viraj Profiles Ltd. ,Plot No.- G-1/4, MIDC Tarapur,Taluka-Palghar,Dist-Thane.	
Consent for	1 st Consent to Operate	
Capital Investment	Rs. 49.61 Crs	
Consent Valid upto	COU	
Industry Type	R 37	
Industry Category	RED	
Compliance of Water Pollution Related Conditions	YES (√)	NO ()
	<ul style="list-style-type: none"> Effluent quantity increased from 10 CMD to 20 CMD. Trade effluent sent to adjoin VSL plant & 100 % recycle. 	
Compliance of Air Pollution Related Conditions	YES ()	NO (√)
	<ul style="list-style-type: none"> Industry has dropped plan of installing of crushing unit, metal recovery carried out manually. Annealing carried out with ammonia cracker process not provided annealing furnace. Additional D.G. of 1000 KVA installed. Used in emergency condition only 	
Water Cess	Assessment Done:	
	Submitted up to: nil	Paid upto:
BG Details	Amount: 5 Lakh	Validity -21/09/2018
	BG obtained against: consent condition.	
Submission of Environmental	Period	...

Maharashtra Pollution Control Board

Statement		
Other Relevant Information	...	
Recommendation of SRO/RO	Recommended for grant of 1 st consent to operate.	

Maharashtra Pollution Control Board

Agenda no. 7

Region : Raigad		Section : RO(HQ)		Date: /07/2014
Name & Address		M/s. JWR Logistics Private Limited., Sr. No. 13,15 to 17,18,20 & 21, Village Padeghar, Post Kundevahal, Off NH-4B, Tal. Panvel, Dist:- Raigad.		
Consent For		CO		
Capital Investment		41.10 Crs.		
Previous Consent Validity				
Industry Type		R 38 storage of Hazardous chemicals		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		Details :-		
Water Cess		Assessment Done :		Paid Upto :
BG Details		Amount :		Validity :
		BG Obtained against :		
		Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement		Period		
Other Relevant Information		<p>M/s. JWR Logistics Private Limited has applied for consent to first operate with amendment in consent at Sr. No. 13,15 to 17,18,20 & 21, Village Padeghar, Post Kundevahal, Off NH-4B, Tal. Panvel, Dist:- Raigad.</p> <p>Earlier Consent granted for C to E vide no.: MPCB/ROR/CE1204000851/2012/C-201 For: Container Freight Station cum Warehouse (Custom Bonded) (without storage of Hazardous Waste & Hazardous chemicals)</p> <p>Now applied for: Amendment in Consent to Operate for storage handling and transportation of hazardous cargos.</p> <p>Capital investment of part operate Project is Rs. – 41.10 Crs</p>		

Maharashtra Pollution Control Board

	<p>SRO Raigad I has commented that the Environment Clearance is not required for storage of hazardous chemical listed in Annexure I as the quantities are lesser than those mentioned in Sch II of MSIHC Rules 989.</p> <p>Details of water consumption as under :- Water consumption – 16.50 CMD Sewage Generation – 13.00 CMD</p> <p>DG sets - 250 KVA x 1 No.</p> <p>Project proponent has paid consent fees of Rs. 3,00,000/-- towards fees for consent to operate.</p> <p>The case was discussed in the 4th CC meeting dtd. 30/05/2014 and it was decided to keep the case in abeyance and put up in the next CC after examination of requirement of consent.</p> <p>The case was referred to legal wing for their opinion and they give opinion that we may consider imposing necessary conditions in the consent.</p> <p>The conditions are as below:</p> <ol style="list-style-type: none">1) Storage of chemicals will be a transit storage, till the importer off load the container.2) There will be no transfer of chemical or unloading of chemical from chemical storage container from one container/barrel to another container/barrel.3) No trade effluent shall be generated.4) Separate storage yard shall be earmarked for chemical storage.5) On site and off site emergency plan shall be prepared and executed as and when required
Recommendation of SRO/RO	SRO Raigad I has recommended the case for grant of operate for shorter period

Maharashtra Pollution Control Board

Agenda no. 8

Region : Raigad		Section : RO(HQ)		Date: /07/2014
Name & Address		M/s. JWC Logistics Private Limited., Sr. No. 69/91, Village Palaspe, Tal. Panvel, Dist:- Raigad.		
Consent For		CO with amendment		
Capital Investment		45.00		
Previous Consent Validity				
Industry Type		R 38 storage of Hazardous chemicals		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()	NO ()	
		Details :-		
Water Cess		Assessment Done :		Paid Upto :
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>
		<u>BG Obtained against :</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period		
Other Relevant Information		<p>M/s. JWC Logistics Private Limited has applied for consent to first operate with amendment in consent at Sr. No. 69/91, Village Palaspe, Tal. Panvel, Dist:- Raigad.</p> <p>Earlier Consent granted for C to O under orange category vide no.: MPCB/ROR/E-17/2007/Raigad/50 dated 11/09/2008 valid upto 30/04/2018</p> <p>For: Container Freight Station cum Warehouse (Custom Bonded) (without storage of Hazardous Waste & Hazardous chemicals)</p> <p>Now applied for: Amendment in Consent to Operate for storage handling and transportation of hazardous cargos.</p> <p>Capital investment of part operate Project is Rs. – <u>45.00 Crs</u></p>		

Maharashtra Pollution Control Board

	<p>SRO Raigad I has commented that the Environment Clearance is not required for storage of hazardous chemical listed in Annexure I as the quantities are lesser than those mentioned in Sch II of MSIHC Rules 989.</p> <p>Details of water consumption as under :- Water consumption – 17.00 CMD Sewage Generation – 15.00 CMD</p> <p>DG sets - 250 KVA x 1 No.</p> <p>Project proponent has paid consent fees of Rs. 3,00,000/-- towards fees for consent to operate.</p> <p>The case was discussed in the 4th CC meeting dtd. 30/05/2014 and it was decided to keep the case in abeyance and put up in the next CC after examination of requirement of consent.</p> <p>The case was referred to legal wing for their opinion and they give opinion that we may consider imposing necessary conditions in the consent.</p> <p>The conditions are as below:</p> <ol style="list-style-type: none">1) Storage of chemicals will be a transit storage, till the importer off load the container.2) There will be no transfer of chemical or unloading of chemical from chemical storage container from one container/barrel to another container/barrel.3) No trade effluent shall be generated.4) Separate storage yard shall be earmarked for chemical storage.5) On site and off site emergency plan shall be prepared and executed as and when required.
Recommendation of SRO/RO	SRO Raigad I has recommended the case for grant of operate for shorter period

Maharashtra Pollution Control Board

Agenda no. 9

Region : SRO Aurangabad I		Section : JD APC		Date :
Name & Address	Wipro Lighting , L-8, MIDC Waluj			
Consent For	CR			
Capital Investment	2073.9 Lacs			
Previous Consent Validity	31/05/2013			
Industry Type	G34 Electrical & electronic items assembling			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Provided primary & tertiary treatment for incl. effluent and is member of CETP. For domestic effluent provided STP. The water consumption & effluent qty is also decreased. JVS results of ETP & STP are within limit.			
Compliance Of Air Pollution Related Conditions	Yes			
	Details:- DG set provided with stack of sufficient height			
Water Cess	Assessment Done :June-2013		Paid Upto :June 2013	
<u>BG Details</u>	<u>Amount : NIL</u>		<u>Validity :NA</u>	
	<u>BG Obtained against : NA</u>			
	<u>Details of BG forfeited/encashed , if any :NA</u>			
Submission of Environmental Statement	Period	2012-2013		
Other Relevant Information	<p>Case discussed in CC dated 15/1/2014, it was decided to keep the case in abeyance and get the verification about the consent granted to M/s. Safalya Industries. For mfg. of modular furniture. Same was called from industry and RO/SRO. The reply received from industry stating they had applied for grant of consent at RO vide application dated 5/3/2012, but did not received consent. RO/SRO did not submitted reply.</p> <p>Case was again discussed in CC dated 18/3/2014, it was decided to issue SCN for refusal of consent as industry not submitted separate sublease document and clarity regarding ETP. The reply is received from industry and stated that they have applied for sublease document in year 2010 with MIDC & will get the same in short period. The effluent from M/s. Saflya will be treated in ETP at M/s. Wipro Lighting. Also they stated that the process of pretreatment is changed which is called as Oxsilan process which</p>			

Maharashtra Pollution Control Board

	<p>do not generate effluent.</p> <p>Applied for renewal of consent. CI is Rs. 20.73 crores, existing was Rs. 38.36 crores. Now have applied for mfg of only two products out of four consented products, i.e. will manufacture CFI Bulbs & GLS Bulbs and have stopped mfg of Tube lights, machineries is disposed off & the manufacturing of Modular furniture is leased out to M/s. Saflya Industries. Due to this the CI is decreased from Rs. 38 crores to Rs.20 crores.</p>
Recommendation of SRO/RO	Grant of renewal of consent upto 31/5/2016

CC-Fresh Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:- 16/04/2014	
		Ro (HQ) Date of receipt:- 30/05/2014	
Name & Address	M/s. YASH Technology Private Limited, Plot No.23/1, IT & ITES SEZ (MIDC) Rajiv Ghandi Infotech Park, Hinjewadi, Phase-III,Pune-Maharashtra		
Consent For	C to E		
Capital Investment	95.40 Cr		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange /IT & ITES Building		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :- 150.0 CMD , Effluent Generated :- 120.0 CMD Proposed STP Capacity :- 120.0 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
Other Relevant Information	Applied for	C to E	IT & ITES Building
	Plot Area	14,000.0 sq.mt	Built up area 23348.14 sq.mt
	EC Status	Applied	Dated 10/01/20014
	River Distance	3 Km	Name of River Mula A-2
	Water Consumption	150.0	Effluent Generated 120.0 CMD
	STP Capacity	120.0 CMD	Recycle water 67.0 CMD
	Bio-degradable	Nil Kg/D	Treatment Nil
	Non-Boi degradable	150.0 Kg/D	Treatment Local Body
	No of DG Sets	2	Capacity 65.0 KVA

Maharashtra Pollution Control Board

	Construction status	Not Started		Date of Visit	24/04/2014
<p>PP has applied for consent to establish for IT & ITES activity, Not started construction activity site located about 3Km from Mula river. Hence we may consider consent to establish with BG and affidavit for not to take any effective step.</p>					

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:- 08/05/2014																																					
		Ro (HQ) Date of receipt:- 24/06/2014																																					
Name & Address	M/s. Serene Developers. Sr. no. 12/6,12/7,47/2,47/3,47/4,47/5/1,47/18,47/19, 50/1/1A/1,55/15,82, A/P- Marunje, Tal- Mulshi, Dist- Pune																																						
Consent For	C to E																																						
Capital Investment	95.0 Crore																																						
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																						
Industry Category	Orange																																						
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																					
	Details :- Water Consumption :-683.10 CMD , Effluent Generated :- 546.48 CMD Proposed STP Capacity :-600.0 CMD																																						
Water Cess	Assessment Done :-	Paid Upto :																																					
BG Details	Amount :	Validity :																																					
	BG Obtained against :																																						
	Details of BG forfeited/encashed , if any :																																						
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Applied for</td> <td>C to E</td> <td colspan="2">Residential buildings</td> </tr> <tr> <td>Plot Area</td> <td>49,750.0 sq.m</td> <td>Built up area</td> <td>1,06,350.25 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>08/11/2010</td> </tr> <tr> <td>River Distance</td> <td>2.5 Km</td> <td>Name of River</td> <td>Pawana</td> </tr> <tr> <td>Water Consumption</td> <td>683.10 CMD</td> <td>Effluent Generated</td> <td>546.48 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>600.0 CMD</td> <td>Recycle water</td> <td>227.7 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>1374.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>916.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>250 +125 KVA</td> </tr> </table>			Applied for	C to E	Residential buildings		Plot Area	49,750.0 sq.m	Built up area	1,06,350.25 sq.mt	EC Status	Applied	Dated	08/11/2010	River Distance	2.5 Km	Name of River	Pawana	Water Consumption	683.10 CMD	Effluent Generated	546.48 CMD	STP Capacity	600.0 CMD	Recycle water	227.7 CMD	Bio-degradable	1374.0 Kg/D	Treatment	OWC	Non-Boi degradable	916.0 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	250 +125 KVA
Applied for	C to E	Residential buildings																																					
Plot Area	49,750.0 sq.m	Built up area	1,06,350.25 sq.mt																																				
EC Status	Applied	Dated	08/11/2010																																				
River Distance	2.5 Km	Name of River	Pawana																																				
Water Consumption	683.10 CMD	Effluent Generated	546.48 CMD																																				
STP Capacity	600.0 CMD	Recycle water	227.7 CMD																																				
Bio-degradable	1374.0 Kg/D	Treatment	OWC																																				
Non-Boi degradable	916.0 Kg/D	Treatment	Local Body																																				
No of DG Sets	2	Capacity	250 +125 KVA																																				

Maharashtra Pollution Control Board

	Construction status	Started		Date of Visit	20/05/2014
Applicant has started construction hence we may issue SCN for refusal of consent to establish.					

Maharashtra Pollution Control Board

Agenda no. 3

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 11/04/2014																																					
		Ro (HQ) Date of receipt;- 24/06/2014																																					
Name & Address	M/s. V. K. Goyal, Kohinoor Group, Gat No. 8,12,16,18,19,20 at Shirgaon, Tal. Maval, Dist. Pune.																																						
Consent For	C to E																																						
Capital Investment	60.0 Crore																																						
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																						
Industry Category	Orange																																						
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																					
	Details :- Water Consumption :- 619.81 CMD , Effluent Generated :- 472.90 CMD Proposed STP Capacity :- 545.0 CMD																																						
Water Cess	Assessment Done :-	Paid Upto :																																					
BG Details	Amount :	Validity :																																					
	BG Obtained against :																																						
	Details of BG forfeited/encashed , if any :																																						
Other Relevant Information	<table border="1"> <tr> <td>Applied for</td> <td>C to E</td> <td colspan="2">Residential cum commercial stores</td> </tr> <tr> <td>Plot Area</td> <td>77,349.0 sq.m</td> <td>Built up area</td> <td>81,727.92 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>01/09/2012</td> </tr> <tr> <td>River Distance</td> <td>0.2 Km</td> <td>Name of River</td> <td>Pawana A-IV</td> </tr> <tr> <td>Water Consumption</td> <td>619.81 CMD</td> <td>Effluent Generated</td> <td>472.90 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>545.0 CMD</td> <td>Recycle water</td> <td>326.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>1374.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>916.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>400.0 KVA</td> </tr> </table>			Applied for	C to E	Residential cum commercial stores		Plot Area	77,349.0 sq.m	Built up area	81,727.92 sq.mt	EC Status	Applied	Dated	01/09/2012	River Distance	0.2 Km	Name of River	Pawana A-IV	Water Consumption	619.81 CMD	Effluent Generated	472.90 CMD	STP Capacity	545.0 CMD	Recycle water	326.0 CMD	Bio-degradable	1374.0 Kg/D	Treatment	OWC	Non-Boi degradable	916.0 Kg/D	Treatment	Local Body	No of DG Sets	1	Capacity	400.0 KVA
Applied for	C to E	Residential cum commercial stores																																					
Plot Area	77,349.0 sq.m	Built up area	81,727.92 sq.mt																																				
EC Status	Applied	Dated	01/09/2012																																				
River Distance	0.2 Km	Name of River	Pawana A-IV																																				
Water Consumption	619.81 CMD	Effluent Generated	472.90 CMD																																				
STP Capacity	545.0 CMD	Recycle water	326.0 CMD																																				
Bio-degradable	1374.0 Kg/D	Treatment	OWC																																				
Non-Boi degradable	916.0 Kg/D	Treatment	Local Body																																				
No of DG Sets	1	Capacity	400.0 KVA																																				

Maharashtra Pollution Control Board

	Construction status	Not Started		Date of Visit	25/04/2014
<p>Applicant has not started construction activity, as per architect certificate STP located at 360.51 meters and Organic waste convertor at 404.60 meters, also applicant has submitted letter from SWACH about providing garbage management system.</p> <p>In view of above we may consider consent to establish with condition applicant shall not store MSW within 500mtrs from HFL of River.</p>					

Maharashtra Pollution Control Board

Agenda no. 4

CC Item –		
Region : Thane	Section : JD(APC)	Date
Name & Address	Remi Edelstahl Tubulars Ltd., Plot No- N-211/1, MIDC Tarapur, Tal-Palghar, Dist-Thane	
Consent for	Consent to Establish for expansion	
Capital Investment	Rs.2.74/- Crs. (Existing Rs.66.92 Crs.)	
Consent Valid upto	30/06/2014	
Industry Type	R 72.	
Industry Category	RED	
Compliance of Water Pollution Related Conditions	YES (√)	NO ()
	ETP provided .effluent generation is 20 CMD. Septic tank & soak pit provided for domestic effluent of 30 CMD.	
Compliance of Air Pollution Related Conditions	YES (√)	NO ()
	Stack provided to furnace & boiler & scrubber provided to pickling section.	
Water Cess	Assessment Done: not reported	Paid upto:
BG Details	Amount: Rs.5 Lakh	Validity – not reported
	Towards operation and maintenance	
Submission of Environmental Statement	Period	Not reported
Other Relevant Information	Industry has installed additional acid bath & furnace without CTE from board.	
Recommendation of SRO/RO	Decision regarding grant of consent may be decided at HQ level.	

Maharashtra Pollution Control Board

Agenda no. 5

Region : RO Mumbai	Section : RO(HQ)	SRO Date:-
Name & Address	M/s. Grand Sarovar Premiere, Associated Hospitality & Developers Pvt. Ltd, Junction of S.V.Road, and Veer Savarkar Flyover, Goregaon (W) Mumbai-62.	
Consent For	C to E & O	
Capital Investment	45.52 Cr.	
Previous Consent Validity	----	
Industry Type	Hotels (3 star & above)	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 35.0 CMD, Effluent generated 20.0 CMD. STP Proposed of Capacity : Not provided	
BG Details	Amount :	Validity :
Other Relevant Information	<ol style="list-style-type: none"> 1. Applicant has applied for Consent to establish and operate for restaurant and lodging activity having 98 Rooms with swimming pool activity. 2. Hotel commissioned since 2008. 3. Hotel was in operation since march 2008 without consent to establish and operate. 4. Total plot area 3,428.48 sq.mtrs and total BUA 5,216.52 sq.mtrs. 5. Applicant has submitted water budget along with application. 6. As per water budget water consumption 35CMD and domestic effluent generation 20.0CMD. 7. Applicant has not provided STP for treatment of domestic effluent. 8. Applicant has submitted justification about non provision of STP, PP has contest that there is no condition stipulated about STP in IOD and CC and OC granted by local body. 9. Applicant has not submitted detail about solid waste disposal. 10. As per record of water bill, per day water consumption is about 56 CMD, effluent generated about 80% of water consumption i.e 44 CMD 11. Applicant has submitted water consumption 35 CMD and effluent generated 20 CMD which is not match with the actual water bill. 12. In view of above we may issue SCN for non provision of STP and justification about water budget. 	

Maharashtra Pollution Control Board

Agenda no. 6

Region : RO Chandrapur		Section : JD (APC)		Date : /07/2014	
Name & Address		M/s. Gupta Global Resources Ltd, S.No: 19, 20/1, 20/2, 37, Village: Brahmani, Tal: Wani, Dist: Yavatmal.			
Consent For		Consent to Operate (1st)			
Capital Investment		32.99 Cr			
Previous Consent Validity				
Industry Type		R49 Mining and ore benification			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES (..)		NO (..)	
		Details:- ...			
Water Cess		Assessment Done : ...		Paid Upto :	
BG Details		Amount :		Validity :	
		BG Obtained against :			
		Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement		Period		
Other Relevant Information		<p>SRO-Chandrapur recommended as,</p> <ul style="list-style-type: none"> - Board has refused consent to operate vide letter no. BO/MPCB/APAE/CH-0347-12/Refusal/TB-1/B-767 dated 03/02/2011 due to non receipt of environment clearance, MoEF. - Again, industry has applied for consent to operate on dated 20/02/2012. The consent application was forwarded to HQ vide letter no. MPC/CSRO/55/2012 dated 11/05/2012. In consent processing, it was reported that, the industry has established plant and machinery but environment clearance yet not granted to the industry, though the 			

Maharashtra Pollution Control Board

	<p>committee has recommended the project.</p> <ul style="list-style-type: none">- Accordingly, JD(APC) has issued Show Cause Notice for establishing washery without environment clearance from MoEF vide letter no. MPCB/JD(APC)/TB-1/B-4211 dated 09/07/2012.- Now, industry has applied for first consent to operate as MoEF has granted environment clearance on dated 12/12/2012. <p>As per Conditional EC in the name of M/s. Gupta Coalfields & Washeries Ltd this office has called detailed compliance report considering below mentioned points from SRO/RO-Chandrapur vide email, dt: 22/05/2014 but till date reports is awaited. RO/SRO needs to verify the followings –</p> <ul style="list-style-type: none">• Whether industry has change the name of company in the said EC. if yes, SRO shall submit the copy of EC with change in name .• Daily 400 trucks of capacity 30 ton will be ply on the roads from Mines to washery (2-10Km) to transport raw coal. Measures taken to maintain the road conditions and air emission effect on agriculture/villages situated near road sides due to spillage/mineral transportation.• The valid copy of agreement between GCWL, WCL & MAHAGENCO.• Mechanism available with the industry to verify the Percentage of Raw coal as 34% and percentage of ash in clean coal as 28% & coal rejects of an ash content 65 %, as mentioned in EC.• Details of Coal washing Technology adopted by industry and installed capacity of the coal washery.• Washed coal will be transported by road to Majri railway siding.-8.5 km Distance from Bramhni to Majri Railway siding needs to be verified.• Daily 310 trucks of capacity 30 ton will be ply on the roads from washery to Majri Railway siding (more than 8 Km) to transport washed coal & daily 90 trucks of capacity 30 ton will be ply on the roads from bramhni to Ghughus(36 km) to transport reject coal. Measures taken to maintain the road conditions and air emission effect on agriculture/villages situated near road sides due to spillage/mineral transportation.• Commissioning year of the unit is mentioned in the processing sheet by SRO is 31.7.2008.However the consent fees are not recovered since 2008. Also not mentioned exactly when the unit starts operation even after refusal of consent to operate and not submitted the present status of the unit i.e at present whether unit is in operation or not. <p>Now industry vide email, dt: 04/07/2014 stated that,</p> <ul style="list-style-type: none">- The amendment in Environment Clearance will take another 2-3 months.- Their washery is commissioned in November-2013 and is presently not in operation due to unavailability of raw coal.- They have participated in tender floated by M/s. Karnataka Power
--	--

Maharashtra Pollution Control Board

	<p>corporation Pvt. Ltd and washery will be in operation after tender finalization. For the tender finalization they are in need of Consent to Operate (1st) in the name of washery.</p> <ul style="list-style-type: none">- Industry has requested to grant Consent to Operate (1st) with condition of amendment in EC. <p>The industry has installed common air pollution control system such as wet scrubber at primary and secondary coal crusher and screening area. All internal roads are concreted, GI sheet enclosed are provided at coal receiving hopper and all conveyor belts. Sludge thickener followed by belt filter is provided and clarified effluent will be recycled for washing purpose. 2800 tree are planted. Fixed water sprinklers are provided at coal feeding, transfer point and washing unit belt.</p>
Recommendation of SRO/RO	Consent to operate (1 st) may be granted for one year as industry has obtained environment clearance.

Maharashtra Pollution Control Board

Agenda no. 7

Region : Pune	Section : JD(APC)		Date : /06/2014
Name & Address	M/s. Oerlikon Balzers Coating India Pvt. Ltd., Plot no.EL-22,J-Block, MIDC Bhosari, Pune-26 Dist: Pune.		
Consent For	Amendment in Capital investment only.		
Capital Investment	Rs.28.21 Crs		
Previous Consent Validity	30.11.2015.		
Industry Type	G47,Jobbing and machining		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details: - Domestic Effluent – 3.50 CMD, Septic tank and soak pit provided. Industrial Effluent – 1.90, ETP provided. -		
Compliance Of Air Pollution Related Conditions	Yes - Stack with acoustic enclosure provided to D.G.set.		
Water Cess	Assessment Done : -----	Paid Upto : ---	
<u>BG Details</u>	<u>Amount</u> : -----	<u>Validity</u> : -----	
	<u>BG Obtained against</u> : -----		
	<u>Details of BG forfeited/encashed , if any</u> : -----		
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has <u>applied for amendment in consent to operate [i.e. Amendment in Capital investment only.]</u> 2. Earlier consent obtained vide no. BO/JD (APC)/EIC No. PN-12907-12/0-CC-242 dated 28.05.2012 valid till 30.11.2015. 3. Earlier CI was Rs. 21.90 Crs. Now shown Rs.28.21 Crs. CI was increased due to replacement of old machineries with new one without any change in production qty as well as no change in fuel, water qty. 		
Recommendation of SRO/RO	- RO Pune has recommended for grant of amendment in consent.		

Maharashtra Pollution Control Board

Agenda no. 8

Region : SRO Chiplun	Section : AST		Date : 09 /07/2014
Name & Address	M/s. Rallis India Ltd., Plot No. D-26, M.I.D.C Lote Parshuram, Tal-Khed Dist. Ratnagiri		
Consent For	CO for New Boiler (amendment for installation of new Boiler)		
Capital Investment	54.57 Crore		
Previous Consent Validity	31.07.2015		
Industry Type	R58 Pesticides (Technical) (excluding formulation).		
Industry Category	Red/LSI		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- As per consent quantity IE is 25 CMD and DE is 15 CMD. Industry has provided ETP consists Neutralization, Equalization, PST, plain aeration, Bio reactor 1& II, SST- I & II, Sand Filter, Carbon Filter, final collection tank. Part of Treated effluent further goes to Ultra Filtration, Reverse Osmosis. For concentrated High COD effluent separate treatment namely Microbial treatment & A TFE provided.		
Water Cess	Assessment Done :	Paid Upto : March 2013	
BG Details	Amount : Rs. 2.00 Lakh and Rs. 10.00 Lakh	Validity : 31.08.2014 and 23.09.2014	
	BG Obtained against : Direction dated 11.01.2010 for provision of deodorant system and as per direction 19.09.13 to send HW to CHWTSDF regularly & O & M of ETP.		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-13	
Compliance of Air Pollution Related Conditions	Yes		
	Details: Industry has provided Mechanical Dust collector		
Other Relevant information		
Recommendation of SRO/RO	Industry has applied for amendment in existing consent with total capital investment RS 54.57 cr due to installation of new boiler. Industry is having obtained valid consent vide no BO/ZO (PAMS)/RO Kolhapur/EIC-kp-508 I-I O/R/CC-I 0 dtd 28/01/2011 valid up to 31.07.2015. Industry has obtained consent to establish vide no BO/AST/RO-KP/EIC No KP-14367-13/E/CC-1163 dtd 04/02/14 for boiler with proposed Cap investment Rs 2.35cr. & capital Investment Rs 51.22 Cr. Copy enclosed. Industry has provided ETP consists Neutralization, Equalization, PST, plain aeration, Bio reactor 1& II, SST- I & II, Sand Filter, Carbon Filter, final collection tank. Part of Treated effluent further goes to Ultra Filtration, Reverse Osmosis (3 kl/hr),& used for cooling tower & gardening & remaining treated effluent send to CETP. For concentrated High COD effluent separate treatment namely Microbial treatment & A TFE provided. JVS results are generally satisfactory. Recently they have installed STP- 20 CMD capacity. It is under commissioning stage. New polishing RO		

Maharashtra Pollution Control Board

	<p>installation completed, yet to commission. New A TFD is ordered. 3. Industry has submitted BG of Rs 2 Lacs valid up to 31.08.14 as per direction dated 11.01.2010 for provision of deo- odorant system, to send HW to CHWTDF regularly & O&M of ETP & Rs 10 lacs valid up to 23.09.14 as per direction 19.09.13 copy enclosed. As per direction industry has provided atomized deodorant system by providing 200 nozzles in & around plant for odor control. Sending Haz waste to CHWTSDf, As per direction dtd 19.09.13 industry has provided new RO of 50 KL cap & it is under commissioning stage, They have ordered for A TFE. Industry has submitted Form -4, Env statement 2012-13 & cess paid up to March 2013 & disposing Hazardous waste to CHWTSDf. Industry has paid fees Rs. 21350/- for increase in capital of Rs 3.355 Cr. Their total gross block capital investment becomes 54.57 cr. In view of the above, amendment to existing consent with consent to operate for new briquette fire boiler for the period up to 31.07.2015 as that of existing consent may be granted, if approved.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 9

Region : Aurangabad		Section : AST		Date : June 2014	
Name & Address		M/s Smruthi Organics Ltd.,A-27 ,MIDC Chincholi,Tal-Mohol,Solapur			
Consent For		Renewal of Consent to Operate with increase in CI.			
Capital Investment		Previous CI- Rs. 51.97 Cr. ,Current CI- Rs. 59.57 Cr			
Previous Consent Validity		30/04/2014			
Industry Type		R- 60 Pharmaceutical (excluding formulation)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		No			
		Details :-IE- 89.5 CMD, DE-19.5 CMD. Industry has provided MEE for high COD stream & Full-fledged treatment system for treatment of weak stream and MEE. Disposal to CETP.JVS within limit except one in which BOD & COD marginally exceeds.			
Water Cess		Assessment Done : March-2014		Paid Upto :	
Compliance Of Air Pollution Related Conditions		Yes			
		Adequate APCS provided to control air emissions.			
BG Details		Amount : 1) Rs. 10 Lakh		Validity : 1) 10.01.2015	
		2) Rs. 5 Lakh		2) 31/08/2014	
		BG Obtained against : 1) Compliance of Conditional Direction. 2) Compliance of consent conditions.			
		Details of BG forfeited/encashed , if any : Yes , BG of Rs. 5 lakh forfeited towards non compliance of conditional Directions.			
Submission of Environmental Statement		Period		2012-13	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. Applied for renewal of consent with increased in CI.2. Reply submitted by PP for query letter issued by RO on 22/05/2014 regarding clarification for increased in CI is seems to be in order.3. Industry has not paid additional fees Rs. 50000/- towards increase in CI.4. Industry has submitted clarification regarding increase in CI stating that CI increase due to purchase of RO plant, air handling Units, Lab equipments up-gradation, New biological plant.5. Industry has not paid additional fees Rs. 50000/- towards increase in CI.
Recommendation of RO	Recommended to take decision at HQ level & reported that as per previous consent condition BG of Rs. 5 lakh forfeited & BG of Rs.10 lakh is obtained which is valid up to 10.01.2015.Also reported that industry has complied with conditional direction (point a & c) issued on 04.01.2013 ,from two JVS collected by SRO one JVS report is within limit except one in which BOD & COD marginally exceeds.

Maharashtra Pollution Control Board

Agenda no. 10

CC Item -		
Region : Navi Mumbai	Section : AS(T)	Date: 09 .07.2014
Name & Address	M/s. Chemspec Chemicals Pvt. Ltd. , Plot No. 3-C, MIDC Taloja, Tal Panvel, Dist. Raigad	
Consent for	Renewal with increase in CI	
Capital Investment	Previous Rs. 19.21 Crore, which is increased by Rs. 11.43 Crore. Now Total CI is Rs. 30.64 Crore.	
Consent Valid up to	30.04.2014	
Industry Type	R-60, Pharmaceutical (excluding formulation).	
Compliance of Water Pollution Related Conditions	Yes	
	Details: IE generation as per existing consent is 66 M3/D. & DE generation is 18 M3/D. ETP comprises primary, secondary & Tertiary treatment facility to treat IE, treated effluent sent to CETP. JVS result of water exceeds the consented limit	
Water Cess	Assessment Done: Feb-2014	Paid up to: ...
BG Details	Amount: Two separate BGs of Rs. 5.00 Lakh. Out of which 5.00 Lakh BG was not submitted against not taking excess production	Validity: 06.10.2014
	BG obtained against: Consent condition No. 11 Two BG of Rs. 10.00 Lakh i.e. towards O & M of PCS Rs. 5.00 Lakh and towards not taking excess production Rs. 5.00 Lakh	
	Details of BG forfeited / encashed, if any: --	
Submission of Environmental Statement	Period- 2012-2013	
Compliance of Air Pollution Related Conditions	Yes	
	Details: Industry has provided Scrubbers to FMCG section and Pharma section	
Other Relevant Information	Industry is engaged in mfg of Drug intermediates I.E is 66 CMD treated I.E sent to CETP. Industry is a member of CHWTSDF for disposal of HW. Industry has submitted form -IV & Form-V and submitted cess returns. CI has increased from Rs. 19.21 Crore to Rs. 30.64 Crore. Industry has	

Maharashtra Pollution Control Board

	submitted statement for increase in capital investment due to fire incidence on 13.04.2013.
Recommendation of SRO /RO	It is CC Red LSI type of industry. Applied for renewal of consent. C.I. Increased from Rs.19.21 to Rs.30.64 Corers. C.I. increased. Industry has submitted statement for increase in capital investment due to fire incidence on 13.04.2013. F.O. this office visited on 26.05.2014. Industry has submitted B.G. of Rs.5.0 lacks towards O & M of pollution control systems as per consent condition no.11 of consent dt.25.03.2013. Industry has not submitted B.G. of Rs.5.0 lacks towards not taking excess production due to financial crises. Industry has provided primary, secondary & Tertiary ETP. Industry has provided 2 nos. scrubbers to Pharma (Reaction) section and Fast Moving Consumable Good (FMCG) section. Consent may be renewed up to 30.04.2017.

Maharashtra Pollution Control Board

Agenda no. 11

Region : SRO Tarapur I		Section : JD(WPC)		Date : 17.06.2014	
Name & Address		D Decor Home Fabrics Pvt. Ltd. , Plot No. G-15/1, MIDC Tarapur, Tal. Palghar, Dist. Thane			
Consent For		CR			
Capital Investment		6802 Lacs			
Previous Consent Validity		31/05/2013			
Industry Type		R84 Yarn/ textile processing involving any effluent/ emission			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Total water consumption is 1000 KLPD Industrial effluent generation is 706 KLPD Domestic Effluent is 25 KLPD. ETP is provided with primary, secondary and tertiary treatment facility. The treated effluent is sent to the TEPS CETP through the drain.			
Compliance Of Air Pollution Related Conditions		As an APC system industry has provided Multicyclone dust collector with wet scrubber to coal fired boiler & thermopack. (As per visit report dtd.20.01.2014)			
Water Cess		Assessment Done :		Paid Upto : Jan 2013	
BG Details		Amount : i) Rs. 5.0 Lakhs.		Validity : i) 17.09.2014	
		ii) Rs.2.0 Lakhs		ii) 17.09.2014	
		BG Obtained against : i) for O & M of PCS, ii) for submission of the proposal to reuse 50% of treated effluent in the process and to reduce load on CETP within 3 Months (i.e Upto 31.10.2013).			
		Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement		Period		2012-13	
Other Relevant		1. Industry has submitted the proposal for the 50 % recycle / reuse of the treated effluent vide letter dtd.14.03.2014 for this installation of the RO system is in progress and will be completed by 1st June 2014.			

Maharashtra Pollution Control Board

Information	<ol style="list-style-type: none">2. Industry vide letter dtd.07.10.2013 reported that the installation of the R O Plant is in progress.3. Industry has requested to adjust previous balance fees with Board of Rs. 3,16,666/- for renewal of consent.
Recommendation of SRO/RO	RO has recommended for grant of renewal of consent upto 31.08.2017 by adjusting balance consent fees.

Maharashtra Pollution Control Board

Agenda no. 12

Region : Pune		Section : RO(HQ)		SRO Date :- 14/02/2014	
				RO HQ Date :- 29/04/2014	
Name & Address		Suzlon Energy Ltd. , S.No. 170/1-8, Sade Satra Nali, Hadapsar, Pune			
Consent For		Renewal of C to O			
Capital Investment		27619 Lacs			
Previous Consent Validity		31/01/2014			
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category		Orange			
Compliance Of Water Pollution Related Conditions		YES (Y)		NO ()	
		Details :- Proponent has provided STP having capacity 175 m3/day which consists of primary, secondary and tertiary treatment system. The treated effluent is being used for gardening purpose.			
BG Details		Amount : 10 Lakh		Validity :31/05/2014	
		<u>BG Obtained against : Consent to operate Condition</u>			
		<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information		<ol style="list-style-type: none"> 1. Plain Renewal 2. Board has granted C to O to proponent up to 31/01/2014 for Total plot area of 47418.28 sq. mtrs.; Total BUA is 75180.14 sq. mtrs. & applied for renewal of the same. 3. Capital investment Project is 276.18 Cr Accordingly, Applicant has paid fees of Rs 552380.0 for 2 years. 4. Prponent has obtained EC from MoEF, New Delhi vide letter no 21-814/2007-IA.III dated 21/04/2008. 5. Proponent has provided STP having capacity 175 m3/day which consists of primary, secondary and tertiary treatment system. The treated effluent is being used for gardening purpose. 6. Proponent has provided rain water harvesting system in the campus as well as installed small wind mills to generate the electricity and the same is being used for street lightning. 7. The solid waste generated (wet & dry) is 700 Kg/day which is segregated into biodegradable & non-biodegradable waste. Bio degradable waste is disposed by organic waste converter & Non Bio degradable waste is disposed by authorized PMC vendor. 8. Industry has send the electronic waste to M/s. Eco Recycling Limited, Vasai, Thane 			

Maharashtra Pollution Control Board

	<p>for disposal</p> <p>9. RO, Pune has recommended for grant of renewal of consent up to 31/01/2016, In view of above we may consider consent to renewal for period upto 31/01/2016 with condition applicant shall renew the existing BG of Rs 10Lakh.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 13

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 07/01/2014 RO(HQ) Date :- 05/05/2014
Name & Address	M/s. Calista Properties Pvt. Ltd (Hotel), S.No. 8, Hissa No.1 B & 1A/1, Village Kharadi, Taluka Haveli, Dist. Pune.	
Consent For	C to R	
Capital Investment	52.85 Cr.	
Previous Consent Validity	31/01/2014.	
Industry Type	R29 Hotels (3 Star & Above) and Hotels having 100 rooms and above.	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 102.0 CMD, Effluent generated 92.0 CMD. STP Proposed of Capacity :140 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> 1. Applicant has applied for Renewal of consent for restaurant and lodging activity having 162 Rooms with Laundry activity. 2. Previous consent was valid upto 31/01/2014. 3. There is no change in area statement, Total BUA 17161.41 sq.mtrs. 4. Applicant has provided STP of Capacity 140.0 CMD for treatment of 92.0 CMD domestic effluents. 5. Applicant has installed biogas system for bio-degradable waste. 6. 2 no. of DG sets each having capacity, 630 KVA. 7. Capital investment of the Hotel is increased from 47.46 Cr to 73.95 Cr. 8. RO Pune has issued SCN for not operating STP, Non provision of OWC and water consumption not match with consented standards. 9. Applicant has submitted reply of the same on 24/12/2013. 	

Maharashtra Pollution Control Board

	<p>10. SRO/RO, Pune has recommended for grant renewed after submission of Justification for Increase in Capital investment.</p> <p>11. In view of above we may issue SCN for refusal of renewal of consent as applicant has not submitted reply of query letter issued by RO Pune. And increased capital investment without obtaining consent to establish from Board.</p>
Recommendation of SRO/RO	RO, Pune has recommended for consent to operate for period upto 31/05/2018 by imposing appropriate BG for O&M of STP & MSW

Maharashtra Pollution Control Board

Agenda no. 14

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s. Cognizant technology Solutions India Pvt Ltd. Plot No. 26 & 27, Rajiv Gandhi Infotech Park, Hinjewadi, Pune.	
Consent For	C to R	
Capital Investment	208.66 Cr.	
Previous Consent Validity	----	
Industry Type	IT & ITES Activity	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 160.0 CMD, Effluent generated 100.0 CMD. Common STP provided by MIDC.	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> 1. This is a case of plain renewal of consent for the IT & ITE's activity. 2. Existing consent is granted for plot no. 26 & 27 having total plot area 18000 sq.mt and total BUA is 10271 sq.mt. 3. Earlier consent valid up to 28.02.2014 for total investment of Rs. 184.75 Crore. 4. The field officer has visited to the site on 7.02.2014 and observed that there are 3 no. of plots i.e. 26, 27 & 28 located in same premises. 5. Plot No. 28 purchase from KPIT. 6. Domestic effluent generated disposed to Common STP provided by MIDC. 7. Industry has submitted BG of Rs. 10.0 Lakh, which was valid up to 29.07.2013. 8. At the time of C to O in the year 2010, industry has paid additional consent fees of Rs. 8,49,968.3/- on 21.03.2012 as per 0.02 % of total capital investment. Consent is granted dtd. 3.04.2012. Then industry has appealed to the Appellate Authority against the additional consent fees of 0.01% charged. Industry has enclosed final order of the Hon'ble 	

Maharashtra Pollution Control Board

	<p>Appellate Authority stated to return additional fees of Rs. 8,49,970/- to industry. Said request letter of industry is submitted to RO office dtd. 19.12.2013. Now Industry has requested to adjust the said amount in this application and grant consent to operate up to Feb-2020.</p> <p>9. Now industry has paid consent fees of Rs. 4,52,090/- (for three terms).</p> <p>10. In view of above we may consider plain renewal for period upto 28/02/2020.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 15

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 15/03/2014
		RO (HQ) Date :- 06/06/2014
Name & Address	M/s. Devi Construction Company "ICC Devi Gaurav Technology Park" S. No. 191 & 192, Plot B, Pimpri, Pune	
Consent For	C to R	
Capital Investment	91.24 Cr.	
Previous Consent Validity	----	
Industry Type	IT and ITES	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 702.5 CMD, Effluent generated 339.15 CMD. STP Proposed of Capacity : 700.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for Renewal of consent for IT & ITES activity. 2. The IT project covering total area of around 24,570.00m² with total built up area of 78,864.36m². 3. Earlier Consent valid for period upto 28/02/2014. 4. Capital investment of the project is increased from 81.95 Cr to 91.24 Cr 5. Total water consuming 702.0 m3/day & generating about 339.0 m3/day of sewage, which PP has provided STP of capacity 700.0 m3/day. 6. 3no. of DG sets having capacity 65 KVA each. 7. Applicant has submitted BG of Rs 5 lakh as per C to O condition. 8. SRO Pimpri Chinchwad has reported that during visit STP not in operation and treatment facility for Bio-degradable waste not provided. 	

Maharashtra Pollution Control Board

	<p>9. SRO PC has issued query letter reply of the same awaited.</p> <p>10. In view of above we may issue SCN for no operation of STP and not provided MSW facility.</p>
--	---

Maharashtra Pollution Control Board

Agenda no. 16

Region : Raigad	Section : JD(APC)		Date : /07/2014
Name & Address	M/s. Goradia Special Steels Ltd., [Formerly Vipras Casting Ltd] Sr.no.1/2/33, Village: Niphan, Tal: Khalapur, Dist: Raigad		
Consent For	Renewal of consent to operate		
Capital Investment	Rs.32.25 Crs		
Previous Consent Validity	31.01.2014.		
Industry Type	R37 Iron and steel (Involving processing from ore/scrap/integrat)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details: - Domestic Effluent – 5.00 CMD, Septic tank and soak pit provided. Industrial Effluent – Nil.		
Compliance Of Air Pollution Related Conditions	(No.)– Fume extraction system followed by bag filter provided. - Analysis results of AAQM are exceeding the consented limit of SPM parameter.		
Water Cess	Assessment Done : ---	Paid Upto : ---	
BG Details	Amount : ----	Validity : -----	
	BG Obtained against : ----		
	Details of BG forfeited/encashed , if any : -----		
Submission of Environmental Statement	Period	----	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent to operate. 2. Earlier consent obtained vide no. BO/APAE/TB-3/RD-1382-10/CC-524 dated 31.01.2014 valid till 28.02.2014. 3. Earlier CI was Rs. 17.93 Crs. Now shown Rs.32.25 Crs. Justification about increase in CI [14.32 Crs] was not submitted. 		
Recommendation of SRO/RO	- Recommended to issue SCN for refusal of consent as industry has not submitted justification of increase in CI and exceeding results of AAQM of SPM limits.		

Maharashtra Pollution Control Board

Agenda no. 17

Region : SRO Aurangabad I		Section : JD APC		Date :
Name & Address	NRB Bearings Limited E-40 , MIDC Chikalhana, Aurangabad			
Consent For	CO			
Capital Investment	5707.8 Lacs			
Previous Consent Validity	31/5/2014			
Industry Type	Metal			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Indl effluent is 30 CMD provided primary , secondary & tertiary treatment facilities. Domestic effluent is 24 CMD, provided septic tank.			
Compliance Of Air Pollution Related Conditions	Yes			
	Provided scrubber to pickling section. Analysis reports of treated effluent & scrubber are within limit, the reports are of private MoEF approved lab.			
Water Cess	Assessment Done :March-2013		Paid Upto :March-2013	
BG Details	Amount : Nil		Validity :NA	
	BG Obtained against : NA			
Details of BG forfeited/encashed , if any :NA				
Submission of Environmental Statement	Period	2012-2013		
Other Relevant Information	Applied for renewal of consent without change in product & its quantities. CI is Rs. 57.07 crs and existing was Rs.32.43 crs, the increase is of Rs.24.64 crs. Increase is due to replacement of old machineries.			
Recommendation of SRO/RO	Consent may be granted			

Maharashtra Pollution Control Board

Agenda no. 18

Region : Nashik	Section : JD(APC)		Date : /05/2014
Name & Address	M/s. Foundation Brake Manufacturing Ltd. NH-6, Bambhori, Tal. Dharangaon, Dist. Jalgaon – 425 001		
Consent For	Renewal		
Capital Investment	72.24 Crs		
Previous Consent Validity	31/03/2014		
Industry Type	Automobile Manufacturing		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- Sewage – 90.00 CMD STP Provided Effluent – 266.00 CMD ETP Provided		
Compliance Of air Pollution Related Conditions	YES. Wet scrubber provided for anodizing and phosphating section and dust collector provided to shot blasting section.		
Water Cess	Assessment Done : Feb-2014	Paid Upto : 31.07.2012.	
<u>BG Details</u>	<u>Amount : Rs.</u>	<u>Validity :</u>	
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. M/s. Foundation Brake Manufacturing Ltd. NH-6, Bambhori, Tal. Dharangaon, Dist. Jalgaon – 425 001 has applied for renewal of consent. 2. Earlier consent obtained vide No. BO/JD(APC)/EIC No. EIC No. NK-8708-11/R-CC-432 dated 09/09/2011 valid till 31/03/2014 and amendment dated 08/01/2013 3. There CI decreased from 112.76 Crs. to 72.24 Crs. Industry has given clarification that the decrease in CI due to transaction of some assets while selling of Unit. 4. This case was discussed in the CAC meeting 30.06.2014 In this meeting it was decided to transfer this case to concern HOD as granting authority is consent committee since CI of the industry is Rs.72.24 Crs. 		
Recommendation of SRO/RO	SRO Recommended for grant of renewal of consent to operate upto 30.09.2017.		