

**List of Cases to be submitted before 13th Consent Committee Meeting of 2014-15
scheduled on 05.09.2014 at 02:30 p.m. (Booklet No. - 23)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Spectrum Ethers Ltd., Git No. 367, Rasegaon, Village - Nashik-Peth Road, Tal - Dindori, Dist - Nashik	74.33 Crs.	Establish (Expansion)	AS(T)	1 to 27	
2	Roha Carbonate Pvt. Ltd., Plot No. 18/1, MIDC Dhataw, Tal - Roha, Dist - Raigad	33.88 Crs.	Renewal	AS(T)	28 to 56	
3	Jayaswal Neco Industries Ltd., Plot No. F-8, F-8/1, MIDC Area, Hingna, Nagpur	45.62 Crs	Renewal	JD(APC)	57 - 84	
Fresh Agenda						
1	Trans Thane Creek Waste Management Association, Plot no. P-128, TTC MIDC Indl. Area, Near L & T Infotech Ltd., Shil Mahape Road, Mahape, Navi Mumbai	0.50 Crs.	Establish	RO(HQ)	85 - 97	
2	Resilience Realty Pvt Ltd., Oriana, Plot bearing CTS No. 646(pt), Village -	270 Crs.	Establish (Amendment)	RO(HQ)	98 - 106	
3	Gini Construction Pvt. Ltd., "Gini Bellissimo", S. No. 22, In front of Parande Woods, Dhanori, Pune	47 Crs.	1st Operate	RO(HQ)	107 - 118	
4	Paranjape Scheme (Construction) Ltd., "Yuthika", Sr. No. 89, Baner, Tal - Haveli, Dist - Pune	16.21 Crs.	1st Operate	RO(HQ)	119 - 131	
5	Kalpataru Ltd., Kalpataru Synergy II, Plot Bearing CTS No. 4102A & 7632(pt), Village Kolkalyan (Vakola), Santacruz(E), Mumbai	143.84 Crs	1st Operate	RO(HQ)	132 - 144	
6	Privilege Power and Infrastructure Pvt.Ltd., S.No. 111, 112, 113, 114, 115, 120, 121, 122, 123, 127, 130, 134, 135, 136, 137, 138, 139, 140, 143 at village chandansar, Tal - Vasai,	69.68 Crs.	1st Operate (Part)	RO(HQ)	145 - 154	
7	Reliable Export, Reliable Tech Park, Gut No. 31, Ilthan Village, MIDC Airoli, Navi Mumbai	199.09 Crs.	Renewal (Expansion)	RO(HQ)	155 - 169	
8	Saikripa Foods Services Pvt. Ltd., Bldg. No. 156, Sector - II, Millenium Business Park, Mahape, Navi Mumbai	58.48 Crs.	Renewal	RO(HQ)	170 - 184	
9	Govind Milk & Milk Product Pvt. Ltd., Gat No. 93, 94, 95, A/p - Kolki, Tal - Phaltan, Dist - Satara	37.06 Crs.	Renewal	JD(WPC)	185 - 201	
10	Pratapgad SSK Ltd., At - Songaon - Karandoshi, Tal - Jawali, Dist - Satara	39.93 Crs.	Renewal (with increase in C.I.)	JD(WPC)	202 - 221	
11	Unitech Power Transmission Ltd., A-33, MIDC Butibori, Dist - Nagpur	32.07 Crs	Renewal	JD(APC)	222 - 237	
12	Pretam Enterprises, At S. No. 386/1, 387/1, 388/1, 388/2, 287/2, Vadgaon, Tal- Hatkangale, Dist - Kolhapur	49.30 Crs	Establish	JD(APC)	238 - 251	
13	Indiana Gratings Pvt. Ltd., D-7, MIDC Jejuri, Tal- Purandar, Pune	44.04 Crs	Renewal	JD(APC)	252 - 265	
14	Raychem RPG Pvt. Ltd., 1/62, M G Road, Bharat Petroleum Pump, Sativali, Tal- Vasai, Dist - Thane	43.78 Crs	Establish for expansion	JD(APC)	266 - 283	
15	Schneider Electric India Pvt. Ltd., Plot No. 58, MIDC Satpur, Nashik	49.57 Crs	Renewal	JD(APC)	284 - 302	
16	Visaka Industries Ltd., Gat No. 70/3A/31/13/1C, Sahajpur Indl Area, Tal- Daund, Dist - Pune	27.31 Crs	Renewal	JD(APC)	303 - 317	

17	Ultra Engineers (Unit-IV), Sector No. 10, Plot No. 58, PCNTDA, Bhosari, Pune-26	39.95 Crs	Renewal	JD(APC)	318 - 337	
	Fresh Agenda - New Entry to CC					
1	Ambika Brickwell Pvt. Ltd., S. No. 7, 8, 9, 13 to 15, 19, 22 to 28, 30, 31 and 32, Village Borpada, Tal - Bhiwandi, Dist - Thane.	88.50 Crs.	Establish	RO(HQ)	338 - 352	
2	Jaikumar Construction LLP., Parkside Homes, Sr. No. 257/1A, 257/1B, 257/1C, 257/1D, 257/1J, 257/2A/1(P), 257/2B(P), 256/2, 256/3(P), P. No. 1 to 8 of 256/1/2, Near Rasbihari School, off Mumbai Agra Highway, Nashik.	168.89 Crs.	Establish	RO(HQ)	353 - 367	
3	Siddharth Enterprises, Valnai Parivarta SRA CHS, CTS No. 1(pt) & 2(pt), Villae - Valani, Malad (W)	124.59 Crs.	Establish	RO(HQ)	368 - 382	
4	Mahaveer Construction (Mahaveer Nagar), CTS No. 128-A/4(pt), 128/a/8/A(pt), 128/A/11(pt), Village - Kandivali, Tal - Borivali, Kandivali.	75 Crs.	Establish	RO(HQ)	383 - 391	
5	SPH Agro Farms & Estates Pvt. Ltd., S. No. / H. No. 110/1(pt), 224/1A(pt), 224/1B(pt), Village - Ghodbunder, Dist - Thane	54 Crs.	Establish	RO(HQ)	392 - 406	

Review Item						
1	Action to be initiated against the Chitrali Properties Pvt. Ltd., Westend Centre, S. No. 169/1, Sector 1 & 2 (P) Aundh,	_____	_____	RO(HQ)	407 - 417	
2	Pali Hills Tourist Hotel Pvt. Ltd., 14 Union Park, Pali Hill, Khar (W), Mumbai	_____	_____	RO(HQ)	418 - 424	
3	Central Board's proposal for revision of environmental standards for steel re rolling mills	_____	_____	JD(APC)	425 - 436	
4	Application of M/s. Deep Metal Products, Dahanu, Dist - Thane	_____	Dahanu Area Application	JD(APC)	437 - 443	
5	M/s. ERA T & D, Umred, Nagpur	_____	Bank Guarantee	JD(APC)	444 - 461	
	JD(WPC)	2				
	AS(T)	2				
	RO(HQ)	13				
	JD(APC)	8				
	PSO	0				
	Total	25				

Maharashtra Pollution Control Board

CC-Resubmission Agenda

Agenda no. 1

Region : Raigad	Section :AST	Date :														
Name & Address	M/s Spectrum Ethers Ltd.,Gut No. 367, Rasegaon Village, Nashik-Peth Road, Tal. Dindori, Dist. Nashik															
Consent For	Consent to Establish for proposed expansion															
Capital Investment	Total C.I. Rs. 74.33 Crs (Existing-Rs. 26.31 Crs + Proposed Expansion-Rs. 48.02 Crs)															
Previous Consent Validity	31/11/2016															
Industry Type	Pesticide Technical															
Industry Category	Red															
Compliance Of Water Pollution Related Conditions	YES ()	NO ()														
	<p>Details:</p> <p>I. Existing: Provided ETP of capacity 50 CMD consisting of primary, secondary & tertiary treatment followed by MEE-1 (30 KI) & MEE-2 (50 KI) for the treatment of 44 CMD of industrial effluent. After treatment, treated effluent is applied on land for gardening/irrigation within premise. Industry has provided septic tank followed by soak pit for the treatment of 6.9 CMD sewage; overflow is utilized on land for gardening.</p> <p>II. Proposed for expansion:</p> <p>A) ETP: Capacity of the existing ETP will be enhanced to take up additional load of 151 CMD of industrial effluent as follows:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-left: 40px;"> <thead> <tr> <th style="text-align: left;"><u>ETP Unit</u></th> <th style="text-align: center;"><u>Existing</u></th> <th style="text-align: center;"><u>Proposed for expansion</u></th> </tr> </thead> <tbody> <tr> <td>1. MEE-1</td> <td style="text-align: center;">30 KI</td> <td style="text-align: center;">40 KI</td> </tr> <tr> <td>2. MEE-2</td> <td style="text-align: center;">50 KI</td> <td style="text-align: center;">80 KI</td> </tr> <tr> <td>3. MEE-3</td> <td style="text-align: center;">-</td> <td style="text-align: center;">75 KI</td> </tr> <tr> <td>4. Activated Sludge Aerators</td> <td style="text-align: center;">50 KI (2 Nos.) 100 KI (4 Nos.)</td> <td style="text-align: center;">50 KI (2 Nos.) 100 KI (6 Nos.)</td> </tr> </tbody> </table> <p style="margin-left: 40px;">Treated effluent will be applied on land for gardening/irrigation within premise.</p> <p>B) STP: Full fledged STP of the capacity 25 CMD will be provided to treat sewage after proposed expansion. Treated sewage will be applied on land for gardening/irrigation purpose within premise.</p>		<u>ETP Unit</u>	<u>Existing</u>	<u>Proposed for expansion</u>	1. MEE-1	30 KI	40 KI	2. MEE-2	50 KI	80 KI	3. MEE-3	-	75 KI	4. Activated Sludge Aerators	50 KI (2 Nos.) 100 KI (4 Nos.)
<u>ETP Unit</u>	<u>Existing</u>	<u>Proposed for expansion</u>														
1. MEE-1	30 KI	40 KI														
2. MEE-2	50 KI	80 KI														
3. MEE-3	-	75 KI														
4. Activated Sludge Aerators	50 KI (2 Nos.) 100 KI (4 Nos.)	50 KI (2 Nos.) 100 KI (6 Nos.)														
Compliance Of Air Pollution Related Conditions	<p>Details :-</p> <p>I. Existing: Provided dust collector to coal/briquette fired boiler and scrubbers at various mfg. sections/operations.</p>															

Maharashtra Pollution Control Board

	<p>II. Proposed for expansion:</p> <p>a) Following APCS will be provided to control air emissions:</p> <table border="1" data-bbox="472 371 1477 987"> <thead> <tr> <th><u>Stack attached to Reactor</u></th> <th><u>Air emission</u></th> <th><u>APCS Proposed</u></th> <th><u>Stack height</u></th> </tr> </thead> <tbody> <tr> <td>1. TCAC, CMAC</td> <td>SO₂</td> <td>Alkali Scrubber</td> <td>20 Mtrs.</td> </tr> <tr> <td>2. Chlorpyrifos, Pendamethalin, Anilphos, Metalaxyl, Thiocloprid, Tricyclazole, Azoxy Storbin, Pretilachlor, TCAC, DICAP, CMAC, Na TCP</td> <td>HCl</td> <td>Alkali Scrubber</td> <td>20 Mtrs.</td> </tr> <tr> <td>3. Phenthoate, m Phenoxy Benzaldehyde</td> <td>HBr</td> <td>Water followed by Alkali Scrubber</td> <td>20 Mtrs.</td> </tr> <tr> <td>4. TCAC</td> <td>Cl₂</td> <td>Alkali Scrubber</td> <td>20 Mtrs.</td> </tr> <tr> <td>5. Acephate, Tricyclazole, 1,2,4 Triazole</td> <td>NH₃</td> <td>Water followed by Acid Scrubber</td> <td>20 Mtrs.</td> </tr> <tr> <td>6. Phorate, Ethion, Terbufos, Phenthoate</td> <td>H₂S</td> <td>Alkali Scrubber</td> <td>20 Mtrs.</td> </tr> </tbody> </table> <p>b) Organic gaseous emissions (odorous & toxic) will be routed to activated carbon beds for adsorption.</p> <p>c) Nitrogen blanketing will be provided, besides special care will be taken to control odorous chemicals.</p> <p>d) All process vents will be routed through vent condensers to the localized ventury scrubbers, finally connected to a multi stage scrubbing system for keeping the odour nuisance in and around the plant under control.</p> <p>e) Dedicated scrubbers will be provided & used to control odour & VOC.</p> <p>f) All vents to scrubber, via condenser, breather.</p> <p>g) Chilled water & chilled brine will be used condenser & breather to control process emission and solvent losses.</p> <p>h) Reactor's vent lines, wherever required will be connected to condenser system, with chilled water/ brine, for condensing the volatiles and controlling VOC emissions.</p> <p>i) Storage tanks will be provided with vent lines diverted to scrubbing system and periodical stack monitoring will be done and reports will be submitted to MoEF and MPCB.</p> <p>j) All the vent headers will be installed properly after detailed engineering study.</p> <p>k) Closed loop filling systems will be in place and hence spillages will be avoided.</p> <p>l) Closed feed systems will be in place through B-Tanks, for all the reactors and no open handling will be permitted.</p> <p>SCADA operating system will be installed.</p>		<u>Stack attached to Reactor</u>	<u>Air emission</u>	<u>APCS Proposed</u>	<u>Stack height</u>	1. TCAC, CMAC	SO ₂	Alkali Scrubber	20 Mtrs.	2. Chlorpyrifos, Pendamethalin, Anilphos, Metalaxyl, Thiocloprid, Tricyclazole, Azoxy Storbin, Pretilachlor, TCAC, DICAP, CMAC, Na TCP	HCl	Alkali Scrubber	20 Mtrs.	3. Phenthoate, m Phenoxy Benzaldehyde	HBr	Water followed by Alkali Scrubber	20 Mtrs.	4. TCAC	Cl ₂	Alkali Scrubber	20 Mtrs.	5. Acephate, Tricyclazole, 1,2,4 Triazole	NH ₃	Water followed by Acid Scrubber	20 Mtrs.	6. Phorate, Ethion, Terbufos, Phenthoate	H ₂ S	Alkali Scrubber	20 Mtrs.
<u>Stack attached to Reactor</u>	<u>Air emission</u>	<u>APCS Proposed</u>	<u>Stack height</u>																											
1. TCAC, CMAC	SO ₂	Alkali Scrubber	20 Mtrs.																											
2. Chlorpyrifos, Pendamethalin, Anilphos, Metalaxyl, Thiocloprid, Tricyclazole, Azoxy Storbin, Pretilachlor, TCAC, DICAP, CMAC, Na TCP	HCl	Alkali Scrubber	20 Mtrs.																											
3. Phenthoate, m Phenoxy Benzaldehyde	HBr	Water followed by Alkali Scrubber	20 Mtrs.																											
4. TCAC	Cl ₂	Alkali Scrubber	20 Mtrs.																											
5. Acephate, Tricyclazole, 1,2,4 Triazole	NH ₃	Water followed by Acid Scrubber	20 Mtrs.																											
6. Phorate, Ethion, Terbufos, Phenthoate	H ₂ S	Alkali Scrubber	20 Mtrs.																											
Water Cess	Assessment Done : Returns filed regularly.	Paid Upto: September 2013.																												
BG Details	Amount: Rs. 5.0 Lakh + Rs. 5.0 Lakh.	Validity- 31/03/2017.																												
	BG obtained against: Consent Condition to recycle & reuse 100 % of treated effluent/sewage and O&M of Pollution Control Systems.																													
	Details of BG forfeited/ encashed, if any: As per decision of CC dtd. 16/05/14, Bank																													

Maharashtra Pollution Control Board

	Guarantee of Rs. 1.0 Lakh has been forfeited for exceeding JVS results.	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	<p>i) Existing industry engaged in mfg. of 12 Nos. of pesticide technical products, 21 Nos. of formulated pesticide products and 4 Nos. of by-products having Consent with the validity upto 31/11/2016. Industry has obtained Environmental Clearance from the MoEF vide letter F.No. J-11011/317/2008-IA II (I) dtd. 24/11/2009 for mfg. of existing 12 Nos. of pesticide technical products (Total-3525 MT/A).</p> <p>ii) Board has granted renewal of Consent to Operate to the industry on 23/05/2014 as per decision of CC dtd. 16/05/2014 by imposing B.G. of Rs. 5.0 Lakh each towards 100% recycle & reuse of treated trade/sewage effluent and towards O&M of pollution control systems respectively. Also, Bank Guarantee of Rs. 1.0 Lakh has been forfeited for exceeding JVS results.</p> <p>iii) Now, industry has applied grant of Consent to Establish for proposed expansion for mfg. of 6,475 MT/M of 35 Nos. of pesticide technical products and additional quantities of by-products.</p> <p>iv) As reported by SRO, public hearing was conducted on 01/07/2014 to obtain EC for proposed expansion.</p> <p>v) Case was discussed in CC meeting held on 27/06/2014 and it was decided to keep it in abeyance and put up in next CC after verification of adequacy of emission control, disposal system and capital investment.</p> <p>vi) A letter dtd. 04/07/2014 was written to SRO in this regard for submission of requisite information. SRO has submitted the above information vide his letter dtd. 19/08/2014.</p> <p>vii) Industry has proposed to enhance the capacity of the existing ETP from 50 CMD to 195 CMD to take up the additional effluent of 151 CMD that will be generated after expansion. Also, they have proposed to provide full fledged STP of capacity 25 CMD for the treatment of sewage (25 CMD). Treated effluent/ sewage will be disposed-off by applying on land for gardening/ irrigation purpose. Industry has provided 6 Hectares of land for this purpose.</p> <p>viii) Industry has proposed to provide air pollution control systems mentioned above as per norms/ requirement.</p> <p>ix) As per C.A. Certificate submitted by the industry, Capital investment involved in proposed expansion is Rs. 48.02 Crs</p>	
Recommendation of SRO	S.R.O. has recommended to grant Consent to Establish subject to condition of obtaining Environmental Clearance.	

Maharashtra Pollution Control Board

Agenda no. 2

Region : Raigad	Section :AST		Date :
Name & Address	Roha Carbonate Pvt Ltd, Plot No-18/1,MIDC Dhatav, Tq- Roha, Dist- Raigad		
Consent For	Renewal of consent.		
Capital Investment	33.88 Cr.		
Previous Consent Validity	31/10/2013.		
Industry Type	R40 Lime manufacturing using Kiln.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details:- Collection tank, Settling tank, Aeration tank, Press filter provided.		
Compliance Of Air Pollution Related Conditions	Details :- Scrubber & multi cyclone followed by dust bag collector provided		
Water Cess	Assessment Done :		Paid Upto: Sept-2013.
BG Details	Amount :		Validity :
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	<p>Industry has applied for renewal of consent with increase in C.I from 17.33 Cr to 33.88 Cr. RO has reported following non-compliances after visiting to the industry on 17/2/2014:-</p> <ol style="list-style-type: none"> 1) ETP was not in operation. The effluent was directly being send to filter press by passing the settling tank and aeration tanks. 2) There was no recycling/reusing of treated effluent in process. 3) The storm water drain was used for collection of effluent. 4) The sewage generation is 25 CMD but STP is not provided. 5) There was no dust collection system to grinding & pulverization section. 6) The emission of dust from the plant was visually observed in large scale. 7) NO APC to bricked fired boiler. 8) No adequate stack monitoring facility to chimneys. 9) CaCO₃ waste was stored unscientifically dumped on open ground. 		

Maharashtra Pollution Control Board

	<p>10) The production quantity is increased than the consented quantity without obtaining consent for the same.</p> <p>11) There is increase of C.I from 17.33 Cr to 33.88 Cr i.e industry has carried out expansion without consent from Board.</p> <p>The case was placed before CC dtd- 27/6/2014 .It was decided to issue SCN to the industry based on the above non-compliances reported by RO Raigad. Accordingly SCN dtd-8/7/2014 was issued to the industry [copy enclosed] mentioning following non-compliances:-</p> <ol style="list-style-type: none">1) You have increased the production quantity and Capital investment of your unit from 17.33 Cr to 33.88 Cr without obtaining consent from the Board.2) The untreated effluent was observed by passing the settling tank and aeration tanks to filter press and noticed non –operation of ETP units.3) You have not provided Sewage treatment plant (STP) for 25 CMD sewage generations from your unit.4) You have not provided dust collection system to grinding, pulverization section & Boiler.5) CaCO₃ waste was observed stored unscientifically on open ground leading to contamination of Soil & surface water. <p>Industry vide letter dtd-22/7/2014 has submitted point wise reply to our SCN which is as below:-[copy enclosed].</p> <ol style="list-style-type: none">1] Investment done in the span of last 3 years is towards ETP up gradation, Recovery system, Process modification to reduce water consumption, Finish Product Godown, Electrical like APFC, Back up ACB, Fuel storage yards and balancing of machinery. As per our records production Average per month is 3,092 MT against consent of 3600MT.2] Our water effluent treatment plant comprised of effluent collection, pH correction, Filtration and Discharge. It is designed to correct final pH, TSS load of our process effluent. Since COD and BOD of our effluent are very well under limit there I no aeration tank provision and requirement itself in our present ETP.ETP layout enclosed for reference.3] We have provided septic tank followed by soaking pit for domestic effluent and followed a per our present and potential requirement maximum water for domestic requirement I going to be 17 to 18 CMD.4] Grinding pulverizing section plant is closed loop air recycle design based unit which ha cyclone & DBC in line. To further control dusting in aid plant all openings are already closed and exclusive suction hood provided. We do not have boiler in our process.5] Our byproduct Lime tone Grit/oversized residue is collected and stored at grit pit yard at north west corner of plot which has soling/PCC provision with contention Brick wall. It is sold regularly to standard customers vide
--	--

Maharashtra Pollution Control Board

	<p>tax invoice.</p> <ul style="list-style-type: none">• This office called Verification report from RO/SRO vide e-mail dtd-1/8/2014 on the reply submitted by industry.• D.O letter dtd-6/8/2014 was issued to RO Raigad for not submitting report of industry.• SRO Raigad submitted the point wise report vide e-mail dtd-16/8/2014. (Copy attached).• It is noted from the report submitted by SRO that all points except point No;-3 provision STP for domestic effluent 25 CMD is complied. However SRO has not submitted the latest JVS results.
Recommendation of SRO	Consent may be refused based on above points OR granted for 1 year only subject to suitable B.G.

Maharashtra Pollution Control Board

Agenda no. 3

Region : SRO Nagpur II		Section : JD (APC)		Date : /09/2014
Name & Address		M/s. Jayaswals Neco Industries Ltd, Plot No: F-8,F-8/1, MIDC Area Hingna Road, Nagpur		
Consent For		CR		
Capital Investment		4562.9 Lacs		
Previous Consent Validity		31/05/1983		
Industry Type		R35 Foundry operations		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES (Y)		
		Details :- JVS results are within consented limits.		
Water Cess		Assessment Done : Yes		Paid Upto : May 2014
<u>BG Details</u>		<u>Amount : Rs.</u> 5.0 Lakhs		<u>Validity</u> : 11/06/2015
		<u>BG Obtained against</u> : Towards O & M of pollution control system		
		<u>Details of BG forfeited/encashed , if any</u> :		
Submission of Environmental Statement		Period	2013-2014	
Other Relevant Information		<p>1] There is no generation of industrial effluent from the manufacturing process. The industrial effluent shown in the previous consents is cooling water which is recycled fully needs to be corrected.</p> <p>2] As per fuel consumption pattern stack height provided to cupola furnaces-I,II & III are inadequate. It must be clarified.</p> <p>3] The case was discussed in Board's CC Meeting, dt: 11/08/2014 and it was decided to issue SCN for refusal as inadequate stack height provided to furnaces I, II & III. Board has issued SCN for refusal vides dt: 21/08/2014.</p> <p>4] In response to SCN for refusal, dt: 21/08/2014 industry submitted reply vide email, dt: 01/09/2014 and stated as,</p> <p>a] Regarding paint droplets falling on ground while painting Hard PCC flooring of painting area is under consideration & will be completed within 6-months. They have provided plastic sheets to avoid spillage.</p> <p>b] Regarding stack height they mentioned that cupola furnace no: III is not in</p>		

Maharashtra Pollution Control Board

	<p>operation since jan-2013. It will be operated after provision of adequate stack height. For cupola furnace-I &II they mentioned that as fuel is LAM coke they have provided adequate common stack of height of 32-meters. Submitted relevant details.</p>
Recommendation of SRO/RO	<p>To forfeit partial BG from Rs. 5.0 lacs BG submitted & further added that as there is no generation of industrial effluent from the manufacturing process. The industrial effluent shown in the previous consents is cooling water which is recycled fully needs to be corrected.</p>

Maharashtra Pollution Control Board

CC-Fresh Agenda

Agenda no. 1

Region : SRO Navi Mumbai II		Section : RO(HQ)		03/09/2014	
Name & Address		Trans Thane Creek Waste Management Association , Plot No.- P-128,TTC MIDC Indl. Area, Near L and T Infotech Ltd., Shil Mahape Road, Mahape, Navi Mumbai-400710			
Consent For		CE			
Capital Investment		50 Lacs			
Previous Consent Validity		---- N. A.----			
Industry Type		R34 Industries engaged in recycling /reprocessing of E-waste.			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		N. A.		N. A.	
		Details :- N. A.			
Water Cess		Assessment Done : N. A.		Paid Upto : N. A.	
<u>BG Details</u>		<u>Amount</u> : N. A.		<u>Validity</u> : N. A.	
		<u>BG Obtained against</u> : N. A.			
		<u>Details of BG forfeited/encashed , if any</u> : N. A.			
Submission of Environmental Statement		Period			
Other Relevant Information		<ol style="list-style-type: none"> 1. Existing CHWTSDF applied for C to E for recycling of <u>E- Wastes</u>. 2. PP has proposed to establish E-waste dismantling facility in the existing premises of CHWTSDF (i.e. at TTCWMA Plot No. P-128, MIDC Taloja). 3. PP has not obtained NOC from MIDC to use of same premises for dismantling of E-waste. 4. Proposed capital investment of the project is 50 Lacs. (C. A. Certificate <u>page no.17</u>). 5. Project proponent has submitted process flow chart e-waste dismantling activity. 6. Proposed water consumption for the different usage is 0.6 CMD. 7. Industrial effluent generation is NIL. 8. Domestic effluent generation is 0.48 CMD. 9. PP has proposed to provide septic tank & soak pit for treatment and disposal of effluent. 10. PP has proposed to provide cyclone dust collector to limit the dust emissions generating from dismantling activity. 			

Maharashtra Pollution Control Board

	<p>11. PP has not submitted copy of agreement made with MIDC and details of area required for the dismantling activity.</p> <p>12. PP has paid fees of Rs. 1500/- towards grant of C to E.</p> <p>13. RO Navi-Mumbai has recommended the case for grant of C to E subject to obtaining NOC from MIDC and details of area required for the E-Waste Dismantling facility.</p> <p>14. In view of above we may call additional information from project proponent on the above shortcomings.</p> <p>Application may be placed for discussion in the forthcoming CC meeting.</p>
Recommendation of SRO/RO	Consent application submitted for further order please.

Maharashtra Pollution Control Board

Agenda no. 2

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 21/6/2014 Ro (HQ) Date of receipt;- 30/07/2014		
Name & Address	M/s. Resilience Realty Pvt .Ltd.,Oriana, Plot bearing CTS No.646(pt),Village: Bandra.			
Consent For	Amendment in C to E			
Capital Investment	Rs.270 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 109 CMD , Effluent Generated :- 84 CMD, Proposed STP Capacity :-92 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
<u>BG Details</u>	<u>Amount : Rs.10 Lakh</u>	<u>Validity :not submitted details of BG</u>		
	<u>BG Obtained against : not submitted details of BG & Malied to SRO for same.</u>			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Application for amendment in consent to Establish for construction of residential and commercial building project			
	Applied for	Amendment in consent to Establish	residential and commercial project	
	Plot Area	4,840 Sq.mt	Built up area	40,480.88 sq.mt
	EC Status	Obtained from GOM	Dated	2/05/2013
	Plot Area	4,840 sq.mt	Built up area	32,395.17 sq.mt
	PP has not obtained amended EC for total construction BUA of 40,480.88 sq.mt			
	Previous Consent	C to E	Dated	20/11/2013

Maharashtra Pollution Control Board

	Plot Area	4,840 sq.mt	Built up area	27,347.81 sq.mt
	Water Consumption	109 CMD	Effluent Generated	84 CMD
	Provided STP having Capacity	92 CMD		
	Bio-degradable	212 Kg/D	Treatment	Proposed OWC
	Non-Bio degradable	141 Kg/D	Treatment	Will be given to authorized party.
	STP Sludge	5.8 Kg/D		Used as manure
	No of DG Sets	1 nos	Capacity	625 KVA
	Construction status	In progress for enhanced area	Date of Visit	12/7/2014
	<p>SRO reported that construction work of enhanced area is under progress.</p> <p>PP has not submitted details regarding applied for EC for enhanced area or not.</p>			
Recommendation of SRO/RO	SRO Recommended grant of amendment in Consent to Establish recommended at higher leve.			

Maharashtra Pollution Control Board

Agenda no. 3

Region : RO PUNE	Section :RO(HQ)	SRO Date:- 28/04/2014 RO HQ :- 22/08/2014
Name & Address	M/s. Gini Construction Pvt. Ltd., "Gini Bellissimo" S.No. 22, In front of Parande Woods, Dhanori, Pune.	
Consent For	C to O	
Capital Investment	47.0 Cr.	
Previous Consent Validity	----	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 195.0 CMD, Effluent generated 178.0 CMD. STP provided of Capacity : 190.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> 1. PP has applied for consent to 1st Operate. 2. The Residential project covering total area of around 20,200.0 sq.mtrs with total built up area of 21,576.0 sq mtrs 3. PP has obtained environment clearance From GoM on 01/09/2010 and Consent to establish from Board on 26/11/2009 for same plot area(EC & CE both Valid). 4. Total water consuming for this phase 195.0 m3/day & generating about 178.0 m3/day of sewage, which PP has provided STP of capacity 190.0 m3/day. 5. Organic Waste converter provided by PP for bio-degradable waste, Non-biodegradable waste will send to authorized vender. 6. 1 no. of DG sets each having capacity of 160.0 KVA. 7. The cost of the part project is Rs 47.0 Crore for which they have paid Rs. 75000.0 as consent fees for 1st Operate. 	

Maharashtra Pollution Control Board

	<p>8. SRO Pune-I has recommended for grant of part consent to operate, if approved In view of above consent to operate may be considered with BG for O&M of STP and MSW.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 4

Region : RO PUNE	Section :RO(HQ)	SRO Date;- 06/05/2014 RO HQ :-
Name & Address	M/s Paranjape Scheme (Consruction) Ltd "Yuthika" Sr. No. 89, Baner, Tal : Haveli, Dist : Pune 411045	
Consent For	C to O (part) with amalgamation of existing phase	
Capital Investment	16.21 Cr.	
Previous Consent Validity	31/07/2015	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 194 CMD, Effluent generated 156 CMD. STP Provided of Capacity : 350 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<p>9. PP has applied for consent to 1st Operate (Part).</p> <p>10. The Residential project covering total area of around 48000.0 Sq. mt with total built up area of 49053 sq mtrs.</p> <p>11. PP obtained consent to establish for plot area 48000.0 sq.mtrs & BUA 64048.66 sq.mt obtained on 15/04/2009 (Not valid).</p> <p>12. PP has obtained environment clearance from MoEF on 17th February 2009, having total plot area 48,561 sq.mtrs. & total BUA of 49,053 sq.mtrs. Revalidated EC obtained on 12/05/2014.</p> <p>13. PP has obtained consent to operate part having BUA 35,231.0 m² (8 buildings) which is valid upto 31/07/2015.</p> <p>14. Now PP applied for additional 3 building having BUA 11,032.0 m².</p> <p>15. Capital investment of this part project is 16.21 cr.</p> <p>16. Total water consuming 267.0 m3/day & generating about 215.0 m3/day of sewage, which PP has provided STP of capacity 350.0 m3/day,</p> <p>17. PP has provided Vermi Composting for bio-degradable waste, Non-biodegradable waste send to authorized vender.</p>	

Maharashtra Pollution Control Board

	<p>18. 2 no. of DG sets having capacity, 250 +320 KVA.</p> <p>19. PP has completed construction of 8+3=12 buildings having BUA 46262.0 sq.mtrs out of 49053.0 m².</p> <p>In view of above we may consider consent to operate part with amalgamation of existing phase subject to revalidation of consent to Establish, with BG and part operate affidavit.</p>
--	--

Maharashtra Pollution Control Board

Agenda no. 5

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 3/6/2014 Ro (HQ) Date of receipt;- 19/07/2014		
Name & Address	M/s.Kalpataru Ltd., Kalpataru Synergy II, Plot bearing CTS No.4102A and 7632(pt), Village Kolkalyan(Vakola), Santacruz(E),Mumbai			
Consent For	C to Operate(1 st)			
Capital Investment	Rs.143.84Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :- Water Consumption :- 58 CMD , Effluent Generated :- 53 CMD, Proposed STP Capacity :-100 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
<u>BG Details</u>	<u>Amount : Rs.5 Lakh</u>	<u>Validity :21/11/2014</u>		
	<u>BG Obtained against : as per condition mentioned in earlier C to E for compliance of consent conditions.</u>			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Application for consent to Operate(1 st) for construction of commercial building			
	Applied for	C to Operate (1 st)	Commercial project	
	Plot Area	6,495 Sq.mt	Built up area	27,347.81 sq.mt
	EC Status	Obtained from GOM	Dated	11/02/2011
	Plot Area	6,495 sq.mt	Built up area	27,347.81 sq.mt
	Previous Consent	C to E having C.I.Rs.120 Cr.	Dated	25/10/2011

Maharashtra Pollution Control Board

	Plot Area	6495 Sq.mt	Built up area	27,347.81 sq.mt
	Water Consumption	58 CMD	Effluent Generated	53 CMD
	<u>Provided STP having Capacity</u>	60 CMD		
	Bio-degradable	59 Kg/D	Treatment	<u>Provided OWC</u>
	Non-Bio degradable	137 Kg/D	Treatment	Send to authorized party.
	STP Sludge	8 Kg/D		Used as manure
	No of DG Sets	2 nos	Capacity	1250 KVA
	Construction status	completed	Date of Visit	17/7/2014
	<p>As per field visit report dated 17/7/2014, PP has provided STP and OWC.</p> <p>Regarding Consent Fee.</p> <p>PP has submitted consent fee for period upto 20.6.2016.</p> <p>C.I. increased from Rs.120 Cr to Rs.143.84 Cr hence <u>C.I. increased with Rs.23.84 Cr.</u></p> <p>As per sectoral approach, we may grant C to O for Period upto 30.10.2015 with taking C to E fee for Increased for C.I. of Rs. 23.84 Cr ie.Total consent fee of Rs.2,41,787</p> <p>Hence amt of Rs.45,893 is balance with MPCB and draft consent including balance fee of Rs.45,893 adjusted during next renewal of consent is placed in CC Agenda.</p>			
Recommendation of SRO/RO	SRO Recommended grant of Consent to Operate for period upto 30.6.2016.			

Maharashtra Pollution Control Board

Agenda no. 6

Region : SRO Thane II		Section : RO (HQ)		Date : 06/08/2014.			
Name & Address		privilege power and infrastructure pvt. ltd , S. No. 111, 112, 113, 114, 115, 120, 121, 122, 123, 127, 130, 134, 135, 136, 137, 138, 139, 140, 143 at village chandansar, Tal. Vasai, Thane					
Consent For		C to O (Part)					
Capital Investment		69.68 Crores					
Previous Consent Validity		Up to commissioning or five years whichever is earlier.					
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr					
Industry Category		Orange					
Compliance Of Water Pollution Related Conditions		--- N. A. ---		--- N. A. ---			
		Details :- --- N. A. ---					
Water Cess		Assessment Done : --- N. A. ---		Paid Upto : --- N. A. ---			
BG Details		Amount : 10.0 Lacs		Validity : 05/05/2015			
		BG Obtained against : Compliance of consent conditions.					
		Details of BG forfeited/encashed , if any : No.					
Submission of Environmental Statement		Period		--- N. A. ---			
Other Relevant Information		The application is for PART consent to operate for the residential cum commercial project.					
		Applied for		C to O Part		Residential project.	
		Plot Area		3,23,688 sq. mtr.		Built up area 65500 Sq. Mtrs	
		EC Status		obtained		Dated 10/02/2011	
		River Distance		N. A.		Name of River N. A.	
		CRZ applicability		Not Submitted		Type of CRZ Not Submitted	
		Water Consumption		62.0 CMD		Effluent Generated 29.0 CMD	

Maharashtra Pollution Control Board

	STP Capacity	250 CMD	Recycle Water	---
	Bio-Degradable	Not Submitted by PP	Treatment	Every individual unit will manage their waste, as submitted by PP
	Non-Bio degradable	Not Submitted by PP	Treatment	
	Nos of DG Sets	02	Capacity	125 KVA each
	Construction Status	construction completed	Date of visit	12/06/2014.
	<u>In view of above we may consider the case for grant of Part consent to operate, if approved.</u>			
Recommendation of SRO/RO	In view of above submitted for your approval for grant of Part of consent to operate.			

Maharashtra Pollution Control Board

Agenda no. 7

Region : Navi Mumbai	Section : RO(HQ)		Date : SRO Date of receipt;- 17/5/2014 Ro (HQ) Date of receipt;- 10/07/2014	
Name & Address	M/s.Reliabe Export Reliable Tech Park , Gut No. 31, Ilthan Village, MIDC Airoli, Navi Mumbai			
Consent For	Renewal of Consent with expansion (part)			
Capital Investment	Rs.199.09 Crore			
Previous consent	C to O(Part) dated 23/1/2013 valid upto 31/5/2014			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 90 CMD , Effluent Generated :- 82 Proposed STP Capacity :-316 CMD			
Water Cess	Assessment Done :-		Paid Up to :	
BG Details	Amount : Rs.10 Lakh		Validity :22/1/2015	
	BG Obtained against : for operation and maintenance of STP and MSW Processing plant.			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for renewal of consent with expansion for IT Park.			
	Applied for	Renewal of Consent with expansion (part)	IT PARK	
	Plot Area	53,390 Sq.mtr	Built up area	41,496.111 sq.mtr
	Previous Consent	C to O (part) &Rs.C.I.144.76 Cr	Dated	23/1/2013
	Plot Area	30,860sq.mtr	Built up area	41,333.38 sq.mtr

Maharashtra Pollution Control Board

	Valid upto	31/5/2014		
	EC Status	Obtained from GOM	Dated	2/12/2010
	Plot Area	73,850 sq.mtr	Built up area	1,32,505.40 sq.mtr
	Water Consumption	90 CMD	Effluent Generated	82 CMD
			STP Capacity	316CMD As per EC ,2 Nos of STP having capacity 385 CMD.
	Bio-degradable	130 Kg/D	Treatment	As per EC ,OWC As per SRO Processing Composting plant provided.
	Non-Bio degradable	170Kg/D	Treatment	NMMC
	No of DG Sets	3 Nos	Capacity	2000 KVAX2 & 1650 KVA
	Construction status	started	Date of Visit	Construction status not mentioned by SRO in processing sheet.
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish for period upto 31.5.2018.			

Maharashtra Pollution Control Board

Agenda no. 8

Region : SRO Navi Mumbai II	Section : RO(HQ)	Date :																				
Name & Address	M/s.Saikripa Foods Services Pvt. Ltd. , Bldg. No. 156, Sector-II, Millenium Business Park, Mahape, Navi Mumbai																					
Consent For	Renewal of Consent																					
Capital Investment	Rs.58.48Cr																					
Previous Consent Validity	31/05/2014																					
Industry Type	R29 Hotels (3 Star & above) and Hotels having 100 rooms and above																					
Industry Category	Red																					
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																				
	Details :-																					
	Water budget:																					
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Sr.No.</th> <th style="width: 40%;">Water consumption</th> <th style="width: 20%;">Mentioned in previous consent</th> <th style="width: 30%;">In existing application</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>Domestic</td> <td>152</td> <td>30</td> </tr> <tr> <td>2.</td> <td>Cooling</td> <td>23</td> <td>65</td> </tr> <tr> <td>3.</td> <td>Industrial</td> <td>5</td> <td>5</td> </tr> <tr> <td>4.</td> <td>Effluent generation</td> <td>18</td> <td>24</td> </tr> </tbody> </table>	Sr.No.	Water consumption	Mentioned in previous consent	In existing application	1.	Domestic	152	30	2.	Cooling	23	65	3.	Industrial	5	5	4.	Effluent generation	18	24	
Sr.No.	Water consumption	Mentioned in previous consent	In existing application																			
1.	Domestic	152	30																			
2.	Cooling	23	65																			
3.	Industrial	5	5																			
4.	Effluent generation	18	24																			
	effluent generated treated in common STP of Millennium Business Park																					
Water Cess	Assessment Done :	Paid Upto :																				
BG Details	Amount :	Validity :																				
	BG Obtained against :																					
	Details of BG forfeited/encashed , if any :																					
Submission of Environmental	Period																					

Maharashtra Pollution Control Board

Statement		
Other Relevant Information	<p>Industry has applied for renewal of consent for Hotel activity (with swimming pool activity) – 100 Rooms.</p> <p>Previous consent was valid upto 31/5/2014 and having C.I.Rs.49.16Cr</p> <p>SRO reported that, Industry has paid additional consent fee for increased C.I.</p> <p>Industry has provided exhaust system with oil catcher to kitchen and compact room for air conditioner for noise control.</p> <p>Industry has submitted the Form – V and paid water cess up to march 2014.</p> <p>Hotel having swimming pool with capacity 400 m3 with chlorinated treatment for disinfection of water. SRO reported that PP has not provided ozone treatment.</p> <p>Mailed to PP/SRO dated 30/8/2014 for submission of reason for increased in C.I.and Details documents of effluent generated will be treated in common STP of MIDC and reply awaited from PP.</p>	
Recommendation of SRO/RO	<p>SRO Recommended renewal of consent for period upto 31.5.2017 and ask industry to provide ozonisation in place of chlorination being used for disinfection of swimming pool.</p>	

Maharashtra Pollution Control Board

Agenda no. 9

Region : SRO Satara		Section : JD (WPC)		Date :
Name & Address		M/s. Govind Milk & Milk Product Pvt.Ltd. , Gat No.93,94,95, A/p-Kolki, Tal- Phaltan, Dist- Satara.		
Consent For		Renewal of consent with same production qty.		
Capital Investment		Rs. 3706 Lacs		
Previous Consent Validity		valid upto: 30.04.2014.		
Industry Type		R47 Milk processing and dairy products (Integrated project)		
Industry Category		Red/LSI		
Compliance Of Water Pollution Related Conditions		YES		
		Details :- ETP status- ETP comprising screen chamber, oil & grease chamber, equalization tank, neut. Tank, primary clarifier, aeration, secondary clarifier, intermediate collection tank, pressure sand filter, activated carbon filter, treated effluent storage tank & SDB provided.		
Compliance Of Air Pollution Related Conditions		APC status- Boiler- 2 nos. with chimney height 40.00 mtr. provided.		
Water Cess		Assessment Done : submitted		Paid Upto :-
BG Details		Amount : Rs. 5.0/- Lakhs		Validity : 30.04.2015.
		BG Obtained against : As per previous consent dtd. 22.04.2013,towards operation & maintenance of pollution control system.		
		Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement		Period	Submitted for the year- 2012-13.	

Maharashtra Pollution Control Board

Other Relevant Information	<ul style="list-style-type: none">. 20.00 acres land available for disposal of treated effluent which is inadequate.- Letter issued by SRO on 23.07.2014, regarding improper operation & maintenance of ETP.
Recommendation of SRO/RO	SRO recommended – Accordingly, case may be considered & decided

Agenda no. 10

Maharashtra Pollution Control Board

Region : SRO Satara		Section : JD (WPC)		Date :	
Name & Address		M/s. Pratapgad Ssk Ltd. , At- Songaon-Karandoshi, Tal-Jawali Dist- Satara			
Consent For		Applied for- renewal of consent for same production qty. with increased in C.I. (crushing capacity of sugar unit - 2500 TCD			
Capital Investment		previous consented C.I. of Rs. 37.00 Cr. Enhanced C.I. of <u>Rs. 2.93 Cr.</u> (for replacement of machinery) Total C.I. of Rs. 39.93 Cr.			
Previous Consent Validity		Upto: 31/07/2014			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI.			
Compliance Of Water Pollution Related Conditions		<p>YES</p> <p>Details :- ETP status:- Primary, secondary, oil & grease chamber, equalization tank, aeration tank Clarifier & SDB provided.</p> <p>(89 acres land provided for disposal of treated effluent, which is adequate)</p>			
Water Cess		Assessment Done : Submitted		Paid Upto :	
BG Details		<p>a) Amount : Rs. 5.0/- Lakhs.</p> <p>b) Amount:- Rs. 2.0/- Lakhs</p> <p>c) Amount:-:- Rs. 3.0/- Lkajs</p>		<p>Validity : 12.08.2015.</p> <p>Validity : 12.08.2015.</p> <p>Validity : 12.08.2015.</p>	
		<p>a) BG Obtained against :- towards O & M of pollution control system</p> <p>b) BG Obtained against :- towards providing necessary arrangement to cover the effluent collection system and to avoid ingress of bagasse and other materials</p>			

Maharashtra Pollution Control Board

	c) BG Obtained against: towards provisions of necessary air pollution control system as per CREP guidelines.	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	submitted for the year ending 31st March 2013.
Other Relevant Information	<ol style="list-style-type: none"> 1) As per CREP conditions wet scrubber not provided. Mechanical dust collector provided. 2) JVS result:- exceeding the consented standard. provided necessary arrangement to cover the effluent collection system and to avoid ingress of bagasse and other materials. 3) The O & M of ETP is not upto the mark. 	
Recommendation of SRO/RO	SRO- recommended consent may renewed by forfeiting earlier BG of Rs. 5+3/- Lakhs by imposing of fresh BG of double amount.	

Maharashtra Pollution Control Board

Agenda no. 11

Region : SRO Nagpur II		Section : JD APC		Date : /09/2014
Name & Address		M/s. Unitech Power Transmission Ltd, Plot No: A-33, MIDC Butibori, Dist. Nagpur		
Consent For		C to OR		
Capital Investment		32.07 Cr		
Previous Consent Validity		31/07/2014		
Industry Type		R27 Heavy engineering including ship building		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES (Y)		
		Details:-Primary ETP provided. Effluent for further treatment sent to CETP Butibori.		
Water Cess		Assessment Done : Upto: 31/03/2014		Paid Upto: 31/03/2013.
		Payment assessment order awaited		
<u>BG Details</u>		Amount : (Rs. 5.0 Lakhs & Rs. 2.0 Lakhs – As per earlier consent condition)		<u>Validity</u> : 31/08/2015 & 25/05/2015
		<u>BG Obtained against</u> : Towards ARP & O&M of pollution control system.		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period		
		2013-2014		
Other Relevant Information		The Spent Acid is neutralized in Hopper bottom tank by mixing lime, and sludge form is taken into drying beds, the neutral effluent is sent to CETP by tankers and sludge is sent to CHWTSDf, Butibori. Industry has submitted stack monitoring reports which reveals that parameters are within limits. Unit has paid fee of Rs. 2,25,300/- + 15,100/- for 3 terms and against increase in capital investment. This office has called status of BG as per earlier consent & water cess paid vide email dt: 26/08/2014. In response to this office email SRO-II, Nagpur submitted status of BG as per earlier consent & water cess paid vides email dt: 30/08/2014.		
Recommendation of SRO/RO		Application is submitted to place before Consent committee.		

Maharashtra Pollution Control Board

Agenda no. 12

Region : SRO Kolhapur		Section : JD APC		Date :
Name & Address	Pretam Enterprises , AT S No- 386/1, 387/1, 388/1, 388/2, 287/2, Vadgaon, Tal- Hatkanangale, Dist- Kolhapur.			
Consent For	CE			
Capital Investment	4930 Lacs			
Previous Consent Validity	---			
Industry Type	R21 Ferrous and Non ferrous metal extraction involving different			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES			
	Details :- Indl effluent will be NIL, only DM plant backwash will be generated, propose to provide ETP for same. Domestic effluent 10 CMD, SSTP is proposed.			
Compliance Of Air Pollution Related Conditions	Yes			
	Proposed to provide dust collector and scrubber to furnace and Sand plant.			
Water Cess	Assessment Done : NA		Paid Upto :NA	
BG Details	Amount :		Validity :	
	BG Obtained against : NA			
	Details of BG forfeited/encashed , if any :NA			
Submission of Environmental Statement	Period	NA		
Other Relevant Information	Applied for consent to Establish. Ferrous casting 2000 MT/M. Ci is Rs. 49.30 crores. A- II zone of river Panchganga is 3.0 Km. Have applied for NOC with Vadgaon Nagarparishad, which is local body, but not yet recieved.			
Recommendation of SRO/RO	SRO recommended grant of consent after receipt of NOC from local body.			

Maharashtra Pollution Control Board

Agenda no. 13

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Indiana Gratings Pvt. Ltd., D-7, MIDC Jejuri, Tal. Purandar, Pune		
Consent For	Renewal		
Capital Investment	Rs.44.04 Crs		
Previous Consent Validity	31/05/2014		
Industry Type	Electro forge gratings, cable tray, hand rail fabrication job work		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- Sewage – 03.00 CMD STP Provided. Ind. Eff. Nil.		
Compliance Of Air Pollution Related Conditions	No. Dust collector provided to one shot blasting section. APC not provided to one shot blasting section and painting section.		
Water Cess	Assessment Done :-----	Paid Upto :-----	
BG Details	Amount : Rs. 5.00 lakhs	Validity: 31.05.2015.	
	BG Obtained against: O & M of pollution Control Systems.		
	Details of BG forfeited/encashed , if any : -----		
Submission of Environmental Statement	Period	2012-2013.	
Other Relevant Information	1. Applied for renewal of consent with shot blasting and painting activity. 2. Earlier consent obtained vide No. BO/JD (APC)/EIC No. PN-15443-12/O/CC-197; dated 13/09/2013 valid till 31/05/2014. 3. APC not provided to one shot blasting section and painting section.		

Maharashtra Pollution Control Board

Recommendation of SRO/RO	RO Pune commented that the industry has applied for renewal of consent with shot blasting and painting activity with increased CI. BG of Rs. 5.00 lakhs is submitted. APC not provided to painting section.
---------------------------------	---

Maharashtra Pollution Control Board

Agenda no. 14

CC Item –		
Region : Thane	Section : JD(APC)	Date
Name & Address	M/S. Raychem RPG Pvt. Ltd., 1/62, M G Road, Nr. Bharat Petroleum Pump, Western Express Highway, Post-Sativali, Tal-Vasai, Dist-Thane.	
Consent for	consent to establish for expansion	
Capital Investment	Rs.43.78/- Crs. (Existing C.I. Rs. 43.15 Crs. + Expansion C.I.Rs. 63.17 Lakh)	
Consent Valid upto	Existing consent valid upto 31/03/2016.	
Industry Type	R36	
Industry Category	RED	
Compliance of Water Pollution Related Conditions	YES (√)	NO ()
	Industrial effluent will be nil in expansion. Septic tank & soak pit will be provided for domestic effluent of 1.5 CMD.	
Compliance of Air Pollution Related Conditions	YES (√)	NO ()
	Stack provided to pulverization machine & exhaust blower 5	
Water Cess	Assessment Done: not reported	Paid upto:
BG Details	Amount: 1) Rs.5.0 lac 2) Rs. 2.0 lac	1) Validity- 13.12.2014. 2) Validity- 31.03.2016

Submission of Environmental	Period	----

Maharashtra Pollution Control Board

Statement		
Other Relevant Information	Unit is located in MMR Zone-II. Obtained DIC NOC dtd. 20/12/2013 for the expansion of unit.	
Recommendation of SRO/RO	Submitted for grant of consent to establish.	

Maharashtra Pollution Control Board

Agenda no. 15

Region : Nashik	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Schneider Electric India Pvt.Ltd., Plot No. 58 MIDC Satpur Nashik		
Consent For	Renewal of consent to operate.		
Capital Investment	Rs.49.57 Crs.		
Previous Consent Validity	31/07/2014		
Industry Type	R-27 Heavy Engineering		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details: - Industrial Effluent: 12.0 CMD, ETP Provided. Domestic Effluent: 70.0 CMD, STP Provided.		
Compliance Of Air Pollution Related Conditions	Yes- Industry has provided dust collector to powder coating section and scrubber to pickling section.		
Water Cess	Assessment Done : 30.04.2014	Paid Up to : ----	
<u>BG Details</u>	<u>Amount</u> : Rs. 5.0 Lakhs	<u>Validity: 31.03.2015.</u>	
	<u>BG Obtained against:</u> Towards O& M of PCS.		
	<u>Details of BG forfeited/enchased , if any : -----</u>		
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent. 2. Earlier consent obtained vide No. BO/APAE/EIC No. NK-9553-11/R/CC-565 dated 07/09/2012 valid till 31/07/2014 3. Earlier CI was Rs.43.36 Crs. Now Industry has applied for renewal of consent with CI Rs.49.57 Crs. [increased by 6.21 Crs] Due to interior of admin and other work not due to production activity. 4. Industry has submitted BG of RS.5.0 Lakhs which is valid up to 31.03.2015. 		
Recommendation of SRO/RO	- SRO Nashik has recommended case for grant of consent up to 31.07.2015.		

Maharashtra Pollution Control Board

Agenda no. 16

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Visaka Industries Ltd., Gat No.70/3A/31/13/1C, Sahajpur Industrial Area, Tal. Daund, Dist. Pune		
Consent For	Renewal		
Capital Investment	27.31 Crs		
Previous Consent Validity	31/07/2014		
Industry Type	R07 Cement		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- Effluent – 104 CMD Zero discharge Sewage – 02.00 CMD Septic tank & soak pit provided		
Water Cess	Assessment Done :	Paid Upto :	
BG Details	Amount : Rs. 1.00 lakhs	Validity :	
	BG Obtained against : compliance of consent conditions		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period		
Other Relevant Information	<ol style="list-style-type: none"> 1. M/s. Visaka Industries Ltd., Gat No.70/3A/31/13/1C, Sahajpur Industrial Area, Tal. Daund, Dist. Pune has applied for renewal of consent. 2. Earlier consent obtained vide No. BO/JD(APC)/EIC No. PN-15443-12/O/CC-197; dated 13/09/2013 valid till 31/05/2014 3. Water Consumption Industrial – 104 CMD Effluent – 0.00 CMD Domestic – 05.00 CMD Sewage – 02.00 CMD 		
Recommendation of SRO/RO	SRO Pune I recommended renewal of consent.		

Maharashtra Pollution Control Board

Agenda no. 17

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Ultra Engineers(Unit IV),, Sector No. 10,Plot No.58,PCNTDA,Bhosari,Pune--26		
Consent For	Applied for renewal of consent to operate.		
Capital Investment	Rs 39.95 Crs		
Previous Consent Validity	28.02.2014.		
Industry Type	R-36 industry or process involving metal surface treatment.		
Industry Category	Red /LSI		
Compliance Of Water Pollution Related Conditions	Yes		
	Details :- Industrial Effluent: 4.0 CMD ETP provided. Domestic Effluent: 3.0 CMD, Septic tank and soak pit Provided.		
Compliance Of Air Pollution Related Conditions	Yes. Stack provided to DG set.		
Water Cess	Assessment Done: ---	Paid Up to : -----	
BG Details	Amount : Rs. 5.0 Lakhs	Validity : 28.07.2015	
	BG Obtained against : towards O & M of PCS.		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. Applied for renewal of consent to operate. 2. Earlier consent to operate obtained vide No. BO/JD (APC)/EIC/No.PN-14815-12/O/CC-2946 Dated 08.04.2013 valid till 28.02.2014. 		
Recommendation of SRO/RO	1. RO Pune has recommended case for grant consent to operate up to 28.02.2017.		

Maharashtra Pollution Control Board

CC-Fresh Agenda – New Entry to CC

Agenda no. 1

Region : SRO Bhiwandi		Section : RO(HQ)		Date :30/08/2014			
Name & Address		Ambika Brickwell Pvt. Ltd., S. No. 7, 8, 9, 13 to 15, 19, 22 to 28, 30, 31 and 32, Village Borpada, Tal. Bhiwandi, Dist. Thane.					
Consent For		CE					
Capital Investment		8850 Lacs					
Previous Consent Validity		---					
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr					
Industry Category		Orange					
Compliance Of Water Pollution Related Conditions		YES ()		NO () ---- N. A.----			
		Details :- ---- N. A.----					
Water Cess		Assessment Done : ---- N. A.----		Paid Upto :			
<u>BG Details</u>		<u>Amount</u> : ---- N. A.----		<u>Validity</u> :			
		<u>BG Obtained against</u> : ---- N. A.----					
		<u>Details of BG forfeited/encashed , if any</u> : ---- N. A.----					
Sub. of Env. Statement		Period					
Other Relevant Information		Applied for		C to E			
		Residential cum commercial project.					
		Plot Area		250823.76 Sq. Mtrs		Built up area 390421.51 Sq. Mtrs.	
		EC Status		Applied		Dated 09/04/2014	
		River Distance		N. A.		Name of River N. A.	
		CRZ applicability		Not submitted		Type of CRZ Not submitted	
Water Consumption		4235.0 CMD		Effluent Generated 3388.0 CMD.			

Maharashtra Pollution Control Board

	STP Capacity	3388 CMD	Recycle Water	1619 CMD
	Bio-Degradable	7293.50 kg/day.	Treatment	Bio-Gas Plant
	Non-Bio degradable	7293.50 kg/day.	Treatment	Local Body
	Nos of DG Sets	5 (Five)	Capacity	284, 457, 666, 700, 1524 KVA
	Construction Status	Not Started	Date of visit	21/06/2014.
	<p>1) <u>The project proponent has applied for obtaining Environment Clearance from Govt. of Maharashtra on 09/04/2014.</u></p> <p>2) SRO Bhiwandi, has reported that construction work not started. It is proposed to place application before Consent Committee of the MPC Board for further discussion and application may be considered for grant of C to E.</p>			
Recommendation of SRO/RO	The case may be decided at Head Office level.			

Maharashtra Pollution Control Board

Agenda no. 2

Region : Nashik	Section : RO(HQ)		Date : SRO Date of receipt;- 4/6/2014 Ro (HQ) Date of receipt;- 30/07/2014	
Name & Address	M/s. Jaikumar Construction LLP., Parkside Homes., Sr.No.257/1A,257/1B,257/1C, 257/1D,257/1J,257/2A/1(P),257/2B(P),256/3(P), P.No.1 to 8of 256/1/2,Near rasbihari, Off Mumbai Agra Highway,Nashik			
Consent For	C to E			
Capital Investment	Rs.168.89Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 731 CMD , Effluent Generated :- 648 Proposed STP Capacity :-650 CMD			
Water Cess	Assessment Done :-		Paid Upto :	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for consent to establish for construction of residential project.			
	Applied for	C to E	Residential Building project.	
	Plot Area	59,802.63 sq.mtrs	Built up area	1,07,055.28 sq. mtrs
	EC Status	Not Obtained	Dated	11/06/2014
	River Distance	@ 2.5 Km	Name of River	Godavari (A-II)
	Water Consumption	731 CMD	Effluent Generated	648 CMD
	STP Capacity	650 CMD		

Maharashtra Pollution Control Board

	Bio-degradable	2361 Kg/D	Treatment	Will be composted
	Non-Bio degradable		Treatment	Will be given to authorized party.
	No of DG Sets	3 Nos	Capacity	2x250 KVA and 100 KVA
	Construction status	Not started	Date of Visit	26/6/2014
	<p>Said project consist of 22 nos of residential building.</p> <p>SRO reported that the no construction activity is started.</p> <p>SRO Nashik has recommended grant of Consent to Establish.</p>			
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Maharashtra Pollution Control Board

Agenda no. 3

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 24/7/2014 Ro (HQ) Date of receipt;- 7/08/2014																					
Name & Address	M/s. Siddharth Enterprises. Valnai Parivarta SRA CHS, CTS No.1(pt) & 2(pt), Village:Valani,Malad(W)																						
Consent For	C to E																						
Capital Investment	Rs.124.59 Crore																						
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																						
Industry Category	Orange																						
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																				
	Details :- Water Consumption :- 376 CMD , Effluent Generated :- 320 CMD Proposed STP Capacity :-235 CMD & 120CMD																						
Water Cess	Assessment Done :-	Paid Upto :																					
BG Details	Amount :	Validity :																					
	<u>BG Obtained against :</u>																						
	<u>Details of BG forfeited/encashed , if any :</u>																						
Other Relevant Information	<p>Application for consent to establish for construction of residential project under SRA Scheme</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2">Residential project under SRA Scheme.</td> </tr> <tr> <td>Plot Area</td> <td>7,153 sq.mt</td> <td>Built up area</td> <td>45,636.78 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Not obtained</td> <td>Present status</td> <td>Applied for EC</td> </tr> <tr> <td>Plot Area</td> <td>7,083.75 sq.mt</td> <td>Built up area</td> <td>23,305.80 sq.mt</td> </tr> <tr> <td>River /Sea Distance</td> <td>Not mentioned by SRO & Mailed to SRO for same</td> <td>Name of River</td> <td>Not mentioned by SRO</td> </tr> </table>			Applied for	C to E	Residential project under SRA Scheme.		Plot Area	7,153 sq.mt	Built up area	45,636.78 sq.mt	EC Status	Not obtained	Present status	Applied for EC	Plot Area	7,083.75 sq.mt	Built up area	23,305.80 sq.mt	River /Sea Distance	Not mentioned by SRO & Mailed to SRO for same	Name of River	Not mentioned by SRO
Applied for	C to E	Residential project under SRA Scheme.																					
Plot Area	7,153 sq.mt	Built up area	45,636.78 sq.mt																				
EC Status	Not obtained	Present status	Applied for EC																				
Plot Area	7,083.75 sq.mt	Built up area	23,305.80 sq.mt																				
River /Sea Distance	Not mentioned by SRO & Mailed to SRO for same	Name of River	Not mentioned by SRO																				

Maharashtra Pollution Control Board

	Water Consumption	376 CMD	Effluent Generated	320 CMD
	STP Capacity	235 CMD & 120 CMD		
	Bio-degradable	860 Kg/Day	Treatment	Will be treated in OWC
	Non-Bio degradable	372 Kg/Day	Treatment	Will be given to authorized party.
	No of DG Sets	2 Nos	Capacity	380 KVA & 400 KVA
	Construction status	Not started	Date of Visit	4/8/2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish after receipt of EC.			

Maharashtra Pollution Control Board

Agenda no. 4

Region : Mumbai	Section : RO(HQ)	Date : SRO Date of receipt;- 21/8/2014 Ro (HQ) Date of receipt;- 27/08/2014		
Name & Address	M/s. Mahaveer Construction (Mahaveer Nagar) CTS No.128-A/4(pt),128-A/4/1,128/A/8/A(pt), 128/A/11(pt), Village:Kandivali, Tal-Borivali, Kandivali			
Consent For	C to E			
Capital Investment	Rs.75 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :- Water Consumption :- 385 CMD , Effluent Generated :- 360 Proposed STP Capacity :- For sale Bldg: 100CMD & For rehab Bldg:300 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
BG Details	Amount :	Validity :		
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Application for consent to establish for construction of residential cum commercial project under SRA Scheme			
	Applied for	C to E	Residential cum commercial project under SRA Scheme.	
	Plot Area	9,145.95 Sq.mtrs	Built up area	33,129.95 Sq.mtrs
	EC Status	Not obtained	Present status	Applied for EC

Maharashtra Pollution Control Board

	Plot Area	7,083.75 sq.mt		Built up area	23,305.80 sq.mt
	River Distance	Not mentioned by SRO		Name of River	Not mentioned by SRO
	Water Consumption	380 CMD		Effluent Generated	360 CMD
	STP Capacity	100 CMD & 300 CMD			
	Bio-degradable	575 Kg/D		Treatment	Will be treated in OWC
	Non-Bio degradable	862 Kg/D		Treatment	Will be given to authorized party.
	No of DG Sets	2 Nos		Capacity	200 KVA & 500 KVA
	Construction status	started		Date of Visit	25/8/2014
	<p>Said project consist of 3nos of buildings :</p> <p>1)Rehab Bldg: 2 Nos.</p> <p>2)Composite Bldg: 1 No.</p> <p>3)Sale Bldg: 1 No.</p> <p>SRO reported that the construction work of 1 no. of rehab bldg and composite bldg is completed & occupied</p>				
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish				

Maharashtra Pollution Control Board

Agenda no. 5

Region : SRO Thane -II	Section : RO (HQ) Section – Fresh application	Date : 03/09/2014		
Name & Address	SPH Agro Farms & Estates Pvt. Ltd. , S. No. / H. No. 110/1 (PT), 224/1A (PT), 224/1B (PT), Village Ghodbunder, Dist. Thane.			
Consent For	C to E			
Capital Investment	54.00 Crores			
Previous Consent Validity	----- N. A. -----.			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :-			
Water Cess	Assessment Done : --- N. A.---	Paid Upto :		
<u>BG Details</u>	<u>Amount</u> : --- N. A.---	<u>Validity</u> : ---- N. A.----		
	<u>BG Obtained against</u> : ---- N. A.----			
	<u>Details of BG forfeited/encashed , if any</u> :			
Submission of Environmental Statement	Period	N. A.		
Other Relevant Information	The application is for consent to establish for the residential and commercial project.			
	Applied for	C to E	Residential project.	
	Plot Area	11536.45 Sq. Mtrs	Built up area	26201.41 sq. Mtrs
	EC Status	Applied	Dated	06/04/2011
	River Distance	N.A.	Name of River	N.A.
	CRZ applicability	Not Submitted	Type of CRZ	Not Submitted
	Water Consumption	201.0 CMD	Effluent Generated	175.0 CMD

Maharashtra Pollution Control Board

	STP Capacity	200.0 CMD		Recycle Water	156.0 CMD
	Bio-Degradable	428 kg/Day		Treatment	Organic Waste Converter
	Non-Bio degradable	299 kg/Day		Treatment	Recycler
	Nos of DG Sets	01		Capacity	650 KVA
	Construction Status	construction not started		Date of visit	24/07/2014.
	<p>SRO Thane – II, has submitted the case for further decision.</p> <p>It is proposed to place application before Consent Committee of the MPC Board for further discussion and grant of consent to establish subject to obtaining EC from GOM.</p>				
Recommendation of SRO/RO	Submitted for further decision for grant of Consent to Establish.				