

Maharashtra Pollution Control Board

List of Cases to be submitted before 14th Consent Committee Meeting of 2014-15 scheduled on 24.09.2014 at 2:30 p.m. (Booklet No. - 26)

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.
	Resubmission				
1	Kohinoor Dreams Associate, "Dreams Ayana" , Gat No. 13, Village: Sate, Tal: Maval, Dist: Pune	60.38 Crs.	Establish	RO(HQ)	1 to 15
2	Mahaveer Construction (Mahaveer Nagar) , CTS No. 128-A/4(pt), 128/A/8/A(pt), 128/A/11(pt), Village: Kandivali, Tal: Borivali	75 Crs.	Establish	RO(HQ)	16 to 49
3	Savitribai Phule Shikshan Prasarak Mandal , S. no. 38/1B, 44/2A 2B, 44/2C, 44/2B, 45/1A, 45/1B, 45/1C, 44/2B, 45/1A, 45/1B, 45/1C, 45/1D, 45/1E, 47/4, 47/5, 48/1, 53/1B, 53/12, Opposite Solapur University, Kegaon, Solapur	135.54 Crs.	Establish	RO(HQ)	50 - 61
4	Ashvi Developers Pvt. Ltd. & Atithi Builders, "Ariisto Solitaire" , Plot Bearing CTS No. 235(pt), 236/A to 236/F of village Pahadi Goregaon near Bangur Nagar, Junction of M.G. Road and Link Road, Goregaon (W), Mumbai	279.31 Crs.	Establish	RO(HQ)	62 - 92
5	Dreams Lynnea , Gat No. 894 + 898 (P) Wagholi, Pune	56.56 Crs.	Establish	RO(HQ)	93 - 108
6	Sunteck Realty Ltd., "Signia High" , CTS No. 166/B, 166/C, 166/D, Village - Magathane, Borivali (E), Mumbai	95 Crs.	Establish	RO(HQ)	109 - 134
7	Spenta Builders Pvt. Ltd. , Plot bearing CTS No. 832-B, Village Mohili Kurla Andheri Road, Kirla (W), Mumbai	82 Crs.	Establish	RO(HQ)	135 - 169
8	Gini Citicorp Realty LLP "Gini Viviana" Sr. no. 38, Balewadi, Pune	85.96 Crs.	Establish	RO(HQ)	170 - 185
9	Ashapura Builders & Developers, Crown City , Sr. no. 10, H. No. 1A+2 to 7/2 and H. No. 1A+2 to 7/3, S. No. 10 H. No. 1B/1 at kolivali, Tal Kalyan, Dist Thane	38.61 Crs.	Establish	RO(HQ)	186 - 200

Maharashtra Pollution Control Board

10	Karwa & Kewal Kiran Realtors , F. P. No. 482 of TPS IV, Bhavani Shankar road know as Padhewadi, Mahim Division, Dadar	6.14 Crs.	Establish	RO(HQ)	201 - 212
11	Grand Sarovar Premiere, Associated Hospitality & Developers Pvt. Ltd. , Junction of S. V. Road and Veer Savarkar Flyover, Goregaon (W), Mumbai	45.52 Crs.	Establish & Operate	RO(HQ)	213 - 223
12	Vaishno Devi Dairy Products Pvt. Ltd. , Gat No. 88/1B, Nandur Village, Tal - Daund, Dist - Pune	26.79 Crs.	Establish (Expansion)	JD(WPC)	224 - 243
13	Abhay Cotex Private Limited , Nardana industrial Area MIDC, Plot No. T-9, Babhale Village, Shindkheda, Dhule	54.35 Crs.	Operate	JD(WPC)	244 - 259
14	Honest Derivatives Pvt. Ltd. , G. No. 50, 38/1, 38/2, 38/3, Factory - Maldabhadi, Jamner, Jalgaon	51.51 Crs.	Renewal with 1st Operate (Expansion)	JD(WPC)	260 - 270
15	Cane Agro Energy Incida Ltd. , A/p - Raigaon (Hingangaon(BK), Tal - Kadegaon, Dist - Sangli	43.62 Crs.	Renewal	JD(WPC)	271 - 302
16	Hotel HealthView Holiday Resorts Ltd. , CTS No. 182, Medha Road, Mahableshwar, Tal - Mahableshwar, Dist - Satara	27.37 Crs.	Renewal	RO(HQ)	303 - 325
17	Persistent System Ltd. , "Aryabhata-Pingala", S. No. 12A/12, F.P. No. 9A Erandwane, Pune	167.92 Crs.	Renewal	RO(HQ)	326 - 338
18	Clean Science & Technology Pvt. Ltd. , D-28, MIDC Area Kurkumbh, Pune	49.34 Crs.	Renewal with Expansion & incese in C.I.	AS(T)	339 - 384
19	Vinati Organics Ltd. , B-121, B-13, MIDC Mahad, Dist - Raigad	45.79 Crs.	Renewal (with increase in C.I.)	AS(T)	385 - 407
20	Vulkan Technologies Private Ltd. , Sr. No. 539-B, Village - Kasar Amboli, Tal - Mulshi, Dist - Pune	25.41 Crs.	Renewal	JD(APC)	408 - 429
21	Nagpur Fastner Industries Ltd. , Plot No. T-40, MIDC Hingna, Nagpur	35.67 Crs.	Renewal	JD(APC)	430 - 449

Maharashtra Pollution Control Board

Fresh Agenda					
1	Pepsico India Holding Pvt.Ltd., (Frito-Lay Division), C-5, MIDC Ranjangaon, Tal - Shirur, Dist- Pune	298.09 Crs.	Establish	JD(WPC)	450 - 456
2	Modular Construction, "Galaxy One", S. No. 75/1, Next to EON IT Park, Village Kharadi, Taluka - Haveli	41.76 Crs.	Establish	RO(HQ)	457 - 465
3	Aventa Properties LLP., Plot No. 206, 207, TPS III, L/J/ Marg Road, Mahim, Mumbai	59.70 Crs.	Establish	RO(HQ)	466 - 486
4	Damodar Suruchi Developers, on CTS No. 163 A (part), Village - Akruli, Kandivali (E), Mumbai	117 Crs.	Establish	RO(HQ)	487 - 499
5	Maharashtra Enviro Power Ltd., Plot No. P-56, Ranjangaon MIDC, Tal - Shirur, Dist - Pune	55.18 Crs.	Establish	RO(HQ)	500 - 514
6	CPI-Gera Reality India Pvt. Ltd., "Green Ville", S. No. 64/1 to 64/6, Village - Kharadi, Tal - Haveli, Dist- Pune	272 Crs.	Establish (Revalidation)	RO(HQ)	515 - 526
7	Gold Minar Developers Pvt. Ltd., "Tropical Mist", G. No. 64/1, 64/2, 64/3, 68/1(p), 68(3), 68/1B, 68/3B, 68/2C, 68/3D, 59/1-30, 62/2, 67/1, 67/3, 69, 69/1, 69/2 at chitalsar, Manpada, Thane(W)	62.58 Crs.	1st Operate (Part)	RO(HQ)	527 - 539
8	Gaurav Land Corporation "Puranik Home Town", Sr. No. 88/1, 88/4, 88/5A, 88/5B, 88/6, 89/3, 89/4(New) & Sr. no. 26/1, 26/2, 26/3, 26/4, 26/9, Vill - Kasarwadavali, Dist - Thane	23 Crs.	Operate (Part)	RO(HQ)	540 - 554
9	Chloride Metals Ltd., Gat no. 1241 - 1242 Markal, Tal - Khed Dist - Pune	46.87 Crs.	Operate (Expansion)	RO(HQ)	555 - 574
10	Ambika Solvex Ltd., Vill. Wani Rambhapur, N.H. 6, Akola- Amravati, Dist - Akola	27.87 Crs.	Renewal	JD(WPC)	575 - 585
11	Shree renuka Sugar Ltd., Deonandra, Pathri plant, Tal - Pathri, Dist - Parbhani	36.78 Crs.	Renewal	JD(WPC)	586 - 597

Maharashtra Pollution Control Board

	Review Item					
1	Regarding amendment in consent to operate of M/s Sea Lord Container Ltd., Ambapada, Mahul Village, Near BPCL refinery main gate Chembur, Mumbai	_____	_____	RO(HQ)	598 - 639	
2	Tata Chemicals Ltd., S. No. 315, A/p - Amnavel, Tal - Mulshi, Dist - Pune	_____	_____	AS(T)	640 - 661	
	JD(WPC)	6				
	AS(T)	2				
	RO(HQ)	21				
	JD(APC)	2				
	PSO	0				
	Total	31				

CC-Resubmission Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 30/05/2014		
		Ro (HQ) Date of receipt;- 10/07/2014		
Name & Address	M/s. Kohinoor Dreams Associate, "Dreams Ayana"			
	Gat No. 13, Village : Sate, Tal : Maval, Dist : Pune			
Consent For	C to E			
Capital Investment	60.38 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()	NO ()		
	Details :-Water Consumption: 438.0 CMD, Effluent generated 379.0 CMD. STP Proposed of Capacity : 400.0 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
BG Details	Amount :	Validity :		
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	34300.0 sq.m	Built up area	54516.99 sq.mt
	EC Status	Applied	Dated	28/08/2012
	River Distance	7.0 Km	Name of River	Indrayani (A-II)
	Water Consumption	438.0 CMD	Effluent Generated	379.0 CMD
	STP Capacity	400.0 CMD	Recycle water	138.0 CMD

Maharashtra Pollution Control Board

	Bio-degradable	1172.0 Kg/D	Treatment	OWC
	Non-Boi degradable	625.0 Kg/D	Treatment	Local Body
	No of DG Sets	2	Capacity	400 & 500.0 KVA
	Construction status	Started	Date of Visit	09/06/2014

Resubmission:-

- The application for consent to establish was discussed in CC meeting held on 12/08/2014 during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance. As per decision board has issued SCN on 27/08/2014.
- Applicant has submitted reply of SCN issued on 04/09/2014, in reply Applicant stated that “We had purchased land in year 2011, and thereafter we had obtained sanction from District collector for the total construction BUA 15,383.91 sq.mtrs on 07/01/2013 accordingly construction started”.
- “The FSI for the proposed site has been revised by sanctioning authority, and we have decided to expand our existing proposed project which would be of 53475.97 sq.mt., we had constructed near about 5668.72 sq. mtrs which is below sanction plans. We had voluntary stopped construction activities at site”.
- Applicant also stated that we will not carried out any construction activities till we obtain consent to establish and environment clearance.
- In view of above we may consider consent to establish with stopwork conformation and BG+BR+ affidavit for not to take any effective step.

Maharashtra Pollution Control Board

Agenda no. 2

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 21/8/2014	
		Ro (HQ) Date of receipt;- 27/08/2014	
Name & Address	M/s. Mahaveer Construction (Mahaveer Nagar)CTS No.128-A/4(pt),128-A/4/1,128/A/8/A(pt),128/A/11(pt), Village:Kandivali,Tal-Borivali, Kandivali		
Consent For	C to E		
Capital Investment	Rs.75 Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :- 385 CMD , Effluent Generated :- 360 Proposed STP Capacity :- For sale Bldg: 100CMD & For rehab Bldg:300 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
BG Details	Amount :	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Other Relevant Information	Application for consent to establish for construction of residential cum commercial project under SRA Scheme		
	Applied for	C to E	Residential cum commercial project under SRA Scheme.
	Plot Area	9,145.95 Sq.mtrs	Built up area 33,129.95 Sq.mtrs
	EC Status	Not obtained	Present status Applied for EC
	Plot Area	7,083.75	Built up area 23,305.80 sq.mt

Maharashtra Pollution Control Board

	sq.mt		
Water Consumption	380 CMD	Effluent Generated	360 CMD
STP Capacity	100 CMD & 300 CMD		
Bio-degradable	575 Kg/D	Treatment	Will be treated in OWC
Non-Bio degradable	862 Kg/D	Treatment	Will be given to authorized party.
No of DG Sets	2 Nos	Capacity	200 KVA & 500 KVA
Construction status	started	Date of Visit	25/8/2014

Said project consist of 3nos of buildings :

- 1)Rehab Bldg: 2 Nos.
- 2)Composite Bldg: 1 No.
- 3)Sale Bldg: 1 No.

SRO reported that the construction work of 1 no. of rehab bldg and composite bldg is completed & occupied.

Said project was discussed in CC Meeting dated 5/9/2014 and it was decided to issue Show cause note with stop work direction for starting construction without C to E and EC.

PP has submitted reply on said minutes vide mail dated 12/9/2014 in which PP has mentioned that PP has obtained EC for said project dated 5/9/2014 for
 Total Plot area of 9,145.95 Sq.Mtrs.
 Total Construction BUA of 33,129.95 Sq.Mtrs

Copy of EC is not attached alongwith earlier consent processing, EC was issued by GOM Dated 5/9/2014.

SCN issued to PP dated 12/9/2014 which is further communicated to PP/SRO/RO vide mail on 12/9/2014.

Maharashtra Pollution Control Board

Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish
--------------------------	---

Agenda no. 3

Region : Solapur	Section : RO(HQ)	Date :SRO Date of receipt;- 30/01/2014		
		Ro (HQ) Date of receipt;- 18/02/2014		
Name & Address	M/s. Savitribai Phule Shikshan Prasarak Mandal, S.No. 38/1B, 44/2A 2B, 44/2C, 44/2B, 45/1A, 45/1B, 45/1C, 45/1D, 45/1E, 47/4, 47/5, 48/1, 53/1B, 53/12, Opposite Solapur University, Kegaon, Solapur,			
Consent For	C to E			
Capital Investment	135.54 Crore			
Previous Consent Validity	-			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water Consumption :- 677.0 CMD , Effluent Generated :- 540.0 CMD Proposed STP Capacity :- 750.0 CMD			
Water Cess	Assessment Done :-		Paid Upto :	
Other Relevant Information	Applied for	C to E	Residential Commercial & School Bldg.	
	Plot Area	43,64,256.0 m ³	Built up area	12,70,866.0 sq.mt
	EC Status	Not Applied	Dated	---
	River Distance	10.0	Name of River	Sina
	Water Consumption	677.0 CMD	Effluent Generated	540.0 CMD
	STP Capacity	750.0 CMD	Recycle water	270.0 CMD
	Bio-degradable	260.0 Kg/D	Treatment	Vermi Composting
	Non-Boi degradable	350.0 Kg/D	Treatment	Local Body

Maharashtra Pollution Control Board

	No of DG Sets	2	Capacity	125.0 KVA
	Construction status	Started	Date of Visit	10/01/2014
<p>Project proponent has completed construction of 8nos of institutional and 7 Nos of residential buildings is completed and partly commissioned. The construction of other building is in progress.</p> <p>Savitribai Phule shikshan Prasarak Mandal has filed a writ petition bearing No. 9203/2014 against solapur municipal corporation before the Honble High Court, Mumbai. MPCB is Res No 5 in this matter. There is no specific prayer against the MPCB. Submitted for CC discussion.</p> <p>Resubmission:-</p> <p>The application for consent to establish was discussed in CC meeting held on 30/05/2014 during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance. As per decision board has issued SCN on 26/06/2014.</p> <p>Applicant has not submitted reply of SCN issued by Board.</p> <p>In view of above we may issue final refusal of consent to establish as applicant has failed to submit the reply of SCN issued.</p>				
Recommendation of SRO/RO	Applicant has started construction work hence decision of grant of consent to establish may be taken at Higher level.			

Maharashtra Pollution Control Board

Agenda no. 4

Region : Mumbai	Section : RO(HQ)	Date : SRO Date of receipt;- 9/6/2014 Ro (HQ) Date of receipt;- 31/07/2014									
Name & Address	M/s.Ashvi Developers Pvt.Ltd.& Atithi Builders , Ariisto Solitaire Plot bearing CTS no.235(pt),236/A to 236/F of village Pahadi Goregaon near bangur nagar, Junction.of M.G.Road and Link road,Goregaon (W),Mumbai										
Consent For	C to E										
Capital Investment	Rs.279.31 Crore										
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr										
Industry Category	Orange										
Compliance Of Water Pollution Related Conditions	YES ()	NO ()									
	Details :- Water Consumption :- 212 CMD , Effluent Generated :- 156 CMD Proposed STP Capacity :-145 CMD & 30 CMD										
Water Cess	Assessment Done :-	Paid Upto :									
BG Details	Amount :	Validity :									
	BG Obtained against :										
	Details of BG forfeited/encashed , if any :										
Other Relevant Information	Application for consent to establish for construction of residential project for <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2">Residential cum commercial project under SRA Scheme.</td> </tr> <tr> <td>Plot Area</td> <td>60,714.1 Sq.mtrs</td> <td>Built up area</td> <td>1,03,469.56 Sq.mtrs</td> </tr> </table>			Applied for	C to E	Residential cum commercial project under SRA Scheme.		Plot Area	60,714.1 Sq.mtrs	Built up area	1,03,469.56 Sq.mtrs
Applied for	C to E	Residential cum commercial project under SRA Scheme.									
Plot Area	60,714.1 Sq.mtrs	Built up area	1,03,469.56 Sq.mtrs								

Maharashtra Pollution Control Board

	EC Status	obtained	Present status	5/9/2014
	Plot Area	60,714.1 Sq.mtrs	Built up area	1,03,469.56 Sq.mtrs
	River Distance	Not mentioned by SRO	Name of River	Not mentioned by SRO
	Water Consumption	212 CMD	Effluent Generated	156 CMD
	STP Capacity	145 CMD & 30 CMD		
	Bio-degradable	410 Kg/D	Treatment	Will be treated in OWC
	Non-Bio degradable	185 Kg/D	Treatment	Will be given to authorized party.
	No of DG Sets	2 Nos	Capacity	750 KVA
	Construction status	started	Date of Visit	17/7/2014
	<u>Said project was discussed in CC Meeting dated 26/8/2014 and it was decided to issue Show cause note with stop work direction for starting construction without C to E and EC.</u>			
	SCN issued to PP dated 4/9/2014 and PP has submitted reply SCN which is received in HQ Dated 12/9/2014 (Copy attached) and PP has also communicated copy of EC issued on 5/9/2014 vide letter dated 17/9/2014 for Total Plot area of 60,714.1 Sq.Mtrs. Total Construction BUA of 1,03,469.56 Sq.Mtrs PP has submitted reply of SCN (copy attached)			
Recommendation	SRO Recommended grant of Consent to Establish			

Maharashtra Pollution Control Board

of SRO/RO	
-----------	--

Agenda no. 5

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;-30/05/2014																																					
		Ro (HQ) Date of receipt;- 18/07/2014																																					
Name & Address	M/s. Dreams Lynnea, Gat No.894 +898(P) Wagholi, Pune,																																						
Consent For	C to E																																						
Capital Investment	56.56 Crore																																						
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																						
Industry Category	Orange																																						
Compliance Of Water Pollution Related Conditions	YES ()	NO ()																																					
	Details :-Water Consumption: 302 CMD, Effluent generated 280.0 CMD. STP Proposed of Capacity : 280.0 CMD																																						
Other Relevant Information	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Applied for</td> <td style="width: 25%;">C to E</td> <td colspan="2" style="width: 50%;">Residential Project</td> </tr> <tr> <td>Plot Area</td> <td>19,992.0 sq.m</td> <td>Built up area</td> <td>43086.10 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>21/05/2014</td> </tr> <tr> <td>River Distance</td> <td>4.0 Km</td> <td>Name of River</td> <td>Indrayani (A-II)</td> </tr> <tr> <td>Water Consumption</td> <td>302.0CMD</td> <td>Effluent Generated</td> <td>280.0 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>280.0 CMD</td> <td>Recycle water</td> <td>135.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>730.0 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>359.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>2</td> <td>Capacity</td> <td>140.0 KVA</td> </tr> </table>			Applied for	C to E	Residential Project		Plot Area	19,992.0 sq.m	Built up area	43086.10 sq.mt	EC Status	Applied	Dated	21/05/2014	River Distance	4.0 Km	Name of River	Indrayani (A-II)	Water Consumption	302.0CMD	Effluent Generated	280.0 CMD	STP Capacity	280.0 CMD	Recycle water	135.0 CMD	Bio-degradable	730.0 Kg/D	Treatment	OWC	Non-Boi degradable	359.0 Kg/D	Treatment	Local Body	No of DG Sets	2	Capacity	140.0 KVA
Applied for	C to E	Residential Project																																					
Plot Area	19,992.0 sq.m	Built up area	43086.10 sq.mt																																				
EC Status	Applied	Dated	21/05/2014																																				
River Distance	4.0 Km	Name of River	Indrayani (A-II)																																				
Water Consumption	302.0CMD	Effluent Generated	280.0 CMD																																				
STP Capacity	280.0 CMD	Recycle water	135.0 CMD																																				
Bio-degradable	730.0 Kg/D	Treatment	OWC																																				
Non-Boi degradable	359.0 Kg/D	Treatment	Local Body																																				
No of DG Sets	2	Capacity	140.0 KVA																																				

Maharashtra Pollution Control Board

	Construction status	Not Started		Date of Visit	09/06/2014
	<p>SRO Pune –II reported that applicant has purchase plot from Green Mark Properties, foundation work of one building was completed by M/s. Green Mark Properties. Applicant has informed that they have not carried out any construction activity after the purchase of land. During visit no any construction activities are found.</p> <p>Resubmission:-</p> <p>Application for grant of consent to establish was discussed in CC meeting held on 11/08/2014 during discussion it was decided to issue SCN for refusal of consent to establish and stop work as work has been started without EC & C to E and why PP should not be held jointly & surely responsible with previous owner.</p> <p>Applicant has submitted reply after hosting minutes of meeting on Board website, in reply PP Stated that “we had purchased land along with the 350 sq.mt plinth, The plinth is not part of our project and it will be demolished eventually. We had not started any construction activity yet it was noticed and observed by your officer during visit”</p> <p>In view of above we may consider applicant reply, and consider consent to establish with BG and BR with affidavit for not to take any effective step.</p>				

Maharashtra Pollution Control Board

Agenda no. 6

Region : Mumbai	Section : RO(HQ)	Date : SRO Date of receipt;- 23/6/2014 Ro (HQ) Date of receipt;- 14/07/2014
Name & Address	M/s. Sunteck Realty Ltd. , "Signia High", CTS No.-166A, 166/B, 166/C, 166/D, Village-Magathane, Borivali (E), Mumbai- 400 066	
Consent For	C to E	
Capital Investment	Rs.95 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 95 CMD , Effluent Generated :- 69 CMD Proposed STP Capacity :- 75 CMD	
Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Other Relevant Information	Application for consent to establish for construction of residential project for <u>Resubmission:</u> <u>Said project was discussed in CC Meeting dated 26/8/2014 and it was decided to issue Show cause note with stop work direction for starting construction without C to E and EC.</u>	

Maharashtra Pollution Control Board

SCN issued to PP dated 4/9/2014 and PP has submitted reply SCN which is received in HQ Dated 17/9/2014 (Copy attached) and PP has also communicated copy of EC issued on 6/9/2014

Total Plot area of 16,330.40 Sq.Mtrs.

Total Construction BUA of 31,609.31 Sq.Mtrs

Details are as follows

Applied for	C to E	Residential project	
Plot Area	<u>6,496.70</u> Sq.mtrs	Built up area	31,609.31 Sq.mtrs
EC Status	obtained	Present status	6/9/2014
Plot Area	<u>16,330.40</u> Sq.mtrs	Built up area	31,609.31 Sq.mtrs
River Distance	Not mentioned by SRO	Name of River	Not mentioned by SRO
Water Consumption	95 CMD	Effluent Generated	69 CMD
STP Capacity	75 CMD		
Bio-degradable	165 Kg/D	Treatment	Will be treated in OWC
Non-Bio degradable	112 Kg/D	Treatment	Will be given to authorized party.
No of DG Sets	1 Nos	Capacity	160 KVA

Maharashtra Pollution Control Board

	Construction status	started	Date of Visit	4/7/2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Agenda no. 7

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 8/7/2014 Ro (HQ) Date of receipt;- 31/07/2014
Name & Address	M/s. Spenta Builders Pvt. Ltd. , Plot bearing CTS no 832-B, Village Mohili Kurla Andheri road,Kurla (W),Mumbai	
Consent For	C to E	
Capital Investment	Rs.82 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 140 CMD , Effluent Generated :- 114 CMD Proposed STP Capacity :125 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	

Maharashtra Pollution Control Board

Other Relevant Information	<p>Application for consent to establish for construction of residential project.</p> <p><u>Resubmission</u></p> <p><u>Said project was discussed in CC Meeting dated 26/8/2014 and it was decided to issue Show cause note with stop work direction for starting construction without C to E and EC.</u></p> <p>SCN issued to PP dated 4/9/2014 and PP has communicated reply SCN vide mail dated 20/9/2014 along with obtained EC Copy dated 6/9/2014</p> <p>PP has obtained EC on 6/9/2014 Total Plot area of 8,102.70 Sq.Mtrs. Total Construction BUA of 29,739.19 Sq.Mtrs</p> <p>-----</p> <p>Details of project are as follows</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Applied for</th> <th style="width: 25%;">C to E</th> <th colspan="2" style="width: 50%;">Residential project</th> </tr> </thead> <tbody> <tr> <td>Plot Area</td> <td>8,102.7 Sq.mtrs</td> <td>Built up area</td> <td>29,739.19Sq.mtrs</td> </tr> <tr> <td>EC Status</td> <td>obtained</td> <td>Present status</td> <td>6/9/2014</td> </tr> <tr> <td>Plot Area</td> <td>8,102.7 Sq.mtrs</td> <td>Built up area</td> <td>29,739.19Sq.mtrs</td> </tr> <tr> <td>River/Sea Distance</td> <td>Not mentioned by SRO</td> <td>Name of River</td> <td>Not mentioned by SRO</td> </tr> <tr> <td>Water Consumption</td> <td>140 CMD</td> <td>Effluent Generated</td> <td>114 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>125 CMD</td> <td></td> <td></td> </tr> <tr> <td>Bio-degradable</td> <td>306 Kg/D</td> <td>Treatment</td> <td>Will be treated in OWC</td> </tr> <tr> <td>Non-Bio degradable</td> <td>131Kg/D</td> <td>Treatment</td> <td>Will be given to authorized party.</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Applied for	C to E	Residential project		Plot Area	8,102.7 Sq.mtrs	Built up area	29,739.19Sq.mtrs	EC Status	obtained	Present status	6/9/2014	Plot Area	8,102.7 Sq.mtrs	Built up area	29,739.19Sq.mtrs	River/Sea Distance	Not mentioned by SRO	Name of River	Not mentioned by SRO	Water Consumption	140 CMD	Effluent Generated	114 CMD	STP Capacity	125 CMD			Bio-degradable	306 Kg/D	Treatment	Will be treated in OWC	Non-Bio degradable	131Kg/D	Treatment	Will be given to authorized party.				
Applied for	C to E	Residential project																																							
Plot Area	8,102.7 Sq.mtrs	Built up area	29,739.19Sq.mtrs																																						
EC Status	obtained	Present status	6/9/2014																																						
Plot Area	8,102.7 Sq.mtrs	Built up area	29,739.19Sq.mtrs																																						
River/Sea Distance	Not mentioned by SRO	Name of River	Not mentioned by SRO																																						
Water Consumption	140 CMD	Effluent Generated	114 CMD																																						
STP Capacity	125 CMD																																								
Bio-degradable	306 Kg/D	Treatment	Will be treated in OWC																																						
Non-Bio degradable	131Kg/D	Treatment	Will be given to authorized party.																																						

Maharashtra Pollution Control Board

	No of DG Sets	1 Nos	Capacity	630 KVA
	Construction status	started	Date of Visit	22/7/2014
<p>The project comprises 4 buildings as wing A,B,C & D of 2B+ stilt+11 floors out of which construction work of wing A,B,C completed upto 2B+Stilt+6th and remaining work is under progress.</p> <p>SRO reported that Due to violation observed by SEAC/State Govt. This office has filed complaint against the developer in the court of H'ble Metropolitan Magistrate 65th court, Andheri and the matter is under subjudice</p>				
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Agenda no. 8

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 04/04/2014 Ro (HQ) Date of receipt;- 07/07/2014
Name & Address	M/s. Gini Citicorp Realty LLP "Gini Viviana" Sr. No. 38, Balewadi, Pune	
Consent For	C to E	
Capital Investment	85.96 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 155.0 CMD , Effluent Generated :- 149.0 CMD Proposed STP Capacity :- 155.0 CMD	

Maharashtra Pollution Control Board

Other Relevant Information	Applied for	C to E	Residential buildings	
	Plot Area	20,200.0 sq.m	Built up area	38,831.31 sq.mt
	EC Status	Applied	Dated	22/12/2011
	River Distance	0.35 Km	Name of River	Mula (IV Class)
	Water Consumption	155.0 CMD	Effluent Generated	149.0 CMD
	STP Capacity	155.0 CMD	Recycle water	73.0 CMD
	Bio-degradable	327.0 Kg/D	Treatment	OWC
	Non-Boi degradable	201.0 Kg/D	Treatment	Local Body
	No of DG Sets	1	Capacity	180.0 KVA
	Construction status	Started	Date of Visit	17/05/2014
	<p>Applicant has started construction work without C to E and EC we may issue SCN for starting without C to E and EC. Completed 16,890.0 sq.mtrs as per sanction plan.</p> <p>Resubmission:-</p> <ul style="list-style-type: none"> • The application for consent to establish was discussed in CC meeting held on 11/08/2014, during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance. • Applicant has submitted reply through E-mail on 25/08/2014 in reply applicant stated that “ in our project area under reservation 1)Town planning under government :- 1989.46 sq. mtrs 2)Area under road winding:-1319.93 sq.trrs 3) 15% Amenity space to Government:-2533.59 are not considered in our first sanction plan after complete procedure of handing over of all we get FSI. However when the BUA for the project was further proposed was increased we applied for EC and C to E”. • In view of above we may consider consent to operate with BG + BR and affidavit for not to take any effective step after conformation of Stop work from RO/SRO pune and submission of architect certificate about STP & MSW location from HFL of river. 			
Recommendation of SRO/RO				

Maharashtra Pollution Control Board

Agenda no. 9

Region : SRO Kalyan I		Section : RO (HQ)	Date :20/09/2014
Name & Address	Ashapura Builders & Developers , Crown City Sr no. 10, H. No. 1A+2 to 7/2 and H. No. 1A+2 to 7/3, S. No. 10 H. No. 1B/1 at Kolivali, Tal Kalyan, dist. Thane		
Consent For	CE		
Capital Investment	38.61 Crores		
Previous Consent Validity			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Other Relevant Information	<ul style="list-style-type: none"> - As per minutes of CC meeting dated 31/07/2014, SCN was issued to PP for starting construction work prior obtaining EC and C to E, vide letter dated 19/08/2014. - PP has submitted reply vide letter dated 21/08/2014 wherein they have stated that, total construction work completed is about 19746.22 Sq. Mtrs. - Construction has been stopped by PP since April 2014 and assured that, not to start construction activity till EC and C to E is obtained. - A copy of visit report of field officer from SRO Kalyan – I is also enclosed with the reply for ready reference. - In view of above we may consider the case for 		

Maharashtra Pollution Control Board

	grant of C to E subject to submission of affidavit for not to take effective steps till EC and C toE is obtained from competent authority and BG of requisite amount for the same.
Recommendation of SRO/RO	- Consent to establish may be grant by incorporating the conditions which will be specified in the Environment Clearance. Developer shall Obtaining necessary NOC from any other Government Agencies as may deemed fit necessary.

Agenda no. 10

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 2/4/2014 Ro (HQ) Date of receipt;- 22/04/2014
Name & Address	M/s. Karwa & Kewal Kiran Realtors., F.P.No.482 of TPS IV, Bhavani Shankar road known as Padhewadi, Mahim Division,Dadar	
Consent For	C to E	
Capital Investment	Rs.6.14Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 136CMD , Effluent Generated :-123 CMD Proposed STP Capacity(2 Nos) :-77 CMD & 46 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

	<u>Details of BG forfeited/encashed , if any :</u>																																			
Other Relevant Information	<p>Application for consent to establish for construction of redevelopment project.</p> <p>Resubmission:</p> <p>The application was discussed in CC Meeting dated 30/5/2014 and it was decided to keep the case in abeyance and put up in next CC, after verification C.I.</p> <p>Accordingly mailed to PP/SRO/RO Dated 2/6/2014,26/6/2014,28/8/2014 regarding verification of C.I. since C.I. of project is Rs.6.14 Cr. and said project is located in dadar area and no submission of CA Certificate in Board's prescribed format since Land cost is also not included in CA Certificate also not submitted architect plan along with area statement details for total construction BUA for 33,994.52 sq. mtrs.</p> <p>-----</p> <p><u>Details are follows:</u></p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 25%;">Applied for</th> <th style="width: 25%;">C to E</th> <th colspan="2" style="width: 50%;">Residential Building project.</th> </tr> </thead> <tbody> <tr> <td>Plot Area</td> <td>4,745.85sq.mtrs</td> <td>Built up area</td> <td>33,994.52 sq. mtrs</td> </tr> <tr> <td>EC Status</td> <td>Not Obtained</td> <td></td> <td></td> </tr> <tr> <td>Water Consumption</td> <td>136 CMD</td> <td>Effluent Generated</td> <td>123 CMD</td> </tr> <tr> <td>STP Capacity proposed</td> <td>77 CMD & 46 CMD</td> <td></td> <td></td> </tr> <tr> <td>Bio-degradable</td> <td>278 Kg/D</td> <td>Treatment</td> <td>Will be vermin composted</td> </tr> <tr> <td>Non-Bio degradable</td> <td>254 Kg/D</td> <td>Treatment</td> <td>Will be given to authorized party.</td> </tr> <tr> <td>Construction status</td> <td>Not started</td> <td>Date of Visit</td> <td>As per SRO Noting</td> </tr> </tbody> </table>				Applied for	C to E	Residential Building project.		Plot Area	4,745.85sq.mtrs	Built up area	33,994.52 sq. mtrs	EC Status	Not Obtained			Water Consumption	136 CMD	Effluent Generated	123 CMD	STP Capacity proposed	77 CMD & 46 CMD			Bio-degradable	278 Kg/D	Treatment	Will be vermin composted	Non-Bio degradable	254 Kg/D	Treatment	Will be given to authorized party.	Construction status	Not started	Date of Visit	As per SRO Noting
Applied for	C to E	Residential Building project.																																		
Plot Area	4,745.85sq.mtrs	Built up area	33,994.52 sq. mtrs																																	
EC Status	Not Obtained																																			
Water Consumption	136 CMD	Effluent Generated	123 CMD																																	
STP Capacity proposed	77 CMD & 46 CMD																																			
Bio-degradable	278 Kg/D	Treatment	Will be vermin composted																																	
Non-Bio degradable	254 Kg/D	Treatment	Will be given to authorized party.																																	
Construction status	Not started	Date of Visit	As per SRO Noting																																	
Recommendation of SRO/RO	SRO Recommended consent may be refused.																																			

Maharashtra Pollution Control Board

Agenda no. 11

Region : RO Mumbai	Section : RO(HQ)	SRO Date:-
Name & Address	M/s. Grand Sarovar Premiere, Associated Hospitality & Developers Pvt. Ltd, Junction of S.V.Road, and Veer Savarkar Flyover, Goregaon (W) Mumbai-62.	
Consent For	C to E & O	
Capital Investment	45.52 Cr.	
Previous Consent Validity	----	
Industry Type	Hotels (3 star & above)	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 35.0 CMD, Effluent generated 20.0 CMD. STP Proposed of Capacity : Not provided	

Maharashtra Pollution Control Board

BG Details	Amount :	Validity :
	BG Obtained against :	
Other Relevant Information	<ol style="list-style-type: none"> 1. Applicant has applied for Consent to establish and operate for restaurant and lodging activity having 98 Rooms with swimming pool activity. 2. Hotel commissioned since 2008. 3. Hotel was in operation since march 2008 without consent to establish and operate. 4. Total plot area 3,428.48 sq.mtrs and total BUA 5,216.52 sq.mtrs. 5. Applicant has submitted water budget along with application. 6. As per water budget water consumption 35CMD and domestic effluent generation 20.0CMD. 7. Applicant has not provided STP for treatment of domestic effluent. 8. Applicant has submitted justification about non provision of STP, PP has contest that there is no condition stipulated about STP in IOD and CC and OC granted by local body. 9. Applicant has not submitted detail about solid waste disposal. 10. As per record of water bill, per day water consumption is about 56 CMD, effluent generated about 80% of water consumption i.e 44 CMD 11. Applicant has submitted water consumption 35 CMD and effluent generated 20 CMD which is not match with the actual water bill. 12. In view of above we may issue SCN for non provision of STP and justification about water budget. 	

Maharashtra Pollution Control Board

Agenda no. 12

Region : RO Pune		Section : JD (WPC)			Date :	
Name & Address	M/s. Vaishno Devi Dairy Products Pvt. Ltd. , Gat No.88/1B,Nandur village Tal- Daund,Dist-Pune.					
Consent For	Applied for C to E (expansion).					
Capital Investment	Existing consented C.I. of Rs. 14.59 Cr. <u>C to E capital investment of Rs. 22.20 Cr.</u> Total C.I. of Rs. 36.79 Cr.					
Previous Consent Validity	Existing consent dtd. 11.10.2011 valid up to: 30.09.2013.					
Industry Type	R47 Milk processing and dairy products (Integrated project)					
Industry Category	Red/LSI					
Compliance Of Water Pollution Related	YES	Sr. No.	Effl. qty.	Existing	Proposed.	Total
		1)	I.E.	137	135	272 CMD
		2)	D.E.	2	10	12 CMD

Maharashtra Pollution Control Board

Conditions	<p>Details :- Existing, ETP comprising, screen chamber, equalization tan, O & G trap, Buffer tank, UASB reactor, aeration tank, secondary clarifier, treated effluent sump provided.</p> <p>For C to E (expansion) industry has started the civil work of proposed ETP.</p> <p>3.5 acres land available for disposal of treated effluent, which is inadequate.</p>	
Compliance Of Air Pollution Related Conditions	Industry has proposed 5 TPH boiler for C to E (expansion).	
Water Cess	Assessment Done :---	Paid Upto :---
BG Details	Amount : ---	Validity : ---
	<u>BG Obtained against : ---</u>	
	<u>Details of BG forfeited/encashed , if any :--</u>	
Submission of Environmental Statement	Period	----
Other Relevant Information	<p>Location of the proposed unit is about 2.10 Km away from A-IV Class of River Mula-Mutha.</p> <p>Total Construction BUA area is not given for existing & proposed unit.</p> <p>P.D. issued by RO on 18.01.2014 to existing unit.</p> <p>Board Office has issued SCN on 07.04.2014 to exiting unit.</p>	
Recommendation of SRO/RO	RO recommended decision about grant of consent to establish may be taken at Higher level.	
Re-submission	<p>The Case of the industry was discussed in CC meeting on 30.07.2014 & Not approved Establish (Expansion). It was decided to issue SCN for refusal of consent to establish for expansion as performance of ETP is poor and has insufficient land for disposal of effluent. Accordingly SCN was issued on 06.08.2014.</p> <p>Thereafter, industry has submitted reply, wherein industry stated as below.</p> <ol style="list-style-type: none"> 1) The industry has submitted reply of SCN issued. The said reply received on 25.08.2014, wherein industry stated that, they have purchased adjacent land of existing unit admeasuring area of 6.625 acres, submitted 7/12 utara of the same land. 2) Along with the reply industry has submitted undertaking on Rs. 100/- stamp paper, stating they are in process of purchasing approximately 10.00 acres land adjacent to the existing unit at Gat No. 88/1B, for this transaction & 	

Maharashtra Pollution Control Board

	<p>procedure at least 2-3 months will be required.</p> <p>3) The total effluent generation qty. of existing 137 CMD + expansion unit is 135 CMD i.e. Total 272 CMD, and existing land with industry is 3.5 acres and purchased land is 6.625 acres i.e. total land with the industry is 10.12 acres.</p> <p>4) Again industry is in process, for purchasing of additional land of 10 acres, within 2 - 3 months. Thereafter, total land with the industry will be 20.12 acres which is adequate for disposal of total treated effluent 272 CMD.</p>
--	--

Agenda no. 13

Region : SRO Jalgaon II		Section : JD-WPC		Date :
Name & Address	Abhay Cotex Private Limited , Nardana Industrial area, MIDC, Plot No. T-9, Babhale village, Shindkheda, Dhule			
Consent For	CO			
Capital Investment	54.35 Crores			
Previous Consent Validity	Consent to Establish granted on 20.01.2012			
Industry Type	R83 Vegetable oils including solvent extraction and refinery			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Provided ETP of capacity 50 CMD, which comprises of O& G trap, Equalization Tank, Aeration Tank, Tube Settler Intermediate Storage Tank, Sludge Drying Bed, Treated Water Storage Tank.			
Water Cess	Assessment Done : NO		Paid Upto :	

Maharashtra Pollution Control Board

<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	Not Submitted
Other Relevant Information	Previously industry has applied for 1 st consent to operate on 22.05.2012 same was forwarded to HQ through RO Nashik vide letter no.MPCB/SROJ-II/1592 dtd.09.08.2012.Consent copy not submitted by Industry	
Recommendation of SRO/RO	SRO Remark : We may renew the consent upto 30.08.2015,if approved RO Remark : The Application is recommended Please.	

Agenda no. 14

Region : SRO Jalgaon I	Section : JD-WPC	Date : 05.09.2014
Name & Address	M/s. Honest Derivatives Pvt Ltd. , G No.50, 38/1, 38/2, 38/3, Factory-Maldabhadi, Jamner, Jalgaon.	
Consent For	consent to Renewal with first consent to operate for Expansion	
Capital Investment	51.51 Crores	
Previous Consent Validity	31/05/2013	
Industry Type	R46 Manufacturing of Starch/Sago	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Present I.E. generation = 492 CMD and D.E. Generation = 12 CMD After expansion I.E.generation=806 CMD and D.E. generation=13 CMD Total I.E. generation will be=1298 CMD and D.E.generation =25 CMD Industry has provided ETP which comprises of Primary,secondary and tertiary treatment arrangement for untreated effluent.	

Maharashtra Pollution Control Board

Water Cess	Assessment Done : Feb-2013	Paid Upto : 31.08.2012
BG Details	Amount : NA	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :	
Submission of Environmental Statement	Period	submitted for the period of April-2011 to March 2012.
Other Relevant Information	Industry has paid fees of Rs. 15,100/dtd-10.04.2013/DD-208067/SBI Bank Surplus amount of Rs. 5/- Lacs is with Board which may be consider for the renewal of consent.SCN for refusal DFA is submitted for information.	
Recommendation of SRO/RO	Case may be consider with amalgamation and renewal of consent to operate upto period 31.05.2016.	

Agenda no. 15

Region : SRO Sangli	Section : JD(WPC)		Date :17.09.2014
Name & Address	Cane Agro Energy India Ltd. , A/p-Raigaon (Hingangaon(BK), Tal.- Kadegaon, Dist.- Sangli.		
Consent For	CR		
Capital Investment	4362.8 Lacs		
Previous Consent Validity	31/12/2013		
Industry Type	R74 Sugar (excluding Khandsari)		
Industry Category	Red		
Compliance Of Water	YES ()	NO ()	

Maharashtra Pollution Control Board

Pollution Related Conditions	Details :- The industrial effluent generation is 200 CMD is as per the CREP. <ul style="list-style-type: none"> • ETP is provided with primary and secondary treatment. • JVS analysis results dtd.16.01.2013 are exceeding, analysis results dtd.22.02.2013 are within consented limit and analysis results dtd.12.03.2013 are marginally exceeding. 	
Compliance Of Air Pollution Related Conditions	Provision of Emission Control system i.e ESP/Bag filter/Venture scrubber – Not complied. (However industry has provided Multicyclone type fly ash arrestor as an APC system.)	
Water Cess	Assessment Done :Nov. 2013	Paid Upto : August.2012
<u>BG Details</u>	<u>Amount</u> : 1). Rs.5.0 Lacs. 2). Rs.1.0 Lacs Fresh BG Submitted as per Directions dtd.22.07.2014 3) Rs.1.0 Lacs 4) Rs. 8.0 Lacs 5) Rs.10,000/- 6) Rs.5.0 Lacs	<u>Validity</u> : 1) 31.03.2014 2) 19.10.2013 3) 08.08.2015 4) 08.08.2015 5)08.08.2015 6) 08.08.2015
	<u>BG Obtained against</u> : 1. Rs.5.0 Lakhs as per previous consent condition For O & M of pollution control systems. 3) Rs.1.0 Lacs as per the Sugar Direction dtd.22.07.2014 For installation of flow meter. 4) Rs.8.0 lacs towards provision of ESP/Bag Filters/Wet Scrubber as per CREP. 5) BG of Rs.10000/- towards compliance of fly ash notification 6) BG of Rs.5.0 Lacs for O & M of PCS.	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	<ul style="list-style-type: none"> • Application was discussed in the CC meeting dtd.27.06.2014. • It was decided to issue direction. • Accordingly direction was issued on 22.07.0214. • Industry has submitted reply to the direction vide letter dtd.10.08.2014 received at this office on 12.09.2014. • Industry has submitted the BGs as per the direction dtd.22.07.2014. • Industry has submitted time bound chart along with copy of purchase order for flow meter and also assured for the provision of the ESP before next crushing season. 	

Maharashtra Pollution Control Board

Recommendation of SRO/RO	Renewal of consent may be decided upto 31.07.2015 as per sectoral approach.
---------------------------------	---

Agenda no. 16

Region : SRO Satara		Section :		Date : /09/2014
Name & Address	Hotel Health View Holiday Resorts Ltd. , CTS. No. 182,Medha Road,Mahableshwar,Tal-Mahableshwar,Dist-Satara			
Consent For	CR			
Capital Investment	27.37 Crs			
Previous Consent Validity	31/12/2012			
Industry Type	O37 Hotels (Less than 3 star); Hotels having > 20 rooms and less than 100 rooms			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Provided STP comprising of primary, secondary and tertiary treatment.			
Water Cess	Assessment Done :		Paid Upto :	
BG Details	Amount : Rs. 5 Lakhs & Rs. 50,000 /-		Validity : 22/06/2017 each.	
	BG Obtained against : O & M of STP and compliance of consent conditions respectively.			

Maharashtra Pollution Control Board

		<u>Details of BG forfeited/encashed , if any :</u>
Submission of Environmental Statement	Period	
Other Relevant Information	<p>M/s. Health View Holiday Resorts Ltd.,C.S.No.182,Medha Road,Tal-Mahableswar,Dist-Satara has applied for renewal of consent – For hotel activity with 59 rooms (with Swimming Pool).</p> <p>Earlier consent granted vide No.: MPCB/RO(HQ)/PN-17998-13/CR/CC-8761 dated 17/10/2013 valid upto 31/05/2014</p> <p>CI- Rs.27.37 Crs. Fees Paid-Rs.3,75,000 /-</p> <p>Details of water consumption and generation: Domestic – 30.00 CMD Sewage – 24.50 CMD Industrial – 2.00 CMD (for Boiler) Effluent – NIL</p> <p>Provided STP of 30.00 CMD Capacity .</p> <p>Solid waste is handed over to Municipal Council.</p> <p>D.G.Set-380 KVA * 2 nos. and One Boiler</p> <p>Exhaust system provided to the kitchen with stack.</p> <p>The Hotel has submitted B.G of Rs.5 lakhs towards O & M of STP which was valid upto 22/06/2017 as per previous consent condition and Rs.50,000 /- towards compliance of consent conditions.</p> <p>The case was discussed in the 12th CC meeting dtd. 26/08/2014 and it was decided to issue SCN for refusal of consent to renewal and forfeit of BG as JVS are exceeding as per previous consent condition.</p> <p>SCN issued on 05/09/2014.PP has submitted reply on 11/09/2014.In their reply they have stated that in the year 2013,due to some mechanical problems occurred in the equipment of STP, hence overall functioning of STP got disturbed. To overcome with the problems occurred they have immediately taken & finished work of rectifying whole system, including change of PSF & ACF. Also they have appointed agency to operate STP by M/s Horizon Services.</p> <p>Also they have stated that latest JVS sample collected on 12/05/2014 by FO,Satara which results are within prescribed limit</p> <p>Also they would give assurance to taken utmost care in operating STP</p>	

Maharashtra Pollution Control Board

	<p>properly.</p> <p>As this hotel falls in Eco Sensitive Zone Mahabaleshwar, it is proposed to place application before Consent Committee of the MPC Board for further discussion.</p>
Recommendation of SRO/RO	SRO Satara has recommended that consent may be renewed by forfeiting B.G. of Rs. 5 lakhs as sometimes the JVS results of STP are exceeding the consented parameters.

Agenda no. 17

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 20/02/2014 RO HQ :- 18/06/2014
Name & Address	M/s. Persistent Systems Ltd., "Aryabhatta-Pingala", S.No. 12A/12, FP No:9A Erandwane, Pune 411004	
Consent For	C to R	
Capital Investment	167.92 Cr.	
Previous Consent Validity	31/03/2014	
Industry Type	O08 Building & Construction Projects more than 20,000 Sq. mtr.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 80.0 CMD, Effluent generated 61.0 CMD. STP Proposed of Capacity : 65.0 CMD	
Other Relevant	<ul style="list-style-type: none"> • PP has applied for Renewal of consent for IT & ITES activity. • The IT project covering total area of around 11956 m² with total built up area of 20525.0 m². • As per application plot area 11956.0 m² and builtup area 35,000 m². 	

Maharashtra Pollution Control Board

Information	<ul style="list-style-type: none"> • Earlier Consent valid for period upto 31/03/2014. • Capital investment of the project is increased from 159.80 Cr to 167.92 Cr. • Total water consuming 80.0 m³/day & generating about 61.0 m³/day of sewage, which PP has provided STP of capacity 65.0 m³/day. • 6 no. of DG sets having capacity 500 KVA each. • Applicant has not submitted BG of Rs. 10Lakhs as per earlier consent condition. • RO Pune has issued query letter on 26/05/2014 for increase in CI applicant has not submitted reply of the same. <p>Resubmission:-</p> <ul style="list-style-type: none"> • The application for Renewal of Consent to operate was discussed in CC meeting held on 31/07/2014 during discussion it was decided to issue SCN for refusal of renewal of consent as applicant has constructed additional BUA and increase in capital investment from 159.80 Cr to 167.92 Cr. As per decision board has issued SCN on 20/08/2014. • Applicant has submitted reply of SCN on 12/09/2014 in reply PP stated that in our application BUA mentioned 35,000 m² is an inadvertent error. About capital investment PP stated that our capital investment increased due to investment is on account of capital Goods required for production of software. <p>In view of above we may consider applicant reply and grant plan renewal except increase in CI with extension of Existing BG of Rs 10 lakh which is valid upto 05/11/2014.</p>
Recommendation of SRO/RO	RO Pune Recommended the case after submission of reply to query letter issued by RO Pune.

Maharashtra Pollution Control Board

Agenda no. 18

Region : Pune		Section : AST		Date : Sept 2014	
Name & Address		M/s Clean Science & Technology Pvt.ltd. ,D -28 ,MIDC Area Kurkumbh, Pune			
Consent For		Renewal of consent with increase in Capital Investment & Consent to establish for expansion			
Capital Investment		Existing CI : Rs.5.38 Cr. , Current CI : Rs.49.34 Cr			
Previous Consent Validity		31/12/2013			
Industry Type		R-5 chemicals			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		Yes			
		Details :- Existing IE-13.3 CMD & DE-4.5 CMD, applied for proposed IE-43.50 CMD, DE-16.0 CMD. Totat IE : 56.8 CMD ,DE : 20.5 CMD .Industry has already provided ETP comprising primary & secondary treatment, Treated effluent sent to CETP . JVS reports submitted are within consented limit .			
Water Cess		Assessment Done : Sept -2013		Paid Upto : Sept-2013	
Compliance Of Air Pollution Related Conditions		Yes			
		Industry has provided dust collector, cyclone separator to boiler .Also reported			

Maharashtra Pollution Control Board

	that there are no process emissions .	
<u>BG Details</u>	<u>Amount</u> : Nil	<u>Validity</u> : NIL
	<u>BG Obtained against</u> : NA	
	<u>Details of BG forfeited/encashed , if any</u> : NA	
Submission of Environmental Statement	Period	2012-2013
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for C to R with increase in CI & increase in effluent quantity without change in product quantity. Industry has separately applied for C to E without increase in production & increase in effluent quantity with proposed CI 41.20 Cr. same application is clubbed herewith. 2. Case was discussed in CC dtd.31/07/2014 & it was decided to call clarification of abnormal increase in capital investment, applicability of EC & present status of expansion. 3. Accordingly SRO has submitted investigation report on 16/09/2014 along with clarification of industry regarding abnormal increase in capital investment, applicability of EC & present status of expansion. 4. PP has submitted their clarification as below, <ol style="list-style-type: none"> a. <u>Regarding abnormal increase in capital investment:</u> PP has agreed their mistake regarding wrong details about C.I., further clarified, while applying for the renewal of consent to operate I 2011 they mentioned CI of plant & machinery (as per SSI guidelines) Rs. 5.38 Cr instead of 13.75 Cr which include cost of leasehold land, buildings, plant, machinery, furniture, vehicle, computer. The CI increase from 13.75 Cr. To 49.35 Cr from 2011 to 2013 respectively to achieve consented products. b. <u>Regarding applicability of EC:</u> PP has clarified that MPCB has granted consent to establish without EC condition. 	

Maharashtra Pollution Control Board

	<p>c. <u>Present status of expansion:</u> had already obtained full-fledged capacity in existing consent however production is below consented quantity.</p> <p>d. Further it is reported that hydroxylation has been developed first time in the world to produce this production. During R & D development they achieve only 15 % conversion for most of the products & same reduce up to 3 % during trial run in the plant, hence to achieve the desired production they added additional plant ,machinery building etc. causing substantial increase in capital investment.</p>
Recommendation of SRO/RO	RO has recommended for grant of plain renewal & reported that attracts EC & CETP is not working satisfactorily hence C to E granted with condition to achieve ZLD & not to take effective steps of until obtaining EC .

Maharashtra Pollution Control Board

Agenda no. 19

Region : Raigad	Section :AST		Date :
Name & Address	Vinati Organics Ltd,B-12,B-13,MIDC Mahad Dist-Raigad		
Consent For	Renewal with increase in C.I		
Capital Investment	35.90 Cr to 45.79 Cr		
Previous Consent Validity	31/03/2014.		
Industry Type	R59 Petrochemicals(manufacture of and not merely use of a raw material)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details: - Skimmer tank, 2 nos Neutralization tank, settling tank, aeration tank and sand filters. The treated effluent is discharged to CETP.		
Compliance Of Air Pollution Related Conditions	Details: - Multi Cyclone dust collector, bag filters provided.		
Water Cess	Assessment Done : Returns Submitted upto-Sept-13	Paid Upto : Dec-12	
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>	
	<u>BG Obtained against :</u>		

Maharashtra Pollution Control Board

	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-13
Other Relevant Information	The application was discussed in CC dtd-30/7/2014 and it was decided to issue SCN for exceeding JV result, increase in C.I and increase in production quantity. Accordingly SCN dtd-19/8/2014 was issued(copy attached). Industry has replied to SCN vide letter dtd-30/8/2014.(copy attached)	
Recommendation of RO/SRO	This is for renewal of consent. During processing it is observed that the investment is increased by Rs.9.89 Cr since 2009 and industry has not paid fee on the same. The same is communicated to the industry vide this office letter dtd 09/04/2014.Industry has submitted their reply on 21/05/2014 stating that the investment is increased during last year and requested to reconcile the fee from the fee paid and grant the consent for one year. In view of above, the case may be considered for renewal of consent for one year.	

Maharashtra Pollution Control Board

Agenda no. 20

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Vulkan Technologies Private Ltd. Sr. No. 539-B, Village Kasar Amboli, Tal. Mulshi, Dist. Pune		
Consent For	Renewal of consent to operate.		
Capital Investment	Rs 25.41 Crs		
Previous Consent Validity	31/03/2014		
Industry Type	Metal Treatment and Processes		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details :- Industrial Effluent: Nil Domestic Effluent: 8.50 CMD, STP Provided.		
Compliance Of Air Pollution Related Conditions	Yes. Industry has provided dust collector system.		
Water Cess	Assessment Done : -----	Paid Up to : -----	
<u>BG Details</u>	<u>Amount : Rs. -----</u>	<u>Validity : -----</u>	
	<u>BG Obtained against : -----</u>		

Maharashtra Pollution Control Board

	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	2012-2013
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent. 2. Earlier consent obtained vide No. BO/PCI-II/ EIC No. PN-3587-09/R/CC-85 dated 24/02/2010 valid till 31/03/2014 3. Now Industry has applied for renewal of consent with increased CI and rearrangement in existing production quantity. 4. This case was discussed in the CC meeting held on 11.08.2014. In this meeting it was decided to issue SCN for refusal as industry has increased CI without any clarification. 5. SCN was issued to the industry 20.08.2014. Industry has submitted reply on 15.09.2014 stating that CI is increased due to renovation in the existing building and furniture as well as refurbishment of old machineries. 	
Recommendation of SRO/RO	RO Pune has commented that SRO Pune II is to submit the AAQM report and recommended case for renewal up to 31.03.2015.	

Maharashtra Pollution Control Board

Agenda no. 21

Region : SRO Nagpur II		Section : JD (APC)		Date : /09/2014
Name & Address		M/s. Nagpur Fastner Industries Ltd. Plot No: T-40, MIDC Hingna, Nagpur		
Consent For		CR		
Capital Investment		3567.6 Lacs		
Previous Consent Validity		31/05/2014		
Industry Type		R35 Foundry operations		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES (Y)		NO (N)
		Details :- Unit has installed seven tank phosphating process units without consent to establish. For the additional activity ETP is not provided.		
Water Cess		Assessment Done :		Paid Upto :
<u>BG Details</u>		<u>Amount : Rs. 5.0 Lakhs</u>		<u>Validity : 31/07/2014</u>
		<u>BG Obtained against :</u> Towards O & M of pollution control system.		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period	2012-2013 submitted.	
Other Relevant Information		1] Common STP is provided for plot No. T-40 and unit on Plot No. T-41/42 a sister concern. 2] Industry is not in regular operation. Stack monitoring is done during visit of Board officials on 27.6.2014. Results are awaited. 3] Unit has installed seven tank phosphating process unit without consent to establish. For the additional activity ETP as well as APC system i.e scrubber		

Maharashtra Pollution Control Board

	<p>is not provided. During visit it was not in operation.</p> <p>4] The case was discussed in CC Meeting dt: 11/08/2014 and it was decided to issue SCN for refusal as installed phosphating units without consent from Board & not provided ETP & APC system for phosphating units. SCN for refusal issued vide dt: 21/08/2014.</p> <p>5] Industry replied to SCN for refusal through SRO-II Nagpur, dt: 11/09/2014 and states that they have not installed phosphating unit just kept machinery for customer inspection and assured that they will install after obtaining valid consent from Board.</p>
Recommendation of SRO/RO	Recommended to forfeit BG of Rs. 3.0 lacs from existing Rs. 5.0 lacs BG submitted.

CC-Fresh Agenda

Agenda no. 1

Region : SRO Pune II	Section : JD (WPC)		Date :
Name & Address	M/s. Pepsico India Holdings Pvt Ltd. (Frito-Lay Division) , C-5, MIDC Ranjagoan, Tal-Shirur Dist-Pune.		
Consent For	Applied for- consent to establish for generation of power - 330 KW, by utilizing Bio-gas fuel from existing bio- digester, for captive consumption.		
Capital Investment	Capital investment- a) Proposed C I. of Rs. 2.73 Cr. b) <u>Existing C.I. of Rs. 295.36 Cr.</u> c) Total C.I. of Rs. 298.09 Cr.		
Previous Consent Validity	Applied for C to E for generation of captive power.		
Industry Type	O30 Food and food processing including fruits & vegetable proc		
Industry Category	Orange/LSI.		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- ETP status- The effluent will be treated in existing ETP.		

Maharashtra Pollution Control Board

Compliance Of Air Pollution Related Conditions	Existing stack of old boiler will be attached to gas engine.	
Water Cess	Assessment Done : ---	Paid Upto : --
<u>BG Details</u>	<u>Amount :</u> ---	<u>Validity :</u> ---
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	Proposed unit.
Other Relevant Information	<p>consent to establish for generation of power - 330 KW, by utilizing Bio-gas fuel from existing bio- digester, for captive consumption.</p> <p>power plant of capacity 330 KW by utilizing Bio-gas as fuel from existing bio-digester . built-up area will not increased.</p>	
Recommendation of SRO/RO	SRO recommended – we may consider the application of said industry for captive power generation from bio- gas. And recommended in Orange Category.	

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;- 26/05/2014 Ro (HQ) Date of receipt;- 03/08/2014	
Name & Address	M/s. Modular Construction, "Galaxy One", S.No. 75/1, Next to EON IT Park, Village Kharadi, Taluka Haveli.		
Consent For	C to E		
Capital Investment	41.76 Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :-Water Consumption: 78.0 CMD, Effluent generated 59.0 CMD. STP Proposed of Capacity : 65.0 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>	
Other Relevant Information	Applied for	C to E	Residential Project
	Plot Area	18200.0 sq.m	Built up area 20265.90 sq.mt
	EC Status	Applied	Dated 26.02.2014

Maharashtra Pollution Control Board

	River Distance	0.2 Km		Name of River	Mula Mutha(A-IV)
	Water Consumption	78.0 CMD		Effluent Generated	59.0 CMD
	STP Capacity	65.0 CMD		Recycle water	31.0 CMD
	Bio-degradable	115.0 Kg/D		Treatment	OWC
	Non-Boi degradable	205.0 Kg/D		Treatment	Local Body
	No of DG Sets	1		Capacity	320 KVA
	Construction status	Started		Date of Visit	26/06/2014
	<p style="text-align: center;">Applicant has started construction activity, and completed construction of two building upto 5th Floor. Hence we may issue SCN for starting construction without C to E and EC and not submitted STP and MSW location from HFL of river.</p>				
Recommendation of SRO/RO	<p style="text-align: center;">AS PP has started construction work without EC and C to E from Board in view of above decision of Grant of consent may be taken at higher level.</p>				

Maharashtra Pollution Control Board

Agenda no. 3

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 17/7/2014 Ro (HQ) Date of receipt;- 3/09/2014	
Name & Address	M/s. Aventa Properties LPP., Plot No.206,207,TPS III,L.J.Marg road,Mahim,Mumbai		
Consent For	C to E		
Capital Investment	Rs.59.70 Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()		NO ()
	Details :- Water Consumption :- 125 CMD , Effluent Generated :- 109 CMD Proposed STP Capacity :-109 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>	
	<u>BG Obtained against :</u>		
	<u>Details of BG forfeited/encashed , if any :</u>		
Other Relevant Information	Application for consent to establish for construction of residential project.		
	Applied for	C to E	Residential project.
	Plot Area	2,415.98 sq.mtrs	Built up area 26,133.96 sq. mtrs

Maharashtra Pollution Control Board

EC Status	Not Obtained	Dated	applied SEAC Minutes dated 21 st to 23 rd May,2014
Sea Distance	Not mentioned by SRO	Name of River/sea	Not mentioned by SRO
<p><u>Regarding CRZ Affected area:</u></p> <p>In the SEAC Minutes dated 21st to 23rd May,2014 it is mentioned that small portion of the plot admeasuring 1.52 sq.mtrs is affected by CRZ & remaining major portion in non CRZ.</p> <p>No development is proposed on the portion of plot affected by CRZ and even area of [lot affected by CRZ is not considered whie working out permissible built up area.</p> <p>Part plot under reference is affected by CRZ comes under setback so the said portion plot will be handed over to MCGM hence as per concession documents received from MCGM, NOC from MCZMA is not insisted.</p>			
Water Consumption	125 CMD	Effluent Generated	109 CMD
STP Capacity	109 CMD		
Bio-degradable	284 Kg/D	Treatment	Will be treated in OWC.
Non-Bio degradable	129 Kg/Day	Treatment	Will be given to authorized party.

Maharashtra Pollution Control Board

	No of DG Sets	1 Nos	Capacity	300 KVA
	Construction status	Not started	Date of Visit	26/6/2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Agenda no. 4

Region : Mumbai	Section : RO(HQ)	Date :SRO Date of receipt;- 16/8/2014 Ro (HQ) Date of receipt;- 3/09/2014
Name & Address	M/s. Damodar Suruchi Developers., On CTS No.163 A (part),Village-Akruli,Kandivali(E), Mumbai-400 101.	
Consent For	C to E	
Capital Investment	Rs.117 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 864CMD , Effluent Generated :- 758 CMD Proposed STP Capacity :- For sale Bldg: 460CMD & For rehab Bldg:300 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	<u>BG Obtained against :</u>	
	<u>Details of BG forfeited/encashed , if any :</u>	
Other Relevant Information	Application for consent to establish for construction of residential cum commercial project under SRA Scheme	

Maharashtra Pollution Control Board

	Applied for	C to E	Residential cum commercial project under SRA Scheme.	
	Plot Area	13,508.5 Sq.mtrs	Built up area	79,631.69 Sq.mtrs
	EC Status	obtained	Present status	31/5/2014
	Plot Area	13,508.5 Sq.mtrs	Built up area	79,631.69 Sq.mtrs
	River Distance	Not mentioned by SRO	Name of River	Not mentioned by SRO
	Water Consumption	864.50 CMD	Effluent Generated	758 CMD
	STP Capacity	460 CMD & 300 CMD		
	Bio-degradable	1874 Kg/D	Treatment	Will be treated in OWC
	Non-Bio degradable	1249 Kg/D	Treatment	Will be given to authorized party.
	STP Sudge	560 Kg/Day		Used as manure
	No of DG Sets	2 Nos	Capacity	630 KVA & 330 KVA
	Construction status	Not started	Date of Visit	2/9/2014
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish			

Maharashtra Pollution Control Board

Agenda no. 5

Region : SRO Pune II		Section : RO(HQ)		20/09/2014
Name & Address		Maharashtra Enviro Power Ltd., Plot No. P-56, Ranjangaon MIDC, Tal. Shirur, Dist. Pune – 412210.		
Consent For		CE		
Capital Investment		55.18 Crores		
Previous Consent Validity		---- N. A.----		
Industry Type		R34 Industries engaged in recycling /reprocessing of E-waste.		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		N. A.	N. A.	
		Details :- N. A.		
Water Cess		Assessment Done : N. A.		Paid Upto : N. A.
<u>BG Details</u>		<u>Amount</u> : N. A.		<u>Validity</u> : N. A.
		<u>BG Obtained against</u> : N. A.		
		<u>Details of BG forfeited/encashed , if any</u> : N. A.		
Submission of Environmental Statement		Period		
Other Relevant Information		<ol style="list-style-type: none"> 1. Existing CHWTSDF applied for C to E for recycling of <u>E- Wastes</u>. 2. PP has proposed to establish E-waste recycling facility in the existing premises of CHWTSDF (i.e. at MEPL, Plot No. P-128, MIDC Taloja). 3. PP has not obtained NOC from MIDC to use of same premises for recycling of E-waste. 4. Proposed capital investment of the project is 55.18 Crores (C. A. Certificate). 5. Project proponent has submitted process flow chart e-waste recycling activity. 6. Proposed water consumption for the different usage is 14.0 CMD. 		

Maharashtra Pollution Control Board

	<ol style="list-style-type: none">7. Industrial effluent generation is 4.0 CMD.8. Domestic effluent generation is 1.6 CMD.9. PP has proposed to provide septic tank & soak pit for treatment and disposal of effluent.10. PP has proposed to treat trade effluent in the existing ETP.11. SRO Pune-II has reported that, PP proposed to provide APC's to limit the dust emissions generating from recycling activity.12. PP has not submitted copy of agreement made with MIDC.13. Proposed area required for the recycling activity is 4195.98 Sq. Mtrs..14. SRO Pune-II has stated that, legal opinion may be taken while granting C to E for E-Waste recycling facility in the same premises of CHWTSDF. <p>Application may be placed for discussion in the forthcoming CC meeting.</p>
Recommendation of SRO/RO	<ol style="list-style-type: none">1. Legal opinion may be taken while granting C to E for E-Waste recycling facility in the same premises of CHWTSDF.

Maharashtra Pollution Control Board

Agenda no. 6

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 16/04/2014 ROHQ Date :- 22/08/2014
Name & Address	M/s. CPI-Gera Reality India Pvt. Ltd., "Green Ville", S.No. 64/1 to 64/6, Village Kharadi Taluka Haveli, Dist Pune.	
Consent For	C to E (revalidation)	
Capital Investment	272.0 Cr.	
Industry Type	Building Construction Project	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES () NO ()	
	Details :-Water Consumption: 360.0 CMD, Effluent generated 324.0 CMD. STP Proposed of Capacity : 340.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

Other Relevant Information	<ul style="list-style-type: none"> • PP applied for revalidation of consent to establish. • Applicant has obtained consent to Establish and operate on 05/09/2009 for total plot area 1,58,600.0 sq.mtrs. and BUA 1,94,160.50 sq.mtrs. • Applicant has obtained Environment clearance on 27/12/2007 for same plot area. • Applicant has applied for revalidation of EC to Environment Department. • Applicant has obtained consent to operate part BUA 84,889.26 Sq. mtrs out of total builtup area 1,94,160.0 sq.mtrs. • Applicant has declared Capital investment of the remaining project 153.07 out of 272 Cr. accordingly fees paid of Rs. 306155.0 cr. • There is no change in change in area statement, water consumption, and effluent generation, and MSW quantity. • Applicant has submitted BG of Rs. 10 Lakhs as per consent to Operate (part) condition. • In view of above we may consider consent to establish for next five years for remaining project having builtup area 109270.74 sq.mtrs with condition applicant shall obtain revalidated environment clearance before applying consent to operate for second phase.
Recommendation of SRO/RO	

Agenda no. 7

Region : SRO Thane I		Section : RO (HQ)		Date :20/09/2014
Name & Address	Gold Minar Developers Pvt Ltd "Tropical Mist" , G. No. 64/1, 64/2, 64/3, 68/1(p), 68(3) (p), 68/1B, 68/3B, 68/2C, 68/3D, 59/A-30, 62/2, 67/1, 67/3, 69, 69/1, 69/2 at chitalsar, Manpada, Thane(W)			
Consent For	CO (Part)			
Capital Investment	62.58 Crores out of 154.0 Crores			
Previous Consent Validity				
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :-			

Maharashtra Pollution Control Board

Water Cess	Assessment Done : --- N. A.---		Paid Upto :	
<u>BG Details</u>	<u>Amount : 10 Lacs</u>		<u>Validity : 27/06/2016</u>	
	<u>BG Obtained against : Compliance of consent conditions.</u>			
	<u>Details of BG forfeited/encashed, if any : No.</u>			
Submission of Environmental Statement	Period	N. A.		
Other Relevant Information	The application is for part consent to operate for the residential project.			
	Applied for	C to O Part	Residential cum commercial project.	
	Plot Area	66514 Sq. Mtrs.	Built up area	31540.922 Mtrs
	EC Status	obtained	Dated	26/07/2012
	River Distance	N. A.	Name of River	N.A.
	CRZ applicability	N. A.	Type of CRZ	N. A.
	Water Consumption	135 CMD	Effluent Generated	108 CMD
	STP Capacity	130 CMD	Recycle Water	51 CMD
	Bio-Degradable	205 kg/Day	Treatment	Mechanical Composting
	Non-Bio degradable	308 kg/Day	Treatment	Local Body
	Nos of DG Sets	05	Capacity	40 KVA, 160 KVA, 82.5 KVA, 125 KVA, 30 KVA.
	Construction Status	construction completed	Date of visit	26/06/2014.
	<p>9) SRO Thane – I, has recommended the case for grant of part consent to operate (i.e. for BUA 31540.922 Sq. Mtrs.).</p> <p>It is proposed to place application before Consent Committee of the MPC Board for further discussion.</p>			

Maharashtra Pollution Control Board

Recommendation of SRO/RO	Requisite consent fees for one term paid. Consent may be granted up to 30/06/2016.
---------------------------------	--

Agenda no. 8

Region : Thane	Section : RO(HQ)	SRO Date of receipt:- 26/08/2014 Ro (HQ) Date of receipt:- 03/09/2014
Name & Address	M/s Gaurav Land Corporation" Puranik Home Town", Sr.No.88/1,88/4,88/5A,88/5B,88/6,89/3,89/4(new) & Sr. No.26/1,26/2,26/3,26/4,29/9,Vill-Kasarwadavali,Dist-Thane.	
Consent For	C to O (2 nd Part)	
Capital Investment	Rs.23 Crs.	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :- Water Consumption :- 104 CMD , Effluent Generated :- 84 CMD, Provided STP Capacity :-220 CMD	
Water Cess	Assessment Done :- ---	Paid Upto : ---
BG Details	Amount :Rs.5.0 Lakh(CE)& Rs. 5.0 Lakh(CO)	Validity :25/08/2017(CE) & Not submitted(CO)
	BG Obtained against : Towards the compliance of consent conditions(CE) & O & M of	

Maharashtra Pollution Control Board

	STP & MSW processing plant (CO).			
	<u>Details of BG forfeited/encashed , if any :</u>			
Other Relevant Information	Application for grant of Consent to Operate (Part) for construction of Residential Project.			
	Applied for	Consent to Operate	Residential Project	
	Plot Area	37,977.75 sq.m	Built up area	9634.02 sq.m
	EC Status	Obtained from GOM	Dated	05/10/2011
	Plot Area	37,977.75 sq.m	Built up area	78,415.61 sq.m
	Previous Consent	C to E	Dated	05/11/2012
	Plot Area	37,977.75 sq.m	Built up area	78,415.61 sq.m
	Bio-degradable	350 Kg/D	Treatment	OWC
	Non-Bio degradable	400 Kg/D	Treatment	Will be given to authorized party.
	STP Sludge	20 Kg/D		Used as manure
	No of DG Sets	1 nos	Capacity	320 KVA
Construction status	Completed	Date of Visit	27/08/2014	
Recommendation of SRO/RO	C to O (part) may be granted upto 30.09.2016.			

Maharashtra Pollution Control Board

Agenda no. 9

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt;-05/07/2014 Ro (HQ) Date of receipt;- 27/08/2014
Name & Address	M/s. Chloride Metals Ltd., Gat No. 1241-1242 Markal, Tal-Khed, Dist. Pune.	
Consent For	C to O (Expansion) with amalgamation of existing consent to operate.	
Capital Investment	46.87 Crore (27.25 Cr Existing + 21.25 Expansion)	
Previous Consent Validity	31/01/2015	
Industry Type	R34 Industry engaged in recycling/reprocessing/recovery/reuse.	
Industry Category	Red	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Industrial:- Consumption :- 7.0 Effluent :-7.0, Treatment:-Primary+Secondary+ Tertiary Domestic :- Consumption 5.0 Effluent:- 4.5 Treatment :- STP	

Maharashtra Pollution Control Board

Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry applied for consent to Operate for expansion and modernization activity for lead recovery activity along with amalgamation of existing consent. 2. Existing consent is valid for 31/01/2015 for lead and lead ingot having capacity 3000 MT/M. 3. Now industry applied for additional 1500 MT/M lead and lead ingot recovery. 4. Proposed Capital investment for expansion and modernization 21.75 Cr. 5. Modernization involves 1)Installation of oxy fresh burner for rotary Furness 2) installation of nano filtration plant for acid recovery from scrap battery 3)modification of battery breaking plant 4) extension of battery breaking and rotary shed 5)shed for covered storage for lead bearing residue. 6. There is no change in water consumption and effluent generation plant. 7. Industry having existing ETP having capacity 25 CMD and STP having capacity 7.5 CMD 8. During visit on 22/07/2014 observed that Industry has completed modification / Revamping work of battery breaking plant by installing pre Crusher unit, Rotary Screen Unit, Elutriator Unit, Filter press & nano filtration plant. At the time of visit trial run of battery breaking plant machinery is in progress. 9. Industry has completed construction work of new shed which is used for storage of slag. 10. Industry has installed oxy Fuel burner to three rotary Furnaces. 11. Industry has installed 2 cyclone separator, dust collector, followed by wet scrubber and common 2 stack of 30 height to Rotary furnace 1-2 and furnace 3 - 4. 12. Industry has installed two stacks for Refinery section for Primary gas burner and secondary gasses of 6 Nos of Refinery pot through scrubber. 13. Industry is a member of CHWTSDF of M/s. MEPL Ranjangaon and sending Hazardous waste to M/s. MEPL. 14. Industry submitted irrigation department certificate showing distance for HFL of Indrayani river 2.223Km. 15. In view of above industry adopted cleaner fuel technology like installation of oxi-fresh Burner to all furnace and nano Filtration plant. We may consider Expansion and Modernization of existing plant as not attract RRZ criteria. 	

Maharashtra Pollution Control Board

Agenda no. 10

Region : SRO Akola		Section : JD-WPC		Date :
Name & Address	M/s. Ambika Solvex Ltd. , Vill. Wani Rambhapur, N.H.6, Akola-Amravati, Dist. AKola			
Consent For	Consent to Renewal			
Capital Investment	27.87 Crores			
Previous Consent Validity	30/11/2013			
Industry Type	R83 Vegetable oils including solvent extraction and refinery			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Industrial water consumption is 435 CMD whereas I.E. generation is 90 CMD. Domestic water consumption is 10 CMD whereas D.E. generation is 06 CMD. Industry has provided ETP which comprises of Oil & Grease Trap, Equalization Tank, Alum Dosing Tank, Primary Tank, Aeration tank (stage I & II), Secondary Settling Tank			

Maharashtra Pollution Control Board

	and SDB (8 nos.)	
Water Cess	Assessment Done : October-2013	Paid Upto : May-2013.
<u>BG Details</u>	<u>Amount :</u> Rs. 2.0/- Lacs	<u>Validity :</u> 09.10.2014.
	<u>BG Obtained against :</u> Towards O & M of ETP and Air Pollution Control System	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	April-2012 to March 2013.
Other Relevant Information	<p>During visit on dtd. 17.06.2014 untreated effluent was found discharged outside premises. Thermic fluid heater is provided without APC system. As per consent granted on dtd.12.02.2013 condition was imposed regarding submission B.G.of Rs. 5 Lacs but same was not submitted by industry instead industry has submitted the B.G. of Rs. 2 Lacs only. JVS results of Treated Water sample and stack sample are not meeting the consented standard limits. Proposal from SRO regarding forfeiture of B.G. is under process.</p> <p><u>Draft SCN enclosed for your ready reference.</u></p>	
Recommendation of SRO/RO	As per Task Flow	

Maharashtra Pollution Control Board

Agenda no. 11

Region : SRO Parbhani		Section : JD-WPC		Date :
Name & Address	M/s. Shree Renuka Sugars Limited. Deonandra, Pathri Plant, Tal-Pathri, Dist-Parbhani.			
Consent For	CR			
Capital Investment	36.78 Crores			
Previous Consent Validity	31.112.2012			
Industry Type	R74 Sugar (excluding Khandsari)			
Industry Category	Red			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Industrial water consumption is 500 CMD whereas I.E. generation is 300 CMD. Domestic water consumption is 150 CMD whereas D.E. generation is 115 CMD. Industry has provided ETP which comprises of Bar Screen, Oil & Grease trap, Primary			

Maharashtra Pollution Control Board

	Clarifier, diffuse aeration system, secondary clarifier followed by sludge drying bed.	
Water Cess	Assessment Done : March-2014	Paid Upto : 30.09.2013
<u>BG Details</u>	Amount : 1)5.0 Lacs 2)2.0 Lacs	Validity : 1) 08.01.2015 2) 03.10.2014
	<u>BG Obtained against :</u> 1)Towards O & M of pollution control system 2) Towards providing necessary arrangement to cover the effluent collection system and to avoid ingress of bagasse.	
	<u>Details of BG forfeited/encashed , if any :</u>	
Submission of Environmental Statement	Period	April-2012 to March 2013.
Other Relevant Information	Draft direction submitted for approval.	
Recommendation of SRO/RO	Previously industry has applied for renewal of consent to operate in 2012 for 2 years period i.e. upto 31-12-2014 but board refused the consen, further industry has appeled for above decision of board but still decision is pending and in crushing season 2012-13, 2013-14 industry is not in operatoion, hence renewal of consent to operate may be granted upto 31-07-2016.	