

Maharashtra Pollution Control Board

List of Cases to be submitted before 7th Consent Committee Meeting of 2014-15 scheduled on 27.06.2014 at 11:00 a.m. (Booklet No. - 13)

| Sr. No. | Name & Address | Capital Investment | Applied For | Section | Page No. | Remarks |
|---------------------|---|--------------------|--|---------|-----------|---------|
| Resubmission | | | | | | |
| 1 | Laxmi Board & Paper Mills Limited, Plot No. 2, Saravali MIDC, Kalyan-Bhiwandi Road, Tal - Bhiwandi, Dist - Thane | 20 Crs. | Establish (Expansion) (co-gen plant) | JD(WPC) | 1 to 13 | |
| 2 | Chitrani Properties Pvt. Ltd., Westend Center, S. No. 169/1, Sector 1 & 2(p), Aundh, Pune | 22.82 Crs. | 1st Operate (Part) | RO(HQ) | 14 to 25 | |
| 3 | Endurance Technologies Ltd., B-2, MIDC Waluj, Aurangabad | 70.92 Crs | Renewal with 1st Operate for expansion | JD(APC) | 26 - 50 | |
| 4 | FDC Ltd., Plot No. 19, 20/2, 118 MIDC Dhatav, Dist- Raigad | 58.22 Crs. | Renewal (with increase in C.I.) | AS(T) | 51 - 68 | |
| 5 | Kumuda Sugar & Agro Product Ltd., (Formerly know as: Rayat SSK Ltd.), At - Shewalewadi (Mhasoli), Tal- Karad, Dist - Satara | 44.69 Crs. | Renewal | JD(WPC) | 69 - 91 | |
| 6 | Ajara Shetkari Sakhar Kharkhana Ltd., GatNo. 25, 27/1, 381/383/1,373, Cillage - Gavase-Dardewadi, Dist - Kolhapur | 51.57 Crs. | Renewal | JD(WPC) | 92 - 110 | |
| 7 | Cane Agro Energy India Ltd., A/p- Raigaon, Hingangaon(BK), Tal - Kadegaon, Dist- Sangli | 43.62 Crs. | Renewal | JD(WPC) | 111 - 139 | |
| 8 | Trend Electronics Ltd., Gat No. 350, Vill- Bhalgaon, Aurangabad Beed Road, Aurangabad | 48.50 Crs | Renewal | JD(APC) | 140 - 172 | |

Maharashtra Pollution Control Board

| Fresh Agenda | | | | | | |
|---------------------|---|------------|--------------------------|---------|-----------|--|
| 1 | G. K. Associates Royal Rahadki Greens , S. No. 30/1+2+3, 32/2D/3, Rahatki, Tal - Haveli, Dist - Pune | 120 Crs. | Establish | RO(HQ) | 173 - 180 | |
| 2 | Siddarth Properties, "Saarthi Shimmer n Shine" , S. No. 19/Hissa No. 14+15+17+18+19, Sinhgad Road, Hingne Khurd, Pune | 70 Crs. | Establish | RO(HQ) | 181 - 193 | |
| 3 | Siddarth Properties, "Saarrthi Sovereign" , S.No. 42/3(Pt), Marunji, Pune, Maharashtra | 60 Crs. | Establish | RO(HQ) | 194 - 206 | |
| 4 | Kumar Agro Products Pvt. Ltd. , S. no. 31, Village - Pisoli, tal - Haveli, Dist- Pune | 59.17 Crs. | Establish | RO(HQ) | 207 - 218 | |
| 5 | Shamit Singleton , Gut No. 81 & 83, Village Nakshtrawadi, Auranabad | 46.37 Crs. | Establish | RO(HQ) | 219 - 230 | |
| 6 | Mark International Foods Stuff Pvt. Ltd. , Bidkin, Tal - Paithan, Dist - Aurangabad | 29.50 Crs. | Establish | JD(WPC) | 231 - 248 | |
| 7 | Shyam Indofab Pvt. Ltd. , Plot No. T-1, Addl. MIDC Nandgaon Peth, tal. & Dist. Amravati. | 60.66 Crs. | Establish | JD(WPC) | 249 - 264 | |
| 8 | Spectrum Ethers Ltd. , Gut No. 367, Rasegaon Village, Nashik-Peth Road, Tal- Dindori, Dist- Nashik | 48 Crs. | Establish (Expansion) | AS(T) | 265 - 283 | |
| 9 | Akruti Jay Chandan Joint Venture , CTS No. Old S. No. 456, (New 132, H. No.1, Old S. No. 456 (New135), Old S. No. 458(New134), Old S. No. 459(New133), Old S. No. 460(New 136) & S. No. 76 at Village Navghar, Mira Road, Thane. | 85 Crs. | 1st Operate (Part) | RO(HQ) | 284 - 301 | |

Maharashtra Pollution Control Board

| | | | | | | |
|----|---|------------|--|---------|-----------|--|
| 10 | Sheth developers, "Beverly Hills", S. No. 275/ Plot No. 1/3, Hinjewadi, Mulshi, Dist- Pune | 49.72 Crs. | 1st Operate (Part) | RO(HQ) | 302 - 314 | |
| 11 | Atul Enterprises, "ALCOVE Residential Road", S. No. 100/1, 100/3, 100/5, 100/6B, 101/1, 101/2, 101/3, 101/4, 101/5B, 101/6B, 101/6C, Pimple Saudagar, Pune | 49 Crs. | 1st Operate | RO(HQ) | 315 - 327 | |
| 12 | Thermax Ltd., Chemical Dicision, Vill - Paudh, Tal - Khalapur, Dist - Raigad. | 66.98 Crs. | Renewal (with increase in C.I.) | AS(T) | 328 - 340 | |
| 13 | Amri India Pvt. Ltd., G-1/1, MIDC Waluj, Aurangabad | 29 Crs. | Renewal (Amendment) | AS(T) | 341 - 357 | |
| 14 | Hutatma Kisan Ahit Sahakari Sakhar Karkhana Ltd., A/p - Walwa, Dist - Sangli. | 73.48 Crs. | Renewal (Change in Name) | JD(WPC) | 358 - 374 | |
| 15 | KPIT Technology Limited, 35 & 36, Rajiv Gandhi Infotech Park, Phase-I, MIDC Hinjewadi, Pune | 95.32 Crs. | Renewal | RO(HQ) | 375 - 386 | |
| 16 | ERA T & D, Plot No. D-2, MIDC Umred, Tal - Umred, Dist - Nagpur | 32.77 Crs. | Renewal | JD(APC) | 387 - 403 | |
| 17 | AMCL Machinery Limited, Plot No. A-1/1, MIDC Butibori, Dist - Nagpur | 26.06 Crs. | Renewal | JD(APC) | 404 - 418 | |
| 18 | Hope Gases Ltd., F-8, MIDC Badlapur, Dist - Thane | 46.61 Crs. | Renewal | JD(APC) | 419 - 442 | |
| 19 | Benzochem Industries Pvt. Ltd., B-24, 25 MIDC Buldhana, Dist- Buldhana. | 34.86 Crs. | Renwal (with change in product mix & increase in C.I.) | AS(T) | 443 - 466 | |
| 20 | Deepak Nitrate Ltd., PlotNo. 1-7 & 26-31 MIDC Dhatav, Dist- Raigad | 35.40 Crs. | Renwal (with change in product mix & increase in C.I.) | AS(T) | 467 - 487 | |

Maharashtra Pollution Control Board

| Review Item | | | | | | |
|--------------------|---|-----------|-------|---------|-----------|--|
| 1 | Policy for dealing with cases related to Tarapur Area | _____ | _____ | AS(T) | 488 - 490 | |
| 2 | Ordance Factory, Dehu Road, Tal - Haveli, Dist - Pune | _____ | _____ | JD(APC) | 491 - 523 | |
| 3 | Appeal to revoke Closure Direction issued to M/s WCL, Kolarpimpri OCM & M/s WCL Junad Open Cast Mine, of Wani North Area, Tal - Wani, Dist - Yavatmal | _____ | _____ | JD(APC) | 524 - 542 | |
| | | | | | | |
| | JD(WPC) | 7 | | | | |
| | AS(T) | 6 | | | | |
| | RO(HQ) | 10 | | | | |
| | JD(APC) | 5 | | | | |
| | PSO | 0 | | | | |
| | Total | 28 | | | | |

CC- Resubmission Agenda

Agenda no. 1

| | | |
|---|--|--------------------------|
| Region : SRO Bhivandi | Section : JD (WPC) | Date : 19.06.2014 |
| Name & Address | Laxmi Board & Paper Mills Limited, Plot No. 2, Saravali MIDC, Kalyan-Bhiwandi Road, Tal-Bhiwandi, Dist.- Thane | |
| Consent For | C to E for Co-gen plant | |
| Capital Investment | 20 Cr. | |
| Previous Consent Validity | Existing valid consent for craft paper and board up to 30.4.2017 | |
| Industry Type | R66 Power Generation Plants [Except Wind, Solar and Mini Hydel | |
| Industry Category | Red | |
| Compliance of Water Pollution Related Conditions | YES () | NO () |
| | Details : | |
| Water Cess | Assessment Done : | Paid Up to : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/ encashed, if any :</u> | |
| Submission of Environmental Statement | Period | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|---|
| Other Relevant Information | JVS are exceeding |
| Recommendation of SRO/RO | SRO has recommended to grant C to E after obtaining proposal for up-gradation/modification of ETP |

Agenda no. 2

| | | |
|---|--|---------------|
| Region : RO PUNE | Section :RO(HQ) | Date : |
| Name & Address | M/s. Chitrali Properties Pvt. Ltd., Westend Center, S.No. 169/1, Sector 1 & 2 (p), Aundh, Pune. | |
| Consent For | C to O (P) | |
| Capital Investment | 22.82 Cr. | |
| Previous Consent Validity | ---- | |
| Industry Type | O08 Building & Construction Projects more than 20,000 Sq. mtr. | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 45.0 CMD, Effluent generated 43.0 CMD. STP Proposed of Capacity : 50.0 CMD | |

Maharashtra Pollution Control Board

| BG Details | Amount : | Validity : |
|-----------------------------------|--|------------|
| | BG Obtained against : | |
| Other Relevant Information | <p>1. PP has applied for consent to 1st Operate (Part) for IT & commercial building.</p> <p>2. The Residential project covering total area of around 76295.0 Sq. mt with total built up area of 91000.0 sq mtrs, part operate builtup area is 19302.52 Sq.mtrs.</p> <p>3. PP has obtained environment clearance from MoEF on 07/12/2007 for construction of IT Park, Mall, Hotel (412 rooms) on total plot area 29,500.0 sq.mt and BUA 91,000.0 sq. mt.</p> <p>4. PP has applied for consent to establish dated 19/09/2008 and paid consent fees of rs 2,00,000.0, RO Pune has forwarded the application to RO(P&P) on 30/12/2013. But till date PP has not obtained consent.</p> <p>5. Project proponent has submitted he letter of deemed consent to establish dated 05/03/2011 as they have not received any communication from Board.</p> <p>6. Capital investment of the part project is 22.82 Cr.</p> <p>7. Total water consuming 45.0 m3/day & generating about 43.0 m3/day of sewage, which PP has provided STP of capacity 50.0 m3/day.</p> <p>8. PP has provided Composting pit for bio-degradable waste, Non-biodegradable waste send to authorized vender.</p> <p>9. 1 no. of DG sets having capacity 625 KVA each.</p> <p>10. Project site located near about 400 mtrs from river Mula (A-II) class.</p> <p>11. SRO Pune-I has visited the project and observed that Project proponent has completed construction of IT building and commercial building Both the buildings are in operation. Construction of mall building is found in operation.</p> <p style="text-align: center;">Resubmission:-</p> <p style="text-align: center;">Application for grant of consent to operate was discussed in CC meeting held on 13/03/2014. During discussion it was decided to issue SCN for refusal of consent to operate and stop work as PP has started construction without C to E and Valid Environment Clearance. Also the location falls in no development Zone of Mula River –II Class of River.</p> <p style="text-align: center;">As per decision SCN issued on 26/03/2014.</p> <p style="text-align: center;">Applicant submitted only acknowledgment copy of revalidation of Environment Clearance. Not submitted reply of the SCN issued by Board.</p> | |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <p>In view of above we may not consider consent to establish as PP has not submitted reply of the SCN issued by Board.</p> |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 3

| | | | | | |
|---|--|--|--|---|--|
| Region : SRO Aurangabad I | | Section : JD APC | | Date : | |
| Name & Address | | Endurance Technologies Ltd. B 2 , MIDC Waluj | | | |
| Consent For | | CR with first operate for expansion | | | |
| Capital Investment | | 7092.0 Lacs | | | |
| Previous Consent Validity | | 30/11/2013 | | | |
| Industry Type | | R21 Ferrous and Non ferrous metal extraction involving different | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES | | Details :- Indl effluent 4.0 CMD provided primary, secondary & tertiary treatment. Domestic effluent is 37 CMD, provided STP | |
| | | | | | |
| Compliance Of Air Pollution Related Conditions | | Yes | | | |
| | | Provided wet scrubber to both the furnaces. | | | |
| Water Cess | | Assessment Done :March-2012 | | Paid Upto :march-2012 | |
| <u>BG Details</u> | | <u>Amount : NIL</u> | | <u>Validity :NA</u> | |
| | | <u>BG Obtained against : NA</u> | | | |
| | | <u>Details of BG forfeited/encashed , if any :NA</u> | | | |
| Submission of Environmental | | 2012-2013 | | | |

Maharashtra Pollution Control Board

| | | |
|-----------------------------------|---|--|
| Statement | Period | |
| Other Relevant Information | <p>Case discussed in CC dated 13/3/2014, it was decided to issue SCN, for non submission of Board Resolution, APC not provided to 2 nos. of furnaces, JVS results exceeding the limits, started expansion production without consent to operate. Now industry have submitted reply dated 10/6/2014, stated that they have submitted Board Resolution, provided ducting system to standby furnaces 2 nos. and propose to provided wet scrubber within three months, production level is within consented limit not started expansion production. Analysis reports of private lab are within limit.</p> | |
| Recommendation of SRO/RO | Grant of renewal with expansion after submission of Board resolution. | |

Agenda no. 4

| | | |
|---------------------------------|---|--------------|
| CC | | |
| Region :Raigad | Section : AST | Date: |
| Name & Address | FDC Ltd, Plot No- 19,20/2,118 MIDC Dhatav Dist:- Raigad | |
| Consent for | Renewal of Consent with increased in C.I. | |
| Capital Investment | Previous-29.2 Cr new-58.22 Cr | |
| Consent Valid upto | 30/09/2013. | |
| <u>Industry Type</u> | <u>R60Pharmaceuticals(excluding formulation)</u> | |
| <u>Industry Category</u> | <u>RED</u> | |

Maharashtra Pollution Control Board

| | | |
|---|--|---------------------------|
| Compliance of Water Pollution Related Conditions | YES (√) | NO () |
| | Details: Full fledge ETP is provided. | |
| Compliance of Air Pollution Related Conditions | YES () | NO () |
| | Details: - Process scrubbers provided, Air Handling unit, Blowers. | |
| Water Cess | Assessment Done: returns upto- Sept-2013. | Paid upto: 31/3/13 |
| BG Details | Amount: NA | Validity:- NA |
| | BG obtained against: NA | |
| | Details of BG forfeited/ enchased, if any: NA | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <p>Industry has applied for renewal of Consent with increase in C.I from 29.2 Cr to 58.22 Cr since 2009. The case was discussed in CC meeting dtd-9/5/14 and it was decided to issue SCN for refusal of renewal of consent as industry is violating consent conditions, RO SRO and FO regarding concern case to be present in next CC. [MOM enclosed].</p> <p>Accordingly SCN for refusal of consent was issued on 19/5/2014 [copy attached]. Industry replied to the SCN vide letter dtd-14/06/2014. [copy attached].</p> | |
| Recommendation of SRO/RO | <p>Visited the industry on 17/02/2014. During the visit following non compliance were observed:-</p> <ol style="list-style-type: none"> 1] The industry not recycling /reusing treated effluent as per consent. 2] The industry has not provided STP (sewage qty 16 m3). 3] The H.W Storage facility not provided. 4] The industry has changed fuel from FO to briquette without consent of the Board. 5] The industry has installed one additional thermo pack without consent of the Board. | |

Maharashtra Pollution Control Board

| | |
|--|---|
| | <p>6] There was no adequate stack monitoring facility to boiler, thermo pack, D.G Set and scrubber chimney.</p> <p>7] The industry not sending H.W i.e- spent catalyst to CHWTSDF as per consent .It is reported that it is being send to Hindustan Platinum for which consent not obtained.</p> <p>In view of the above consent may be refused or may be granted only for 1 year subject to submission of suitable B.G to ensure the above compliance.</p> |
|--|---|

Maharashtra Pollution Control Board

Agenda no. 5

| | | |
|---|--|------------------------------|
| Region : RO Pune | Section : JD (WPC) | Date : |
| Name & Address | M/s. Kumuda Sugar & Agro Product Ltd., (Formerly Known as: Rayat SSK Ltd.,) At. Shewalewadi (Mhasoli) Tq. Karad Dist. Satara. | |
| Consent For | Applied for renewal of consent. | |
| Capital Investment | C.I. of Rs. 44.69 Cr. | |
| Previous Consent Validity | 31.12.2013. | |
| Industry Type | R74 Sugar (excluding Khandsari) | |
| Industry Category | Red/LSI | |
| Compliance Of Water Pollution Related Conditions | YES | |
| | <p>Details :- ETP comprising bar screen, oil & grase trap, equalization tank, Neut. Tank, Primary clarifier, aeration tank, secondary clarifier, holding tank, sand filter & SDB provided.</p> <p style="text-align: center;">JVS result exceed the consented limit.</p> <p style="text-align: center;">Industry has provided 75 acres of land for disposal of treated effluent, which is adequate.</p> | |
| Compliance Of air Pollution Related Conditions | Boilers – multi-cyclone fly ash arrestor provided. | |
| | Assessment Done : done | Paid Upto : Nov. 2012 |

Maharashtra Pollution Control Board

| | | |
|--|---|---|
| | <p>A) <u>Amount</u> : Rs. 5.0/- Lakhs</p> <p>B) <u>Amount</u> : Rs. 2.0/- Lkajs.</p> <p>C) <u>Amount</u> : Rs. 4.0/- Lkajs</p> | <p><u>Validity</u> : 26.04.2015</p> <p><u>Validity:</u> 26.04.2015.</p> <p><u>Validity:</u> 26.04.2015..</p> |
| | <p>A) <u>BG Obtained against</u> : O & M of ETP & air pollution control system.</p> <p>B) <u>BG Obtained against</u> : Providing necessary arrangement to cover the effluent collection system.</p> <p>C) <u>BG Obtained against</u> : Towards the compliance of CREP norms.</p> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | September 2013. |
| Other Relevant Information | <p style="text-align: center;">Wet scrubber provided.</p> <p style="text-align: center;">Total BG of Rs. 11.00/- submitted.</p> <p style="text-align: center;">JVS result exceed the consented limit.</p> <p style="text-align: center;">Industry has provided 75 acres of land for disposal of treated effluent, which is adequate</p> | |
| Recommendation of SRO/RO | RO recommended, decision may be taken at HQ level. | |

Maharashtra Pollution Control Board

Agenda no. 6

| | | |
|---|---|-----------------------------|
| Region : SRO Kolhapur | Section : JD(WPC) | Date : 18.06.2014 |
| Name & Address | Ajara Shetkari Sahakari Sakhar Karkhana Ltd , Gat No-25,27/1,381/383/1, 373, Village-Gavase-Dardewadi, Dist.- Kolhapur | |
| Consent For | CR | |
| Capital Investment | 5157 Lacs | |
| Previous Consent Validity | 31/12/2013 | |
| Industry Type | R74 Sugar (excluding Khandsari) | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Industrial effluent generation is 340 CMD. <ul style="list-style-type: none"> • ETP is provided comprising primary and secondary treatment. • JVS analysis results of dt.24.01.2013 & 20.02.2013 are exceeding. | |
| Water Cess | Assessment Done : Dec 2013 | Paid Upto : Oct 2010 |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |

Maharashtra Pollution Control Board

| Submission of Environmental Statement | Period | |
|---------------------------------------|--------|--|
| Other Relevant Information | | <p style="text-align: center;">1) CREP Compliance is as follows;</p> <p>a. Effluent generation to the tune of 100 litrs/ Ton of cane crushed – Not Complied.</p> <p>b. Provision of 15 Days storage tank – Not complied.</p> <p>c. Provision of Emission Control system i.e ESP/Bag filter/Venture scrubber – Not complied.</p> <p>2) Industry has not submitted the BG's imposed as per the previous consent conditions of Rs.5.0 Lacs for O & M of PCS, Rs.2.0 Lacs to avoid ingress of bagasse and Rs.2.0 lacs for provision of ESP/wet scrubber as an APC system.</p> <p style="text-align: center;"><u>Resubmission:</u></p> <ol style="list-style-type: none"> 1. As per the decision of the CC meeting dtd.09.05.2014 SCN was issued to the industry vide letter dtd.20.05.2014. 2. Industry has submitted their reply vide letter dtd.13.06.2014 as follows; <ol style="list-style-type: none"> a. We have provided full fledged ETP of capacity 300 KLPD with secondary treatment. To overcome the issue of exceeding limits of JVS sample reports, we will operate the ETP by scientific manner to achieve consented limits in coming season 2014-15 and thereafter. b. We have provided 15 days storage capacity for treated effluent as per CREP norms but it is Kaccha lagoon. We will construct RCC Lagoon before start of crushing season of capacity 4500 CMD. c. Multicyclone dust collector is provided to Boiler of capacity 20 TPH to control concentration of pollutants. The management has planned to install Co-gen unit within next two years. Accordingly we have to purchase the boiler of capacity around 100 TPH with ESP system. So we will withdraw our old boiler having APC as multi cyclone dust collector. |

Maharashtra Pollution Control Board

| | |
|---------------------------------|---|
| | <p>d. Our sugar crushing capacity is 2500 TCD and effluent generation quantity is 2500 KLD.</p> <p>e. The financial position of the factory is week so that we have not submitted the BG as per earlier consent conditions.</p> |
| Recommendation of SRO/RO | JVS results are exceeding the consented standards. O & M of ETP needs improvement. Industry has not submitted BG's. We may consider conditional consent subject to submission of BG. CREP compliances etc. |

Agenda no. 7

| | | | |
|---|---|---------------|--------------------------|
| Region : SRO Sangli | Section : JD(WPC) | | Date : 10.06.2014 |
| Name & Address | Cane Agro Energy India Ltd. , A/p-Raigaon (Hingangaon(BK), Tal.- Kadegaon, Dist.- Sangli. | | |
| Consent For | CR | | |
| Capital Investment | 4362.8 Lacs | | |
| Previous Consent Validity | 31/12/2013 | | |
| Industry Type | R74 Sugar (excluding Khandsari) | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | <p>Details: - The industrial effluent generation is 200 CMD is as per the CREP.</p> <ul style="list-style-type: none"> • ETP is provided with primary and secondary treatment. • JVS analysis results dtd.16.01.2013 are exceeding, analysis results dtd.22.02.2013 are within consented limit and analysis results dtd.12.03.2013 are marginally exceeding. | | |
| Compliance Of Air Pollution Related | Provision of Emission Control system i.e ESP/Bag filter/Venture scrubber – Not | | |

Maharashtra Pollution Control Board

| | | |
|--|---|---|
| Conditions | complied. (However industry has provided Multicyclone type fly ash arrestor as an APC system.) | |
| Water Cess | Assessment Done :Nov. 2013 | Paid Upto : August.2012 |
| <u>BG Details</u> | <u>Amount</u> : 1. Rs.5.0 Lacs. 2. Rs.1.0 Lacs | <u>Validity</u> : 1. 31.03.2014 2. 19.10.2013 |
| | <u>BG Obtained against</u> : 1. For O & M of pollution control systems. | |
| | <u>Details of BG forfeited/encashed , if any</u> : | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <ul style="list-style-type: none"> • Industry has submitted the BG of Rs.5.0 Lakhs for O & M of PCS as per previous consent condition. • However industry has not submitted BG's of Rs.2.0 lacs towards provision of covering system and Rs.2.0 lacs towards compliance of CREP conditions as per the previous consent condition. <p style="text-align: center;"><u>Resubmitted:</u></p> <p style="text-align: center;">As per the decision of CC meeting dtd.09.05.2014 the SCN was issued vide letter dtd.10.06.2014. Industry has replied to the SCN vide email dtd.10.06.2014 mentioned in that;</p> <ol style="list-style-type: none"> a) In the Month of Jan 2014 the JVS has been exceeding due o bagasse mixed in gutter, after this provided shed for bagasse and the gutters are covered by RCC plates. Commit to maintain good house – keeping henceforth hence we got JVS analysis results in consented limits from Feb, 2014. b) The construction of provision of 15 days storage tank work is in progress and it will complete within 1 Month time. c) Directors of Board decided to Purchase new Boiler with ESP as an APC system by scrapping old boiler. The copy of purchase order is submitted. d) Submitted the BG of Rs.5.0 Lakhs and Rs.1.0 Lakhs, due to financial crises last year we are not able to submit the remaining BG of Rs.2.0 Lakhs + 2.0 Lakhs. | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | e) Industry has requested to weave BG of Rs.2.0 Lakhs for providing covering arrangement to avoid ingress of bagasse as industry has provided it. And assured to submit the BG of Rs.2.0 Lakhs against the compliance of CREP conditions within a period of one month. |
| Recommendation of SRO/RO | Renewal of consent may be decided upto 31.07.2015 as per sectoral approach. |

Agenda no. 8

| | | | |
|---|---|--|---------------|
| Region : SRO Aurangabad I | Section : | | Date : |
| Name & Address | Trend Electronics Ltd. , Gat No. 350, Village Bhalgaon, Aurangabad-Beed Road, Aurangabad | | |
| Consent For | CR | | |
| Capital Investment | 4850.00 Lacs | | |
| Previous Consent Validity | 31/01/2014 | | |
| Industry Type | R27 Heavy engineering including ship building (With investment o | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | NO | | |
| | Details :- Indl effluent is nil, domestic effluent is 35 CMD, provided STP, but O & M is poor, but no JVS results. | | |
| Compliance Of Air Pollution Related Conditions | NO | | |
| | Painting section & lead soldering section is not provided with APCS | | |

Maharashtra Pollution Control Board

| | | |
|--|--|------------------------------|
| Water Cess | Assessment Done :March-2013 | Paid Upto :March-2013 |
| <u>BG Details</u> | <u>Amount : NIL</u> | <u>Validity :NA</u> |
| | <u>BG Obtained against : NA</u> | |
| Submission of Environmental Statement | Period | 2012-2013 |
| Other Relevant Information | <p>Case discussed in CC dated 9/5/2014, it was decided to issue SCN for poor O & M of STP, SRO reported that no APC system to painting section & lead soldering activity. E-waste & other solid waste are stored haphazardly.</p> <p>Now reply dated Nil which is received by this office on 10/6/2014 is received. Industry reported that, they have appointed professional company for o& m of STP, analysis of fume emission from soldering section are within limits, but will provide Scrubber to same, solid waste & e-waste are stored properly & disposed regularly.</p> | |
| Recommendation of SRO/RO | Case may be decided at CC level | |

CC-Fresh Agenda

Agenda no. 1

| | | |
|---|--|--|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 09/04/2014 Ro (HQ) Date of receipt;- 12/06/2014 |
| Name & Address | M/s. G. K. Associates Royal Rahadki Greens, S.No. 30/1+2+3, 32/2D/3, Rahatki, Tal-Haveli, Dist. Pune. | |
| Consent For | C to E | |
| Capital Investment | 120.0 Cr. | |
| Previous Consent Validity | - | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 363.25 CMD , Effluent Generated :- 275.0 CMD Proposed STP Capacity :- 280.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental | | -- |

Maharashtra Pollution Control Board

| Statement | Period | | | |
|-----------------------------------|---|--------------------|---------------------------|--------------------|
| Other Relevant Information | | Applied for | C to E | Residential |
| | Plot Area | 19500.0 sq.mt | Built up area | 46783.2 sq.mt |
| | EC Status | Applied | Dated | 04/05/2012 |
| | River Distance | 2.0 Km | Name of River | Pawana |
| | Water Consumption | 363.25 CMD | Effluent Generated | 275.0 CMD |
| | STP Capacity | 280.0 CMD | Recycle water | 218.0 CMD |
| | Bio-degradable | 611.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 416.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 2 | Capacity | 65.0 KVA |
| | Construction status | Started | Date of Visit | 03/02/2014 |
| | <p>Applicant has submitted sanction plan for area 16887.60sq.mtrs plan was sanction on 10/05/2012. At present PP has completed 6 building out of 8 building as per earlier sanction plan. For expansion phase PP has not started construction work.</p> <p>We may consider SCN for starting construction without C to E and EC.</p> | | | |
| Recommendation of SRO/RO | | | | |

Maharashtra Pollution Control Board

Agenda no. 2

| | | |
|---|--|--|
| Region : Pune | Section : RO(HQ) | Date : SRO Date of receipt;- 11/04/2014 Ro (HQ) Date of receipt;- 12/06/2014 |
| Name & Address | M/s. Siddarth Properties, “Saarathi Shimmer n Shine” S.No. 19/Hissa No. 14+15+17+18+19, Sinhgad Road, Hingne Khurd, Pune, | |
| Consent For | C to E | |
| Capital Investment | 70.0 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 205 CMD , Effluent Generated :- 171.0 CMD Proposed STP Capacity :- 185.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |

Maharashtra Pollution Control Board

| | | | | |
|-----------------------------------|---|----------------|------------------------------|---------------|
| Other Relevant Information | Applied for | C to E | Residential buildings | |
| | Plot Area | 18,277.94 sq.m | Built up area | 31630.0 sq.mt |
| | EC Status | Applied | Dated | 10/02/2012 |
| | River Distance | 0.2 Km | Name of River | Mutha |
| | Water Consumption | 205.0 CMD | Effluent Generated | 171.0 CMD |
| | STP Capacity | 185.0 CMD | Recycle water | 83.0 CMD |
| | Bio-degradable | 409.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 409.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 2 | Capacity | 65.0 KVA |
| | Construction status | Started | Date of Visit | 06/05/2014 |
| | <p>Environment department GoM has issued violation notice under section 5 of environment (p) act 1986, and same was withdrawn considering submission made by project proponent in which mentioned there is no case of violation as prescribed in EIA notification.</p> <p>In view of above we may consider consent to establish as environment department withdrawn SCN, & Subject to submission of architect plan showing STP & MSW location</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 3

| | | |
|---|--|--|
| Region : Pune | Section : RO(HQ) | Date :SRO Date of receipt;- 11/04/2014 Ro (HQ) Date of receipt;- 12/06/2014 |
| Name & Address | M/s. Siddarth Properties, “Saarrthi Sovereign” S.No. 42/3 (Pt), Marunji, Pune, Maharashtra | |
| Consent For | C to E | |
| Capital Investment | 60.0 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 197.0 CMD , Effluent Generated :- 153.0 CMD Proposed STP Capacity :- 160.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental | Period | -- |

Maharashtra Pollution Control Board

| Statement | | | | |
|-----------------------------------|--|----------------|------------------------------|-----------------|
| Other Relevant Information | Applied for | C to E | Residential buildings | |
| | Plot Area | 24,800.0 sq.mt | Built up area | 25,793.91 sq.mt |
| | EC Status | Applied | Dated | 10/02/2012 |
| | River Distance | 2.5 Km | Name of River | Mula |
| | Water Consumption | 179.0 CMD | Effluent Generated | 153.0 CMD |
| | STP Capacity | 160.0 CMD | Recycle water | 55.0 CMD |
| | Bio-degradable | 272.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 272.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 1 | Capacity | 65.0 KVA |
| | Construction status | Started | Date of Visit | --- |
| | <p>Environment department GoM has issued violation notice under section 5 of environment (p) act 1986, and same was withdrawn considering submission made by project proponent in which mentioned there is no case of violation as prescribed in EIA notification.</p> <p>In view of above we may consider consent to establish as environment department withdrawn SCN.</p> | | | |

Maharashtra Pollution Control Board

Agenda no. 4

| | | |
|---|--|--|
| Region : Pune | Section : RO(HQ) | Date : SRO Date of receipt;- 09/04/2014 Ro (HQ) Date of receipt;- 12/06/2014 |
| Name & Address | M/s. Kumar Agro Products Pvt. Ltd. S. No. 31, Village : Pisoli, Tal : Haeli, Dist : Pune, 412207 | |
| Consent For | C to E | |
| Capital Investment | 59.17 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 412.0 CMD , Effluent Generated :- 371.0 CMD Proposed STP Capacity :- 400.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | -- |

Maharashtra Pollution Control Board

| | | | | |
|--|----------------------------|--------------------|------------------------------|------------------------|
| Other Relevant Information | Applied for | C to E | Residential buildings | |
| | Plot Area | 28,700.0 sq.m | Built up area | 45,611.66 sq.mt |
| | EC Status | Applied | Dated | 30/11/2011 |
| | River Distance | 10 Km | Name of River | Mula-Mutha |
| | Water Consumption | 412.0 CMD | Effluent Generated | 371.0 CMD |
| | STP Capacity | 400.0 CMD | Recycle water | 137.0 CMD |
| | Bio-degradable | 687.0 Kg/D | Treatment | OWC |
| | Non-Boi degradable | 687.0 Kg/D | Treatment | Local Body |
| | No of DG Sets | 4 | Capacity | 80+(250x3)= 830 KVA |
| | Construction status | Not Started | Date of Visit | 24/04/2014 |
| <p>Applied for consent to Establish, not started construction activity, 10 Km from Mutha River (Satisfy RRZ Criteria), We may consider consent to establish with BG and BR.</p> | | | | |
| Recommendation of SRO/RO | | | | |

Maharashtra Pollution Control Board

Agenda no. 5

| | | |
|---|--|--|
| Region: Aurangabad | Section : RO(HQ) | Date :SRO Date of receipt :- 13/05/2014 RO (HQ) Date of receipt :- 04/06/2014 |
| Name & Address | M/s. Shamit Singleton, Gut No. 81 & 83, Village Nakshtrawadi, Aurangabad. | |
| Consent For | C to E | |
| Capital Investment | 46.37 Crore | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :- Water Consumption :- 423.26 CMD , Effluent Generated :- 374.50 CMD Proposed STP Capacity :- 380.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| Submission of Environmental Statement | Period | -- |

Maharashtra Pollution Control Board

| Other Relevant Information | Applied for | C to E | | Residential buildings |
|---|----------------------------|--------------------|--|--------------------------------------|
| | Plot Area | 38460.0 sq.m | | Built up area 46902.46 sq.mt |
| | EC Status | Applied | | Dated 15/04/2014 |
| | River Distance | 15 Km | | Name of River Godavri |
| | Water Consumption | 423.26 CMD | | Effluent Generated 374.50 CMD |
| | STP Capacity | 380.0 CMD | | Recycle water 137.0 CMD |
| | Bio-degradable | 800.0 Kg/D | | Treatment OWC |
| | Non-Boi degradable | 876.0 Kg/D | | Treatment Local Body |
| | No of DG Sets | 1 | | Capacity 630.0 KVA |
| | Construction status | Not Started | | Date of Visit --- |
| <p>Applied for consent to Establish, not started construction activity, 15 Km from Godavari River (Satisfy RRZ Criteria), We may consider consent to establish with BG and affidavit for not to take any effective step.</p> | | | | |

Maharashtra Pollution Control Board

Agenda no. 6

| | | | |
|---|---|---------------------------------|---------------|
| Region : SRO Aurangabad I | Section : JD (WPC) Section | | Date : |
| Name & Address | Mark International Foods Stuff Pvt. Ltd. , Bidkin, Tq. Paithan, Dist. Aurangabad | | |
| Consent For | C to E | | |
| Capital Investment | 29.50 Cr. | | |
| Previous Consent Validity | | | |
| Industry Type | R71 Slaughter houses (As per the notification S.O.270(E) dated | | |
| Industry Category | Red | | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () | |
| | Details :- | | |
| Water Cess | Assessment Done : C to E | Paid Upto : C to E | |
| <u>BG Details</u> | <u>Amount : C to E</u> | <u>Validity : C to E</u> | |
| | <u>BG Obtained against : ---</u> | | |
| | <u>Details of BG forfeited/encashed , if any :</u> | | |
| Submission of Environmental Statement | Period | C to E | |
| Other Relevant Information | <ul style="list-style-type: none"> Industry has submitted NOC of grampanchayat of Bidkin and Sompuri. Industry has proposed to provide primary and tertiary treatment and disposal will be on land for gardening. Industry propose to set up rendering plant at proposed site for solid waste such as bones, fats, horns, blood, trotters, glands, liver etc | | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|---|
| Recommendation of SRO/RO | <ul style="list-style-type: none"> SRO Aurangabad – I has recommended to grant consent to establish by imposing appropriate BG for compliance of consent conditions. |
|---------------------------------|---|

Agenda no. 7

| | | | | | |
|---|--|---|--|--------------------------|--|
| Region : SRO Amravati I | | Section : JD (WPC) | | Date : 24.06.2014 | |
| Name & Address | | Shyam Indofab Pvt. Ltd. , Plot No.T-1 Addl. MIDC Nandgaon Peth, Tq. & Dist. Amravati. | | | |
| Consent For | | CE | | | |
| Capital Investment | | 6066 Lacs | | | |
| Previous Consent Validity | | Applied for Consent to Establish | | | |
| Industry Type | | R84 Yarn/ textile processing involving any effluent/ emission | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES () | | NO (Yes) | |
| | | Details :- | | | |
| Water Cess | | Assessment Done : N.A. | | Paid Upto : | |
| <u>BG Details</u> | | <u>Amount :</u> N.A. | | <u>Validity :</u> | |

Maharashtra Pollution Control Board

CC Item –

| | | |
|--|---|------|
| Submission of Environmental Statement | Period | N.A. |
| Other Relevant Information | CETP is proposed to be provided by MIDC, but yet not established, Once it is in operation firm proposes to avail CETP facility. | |
| Recommendation of SRO/RO | They have applied for consent to establish for Kanitting (it is one kind of fabric mfg. process) & Dyed Fabric (dyeing & processing) proposed at Plot No. T-1, Addl. MIDC Nandgaon Peth, Tq. & Dist. Amravati. The said site visited by Shri. Purte F.O. on 28.05.14 & observed that they have fulfilled distance criteria in r/o. notified river Pedhi. At present plot is open. They had made fee of Rs. 100100/- (Est. Rs. 100000/ & Rs. 100/- application form). It is recommended for grant of consent to establish for a period upto Commissioning of the unit or 5 yrs. from issue of consent, whichever is earlier if approved. | |

Agenda no. 8

Maharashtra Pollution Control Board

| | | |
|---|---|----------------|
| Region : Nashik Section : AS(T) | | Date: /06/2014 |
| Name & Address | M/s Spectrum Ethers Ltd., Gut No. 367, Rasegaon Village, Nashik-Peth Road, Tal. Dindori, Dist. Nashik | |
| Consent for | Consent to Establish for proposed expansion | |
| Capital Investment | Rs. 48 Crores (Existing C.I. Rs. 26.31 Crores) | |
| Consent Valid upto | 31/11/2016 | |
| Industry Type | Pesticide Technical | |
| Industry Category | Red | |
| Compliance of Water Pollution Related Conditions | YES (-) | NO (-) |
| | Details: <u>Existing:</u> Provided ETP of capacity 50 CMD consisting of primary, secondary & tertiary treatment followed by MEE for the treatment of 44 CMD of industrial effluent. After treatment, treated effluent is applied on land for gardening/irrigation. <u>Proposed:</u> Proposed to provide full fledged ETP consisting of primary, secondary & tertiary treatment followed by MEE for the treatment of 195 CMD of industrial effluent. After treatment, treated effluent will be utilized on land for gardening/irrigation purpose. | |
| Compliance of Air | YES (-) | NO (-) |

Maharashtra Pollution Control Board

| | | |
|--|---|-----------------------------------|
| Pollution Related Conditions | Details :- | |
| | <p>Existing: Provided dust collector to coal/briquette fired boiler and scrubbers at various mfg. sections/operations.</p> <p>Proposed: Proposed to provide APCS as per requirement.</p> | |
| Water Cess | Assessment done: Returns filed regularly. | Paid upto: September 2013. |
| BG Details | Amount: Rs. 1.0 Lakh. | Validity- 30/11/2014. |
| | BG obtained against: Previous Consent Conditions/Directions. | |
| | <p>Details of BG forfeited/ enchased, if any: CC in its meeting held on 16/05/14 has taken decision to forfeit existing B.G. of Rs. 1.0 Lakh for exceeding JVS results.</p> | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <p>i) Existing industry engaged in mfg. of 12 Nos. of pesticide technical products, 21 Nos. of formulated pesticide products and 4 Nos. of by-products having Consent with the validity upto 31/11/2016.</p> <p>ii) Now, industry has applied grant of Consent to Establish for proposed expansion for mfg. of 6,475 MT/M of 35 Nos. of pesticide technical products and addl. Quantities of by-products.</p> <p>iii) For mfg. of existing 12 Nos. of pesticide technical products (Total-3525 MT/A), industry has obtained Environmental Clearance from the MoEF vide letter F.No. J-11011/317/2008-IA II (I) dtd. 24/11/2009. Industry has applied in the Board for conductin of public hearing to obtain EC for proposed expansion which is under process.</p> <p>iv) Consent Committee in its meeting held on 16/05/14 has-</p> <p>a) approved grant of renewal of Consent to Operate by imposing B.G. of Rs. 5.0 Lakh each towards 100% recycle/recuse of treated trade/sewage effluent and towards o&m of pollutioncontrol systems;</p> | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>b) taken decision to forfeit existing B.G. of Rs. 1.0 Lakh for exceeding JVS results.</p> <p>v) RO/SRO(Nashik) have been requested to submit complianc status of point (iv)-(a) & (b) above via e-mail on 06/06/14 & on 11/06/14.</p> |
| Consent Recommended upto | Upto commissioning of the unit or upto 5 years whichever is earlier. |

Agenda no. 9

| | | |
|----------------------------------|--|--|
| Region : Thane | Section : RO(HQ) | SRO Date : 09/04/2014 RO(HQ) date :- 27/05/2014 |
| Name & Address | M/s. Akruti Jay Chandan Joint Venture, CTS No.Old S.No. 456, (New 132), H.No. 1, Old S.No. 456 (New 135), Old S.No. 458 (New134), Old S.No. 459 (New 133), Old S.No. 460 (New 136), & S.No. 76 at Village Navghar, Mira Road, Thane | |
| Consent For | C to O (Part) | |
| Capital Investment | 85.0Crore | |
| Previous Consent Validity | -- | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |

Maharashtra Pollution Control Board

| | | |
|---|--|--------------------|
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption;- 358.0 CMD, Effluent generated 326.0 CMD Provided STP capacity 530.0 CMD | |
| Water Cess | Assessment Done :- | Paid Upto : |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Other Relevant Information | <ol style="list-style-type: none"> 1. PP has applied for consent to 1st Operate (Part). 2. The Residential project covering total area of around 76,140.0 sq.mtrs with total built up area of 57,451.84 sq mtrs 3. PP has obtained environment clearance From Gol on 29/06/2008 For same area. 4. PP has obtained consent to establish on 31/07/2008 for same BUA & plot area. Now applicant has paid again revalidation Fees. 5. Total water consuming for this phase 358.0 m3/day & generating about 326.0 m3/day of sewage, which PP has provided STP of capacity 530.0 m3/day. 6. Virmi-composting pits installed by PP for bio-degradable waste, Non-biodegradable waste will send to authorized vender. 7. 1 no. of DG sets each having capacity of 250.0 KVA. 8. At present applicant has completed construction of BUA 28052 sq.mtrs. out of 57,451.84 sq.mtrs. 9. At the time of application Applicant not provided Disposal facility for Bio-degradable waste, Now applicant has provided virmi Composing pits for Bio-degradable waste which is verified by SRO Thane-I. 10. RO, Pune has recommended that grant of consent to operate may be taken at HQ level. <p style="text-align: center;">In view of above we may consider consent to operate Part as PP has provided MSW treatment facility, Paid revalidation fees for consent to Establish.</p> | |

Maharashtra Pollution Control Board

Maharashtra Pollution Control Board

Agenda no. 10

| | | |
|---|--|--|
| Region : RO Pune | Section : RO(HQ) | SRO Date:- 21/05/2014 RO HQ Date:- 18/06/2014 |
| Name & Address | M/s. Sheth Developers, “Beverly Hills’, S.No. 275/ Plot No. 1/3, Hinjewadi, Mulshi, Dist. Pune | |
| Consent For | C to O (Part) | |
| Capital Investment | 49.72 Cr | |
| Previous Consent Validity | COU | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption;- 170.0 CMD, Effluent generated 136.0 CMD Provided STP capacity 145.0 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|---|
| Other Relevant Information | <ol style="list-style-type: none">1. PP has applied for consent to 1st Operate (Part)2. The Residential project covering total area of around 19200.0 sq.mtrs with total built up area of 27,167.0 sq mtrs3. PP has obtained environment clearance From GoM on 29th April 2014 for plot area 19200.0 and BUA 29844.21 sq.mtrs4. Consent to establish from Board for the plot area 19200.0 and BUA 27167.0 sq.mtrs.5. Total water consuming for this phase 170.0 m3/day & generating about 136.0 m3/day of sewage, which PP has provided STP of capacity 145.0 m3/day, Treated 53.0 m3/day waste water will be used for utilities.6. Organic Waste converter installed by PP for bio-degradable waste, Non-biodegradable waste will send to authorized vender.7. 1 no. of DG sets each having capacity of 160.0 KVA.8. The cost of the part project is Rs 49.72 Crore for which they have paid Rs. 75000.0 as consent fees for 1st Operate part.9. PP has submitted BG of Rs 3.0 Lakhs as per consent to establish condition.10. PP has completed construction of built up area 14097.29 sq. meter out of total built up area 29844.21 sq. meter.11. RO, Pune has recommended for grant of part consent to operate, if approved In view of above part consent to operate may be considered with BG and affidavit for the area statement for part operate. |
|-----------------------------------|---|

Maharashtra Pollution Control Board

Agenda no. 11

| | | |
|-------------------------|------------------------|--|
| Region : RO Pune | Section :RO(HQ) | SRO Date:-21/04/2014 RO HQ Date:-16/06/2014 |
|-------------------------|------------------------|--|

Maharashtra Pollution Control Board

| | | |
|---|--|------------|
| Name & Address | M/s. Atul Enterprises, "ALCOVE Residential Project", S.No. 100/1, 100/2, 100/3, 100/5, 100/6B, 101/1, 101/2, 101/3, 101/4, 101/5B, 101/6B, 101/6C, Pimple Saudagar, Pune. | |
| Consent For | C to O. | |
| Capital Investment | 49.00 Cr | |
| Previous Consent Validity | COU | |
| Industry Type | O08 Building and construction projects more than 20,000 Sq mtr | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption:- 391.0 CMD, Effluent generated 288.0 CMD Provided STP capacity 320.0 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | <p>12. PP has applied for consent to 1st Operate.</p> <p>13. The Residential project covering total area of around 25400.0 sq.mtrs with total built up area of 61926.31 sq mtrs</p> <p>14. PP has obtained environment clearance From GoM on 1/01/2011 for plot area 25400.0 and BUA 61926.31 sq.mtrs</p> <p>15. Consent to establish from Board on 25/11/2009 for the plot area 22144.0 and BUA 50983.02 sq.mtrs.</p> <p>16. Total water consuming for this phase 391.0 m3/day & generating about 288.0 m3/day of sewage, which PP has provided STP of capacity 320.0 m3/day, Treated 160.0 m3/day waste water will be used for utilities.</p> <p>17. Vermi Compost pit installation work for bio-degradable waste is in progress, Non-biodegradable waste will send to authorized vender.</p> <p>18. 1 no. of DG sets having capacity of 160.0 KVA.</p> <p>19. The cost of the part project is Rs 49..0 Crore for which they have paid Rs. 1,00,000 as consent fees for 1st Operate part.</p> <p>20. PP has completed construction and applied for Operate for complete project.</p> <p>In view of above we may consider as per environment clearance area statement and consider operate for complete project.</p> |
|-----------------------------------|--|

Maharashtra Pollution Control Board

Agenda no. 12

| | | |
|---------------------------|--|---------------|
| Region : Raigad | Section : AST | Date : |
| Name & Address | Thermax Ltd, Chemical Division Vill- Paudh, Tq-Khalapur Dist-Raigad. | |
| Consent For | Renewal with increase in C.I. | |
| Capital Investment | Existing- 60.60 Cr Applied for 66.98 Cr | |

Maharashtra Pollution Control Board

| | | |
|---|---|-------------------------------|
| Previous Consent Validity | 30/04/2014.. | |
| Industry Type | R05 Basic Chemicals and electro chemicals and it derivatives. | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details:- Equalization tank, Neutralization tank, Primary Clarifier, 1 st stage Bioreactor, 2 nd stage Bioreactor, secondary Clarifier, aeration tank, Centrifuge decanter, SDB, Reverse Osmosis System. | |
| Compliance Of Air Pollution Related Conditions | Details: - 2 Nos of HCL Scrubber, Sox Scrubber, Monitoring system with alarm adjusted to 0.5 ppm to the chlorination section. | |
| Water Cess | Assessment Done :returns submitted upto-March-14 | Paid Upto: April-2013. |
| <u>BG Details</u> | <u>Amount : NA</u> | <u>Validity : NA</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | Industry has applied for renewal of consent with increase in C.I from 60.60 Cr to 66.98 Cr. RO Raigad ha reported following Non-Compliances during his visit | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>to industry on 02/04/2014:-</p> <ol style="list-style-type: none">1) The disposal of ETP sludge was on open land for sun drying.2) There was no provision of flow meter at inlet and out let of ETP.3) The effluent was accumulated into storm water drain.4) Two 4 TPH capacity boilers and two thermo pack are connected to one common chimney whereas as per the consent industry would have to provide one 30.5 meter height common chimney for boiler and second 30.5 meters height common chimney for thermo pack.5) Considering the fuel consumption a given by industry the chimney for boiler shall be 35.62 meters and for single thermo pack it shall be 17.63 meters. |
| Recommendation of RO/SRO | <p>In view of the above non compliances the renewal of consent may be granted subject to amendment in consent in respect of boiler & thermo pack chimney height with suitable B.G.</p> |

Maharashtra Pollution Control Board

Agenda no. 13

| | | |
|--|--|-------------------------|
| Region : Aurangabad | Section : AST | Date : June 2014 |
| Name & Address | M/s Amri India Pvt. Ltd , G-1/1, MIDC Waluj Aurangabad | |
| Consent For | Renewal & amendment in consent (with change in product mix & operation of new boiler) | |
| Capital Investment | Previous CI- Rs. 38.73 Cr ,Current CI- Rs. 39.02 Cr. Meager increase in CI i.e. Rs. 29 lakh. | |
| Previous Consent Validity | 31/03/2014 | |
| Industry Type | R-60 Pharmaceuticals (Excluding formulation) | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related | Yes | |

Maharashtra Pollution Control Board

| | | |
|---|---|-------------------------------------|
| Conditions | Details :- IE- 15.93 CMD, DE- 3.00 CMD Full-fledged ETP of 25 CMD is provided .Disposal to CETP. Stripper & MEE installed for High COD stream. JVS report submitted are within limit. Industry has also started work of installation of RO of capacity 50 KLD. | |
| Water Cess | Assessment Done : Feb-2014 | Paid Upto : March 2013 |
| Compliance Of Air Pollution Related Conditions | Yes | |
| | Industry has proposed to provide Scrubber & mechanical type dust collector for new boiler. Commissioning details of new boiler is not reported. | |
| <u>BG Details</u> | <u>Amount :</u> Rs. 5 Lakh | <u>Validity :</u> 30/04/2014 |
| | <u>BG Obtained against :</u> O & M of pollution control system. | |
| | <u>Details of BG forfeited/encashed , if any :</u> NA | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <ol style="list-style-type: none"> 1. Applied for Renewal & amendment in consent with change in product mix & operation of new boiler. 2. Existing consent is valid up to 31.03.2014 & C to E granted for installation of briquette fired boiler on 02/12/2013. 3. Full-fledged ETP of 25 CMD is provided .Disposal to CETP. Stripper & MEE installed for High COD stream. Industry has also started work of installation of RO of capacity 50 KLD. 4. This office has called justification for oversize ETP & requirement of 50 KLD capacity RO vide email dtd 07/05/2014 & 23/05/2014 for which | |

Maharashtra Pollution Control Board

| | |
|------------------------------|---|
| | <p>industry has submit their reply on 27/05/2014 stating that in consideration of future expansion they had installed RO of capacity 50 KLD.</p> <p>5. As per previous consent only 3 bulk drugs & 2 CRAMS module products at a time ,not to exceed 29 MT/M. Now industry has reported that they proposed to manufacture 7 bulk drug & 12 CRAMS modules ,also reported that only 3 bulk drugs & 2 CRAMS module products at a time ,not to exceed 29 MT/M and there is no increase in pollution load due to proposed change in product mix.</p> <p>6. Industry has not submitted details of products & Certification of no increase in pollution load. Further vide email dtd 27/05/2014 industry has reported that they are in process of obtaining no increase in pollution load from institute of chemical science .Also reported that additional fees will be submitted shortly.</p> <p>7. This office called compliance report of BG from SRO vide email dtd 07/05/2014, however till date reply for same is awaited.</p> |
| Recommendation of SRO | SRO has recommended for grant of consent to renewal with change in product mix. |

Maharashtra Pollution Control Board

Agenda no. 14

| | | |
|---|---|---|
| Region : SRO Sangli | Section : JD(WPC) Section | Date : 13.06.2014 |
| Name & Address | Hutatma Kisan Ahir Sahakari Sakhar Karkhana Ltd , A/P-Walwa,, Tal. Walwa, Dist.- Sangli. | |
| Consent For | CR (With change in name) | |
| Capital Investment | 7348.7 Lacs | |
| Previous Consent Validity | 31/12/2013 | |
| Industry Type | R74 Sugar (excluding Khandsari) 3500 TCD | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | <p style="text-align: center;">Details :- The effluent generation is 350 CMD. ETP is provided with primary and secondary treatment facility. The JVS analysis results of last crushing season dtd.09.04.2013, 19.03.2013 & 24.01.2013 are within limits except BOD exceeding the limit of 30 mg/lit.</p> | |
| Compliance Of Air Pollution Related Conditions | Wet scrubber is provided as an APC system. | |
| Water Cess | Assessment Done : 30.04.2013 | Paid Upto : 30.04.2013 |
| <u>BG Details</u> | <u>Amount</u> : i) Rs.5.0 Lakhs & ii) Rs.2.0 Lakhs | <u>Validity</u> : 31.01.2014 & 31.01.2014 |
| | <p style="text-align: center;"><u>BG Obtained against</u> : As per the previous consent condition</p> <p style="text-align: center;">1. For O & M of ETP and APC system,</p> | |

Maharashtra Pollution Control Board

| | | |
|--|---|---------|
| | 2. For providing covering arrangement to avoid ingress of Bagasse. | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <ol style="list-style-type: none"> 1. Applied for the plain renewal of consent of sugar unit with change in name as M/s.Padmabhushan Krantiveer Dr. Nagnathanna Nayakwadi Hutatma Kish Ahir SSK Ltd. 2. Treated effluent is disposed on own land about 100 Hectors, which is adequate. 3. CREP Compliance is as follows; <ol style="list-style-type: none"> a) Effluent generation to the tune of 100 litres/ Ton of cane crushed – Complied. b) Provision of 15 Days storage tank –complied. c) Provision of Emission Control system i.e ESP/Bag filter/Venture scrubber –complied. | |
| Recommendation of SRO/RO | SRO Sangli has recommended for renewal of consent upto 31.07.2016. | |

Maharashtra Pollution Control Board

Agenda no. 15

| | | |
|---------------------------|--|-------------------|
| Region : RO PUNE | Section :RO(HQ) | SRO Date:- |
| Name & Address | M/s. KPIT Technology Limited, 35 & 36, Rajiv Ghandi Infotech Park, Phase-I, MIDC Hinjewadi, Pune. | |
| Consent For | C to R | |

Maharashtra Pollution Control Board

| | | |
|---|---|------------|
| Capital Investment | 95.32 Cr. | |
| Previous Consent Validity | ---- | |
| Industry Type | O08 Building & Construction Projects more than 20,000 Sq. mtr. | |
| Industry Category | Orange | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details :-Water Consumption: 160.0 CMD, Effluent generated 120.0 CMD. STP Proposed of Capacity : 120.0 CMD | |
| BG Details | Amount : | Validity : |
| | BG Obtained against : | |
| Submission of Environmental Statement | Period | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | <p>1. PP has applied for Renewal of consent for IT & ITES activity.</p> <p>2. The IT project covering total area of around 33,445.09 m² with total built up area of 32,516.06 m². Earlier Consent valid for period upto 31/03/2014.</p> <p>3. Capital investment of the project is increased from 83.27Cr to 95.32 Cr. applicant has submitted clarification and stated that capital investment increased due to addition of new server in data Center to upgrade a new technology, addition of hardware and renovation of interior work.</p> <p>4. Total water consuming 160 m³/day & generating about 120.0 m³/day of sewage, which PP has provided STP of capacity 160.0 m³/day.</p> <p>5. 6 no. of DG sets having capacity 625 x2 + 500x4 KVA each.</p> <p>6. Applicant has submitted BG of Rs 5 lakh as per C to O condition.</p> <p>In view of above we may consider plain renewal of consent to Operate with BG.</p> |
|-----------------------------------|--|

Agenda no. 16

| | | |
|---------------------------|---|-----------------------|
| CC Item – | | |
| Region : Nagpur | Section : JD(APC) | Date: /06/2014 |
| Name & Address | M/s ERA T & D, Plot No.D-2, MIDC Umred, Tal-Umred, Dist-Nagpur | |
| Consent for | Applied for renewal of consent. | |
| Capital Investment | C.I. is Rs.32.77 Crores | |
| Consent Valid upto | 28.02.2014. | |

Maharashtra Pollution Control Board

| | | |
|---|---|---|
| <u>Industry Type</u> | Heavy Engineering Unit | |
| <u>Industry Category</u> | RED/LSI | |
| Compliance of Water Pollution Related Conditions | YES () | |
| | Domestic Effluent is 13.3 CMD. Septic Tank provided. Industrial Effluent is – 3.3 CMD. Primary & Secondary treatment provided. SRO has not submitted the analysis results of treated effluent/ETP outlet. | |
| Compliance of Air Pollution Related Conditions | YES () | |
| | Scrubber Provided to Pickling Section & zinc section. SRO has not submitted the analysis results of AAQM/Stack monitoring. | |
| Water Cess | Assessment Done: Cess returns submitted up to March 2013. But till date Cess assessment bill not obtained by industry hence not paid | Paid up to: Till date Cess assessment bill not obtained by industry hence not paid |
| <u>BG Details</u> | Amount: 1. Rs.2.0 Lacs 2. Rs.5/- Lacs 3. Rs.15/- Lac | Validity: |

Maharashtra Pollution Control Board

| | |
|---|--|
| | <p>BG obtained against: --- 1. PD issued by RO vide letter dated 24.10.2013 2.towards O & M as per previous consent conditions.</p> <p>2. To provide ARP</p> <p>Industry has not submitted the Above Bank Guarantees as reported by SRO</p> |
| | <p>Details of BG forfeited/ encashed, if any: Forfeit BG of Rs.5.0/- Lacs BG No.0999613BG0000375 dated 8.2.2013.</p> |
| <p>Submission of Environmental Statement</p> | <p>Period: 2012-13</p> |
| <p>Other Relevant Information</p> | <p>---</p> |
| <p>Recommendation of SRO/RO</p> | <p>Recommended for refusal of consent.</p> |

Maharashtra Pollution Control Board

Agenda no. 17

| CC Item – | | |
|--------------------------|--|----------------|
| Region : Nagpur | Section : JD(APC) | Date: /06/2014 |
| Name & Address | M/s AMCL Machinery Limited, Plot No.A-1/1,MIDC Butibori, Dist-Nagpur | |
| Consent for | Applied for renewal of consent. | |
| Capital Investment | C.I. is Rs.26.06Crores | |
| Consent Valid upto | 28.02.2014. | |
| <u>Industry Type</u> | Heavy Engineering Unit | |
| <u>Industry Category</u> | RED/LSI | |
| Compliance of Water | YES () | |

Maharashtra Pollution Control Board

| | | |
|---|---|------------------------|
| Pollution Related Conditions | Domestic Effluent is 12.0 CMD. Septic Tank provided. Industrial Effluent is – Nil. | |
| Compliance of Air Pollution Related Conditions | YES () | |
| | ---- | |
| Water Cess | Assessment Done: March 2013. | Paid up to: --- |
| <u>BG Details</u> | Amount: --- | Validity: |
| | BG obtained against: --- ---- | |
| | Details of BG forfeited/ encashed, if any: --- | |
| Submission of Environmental Statement | Period: 2012-13 | |
| Other Relevant Information | --- | |
| Recommendation of SRO/RO | Recommended renewal of consent up to 28.02.2016. | |

Agenda no. 18

Maharashtra Pollution Control Board

| | | | | | |
|---|--|--|--|---|--|
| Region : SRO Kalyan II | | Section : JD APC | | Date : | |
| Name & Address | | Hope Gases Ltd , MIDC Badlapur. | | | |
| Consent For | | CR | | | |
| Capital Investment | | 4661 Lacs | | | |
| Previous Consent Validity | | 30/9/2013 | | | |
| Industry Type | | Powder Coating | | | |
| Industry Category | | Red | | | |
| Compliance Of Water Pollution Related Conditions | | YES | | | |
| | | Details :- . Indl. effluent is 15 CMD, provided primary & tertiary treatment facility. Is a member of CETP. Powder coating is not regular hence effluent generation is also not regular. Industry have repaired the existing ETP by way of changing rusted pipeline, old motors, painting ETP and provided additional holding tank. | | | |
| Compliance Of Air Pollution Related Conditions | | Yes | | | |
| | | Provided inbuilt dust collectors to powder coating section. | | | |
| Water Cess | | Assessment Done : Details not submitted | | Paid Upto :Details not submitted | |
| <u>BG Details</u> | | <u>Amount :</u> | | <u>Validity :</u> | |
| | | <u>BG Obtained against :</u> | | | |
| | | <u>Details of BG forfeited/encashed , if any :</u> | | | |
| Submission of Environmental Statement | | Period | | Not submitted | |

Maharashtra Pollution Control Board

| | |
|-----------------------------------|--|
| Other Relevant Information | <p>Industry was issued closure directions for not applying for renewal of consent instead of repeated reminders, i.e. earlier consent expired on 30.9.2013 and applied for renewal on 20/2/2014. Personal hearing was conducted at HQ on 4/4/2014 for restart. Accordingly restart was issued to industry on 23/4/2014. Applied for renewal of consent without any changes in product & its quantities. Is carrying out fabrication of engineering components with powder coating & painting activity. CI is Rs. 42.88 crores, existing was Rs. 40.73 crores, increase is of Rs. 2.15 crores. The BG conditions are prescribed to industry during restart order.</p> |
| Recommendation of SRO/RO | <p>SRO recommended grant of renewal of consent with BG for compliance of consent conditions. Also with change in name.</p> |

Maharashtra Pollution Control Board

Agenda no. 19

| | | |
|----------------------------------|--|---------------|
| Region : Amravati | Section : AST | Date : |
| Name & Address | Benzochem Industries Pvt Ltd, B-24, 25 MIDC Buldhana Dist- Buldhana. | |
| Consent For | Renewal with change in product Mix & increase in C.I | |
| Capital Investment | Existing- 13.25 Cr Applied for 34.86 Cr | |
| Previous Consent Validity | 28/02/2014. | |
| Industry Type | R67Procees involving chlorinated hydrocarbon. | |

Maharashtra Pollution Control Board

| | | |
|---|--|-----------------------------------|
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details:- Full fledged effluent treatment plant provided and 100% effluent is recycled for cooling & reused in the process. | |
| Compliance Of Air Pollution Related Conditions | Details: - Scrubbers provided in the process & Multicyclone provided to boiler. | |
| Water Cess | Assessment Done : returns submitted upto-Feb-14 | Paid Upto: June-2013. |
| <u>BG Details</u> | <u>Amount :</u> 2.0 lakh | <u>Validity :</u> 09/09/14 |
| | <u>BG Obtained against :</u> Conditional direction issued from H.Q dtd-05/9/2011 | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <ul style="list-style-type: none"> • Application for renewal with change in product Mix. • C.I increased from 13.25 Cr to 34.86 Cr, New entry in CC. • The reason for increase in C.I is not submitted by SRO, however reported that necessary fee is paid on increase C.I. • Industry proposed for products mix change in same category by deleting existing 4 product total qty 100 MT/M & adding new 4 products with qty-90MT/M. • Industry has also proposed to reduce quantity of product Ortho Chlro Phenyl Acetate Acid from 200 MT/M to 150MT/M and increase quantity of product 3-ISO Chromanone from 20MT/M to 60 MT/M. • Industry has not submitted certificate from reputed institute regarding No | |

Maharashtra Pollution Control Board

| | |
|---------------------------------|--|
| | <p>increase in pollution load, however Proforma is submitted along with details of pollution load.</p> <ul style="list-style-type: none">• It is noted from details submitted that effluent quantity is reduced from 37.25 CMD to 36.25 CMD and overall production quantity is reduced from 915 MT/M to 895 MT/M.• Industry is recycling 100% effluent for cooling & reused in the process.• Industry has requested that, as they are recycling 100% effluent and there is no discharge, disposal parameters/standards shall not be incorporated in the consent. |
| Recommendation of RO/SRO | Recommended for renewal of consent for a period upto-31/03/2017 by taking B.G of requisite amount. |

Maharashtra Pollution Control Board

Agenda no. 20

| | | |
|---|--|---------------|
| Region : Raigad | Section : AST | Date : |
| Name & Address | Deepak Nitrate Ltd, Plot No-1-7, & 26-31 MIDC Dhatav, Dist-Raigad. | |
| Consent For | Renewal with change in product Mix & increase in C.I | |
| Capital Investment | Existing- 24.94 Cr Applied for 35.40 Cr | |
| Previous Consent Validity | 30/06/2014 | |
| Industry Type | R05 Basic Chemicals and electro Chemicals and its derivatives | |
| Industry Category | Red | |
| Compliance Of Water Pollution Related Conditions | YES () | NO () |
| | Details:- Full fledge effluent treatment plant provided ,treated effluent send to CETP. | |
| Compliance Of Air Pollution Related Conditions | Details: - Scrubbers provided in the process. | |

Maharashtra Pollution Control Board

| | | |
|--|--|-----------------------------|
| Water Cess | Assessment Done :returns submitted upto-April-14 | Paid Upto: Aug-2013. |
| <u>BG Details</u> | <u>Amount :</u> | <u>Validity :</u> |
| | <u>BG Obtained against :</u> | |
| | <u>Details of BG forfeited/encashed , if any :</u> | |
| Submission of Environmental Statement | Period | 2012-13 |
| Other Relevant Information | <p>Application for renewal of consent with change in product mix. Existing consent is valid upto-30/06/2014. Industry has submitted No increase in pollution load certificate from Institute of Chemical Technology Matunga Mumbai dtd-10/05/2014.Institute has submitted that there will be no increase in pollution load due to proposed change in product mix. Overall production quantity after change in product mix will reduce by 20 MT/M and all other quantities given in previous consent will remain same. Industry previous C.I was 24.95 Cr now applied for 35.40 Cr [new entry in CC].</p> | |
| Recommendation of SRO | <p>Industry has submitted No increase in pollution load certificate .This is an existing unit & area comes under MIDC. Hence recommended to grant consent to operate i.e- Product mix upto-30.06.2018.</p> | |