

145

MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 2402 0731 / 2401 0437

Fax: 2402 4068

Website:

http://mpcb.mah.nic.in

E-mail: mpcb@vsnl.net



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

No. MPCB/RO(HQ)/ Thane /B: 3744

Date: 19/06/2012

To,

M/s. Mohini Organics Pvt Ltd,

Plot no: T-77/78/79 MIDC Tarapur

Tal: Palghar Dist : Thane,

Sub: Conditional directions to restart manufacturing activities.

- Ref:
1. Writ Petition no: 17/2011, filed by Nicholas Almeda Vs State of Maharashtra & Others.
 2. Voluntary Closure issued to the unit vide no: MPCB/ROT/1088 dated: 16/05/2012
 3. Your reply & request letter dated: 04/06/2012
 4. Compliance report of Regional Officer, Thane vide dated: 13/06/2012
 5. Personal hearing extended to you before the Member Secretary of the Board on 29/05/2012

With refer to the directions of voluntary closure issued by Regional Officer, Thane dated 16/05/2012 followed by the compliance report dated 13/06/2012 & your reply dated: 04/06/2012 In this concern, a personal hearing was extended to you on 15/06/2012. During course of the personal hearing, your submission /say was taken on the record.


In view of the steps taken by you for upgradation of ETP and your assurance to complete remaining work and commission upgraded ETP within 15 days time, it was decided to allow you to restart manufacturing activities by issuing final directions, The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing ETP round'O clock, so as to prevent any sort of pollution in the surrounding area and to bring all the parameters to the prescribed standards within 15 days time.

146
:2:

3. You shall operate and maintain full-fledged upgraded Effluent Treatment Plant so as to achieve the standards laid down under the provisions of the Environment (Protection) Act, 1986 & Rules made there under.
4. You are directed to furnish an fresh operational irrevocable bank guarantee of Rs.50,000/- for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Thane , within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaiskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane /Sub-Regional Officer, MPCB, Tarapur-I - They are directed to forfeit existing Bank Guarantee of Rs. 25,000/- of M/s. Mohini Organics Pvt Ltd, Plot no: T-77/78/79 MIDC Tarapur Tal: Palghar Dist : Thane & ensure necessary action for compliance of the directions.

147

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437
Fax : 2402 4068
Visit us at :
Website : <http://mpcb.mah.nic.in>
E-mail : mpcb@vsnl.net



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

No. MPCB/RO(HQ)/ Thane /B: 3748
To,
M/s.Salvi Chemical Industries Ltd.,
Plot No.E-93, MIDC Tarapur, Tal: Palghar,
Dist: Thane

Date: 19/06/2012

Sub: Conditional directions to restart manufacturing activities.


- Ref:
1. Writ Petition no: 17/2011, filed by Nicholas Almega Vs State of Maharashtra & Others.
 2. Voluntary Closure issued to the unit vide no: MPCB/ROT/1067 dated: 16/05/2012
 3. Your reply & request letter dated: 04/06/2012
 4. Compliance report of Regional Officer, Thane vide dated: 13/06/2012
 5. Personal hearing extended to you before the Member Secretary of the Board on 15/06/2012

With refer to the directions of voluntary closure issued by Regional Officer, Thane dated 16/05/2012 followed by the compliance report dated 13/06/2012 & your reply dated: 04/06/2012. In this concern, a personal hearing was extended to you on 15/06/2012. During course of the personal hearing, your submission /say was taken on the record.

In view of the steps taken by the you for improvement in the treatment & disposal of effluent, it was decided to allow you to restart manufacturing activities by issuing final directions. The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing ETP round'O clock, so as to prevent any sort of pollution in the surrounding area and to bring all the parameters to the prescribed standards within 7days time.
2. You are directed to furnish an fresh operational irrevocable bank guarantee of Rs.50,000/- for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Thane , within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane /Sub-Regional Officer, MPCB, Tarapur-I - They are directed to forfeit existing Bank Guarantee of Rs. 25,000/- of M/s. Salvi Chemical Industries Ltd., Plot No.E-93, MIDC Tarapur, Tal: Palghar, Dist: Thane & ensure necessary action for compliance of the directions.

148

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 2-01 0781 / 2401 0437

Fax: 2402 4068

Website:

<http://mpcb.mah.nic.in>

mpcb@vsnl.net



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

No. MPCB/RO(HQ)/ Thane /B: 3671
To

M/s. Sequent Scientific Ltd,
Plot no: W-150,151,152,
MIDC Tarapur. Dist: Thane

Date: 10/06/2012

Sub: Conditional directions to restart manufacturing activities.

- Ref: 1. Letter received from Regional Officer Thane vide no: MPCB/ROT /TB/ 120105FT0305 dated: 05/01/2012.
2. Direction issued for violations of provisions of the water (P&CP) Act, 1974 & the Air (P&CP) Act, 1981, vide no: 1690 dated: 21/09/2011.
3. Industries reply to direction issued dated: 5/10/2011 & request letter dated: 27/12/2011
4. Personal hearing extended to you before the Member Secretary on 02/06/2012

With refer to the directions of closure issued by Regional Officer, Thane dated 21/09/2011 followed by the compliance report dated 05/01/2012 & your reply dated: 27/12/2011. In this concern a personal hearing was extended to you on 02/06/2012. During course of the hearing, the submission made by you was taken on record.

Considering the assurance given by you, you are allowed to restart your manufacturing activities. The permission to restart is granted subject to the following terms & conditions:


1. You shall operate ETP regularly & maintain treated Effluent discharge standards, so as to achieve the standards laid down under the provisions of the Environment (Protection) Act, 1986 & Rules made there under.
2. You shall submit Bank Guarantee of Rs.50, 000/- for ensuring compliance of consent

Regional Officer, MPC Board Thane, which shall be valid up to one

:2:

You shall provide adequate & efficient pollution control devices to minimize air & water pollution from sources so as to achieve the standards laid down under the provisions of the Environment (Protection) Act, 1986 & Rules made there under.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.



(Milind Mhaiskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane /Sub-Regional Officer, MPCB, Tarapur-I - He is Directed to serve the directions to above industry and necessary action to ensure compliance.

MHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437
Fax : 2402 4068

Visit us at :
Website : www.mpcb.org
E-mail : info@mpcb.org



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

Date: 19/06/2012

Re: MPCB RO/HQ/Thane/B: 3746
To:
M/s. Aarti Drugs Limited
Plot no: N-198 MIDC, Tarapur Tal: Palghar
Dist: Thane.

Sub: Conditional directions to restart manufacturing activities.


- Ref: 1. Writ Petition no: 17/2011, filed by Nicholas Almeda Vs State of Maharashtra & Others.
2. Voluntary Closure issued to the unit vide no: MPCB/ROT/1073 dated: 16/05/2012
3. Your reply & request letter dated: 04/06/2012
4. Compliance report of Regional Officer, Thane vide dated: 13/06/2012
5. Personal hearing extended to you before the Member Secretary of the Board on 15/06/2012

With refer to the directions of voluntary closure issued by Regional Officer, Thane dated 16/05/2012 followed by the compliance report dated 13/06/2012 & your reply dated: 04/06/2012. In this concern, a personal hearing was extended to you on 15/06/2012. During course of the personal hearing, your submission /say was taken on the record.

In view of the steps taken by the you for improvement in the treatment & disposal of effluent, it was decided to allow you to restart manufacturing activities by issuing final directions. The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing ETP round the clock, so as to prevent any sort of pollution in the surrounding area and to bring all the parameters to the prescribed standards within 7 days time.
2. You are directed to furnish an fresh operational irrevocable bank guarantee of Rs.4 Lakhs for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Thane, within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane / Sub-Regional Officer, MPCB, Tarapur-I - They are directed to forfeit existing Bank Guarantee of Rs. 2 Lakhs of M/s. Aarti Drugs Limited Plot no: N-198 MIDC, Tarapur Tal: Palghar Dist: Thane & ensure necessary action for compliance of the directions.

157

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 2402 4068

Visit us at :

Website : <http://mpcb.mah.nic.in>

E-mail : mpcb@vsnl.net



No. MPCB/RO(HQ)/ Thane /B: 3747

To,

M/s. Aarti Drugs Limited

Plot no: E-9/3-4 MIDC, Tarapur Tal: Palghar

Dist: Thane.

Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E)
Mumbai - 400 022.
Date: 19/06/2012

Sub: Conditional directions to restart manufacturing activities.


- Ref:
1. Writ Petition no: 17/2011, filed by Nicholas Almeda Vs State of Maharashtra & Others.
 2. Voluntary Closure issued to the unit vide no: MPCB/ROT/1068 dated: 16/05/2012
 3. Your reply & request letter dated: 04/06/2012
 4. Compliance report of Regional Officer, Thane vide dated: 13/06/2012
 5. Personal hearing extended to you before the Member Secretary of the Board on 15/06/2012

With refer to the directions of voluntary closure issued by Regional Officer, Thane dated 16/05/2012 followed by the compliance report dated 13/06/2012 & your reply dated: 04/06/2012. In this concern, a personal hearing was extended to you on 15/06/2012. During course of the personal hearing, your submission /say was taken on the record.

In view of the steps taken by the you for improvement in the treatment & disposal of effluent, it was decided to allow you to restart manufacturing activities by issuing final directions. The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing ETP round'O clock, so as to prevent any sort of pollution in the surrounding area and to bring all the parameters to the prescribed standards within 7days time.
2. You are directed to furnish an. fresh operational irrevocable bank guarantee of Rs.4 Lakhs for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Thane, within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaiskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane /Sub-Regional Officer, MPCB, Tarapur-I - They are directed to forfeit existing Bank Guarantee of Rs. 2 Lakhs of M/s. Aarti Drugs Limited Plot no: E-9/3-4 MIDC, Tarapur Tal: Palghar Dist: Thane & ensure necessary action for compliance of the directions.

MARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 2402 4068

Visit us at :

Website : <http://mpcb.mah.nic.in>

E-mail : mpcb@vsnl.net

No. MPCB/RO(HQ)/ Thane /B: 3745

To,

M/s. Aarti Drugs Limited

Plot no: E-21/22 MIDC, Tarapur Tal: Palghar

Dist: Thane.



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

Date: 19/06/2012

Sub: Conditional directions to restart manufacturing activities.


- Ref: 1. Writ Petition no: 17/2011, filed by Nicholas Almeda Vs State of Maharashtra & Others.
2. Voluntary Closure issued to the unit vide no: MPCB/ROT/1066 dated: 16/05/2012
3. Your reply & request letter dated: 04/06/2012
4. Compliance report of Regional Officer, Thane vide dated: 13/06/2012
5. Personal hearing extended to you before the Member Secretary of the Board on 15/06/2012

With refer to the directions of voluntary closure issued by Regional Officer, Thane dated 16/05/2012 followed by the compliance report dated 13/06/2012 & your reply dated: 04/06/2012. In this concern, a personal hearing was extended to you on 15/06/2012. During course of the personal hearing, your submission /say was taken on the record.

In view of the steps taken by the you for improvement in the treatment & disposal of effluent, it was decided to allow you to restart manufacturing activities by issuing final directions. The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing ETP round the clock, so as to prevent any sort of pollution in the surrounding area and to bring all the parameters to the prescribed standards within 7 days time.
2. You are directed to furnish an fresh operational irrevocable bank guarantee of Rs.4 Lakhs for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Thane, within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaskar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Thane /Sub-Regional Officer, MPCB, Tarapur-I - They are directed to forfeit existing Bank Guarantee of Rs. 2 Lakhs of M/s. Aarti Drugs Limited Plot no: E-21/22 MIDC, Tarapur Tal: Palghar Dist: Thane & ensure necessary action for compliance of the directions.



TARAPUR ENVIRONMENT PROTECTION SOCIETY

Incorporated under Section 25 of Companies Act, 1956
(vide Regn.No. U 91990 MH 2004 NPL 148221)

Reg. Office & work Site : Plot No. AM-29/ Pt. Nr. Shivaji Nagar,
MIDC Tarapur, Dist. Thane Pin-401 506

Ph. (02525) 325 656 / 205013

E-mail : teps123_cetp@yahoo.co.in

Ramesh D. Poddar
CHAIRMAN

Prakash M. Patil
VICE CHAIRMAN

S. B. Shetty
SECRETARY

Ashok M. Saraf
TREASURER

TEPS/MPCB/HQ/06-2012/04

Date-29.06.2012

To,
THE MEMBER SECRETARY,
MAHARASHTRA POLLUTION CONTROL BOARD,
Kalpataru Point, Opposite Cine-Planet, Sion, (E)
Mumbai.

Sub. - TEPS CETP'S NEW EXPANSION WORK AWARDED.

Kind Attn. - SHRI. MILIND MHAISKAR,
I.A.S.

RESPECTED SIR,

TEPS is pleased to inform you herewith that the **37.5 MLD EXPANSION WORK** OF TEPS-CETP on plot allotted by MIDC i.e. part of OS-30 in TARAPUR INDUSTRIAL AREA has been awarded to **M/s RAMKY ENVIRO ENGINEERS LTD**

The copy of **LETTER OF INTENT (L.O.I.)** is attached herewith for your information. Framing & detailing of Terms, Scope & Afterwards Responsibilities was already completed & shortly TEPS will also handover the **DETAILED WORK ORDER** of **NEW 37.5 MLD EXPANSION**. As stated in L.O.I. the project completion period including process commissioning is 15 months from the date of L.O.I. i.e. 19.06.2012


Please note that this Expansion Work TEPS allotted to M/s RAMKY is on **COST PLUS BASIS**. Which is Unique Methodology in terms of Qualitative, Competitive & Robust project work execution.


We request vide this letter for your appointment to present ourselves in view of our new CETP project.

This is for your information.

Thanking You.

For TARAPUR ENVIRONMENT PROTECTION SOCIETY


RAMESH PODDAR,
HON. CHAIRMAN
INCL- Copy of L.O.I
CC-





TARAPUR ENVIRONMENT PROTECTION SOCIETY

Incorporated under Section 25 of Companies Act, 1956

(vide Regn.No. U 91990 MH 2004 NPL 148221)

Reg. Office & work Site : Plot No. AM-29/ Pt. Nr. Shivaji Nagar,
MIDC Tarapur, Dist. Thane Pin-401 506

Ph. (02525) 325 656 / 205013

E-mail : teps123_cetp@yahoo.co.in

Ramesh D. Poddar
CHAIRMAN

Prakash M. Patil
VICE CHAIRMAN

S. B. Shetty
SECRETARY

Ashok M. Saraf
TREASURER

TEPS /NEW EXPANSION/RAMKY/06-2012/1

DT. 19.06.2012

To,
RAMKY ENVIRO ENGINEERS LTD.
TSR Towers, Raj Bhavan Road,
Somajiguda, Hyderabad - 500 082
Andhra Pradesh

Kind Attention : Mr. Bobby Kurien,
Vice President

Dear Sir,

SUBJECT : Letter of Intent (LOI) for Supply , Construction, Erection & Successful Commissioning of
Common Effluent Treatment Plant(CETP) of 37.5 MLD on COST PLUS BASIS at Tarapur ,
Maharashtra

Ref: a) Your offer ref. No.REEL/CETP/TEPS/10-2011-12, Dated 21 JUNE-2011
b) Meeting held on 8th May, 2012 at Sarex Overseas Office, Mumbai

This has reference to above and subsequent Techno-commercial meeting held on 8th May, 2012 along with our Board members at Mumbai.

Based on the final negotiations, we are pleased to place the **LETTER OF INTENT** on you for carrying out entire Common effluent treatment plant work on COST PLUS BASIS.

I. SCOPE OF WORK:

Scope of work will be generally as per our TENDER dated June 15, 2011

The Board outline of scope will be to carryout as-

- Requisite permissions, Clearance, Approval as statutorily required
- characterization of influent,
- Detailed Engineering
- DPR Preparation & approval from concerned Govt. Agencies

155

3/4

Equipment /system installation/execution & commissioning

Finally successful commissioning of the entire 37.5 MLD CETP including **DEMONSTRATION OF PERFORMANCE** till guaranty period of one year. You will also operate & maintain the CETP for further five years after completion of guaranty period. However TEPS will issue separate work order for additional year's O & M.

- i. Simultaneously to operate & maintain the current 25 MLD CETP during the stage of implementation of current assignment & thereafter to continue to operate along with new CETP for a period of next five years. However TEPS will issue separate work order for said O & M.

The outline of IN GENERAL SYSTEM is as follows

1. Mechanical Screening, Oil & Grease Trapping & Mechanical Skimming, Receiving, Equalization cum Neutralization, Primary Treatment, Secondary Biological Treatment and Tertiary Treatment Facility will be of 37.5 MLD
2. Sludge dewatering & sludge drying as well as storage facility will be for 37.5 MLD.
3. Piping -- to be provided for 37.5 MLD
4. Electrical - General electrical to be provided for 37.5 MLD, such as power supply from external source (MSEDCL), Transformers, supply feeders, panels, cabling, area lighting etc.
5. Laboratory & Laboratory equipments suitable for testing of all parameters of influent and treated effluent including heavy metals.
6. Provision of parallel feeder for DG set as the case may be for standby power supply.
7. Automation/instrumentation in CETP wherever required as per instruction by Govt. Agencies as compliance part.
8. Roads & pathways.

All other balancing equipments and tanks to be designed for 37.5 MLD.

Entire liaison work for obtaining approvals / sanctions from various authorities will be handled by you. & same must be obtained by you for TARAPUR ENVIRONMENT PROTECTION SOCIETY.

You will strictly adhered to all the statutory formalities/requirement at work site during project execution, commissioning & then after operation.

II. PRICE.

Your final price for carrying out of above stated work on **COST PLUS BASIS** plus **11.0 %** as compensation & cost of overheads combined over and above the actual cost of the equipments, machineries, civil work & any bought out items, equipment, etc as may be approved by Concerned Govt. Authorities, TEPS Board as well as its Technical committee. However TEPS will have right to audit the accounts.

156

4/4

Taxes to be levied will be net of set off whenever available & claimed.

The Approved cost (Plus compensation & overhead combined both @ 11.0%) will also include all the out of pocket expenses required for entire Liaison work till entire subsidy release with MPCB , MIDC, MoEF, CPCB & rest all concerned Govt. Agencies.

III. COMPLETION PERIOD & OTHER CONDITIONS:-

You will complete the project work within 12 CALENDAR MONTHS however stabilization will be completed then after within next three months including monsoon from the date of issue of LOI to you. However detailed TERMS & CONDITIONS will be mentioned in DETAILED WORK ORDER

IV. EXECUTION

The technology which you will provide must be appraised & approved by MPCB, MIDC & rest concerned GOVT. AGENCIES.

Detailed work order broadly covering detailed scope and terms will be issued to you in due course of time, which will supersede all conditions in this LOI and which shall contain in detail the Understanding that we have discussed. You are requested to start the work immediately. This LOI is being handed over to you in duplicate. You are requested to return one copy with your acceptance.

Thanking You,

Yours Faithfully

For TARAPUR ENVIRONMENT PROTECTION SOCIETY

Ramesh Kumar

RAMESH PODDAR
HON. CHAIRMAN



Accepted

For RAMKY ENVIRO ENGINEERS LTD.

Bobby Kurien
BOBBY KURIEN
VICE PRESIDENT

19/6/2012 RAMKY ENVIRO ENGINEERS LTD.

9th Floor, Corporate Park II,
Sion Trombay Road, Chembur,
Mumbai - 400 071.

Tel.: 6762 8886 / Fax: 6762 3889

Copy to MPCB Kind Attn. Mr. Milind Mhaikar, M.S. MPCB

TEPS-CETP
NEW ADDITION IN OUR CETP IN LAST TWO YEARS

DETAIL OF SAME	STATUS	COST (IN LAKH)
PE OIL SKIMMER WAS INTRODUCED FOR BETTER FLOATING OIL REMOVAL	INSTALLED & IN OPERATION FROM AUG. 2010	1.25
OUR COUPLED PUMPS CORRODED IMPELLERS & MS SHAFT WAS CHANGED TO SS-316 TO ACHIEVE BEST EFFICIENCY OF PUMP & TO REDUCE WEAR & TEAR	REPLACED IN NOV. 2010	1.5
FOUR NUMBERS OF EQUALIZED EFFLUENT TRANSFER PUMPS (DURING 20.0 MLD) WAS PLACED WITH MORE EFFICIENT PUMPS & HAVING LIQUID HANDLING PART	INSTALLED DEC. 2010	5.5
INSTALLED MAGNETIC FLOW METER FOR EASY FLOW TO KNOW	INSTALLED IN SEPT. 2010	2.25
FLOW OF BOTH THE FLOCCULATORS & CLARIFIERS TO UNIFORM LEVEL & ALSO FIXED WHITE FLOCC OVER LAUNDER FOR BETTER PHYSICAL VISIBILITY OF OVERFLOWING LIQUID	CORRECTED IN APRIL 2010	1.85
D. BROKEN & SUBSTANDARD BOTTOM FIXED TUBE TYPE DIFFUSED AERATION SYSTEM OF OFA.1-1 WITH ASPIRATORS	IN OPERATION FROM FEB. 2010	85
D. BROKEN & SUBSTANDARD BOTTOM FIXED TUBE TYPE DIFFUSED AERATION SYSTEM OF OFA.1-2 WITH ASPIRATORS	IN OPERATION FROM JUNE 2010	90
PLACED RUINED, BROKEN & SUBSTANDARD BOTTOM FIXED TUBE TYPE DIFFUSED AERATION SYSTEM OF OFA.1-3 WITH ASPIRATORS	IN OPERATION FROM FIRST JUNE 2012	99
COMPLETELY OVERHAULED ALL THE THREE DECANTERS FROM OEM (M/S HUBBOLDT)	COMPLETELY OVERHAULED ALL THE THREE DECANTERS IN NOV. & DEC. 2011 & WERE AT WORK SINCE	6
WAS INSTALLED DIGITAL BALANCE, MUFFLE FURNACE, DIGITAL FLOCCULATOR, MICROSCOPE WITH COMPUTER, DIGITAL CENTRIFUGE, MAGNETIC STIRRER & VACUUM PUMP ALONG WITH PILOT PLANT AT OUR LABORATORY.	WERE AT WORK IN LABORATORY	2.5
ONLINE PH & DO MONITORING SYSTEM STARTED ITS OPERATION	WERE AT WORK - ONLINE PH & DO	9
VE (TWO NUMBERS) FOR TIMELY SOLID WASTE REMOVAL FROM CLARIFLOCCULATORS WERE INSTALLED & WERE AT WORK	WERE AT WORK	1.5
RCC INTERNAL ROAD	COMPLETED	12
FOR SCRAPPING MECHANISMS MOTOR OF BOTH THE FLOCCULATORS TO AVOID SLUDGE BUILD UP & SCRAPPING SYSTEM DAMAGE	INSTALLED & IN OPERATION	0.6
TOTAL EXPENDITURE INCURRED		317.95

WORK IN PROGRESS		
MIMIC PANEL	IN PROGRESS, ALMOST 75.0% WORK COMPLETED, WILL BE INSTALLED WITHIN NEXT 10-15 DAYS OF WEEK	1.5
PLOT DEVELOPMENT BY GARDENING & TREE PLANTATION	WORK IN PROGRESS	4
TOTAL EXPENDITURE - PARTLY INCURRED / TO INCUR SHORTLY		5.5
ITEM-1 TO 14		317.95

751

RES: ITEM-15 TO 16	TOTAL EXPENDITURE INCURRED (IN LAKH)
5.5	323.45

Exhibit - VI


COMPLAINT REPORT OF DIRECTION ISSUED BY MPCB TO TEPS CETP WIDE LETTER No. MPCB/CETP-B-1307 DATED 3.3.2012

#	COMPLAINT SOUGHT	COMPLAINT REPORTED BY CETP	COMPLAINT REPORTED BY SRO-TARAPUR
1	Installation of certain electronics gadgets to monitor the unit operations through central monitoring system, so as to monitor the operations of CETPs at a glance.	<i>The central control panel to monitor the CETP performance stage wise is a novel concept. However due to system limitations (distance of monitoring station from control room, difficulty in installation of sensing instruments etc) this has not been pursued. However regular monitoring through log book noting is being done and corrective actions are taken wherever and whenever needed</i>	electronics gadgets to monitor the unit operations through central monitoring system is not provided however manual monitoring is going on for unit operation,
2	To direct operator and laboratory staff to collect samples and analyze it for giving feedback for improving operational efficiency by the operators	<ul style="list-style-type: none"> ➤ The samples are collected at fixed intervals & at fixed points and analyzed to derive feedback for improving operational efficiency. ➤ Raw effluent source is from three sumps representing variable process areas. TEPS is monitoring influent quality in every quarter of year to know inlet quality to receive from these sumps. <ol style="list-style-type: none"> I. SUMP-1 -Dominant- Steel processors, Partly Textile processors II. Sump-3- Dominant Pharma, Rest Bulk Drug & API, III. SUMP-4- Dominant Pharma, Rest Bulk Drug & API, IV. Effluent received from TEPS adjacent area by under ground drainage line- Dominant Textile, Pharma, Bulk Drug etc TEPS is analyzing the influent quality of above mentioned respective site to better know the composite inlet. 	TEPS is carrying out IN-HOUSE MONITORING for general parameters. Sometime MIDC sumps are also monitored for general parameters
3	Providing actuator valve with variable timer system for timely removal of sludge from primary and secondary clarifier	<ul style="list-style-type: none"> ➤ Same was not installed till date due to limitation of sludge holding capacity. Since we have sludge holding tank of 100 m³ only, we explored possibility of fast sludge dewatering by two ways, <ul style="list-style-type: none"> ▪ At first we completely overhauled our all the three Decanters from OEM(M/s Humboldt) ▪ We started complete revamping of Decanter feed arrangement with Submersible pumps & providing Adequate screening & washing arrangement. <p><i>After revamping of sludge feeding arrangement, input for dewatering will be fast. So after that we will be able to install the actuator valve.</i></p>	Revamping of Entire sludge dewatering system including feed arrangement & centrifuge were completely revamped by TEPS.
4	Installation of online monitoring system for pH, DO and Flow for treated effluent so as to process and operate the unit efficiently.	<ul style="list-style-type: none"> ➤ As informed earlier we had already ordered ONLINE MONITORING SYSTEM. Its signaling cable is received at TEPS site. Since our third aspirator lot was not installed we have kept the said installation work under hold. Aspirators are expected to reach at site & will be commissioned shortly. Immediately after this we will install the ONLINE MONITORING SYSTEM 	<ol style="list-style-type: none"> 1. Flow Measurement Device i.e. Magnetic Flow Meter provided at Inlet. 2. PH & DO Meter were installed & trial run of same is going on.
5	To do bench scale laboratory treatability study, this concept is necessary to be introduced in order to evaluate efficient flocculants, non-degradable	<ul style="list-style-type: none"> ➤ TEPS had PILOT PLANT & Laboratory flocculator (Digital) for TREATABILITY STUDY at bench scale level unit and it has been tried out successfully. 	PILOT PLANT & DIGITAL FLOCCULATOR as CENTRIFUGE & MICROSCOPE HAVING INTERFACE WITH COMPUTER is available at TEPS Laboratory


	recalcitrant COD, unit efficiency achievable and oxygen demand, so as to decide operational changes as per the season and change in the product.		
6	To train operator for efficient unit operations with the audio visual signal system to be introduced to know the health of biological reactors by providing microscope with CC TV camera and display system.	<i>Our qualified and experienced site supervisor has been imparting on the job training to our operators. We are planning to start formal classroom training shortly.</i>	TEPS is giving ON JOB TRAINING to their Operators

TEPS -CETP INITIAL THREE AERATION TANKS HAS EQUIPPED WITH ASPIRATORS BY REPLACING OLD NON PERFORMING DIFFUSED AERATION SYSTEM

A.T.-1



A.T.-2



NOW AERATION TANK NO.3 IS ALSO EQUIPPED WITH ASPIRATORS

161




Exhibit - VII Collectively
Region: Raigad

162
/

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE - RAIGAD

Tel. No. 2757 6034
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,
Sec-11, C.B.D. Belapur,
Navi Mumbai 400 614.

No. MPCB/ROR /TB/ 120702FT0339

Date: 02.07.2012

To,
Sr. Law Officer,
MPC Board,
Sion, Mumbai.

Sub: Compliance of the order dtd. 30/3/2012 passed by the Hon'ble High Court of Judicature at Mumbai in Writ Petition No. 17/2011 filed by Nicholas Almeida v/s. State of Maharashtra and Ors.

Ref: 1. Board Office mail dtd 30.06.2012

Sir,

With reference to the Board Office mail dtd 30.06.2012, please find submitted herewith the statement regarding the defaulter industries with generation and discharge of effluent to CETPs and action initiated by the Board.

This is submitted for your kind information and further needful, please.

Sd/-

(V. V. Shinde)

Regional Officer, Raigad

D.A.: As above

Copy submitted for information and further necessary action to:

- The Joint Director, (WPC), MPC Board Sion, Mumbai.
- The Principal Scientific officer, MPC Board, Sion, Mumbai

Copy to:

- Sub-Regional Officer-I/II/Mahad, Raigad

163

1. Mahad manufacturer Association CETP, Mahad (Designed Inlet BOD=700 mg/l, COD=1750 mg/l)

A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.				
Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
-----NIL-----				

A Statement showing the names of Small scale industries (SSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.				
Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
-----NIL-----				

2. Roha Industrial Association CETP, Roha, Tal Roha Dist Raigad (Designed Inlet BOD=750 mg/l, COD=3200 mg/l)

A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
1	M/s Excel Industries Ltd Plot No.112,20/1,OS-2, MIDC Dhatav, Roha , Tal. Roha, Dist.Roha	Red /LSI	370	Proposed Direction issued vide No 120427FT0048 on 27/04/2012 Interim Direction issued vide No 120625FT0437 on 25/06/2012
2	M/s Kores India Plot No.59-A,65-B,65-C, MIDC Dhatav, Roha , Tal. Roha, Dist.Roha	Red /LSI	106	Proposed Direction issued vide No 120427FT0038 on 27/04/2012 Interim Direction issued vide No 120625FT0433 on 25/06/2012
3	M/s Sadhana Nitro Chem Ltd Plot No.47 , MIDC Dhatav, Roha , Tal. Roha, Dist.Roha	Red /LSI	120	Proposed Direction issued vide No 120427FT0044 on 27/04/2012 Interim Direction issued vide No 120625FT0440 on 25/06/2012
4	M/s Dharamsi Morarji Chemical Co. Ltd, Plot No 105, MIDC Dhatav, Tal, Roha, Dist-Raigad	Red /LSI	230	Proposed Direction issued vide No 120608FT0374 on 08/06/2012 Interim Direction issued vide No 120625FT0449 on 25/06/2012

A Statement showing the names of Small scale industries (SSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
-----NIL-----				

165

3. PRIA CETP, Patalganga, Dist Raigad (Designed Inlet BOD=290 mg/l, COD=650 mg/l for 15000 CMD)

A Statement showing the names of large scale industries (LSI) and medium scale Industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
1	M/s LakeLand Chemicals, Vill. Madap, Tal. Khalapur, Dist. Raigad	Red/LSI	08	Proposed Direction issued vide No 120608FT0360 on 08/06/2012. Interim Direction issued vide No120625FT0456 on 25/06/2012
2	M/s Ruchi Soya Industries, Vill-Esambe, Tal.Khalapur, Dist-Raigad.	Red /LSI	80	Proposed Direction issued on 20/06/2012

A Statement showing the names of Small scale industries (SSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Sr. No.	Name of the industry	Category of Industry	Generation & discharge of effluent M3/day into CETP.	Action Initiated
-----NIL-----				

166

Maharashtra Pollution Control Board

Regional Office Raigad

Fax : (022) 2756 21 32
Tel. : (022) (D) 2757 26 20
(022) (O) 2757 60 34



Raigad Bhavan, 6th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR/1120477010048

Date : 27/11/2012

To,
M/s Excel Industries Ltd
Plot No.112, 20/1, OS-2,
MIDC Dhatav, Roha
Tal- Roha, Dist-Raigad

Sub: - Proposed direction under section 33 (A) of Water (P & CF) Act, 1974.

Ref: - 1) Analysis Report of the JVS of treated effluent collected from your industry on
13/04/2012

WHEREAS you are operating your industry in the "Water Pollution Prevention Area", and the "Air Pollution Prevention Area" under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, you were under an obligation to provide adequate effluent treatment plant & disposal arrangement to your industrial effluent to meet the standards prescribed by the Board in the consent order.

AND WHEREAS, you have to operate and maintain the ETP and the pollution control devices carefully, so as to achieve standards prescribed in the consent granted to you

AND WHEREAS, analysis Report of the JVS of treated effluent collected vide ref(1) reflected the BOD, COD are higher than the standards prescribed in the consent order. It indicates that you are not operating your effluent treatment Plant effectively. These observations show serious violation and your negative attitude towards the pollution control and environment protection.

AND WHEREAS, your industry is located in Roha MIDC & it is necessary to keep the entire units of ETP into operation & dispose the entire treated effluent to CETP. It is unfortunate to note that in spite of having a full-fledge ETP, you have not taken any steps to improve the performance of your ETP & intentionally discharging highly exceeding standards BOD, COD stream, owing to that performance of CETP has been adversely affected and it has caused serious environmental problem in the surrounding area.

AND WHEREAS, after examining the records of your case, the reports of the Officers of the Board and after making necessary enquiries, I have observed that you are not operating and maintaining the ETP effectively, so as to achieve the effluent quality within the prescribed norms and thus you have violated the consent conditions.

167


:2:

NOW, therefore, in exercise of the powers conferred by the Board, I, the Regional Officer, Raigad, of the Board at Navi Mumbai, hereby issue the following proposed directions under section 33 (A) of Water (P&CP) Act, 1974 as :-

- 1) Why your manufacturing activities shall not be closed forthwith?
- 2) Why competent authority shall not be directed to disconnect your water / electricity supply of your factory?

The reply / objection if any, shall reach this office within ten days period failing which further action as deemed fit shall be initiated against your unit which may pleased be noted

By order & in the name of
Maharashtra Pollution Control Board


26/4/12
C/O. (S.S. Doke)
Regional Officer, Raigad.

Copy submitted for information:

- 1) Principal Scientific Officer, MPC Board, Sion Mumbai.
- 2) Sr. Law Officer (P&L Div), M.P.C. Board, Sion, Mumbai.

Copy to:

- 1) Sub Regional Officer, M.P.C. Board, Raigad-II- For follow up

168

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE - RAIGAD

Tel. No. 2757 6034
 Fax No. 2756 2132



Raigad Bhavan, 6th Floor,
 Sec-11, C.B.D. Belapur,
 Navi Mumbai 400 614.

No. MPCB/ROR/ID/120625FT0437

Date: 25/6/2012

To,
 M/s Excel Industries Ltd,
 MIDC Dhatav,
 Tal Roha, Dist Raigad.

Sub: -Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of the Air (P & C.P.) Act, 1981

Ref:- 1) Proposed Direction issued to you vide No MPCB/ROR/120427FT0048
 Dtd 27.04.2012

2) Personal Hearing conducted on 07.06.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the explanation/discussions during the personal hearing on 07.06.2012, you are hereby issued following interim directions.

You shall undertake the following steps.

- 1) Industry shall operate and maintain the existing ETP continuously so as to achieve the parameters of treated effluent within the consented norms.
- 2) Industry shall complete and commission the low retention digester (i.e. Anaerobic bioreactor) before Oct 2012 as assured by the industry during the personal hearing.
- 3) Industry shall install online flow meter by 30th June 2012 and online TOC Analyzer with data logger facility before 31st July 2012.
- 4) Industry has installed separate energy meters for the Pollution Control Equipments. Industry shall submit the energy consumption for the same every month to this office.



..2..

- 5) Industry shall furnish an irrevocable Bank Guarantee of Rs 1 000,00/- (Rs. One lac only) in favor of Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for period of one year. The Bank guarantee shall be submitted to this office within 15 days from the date of hearing i.e. 07.06.2012.

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted

c/c
V.V. Shinde
(V.V. Shinde)
Regional Officer- Raigad.

Copy submitted for information to:

- 1) Sr. Law Officer (F&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board. Mumbai

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad-For Follow up.

170

Maharashtra Pollution Control Board

Regional Office Raigad

Fax : (022) 2756 21 32
Tel. : (022) (D) 2757 26 20
(022) (O) 2757 60 34



Raigad Bhavan, 6th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR / 12 C427A0044

Date : 27 / 4 / 2012

To,
M/s Sadhana Nitro Chem Ltd
Plot No.47, MIDC Dhatav, Roha
Tal- Roha, Dist-Raigad

Sub: - Proposed direction under section 33 (A) of Water (P & CP) Act, 1974.

Ref: - 1) Analysis Report of the JVS of treated effluent collected from your industry on
13/04/2012

WHEREAS you are operating your industry in the "Water Pollution Prevention Area", and the "Air Pollution Prevention Area" under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, you were under an obligation to provide adequate effluent treatment plant & disposal arrangement to your industrial effluent to meet the standards prescribed by the Board in the consent order.

AND WHEREAS, you were under an obligation to operate and maintain the ETP and the pollution control devices effectively, so as to achieve standards prescribed in the consent granted to you.

AND WHEREAS, analysis Report of the JVS of treated effluent collected vide ref(1) reflected the TDS is higher than the standards prescribed in the consent order. It indicates that you are not operating your effluent treatment Plant effectively. These observations show serious violation of consent conditions and your negative attitude towards the pollution control and environment protection.

AND WHEREAS, your industry is located in Roha MIDC & it is necessary to keep the entire units of ETP into operation & dispose the entire treated effluent to CETP. It is unfortunate to note that in spite of having a full-fledge ETP, you have not taken any steps to improve the performance of your ETP & intentionally discharging highly exceeding standards BOD, COD stream, owing to that performance of CETP has been adversely affected and it has caused serious environmental problem in the surrounding area.

AND WHEREAS, after examining the records of your case, the reports of the Officers of the Board and after making necessary enquiries, I have observed that you are not operating and maintaining the ETP effectively, so as to achieve the effluent quality within the prescribed norms and thus you have violated the consent conditions.


171
:2:

NOW, therefore, in exercise of the powers conferred by the Board, I, the Regional Officer, Raigad, of the Board at Navi Mumbai, hereby issue the following proposed directions under section 33 (A) of Water (P&CP) Act, 1974 as :-

- 1) Why your manufacturing activities shall not be closed forthwith?
- 2) Why competent authority shall not be directed to disconnect your water / electricity supply of your factory?

The reply / objection if any, shall reach this office within ten days period failing which further action as deemed fit shall be initiated against your unit which may pleased be noted

By order & in the name of
Maharashtra Pollution Control Board


c/l (S.S. Doke) 26/6/12
Regional Officer, Raigad JPT

Copy submitted for information:

- 1) Principal Scientific Officer, MPC Board, Sion Mumbai.
- 2) Sr. Law Officer (P&L Div), M.P.C. Board, Sion, Mumbai.

Copy to:

With Regional Officer, M.P.C. Board, Raigad-II- For follow up

182

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE - RAIGAD

Tel. No. 2757 6034
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,
Sec-11, C.B.D. Belapur,
Navi Mumbai 400 614.

No. MPCB/ROR/ID/120625705440

Date: 25/6/2012

To,
M/s Sadhana Nitro Chem Ltd,
Plot No 47, MIDC Dhatav,
Tal Roha, Dist Raigad.

Sub: - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of
the Air (P & C.P.) Act, 1981

Ref:- 1) Proposed Direction issued to you vide No MPCB/ROR/120427FT0044
Dtd 27.04.2012

2) Personal Hearing conducted on 07.06.2012

We refer the direction issued to you vide letter at ref. no 1, and considering the
explanation/discussions during the personal hearing on 07.06.2012, you are hereby
issued following interim directions.


You shall undertake the following steps.

- 1) Industry shall upgrade the ETP so as to achieve COD and TDS of treated effluent within the consented norms.
- 2) Industry is segregating and evaporating high COD stream generated from MAP & ANDS. Industry shall submit all the details regarding capacity of evaporation vessel, evaporation rate, qty of salt generated, disposal etc to this office within 8 days.
- 3) Industry shall submit the details of scrubber installed for sulphonation, nitration and oleum storage tank.
- 4) Industry has installed online pH and flow meter. Industry shall submit the energy consumption for pollution control equipments every months to this office
- 5) Industry shall furnish an irrevocable Bank Guarantee of Rs 1,000,00/- (Rs. One lac only) in favor of Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for period of one year. The Bank guarantee shall be submitted to this office within 15 days from the date of hearing i.e. 07.06.2012.



173
..2..

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted.


(V.V. Shinde)
Regional Officer- Raigad.

Copy submitted for information to:

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad-For Follow up.

174

Maharashtra Pollution Control Board

Regional Office Raigad

Fax : (022) 2756 21 32
Tel. : (022) (D) 2757 26 20
(022) (O) 2757 60 34



Raigad Bhavan, 6th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR/1120608/10374

Date : 08 / 06 / 2012

To,
M/s Dharamsi Morarji Chemical Co. Ltd,
Plot No 105, MIDC Dhatav,
Tal, Roha, Dist-Raigad

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981.

Ref : 1) Consent and Authorization granted by Board.

2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others.

3) Visit to the unit on 21.04.2012, 23.04.2012 & 25.04.2012.

4) Result of Joint Vigilance Sample collected on 21.4.2012, 23.04.2012 & 25.04.2012.

5) Member Secretary letter vide no.BOP&L Divn/B-2780.dt.,7/04/2012.
- Criteria for initiating action.

6) Report submitted by Sub Regional Officer, Raigad-II. dt 21.5.2012.

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements as well as air pollution control devices, so as to achieve the standards prescribed in the consent order and to dispose off it in accordance with the condition laid down for disposal in the consent.

AND WHEREAS, it has been observed that you are discharging untreated / undertreated effluent, not conforming to the standards prescribed in the consent order and thereby disturbing the function of CETP.

AND WHEREAS, officers of the Board caused visit and inspection of your unit and pollution control devices time to time and observed that, your pollution control devices are inadequate and therefore, it needs further up-gradation such as secondary and tertiary effluent treatment plant.

AND WHEREAS, officers of the Board has collected joint vigilance sample in presence of your representative on 21.4.2012, 23.04.2012 & 25.04.2012 and got it analyzed AND WHEREAS, the result of analysis shows that the parameters of COD (1752 mg/l, 968.8 mg/l & 1112.0 mg/l resp.), BOD (480 mg/l, 360 mg/l & 380 mg/l resp.) in exceeding the standards prescribe by the Board in its consent order.



195

..2..

AND WHEREAS, joint vigilance sample collected from time to time have been communicated to you. AND WHEREAS, you have not taken corrective measures to comply with the above non-compliances/consent conditions.

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area./hampering performance of CETP.

NOW THEREFORE, in exercise of powers conferred upon me by the Board u/s 33A of the Water (P&CP) Act, 1974 and/or u/s 31A of the Air (P&CP) Act, 1981, I, Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose to issue following Directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your highly polluting unit shall not be directed to be closed down?
- c) Why your manufacturing activity shall not be stopped to contain above pollution till you take the remedial measures in respect of above non-compliances.
- d) Why the CETP shall be directed not to receive your effluent, till you achieve the inlet parameters of CETP.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6th floor, Sector-11, C.B.D. Eelapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 22.06.2012 at 12.15 pm with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you.

c/c
V. V. Shinde
(V. V. Shinde)
Regional Officer, Raigad

Copy submitted to:

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai, for information.

Copy to:

- 1) Sub-Regional Officer, Raigad-II, MPC Board, Raigad.

He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry

- 2) Master file

176

**MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,
Sec-11, C.B.D. Belapur,
Navi Mumbai 400 614

No. MPCB/ROR/ID/120608FT0374

Date 22/06/2012

To,
M/s. Dharamsi Morarji Chemicals Co. Ltd,
Plot No. 105, MIDC Dhatav, Tal. Roha,
Dist Raigad.

Sub: - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of the Air (P & C.P.) Act, 1981


Ref:- 1) Proposed Direction issued to you vide No. MPCB/ROR/120608FT0374 dtd 08.06.2012
2) Personal Hearing conducted on 22.06.2012

We refer the direction issued to you vide letter at ref. no.1. and considering the explanation/discussions during the personal hearing on 22.06.2012, you are hereby issued following interim directions.

You shall undertake the following steps.

- 1) Industry has submitted their say during the hearing.
- 2) Industry shall operate and maintain the existing ETP effectively so as to active the consented norms.
- 3) Industry has installed online pH meter to the outlet of ETP within 2 months i.e. before August, 2012.
- 4) Industry shall operate and maintain the Air Pollution control system effectively so as to achieve the consented norms.
- 5) Industry has installed separate energy meters to all the pollution control system. Industry shall submit monthly energy consumption (for the pollution control systems) to the Board.
- 6) Industry shall submit Bank Guarantee of Rs 200000/- (Two Lac Only) valid for period of one year in favour of Regional Office, Raigad. The Bank Guarantee shall be submitted within 15 days period from the date of hearing.

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted


(V.V. Shinde)
Regional Officer- Raigad

Copy submitted for information to:

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad-For Follow up



177

**MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,
Sec-11, C B D Belapur,
Navi Mumbai 400 614

No. MPCB/ROR/ID/ 120608FT0360

Date: 25/6/12

To,
M/s. Lakeland Chemicals,
Vill- Madap, Tal Khalapur,
Dist-Raigad.

Sub: - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of the
Air (P & C.P.) Act, 1981


Ref:- 1) Proposed Direction issued to you vide No. MPCB/RCR/ 120608FT0360 dtd
08.06.2012
2) Personal Hearing conducted on 22.06.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the
explanation/discussions during the personal hearing on 22.06.2012, you are hereby issued
following interim directions.

You shall undertake the following steps.

- 1) Industry has submitted their say and assured to provide secondary and tertiary treatment before December, 2012.
- 2) Presently industry is sending their effluent to Talegaon CETP.
- 3) Industry shall operate the existing ETP effectively so as to achieve the consented norms.
- 4) Industry shall provide separate energy meter to all the pollution control system before August, 2012 and online pH meter and flow meter before at outlet of ETP August, 2012.
- 5) The industry shall submit Bank Guarantee of Rs. 200 000/- (Rs. Two Lac Only) in favour of Regional officer, Raigad. The Bank Guarantee shall be valid for period of one year and the same shall be submitted within 15 days from the date of hearing.

You fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted.


(V.V. Shinde)
Regional Officer- Raigad

Copy submitted for information to:

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

Copy to:-

Sub Regional Officer-I, M.P.C. Board Raigad-For Follow up.



198

Maharashtra Pollution Control Board

Regional Office Raigad

Fax : (022) 2756 21 32
Tel. : (022) (D) 2757 26 20
(022) (O) 2757 60 34



Raigad Bhavan, 6th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614,
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR/1120608/FT0360

Date : 08/06/2012

To,
M/s LakeLand Chemicals,
Vill. Madap, Tal. Khalapur,
Dist. Raigad

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981.

- Ref : 1) Consent and Authorization granted by Board
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others.
3) Visit to the unit on 27.04.2012
4) Result of Joint Vigilance Sample collected on 27.4.2012.
5) Member Secretary letter vide no.BO/P&L Divn/B-2780, dt. 7/04/2012.
- Criteria for initiating action.
6) Report submitted by Sub Regional Officer, Raigad-I. dt. 29.05.2012.

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements as well as air pollution control devices, so as to achieve the standards prescribed in the consent order and to dispose off it in accordance with the condition laid down for disposal in the consent.

AND WHEREAS, it has been observed that you are discharging untreated / undertreated effluent, not conforming to the standards prescribed in the consent order and thereby disturbing the function of CETP.

AND WHEREAS, officers of the Board caused visit, inspection of your unit on 27.4.2012, and inspect pollution control devices and observed that, your pollution control devices are inadequate and therefore, it needs further up-gradation such as secondary and tertiary effluent treatment plant.

AND WHEREAS, officers of the Board has collected joint vigilance sample in presence of your representative on 27.4.2012 and got it analyzed. AND WHEREAS, the result of analysis shows that the parameters of COD (584 mg/l.), BOD (180 mg/l.) in exceeding the standards prescribe by the Board in its consent order.

: 2:

AND WHEREAS, joint vigilance sample collected from time to time have been communicated to you. AND WHEREAS, you have not taken corrective measures to comply with the above non-compliances/consent conditions.

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area / hampering performance of CETP.

NOW THEREFORE, in exercise of powers conferred upon me by the Board u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981, I, Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose to issue following Directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your highly polluting unit shall not be directed to be closed down?
- c) Why your manufacturing activity shall not be stopped to control above pollution till you take the remedial measures in respect of above non compliances
- d) Why the CETP shall be directed not to receive your effluent, till you achieve the inlet parameters of CETP.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6th floor, Sector-11, C.B D. Belapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 22.06.2012 at 11.30 am with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you

V. V. Shinde
(V. V. Shinde)
Regional Officer, Raigad

Copy submitted to:

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai, for information

Copy to:

- 1) Sub-Regional Officer, Raigad-I, MPC Board, Raigad

He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry.

- 2) Master file.

180

Maharashtra Pollution Control Board

Regional Office Raigad

Fax : (022) 2756 21 32
Tel. : (022) (D) 2757 26 20
(022) (O) 2757 60 34



Raigad Bhavan, 6th Floor,
Sector - 11, C. B. D. Eelapur,
Navi Mumbai - 400 614.
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR/1120620FT0337

Date : 20 / 06 / 2012

To,
M/s. Ruchi Soya Industries Ltd.,
Village - Isambe,
Tq. Khalapur Dist. Raigad.

Sub: Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and/or u/s 31A of the Air (P&CP) Act, 1981.

- Ref: 1) Consent granted by Board
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others.
3) Visit & inspection of your unit on 17/04/2012 and 02/05/2012
4) Results of Joint Vigilance Samples collected on 17/04/2012 and 02/05/2012.
5) Member Secretary letter vide no. BO/P&L Divn/B-2780, dt. 7/04/2012 - Criteria for initiating action
6) Report submitted by Sub Regional Officer, Raigad-I dt. 29/05/2012

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements as well as air pollution control devices, so as to achieve the standards prescribed in the consent order and to dispose off it in accordance with the condition laid down for disposal in the consent.

AND WHEREAS, it has been observed that you are discharging untreated / undertreated effluent, not conforming to the standards prescribed in the consent order and thereby disturbing the function of CETP.

AND WHEREAS, the officers of the Board visited to your unit and collected the Joint Vigilance Samples in the presence of your representative on 17/04/2012 and 02/05/2012 the analysis results of the samples are exceeding the parameters of COD (520 mg/l, 336 mg/l & 552 mg/l), BOD (200 mg/l, 175 mg/l & 190 mg/l) and S.S (278 mg/l & 126 mg/l); which is exceeding the standards prescribe by the Board in its consent order.

AND WHEREAS, the Joint Vigilance Samples collected from time to time which is communicated to you. AND WHEREAS, you have not taken any corrective measures to comply with the above non-compliances.

181
..2..

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area.

NOW THEREFORE, in the exercise of the power conferred upon me by Board under section 33(A) of the Water (P & CP) Act, 1974 and under Section 31 of the Air (P & CP) Act, 1981 I, V. V. Shinde, Regional Officer, Raigad, hereby propose to issue the following Directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your highly polluting unit shall not be directed to be closed down?
- c) Why your manufacturing activity shall not be stopped to control above pollution till you take the remedial measures in respect of above non compliances.
- d) Why the CETP shall be directed not to receive your effluent till you achieve the inlet parameters of CETP.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6th floor, Sector-11, C.B.D. Belapur, Nav. Mumbai-400 614 (Phone No. 2757 2620) on 22.06.2012 at 12.30 pm with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you.

o/c
V. V. Shinde
(V. V. Shinde)
Regional Officer, Raigad

Copy submitted to:

- 1) Sr. Law Officer, (P&L Divn) M.P.C. Board, Sion, Mumbai, for information
- 2) Principal Scientific Officer, M.P.C. Board, Sion, Mumbai, for information.

Copy to

- 1) Sub-Regional Officer, Raigad-I, MPC Board, Raigad.
- He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry
- 2) Master file.

Exhibit -
 the names of large scale industries (LSI) and medium scale industries (MSI) with Generation & discharge of effluent to
 units initiated by the Board against the defaulting units in last 3 months (April to June 2012).

the industry	Category of industries (LSI/MSI)	Generation & discharge of effluent M3/day into CTP	1. Voluntary closure directions issued vide letter dated 25/05/2012 with BG 2. Conditional restart issued on 2.06.12	1. Voluntary closure directions issued vide letter dated 25/05/2012 with BG 2. Restart order issued on 28.6.2012.	1. PD issued vide letter dated 06/01/2012 2. ID issued vide letter dated 30/05/2012	1. Voluntary closure directions issued vide letter dated 25/05/2012 with BG 2. Conditional Restart Directions issued on 2.06.12	1. Proposed Direction issued on 26.6.2012 2. ID issued vide letter dated 02/07/2012.
an Organics Pvt. Ltd., T-29, MIDC	Red/LSI	10.0					
ch Pharma Lab Ltd., G-6,	Red/LSI	4.80					
hemspec Chemicals Pvt. Ltd., 3-C,	Red/LSI	66.0					
avi Dyeware Company Ltd., 18,19,20, MIDC Talaja	Red/MSI	115.0					
Arviva Industries (India) Ltd., T-15, Talaja	Red/LSI	385.0					

sta Processed Foods Pvt. Ltd., M-75, MIDC Talaja	Orange/SSI	60.0
illogB India Ltd., L-2 & 3, MIDC	Red/LSI	245.0
Al-Tamash Exports Pvt. Ltd., M-19, MIDC Talaja	Red/MSI	50.0
Vedant Dyestuff, V-28/29, MIDC Talaja	Red/MSI	75.0

1. PD issued vide letter dated 11/04/2012 2. ID issued vide letter dated 30/05/2012	1. SCN issued vide letter dated 25/05/2012 2. P.H. conducted on 02/07/2012. Matter is sent to HQ for further decision.	1. SCN issued vide letter dated 25/05/2012 2. ID issued vide letter dated 02/07/2012	1. Voluntary closure directions issued vide letter dated 25/05/2012 with BG 2. Restart direction issued on 28.6.2012
--	---	---	---

184

Maharashtra Pollution Control Board Regional Office Navi Mumbai

Tel. : 2757 27 39

2757 27 40

Fax : 2757 15 86

Website : <http://mpcb.gov.in>

E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No. RONM/TB/CD/MJ/Closure/ 1 2052 FT 0213

Date: 25/05/2012

To

M/s. Tytan Organics Pvt.Ltd.,
Pl. No.T-29,
MIDC Taloja,
Dist. Raigad.

Sub: Voluntary Closure Directions under section 33A of Water
Prevention & Control of Pollution) Act, 1974 & Air (Prevention &
Control of Pollution) Act, 1981.

Ref: : i) Writ petition No. 17/2011 filed by Nicholas Almedia Vs State of
Maharashtra & Ors.
ii) Board's letter No.BO/P&L Divn./B-2158 dated 03/04/2012.
iii) Board's letter No.BO/P&L Divn./B-2780 dated 27/04/2012.

WHEREAS, you have been granted consent from Maharashtra Pollution Control Board under the Provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008, prescribed certain conditions those are to be adhered to by the industry.

ANDWHEREAS, it was obligatory on your part to provide adequate pollution control system, so as to comply the conditions prescribed in the consent

AND WHEREAS, as per Bombay High Court Order dtd 30/03/2012, Board has directed to collect JVS once in a week. Accordingly JVS of your industry was collected on 12/04/2012. The JVS analysis report of said JVS shows that the parameter S S. is exceeding the consented limits.


185

-2-

AND Therefore, you are directed to submit fresh Bank Guarantee of Rs. 2,00,000/- towards upgradation of ETP to meet the consented standards in the name of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai and to submit proposal with time bound programme on stamp paper in 7 days.

NOW THEREFORE, in exercise of the powers conferred upon me under section 33A of Water (Prevention & Control of Pollution) Act, 1974 delegated to the undersigned by the Board, and as per Boards Directions you are hereby directed you to stop manufacturing activity voluntarily & safely and report accordingly to this office without loss of time.

In case, you failed to comply with this voluntary closure direction, the Board will have no option than to initiate appropriate legal action against you including forfeiture of B.G., and directions to concerned authorities to disconnect water & power supply of your industry which may please be noted.


(Bharat Nimbarte)
Regional Officer-Navi Mumbai

Copy submitted to: -

- 1) Principal Scientific Officer, MPCB, Mumbai.
- 2) The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy to:-The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai.

He is directed to serve these directions in person & ensure the compliance and report further follow-up for necessary action in the matter.



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023516

Website: <http://mpcb.gov.in>

E-mail: psa@mpcb.gov.in

No. MPCB/PSO/Restart/B-3460



Kalpataru Point, 2nd - 4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai-400 022.

Date 02/06/2012

To,
M/s Tytan Organics Pvt Ltd.,
Plot No.T-29, MIDC Taloja,
Dist - Raigad


Sub: Conditional Restart Order against the Closure Directions issued

- Ref: 1. Voluntary Closure issued vide No. RONM /TB/ CD/MJ/ Closure /
- 120525FT0146 dtd.25.05.2012
2. Your letter dated dtd. 29.05.2012
3. MoM of Personal hearing dated 02.06.2012.

With reference to ref. (1) above, Voluntary Closure Direction was issued to your unit for exceeding of JVS samples dated 12.04.2012 for the Suspended Solid parameter as 308 mg/lit as against consented standards of 100 mg/lit.

Considering your request vide letter dated 29.05.2012 and personal submission before Member Secretary to withdraw the closure direction and issue the restart during the Personal Hearing on 02.06.2012, the Closure Order issued by Regional Officer, MPCB, Navi Mumbai vide letter referred (1) above is withdrawn and you are allowed to restart the manufacturing activity with following conditions.

1. You shall comply with the consent conditions strictly.
2. You shall ensure effective operation and maintenance of ETP including regular back flushing and replacing the filter media in sand filter to ensure compliance of effluent discharge standards.
3. You shall ensure that suspended solids will be filtered properly and will be within limit of consented parameters.
4. If any violations observed, you shall voluntarily close down your unit.



(Milind Mhaiskar, IAS)
Member Secretary

Copy for information to:

1. Principal Scientific Officer, MPCB, Mumbai

187

Maharashtra Pollution Control Board Regional Office Navi Mumbai

Tel. : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No. RONM/TB/CD/MJ/Closure/ 120525 F70142

Date: 21/05/2012

To

M/s. Arch Pharma Lab. Ltd.,
Pl. No. G-6,
MIDC Taloja,
Dist. Raigad.

Sub: Voluntary Closure Directions under section 33A of Water Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981.

Ref: : i) Writ petition No. 17/2011 filed by Nicholas Almedia Vs State of Maharashtra & Ors.
ii) Board's letter No.BO/P&L Divn./B-2158 dated 03/04/2012.
iii) Board's letter No.BO/P&L Divn./B-2780 dated 27/04/2012.

WHEREAS, you have been granted consent from Maharashtra Pollution Control Board under the Provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008, prescribed certain conditions those are to be adhered to by the industry.

ANDWHEREAS, it was obligatory on your part to provide adequate pollution control system, so as to comply the conditions prescribed in the consent

AND WHEREAS, as per Bombay High Court Order dtd 30/03/2012, Board has directed to collect JVS once in a week. Accordingly JVS of your industry was collected on 13/04/2012 & 23/04/2012. The JVS analysis report of said JVS shows that the parameters BOD, COD & S.S. are exceeding the consented limits.

AND WHEREAS, it has been observed that you are discharging undertreated effluent in to CETP and thereby disturbing its functioning.


188

-2-

AND Therefore, you are directed to submit fresh Bank Guarantee of Rs. 2,00,000/- towards upgradation of ETP to meet the consented standards in the name of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai and to submit proposal with time bound programme on stamp paper in 7 days.

NOW THEREFORE, in exercise of the powers conferred upon me under section 33A of Water (Prevention & Control of Pollution) Act, 1974 delegated to the undersigned by the Board, and as per Boards Directions you are hereby directed you to stop manufacturing activity voluntarily & safely and report accordingly to this office without loss of time.

In case, you failed to comply with this voluntary closure direction, the Board will have no option than to initiate appropriate legal action against you including forfeiture of B.G., and directions to concerned authorities to disconnect water & power supply of your industry which may please be noted.


(Bharat Nimbarte)
Regional Officer-Navi Mumbai

Copy submitted to: -

- 1) Principal Scientific Officer, MPCB, Mumbai.
- 2) The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy to:-The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai.

He is directed to serve these directions in person & ensure the compliance and report further follow-up for necessary action in the matter.

Copy to:

- 1] Principal Scientific Officer / Senior Law Officer / JD(WPC), MPCB, Mumbai – for information.
- ✓ 2] Regional Officer – Navi Mumbai / Sub Regional Officer, MPCB, NM-III – for information and necessary action – They are directed to serve this order in person and ensure the compliance .

191

Maharashtra Pollution Control Board Regional Office Navi Mumbai

Tel. : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No. RONM/PD/MJ/ 120106 FT 0317

Date: 06 /01/2012.

To
M/s. Chemspec Chemicals Ltd
Plot No. 3-C, MIDC, Taloja.
Dist. Raigad.

Sub: Proposed Directions under section 33 (A) of Water (P&CP) Act, 1974 &
under Section 31 (A) of Air (P&CP) Act, 1981.

Ref: 1) Consent issued vide No. BO/RO-Navi Mumbai/(PCI-I)/RO(P&PO)/EIC-NM-
1516-09/R&E/CC-179 dtd 18/05/2010 valid up to 30/04/2012.

WHEREAS, you have been granted Consent from Maharashtra Pollution Control Board under the provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management & Handling) Rules, 1989 amended therein, stipulating various conditions.

ANDWHEREAS, it is obligatory on your part to provide adequate pollution control systems and to operate & maintain the same & comply the conditions prescribed in the consent.

AND WHEREAS, JVS reports of the effluent sample collected on dated 21/02/2011, 26/03/2011, 30/05/2011, 09/06/2011, 18/07/2011, 07/08/2011, 13/09/2011 & 10/10/2011 are exceeding the consented limits with respect to parameters BOD, COD & TDS.


AND WHEREAS, above lapses amount to violation of Consent condition & negligence towards compliance of Environmental laws more precisely under Water (Prevention

-2-

NOW THEREFORE, in exercise of the powers conferred upon me by the Board u/s.33A of the Water (Prevention & Control of Pollution) Act, 1974, it is proposed to issue the following directions:

- 1) Why you shall not be directed to stop your activities forthwith?
- 2) Why the concerned competent authorities shall not be directed to disconnect your water and / or electricity supply ?
- 3) Why your Consent shall not be revoked ?

You are hereby called upon to submit your objections / reply to the aforesaid proposed directions within 15 days from the receipt of this letter, failing which the Board will be constrained to confirm these directions and proceed against you under the provisions of Water (Prevention and Control of Pollution) Act 1974, Air (F&CP) Act, 1981 and Authorization under Hazardous Waste (Management, Handling & Transboundary Movements) Rules, 2008, which may please be noted.


(Bharat Nimbarte)
Regional Officer-Navi Mumbai

Copy submitted to:

- i) Member Secretary, MPC Board, Sion, Mumbai 400 022
- ii) Principal Scientific Officer, MPC Board, Sion, Mumbai 400 022.
- II) Sr. Law Officer, MPC Board, Sion, Mumbai 400 022.

Copy to:

Sub-Regional Officer -NM- III, MPCB, Navi Mumbai

193

Maharashtra Pollution Control Board

Regional Office Navi Mumbai

Tel. : 2757 27 39

2757 27 40

Fax : 2757 15 86

Website : <http://mpcb.gov.in>

E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No. RONM/TB/ID/MJ/ 120530 FT0427

Date: 30/05/2012

To

M/s. Chemspec Chemicals Pvt. Ltd
Plot No. C-3, MIDC, Taloja
Dist. Raigad.

Sub: Interim Direction u/s- 33 A of Water (Prevention & Control of Pollution) Act, 1974 & u/s. 31A of Air(Prevention & Control of Pollution) Act, 1981.

Ref: 1) This Office Proposed Direction vide No. RONM/PD/MJ/120106FT0317 dtd 06/01/2012.
2) Your reply vide letter dated 30/05/2012.

This has reference to the above referred letter. In order to give you an opportunity, you were called for personal hearing on dtd 30/05/2012. During the discussion held with your representative and considering the difficulties expressed & assurance given during hearing, you are hereby directed to comply with the following condition:

- 1) You shall carry out treatability study & submit the proposal of ETP up gradation scheme by 30/06/2012 with time bound program for its commissioning.
- 2) You shall complete modification & commission the ETP by 31/08/2012.
- 3) You shall submit monthly progress report about up gradation of ETP to the Board.
- 4) You shall operate & maintain existing ETP effectively & efficiently.
- 5) You shall submit Bank Guarantee of Rs. 5,00,000/- in favor of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai within 15 days valid for one year towards the compliance of above.

In case, you fail to comply with the above directions, the Board will have no option then to initiate appropriate legal action including issuance of final directions and filing of prosecution as per the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, respectively, which please note.


(Bharat Nimbarte)

Regional Officer-Navi Mumbai

Copy submitted to:

- 1) The Principal Scientific Officer MPCB, Mumbai
- 2) The Sr. Law Officer (P&L Div..I) MPCB, Mumbai.

Copy to: The Sub-Regional Officer-NM-III, MPCB Navi Mumbai - for follow up

