

199

No. RONM/TB/ID/MJ/ 120702FT0567

Date: 02/07/2012

To
M/s. Arviva Industries (I) Ltd.,
Plot No. T-15, MIDC Taloja,
Dist. Raigad.


Sub: Interim Direction u/s- 33 A of Water (Prevention & Control of Pollution) Act, 1974 & u/s. 31A of Air(Prevention & Control of Pollution) Act, 1981.

Ref: 1) This Office Proposed Direction vide No. RONM/PD/MJ/120626FT0481 dtd 26/06/2012.
2) Personal Hearing extended on 02/07/2012.

This has reference to the above referred letter. In order to give you an opportunity, you were called for personal hearing on dtd 02/07/2012. During the discussion held with your representative and considering the difficulties expressed & assurance given during hearing, you are hereby directed to comply with the following condition:

- 1) You shall operate & maintain your ETP round the clock to meet MPCB consented standards before discharge to CETP.
- 2) You shall submit Bank Guarantee of Rs. 2,00,000/- in favour of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai within 15 days valid for one year towards the compliance of above.

In case, you fail to comply with the above directions the Board will have no option then to initiate appropriate legal action including issuance of final directions and filing of prosecution as per the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, respectively, which please note.


(Bharat Nimbarte)
Regional Officer-Navi Mumbai

Copy submitted to:

- 1) The Principal Scientific Officer MPCB, Mumbai
- 2) The Sr. Law Officer (P&L Div..I) MPCB, Mumbai.

Copy to: The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai - for follow up.

200

PROCESSSED FOODS PVT. LTD.

Maharashtra Pollution Control Board

Regional Office Navi Mumbai



Tel. : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
E-mail : ronavimumbai@mpcb.gov.in

Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

Date: 31/05/2012

No. RONM/TB/ Direction/VM/ 120530FT0434

To,
M/s. Vista Processed Foods Pvt Ltd,
Plot No. M-75, MIDC Taloja,
Dist: Raigad.

Sub: Interim Direction u/s- 33 A of Water (Prevention & Control of Pollution) Act, 1974 & u/s. 31A of Air(Prevention & Control of Pollution) Act, 1981.

Ref: 1) This Office Proposed Direction vide No. MPCB/RONM/PD/MJ/120411FT0492
2) your reply vide letter 26/05/2012
3) Personal Hearing extended on 28/05/2012.

This has reference to the above referred letter. In order to give you an opportunity, you were called for personal hearing on dtd 28/05/2012. During the discussion held with your representative and considering the difficulties expressed & assurance given during hearing, you are hereby directed to comply with the following condition:

- 1) You shall operate & Maintain existing ETP round the clock efficiently & effectively, may be by reducing inlet effluent quantity & quality wise so as to achieve consented discharge standards as committed by you.
- 2) You shall treatability study and submit proposal of ETP up gradation scheme by 31.7.

2012 with time bound programme for its commissioning.

- 5) You shall submit Bank Guarantee of Rs. 4,00,000/- (Rs. Four Lac only) in favour of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai within 07 days valid for one year towards the compliance of above & meeting effluent discharge standard specified in the consent.

In case, you fail to comply with the above directions, the Board will have no option then to initiate appropriate legal action including issuance of final directions and filing of prosecution as per the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, respectively, which please note.

(Bharat Nimbarte)

Regional Officer-Navi Mumbai

01/04/22

Copy submitted to:

- 1) The Principal Scientific Officer MPCB, Mumbai
- 2) The Sr. Law Officer (P&L Div..I) MPCB, Mumbai.

Copy to: The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai - for follow up.

Receiver

Mul

202

Maharashtra Pollution Control Board Regional Office Navi Mumbai

Tel. : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No. RONM/SCN/MJ / 120525PT0280.

Date: 5/05/2012

To
M/s. Kellogg India Ltd.
Plot No. L- 2 & 3,
MIDC, Taloja,
Dist. Raigad.

Sub: Show Cause Notice for non-compliance.

Ref: i) Writ petition No. 17/2011 filed by Nicholas Almedia Vs State of Maharashtra & Ors.
ii) Board's letter No. BO/P&L Divn./B-2158 dated 03/04/2012.
iii) Board's letter No. BO/P&L Divn./B-2780 dated 27/04/2012.

WHEREAS, you have been granted Consent to Operate from Maharashtra Pollution Control Board under the provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management & Handling) Rules, 1989 amended therein, stipulating various conditions.

AND WHEREAS, it is obligatory on your part to provide adequate pollution control system, so as to comply with the treated effluent discharge conditions prescribed in the consent.

AND WHEREAS, as per Bombay High Court Order dtd 30/03/2012, Board has directed to collect JVS once in a week. Accordingly JVS of your industry was collected on 12/04/2012. The JVS analysis report of said JVS shows that the parameters BOD & COD are exceeding the consented limits.

AND WHEREAS, it has been observed that you are discharging undertreated effluent in to CETP and thereby disturbing its functioning.

AND WHEREAS, the Board vide letter referred at ref.No. (iii) directed to issue directions to industry which are not meeting the consented standards as per JVS results of weekly samples collected as per the format prescribed therein.

AND WHEREAS, above lapses amount to the negligence towards compliance of provision of the environmental Laws more preciously. The Water (Prevention & Control of Pollution) Act, 1974 and the Air (P&CP) 1981 and rendered yourself liable for the further suitable action as per the provisions of the said rules.



203

-2-

AND Therefore, you are directed to submit fresh Bank Guarantee of Rs 200,000/- towards upgradation of ETP to meet the consented standards in the name of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai and to submit proposal with time bound programme on stamp paper in 7 days.

NOW THEREFORE, you are directed to show cause as to why legal action should not be initiated against your unit for above violations. Your reply if any should reach this Office within 7 days from the receipt of this letter failing which further course of legal action will be taken against your unit, which please note.


(Bharat Nimbarte)

Regional Officer-Navi Mumbai

Copy submitted to:

- i) Principal Scientific Officer, MPC Board, Sion, Mumbai 400 022.
- ii) Sr. Law Officer, MPC Board, Sion, Mumbai.

Copy to:

✓ Sub-Regional Officer – NM-III, MPCB, Navi Mumbai

He is directed to serve these directions in person and submit the compliance in time.

204

11/1

Maharashtra Pollution Control Board

Regional Office Navi Mumbai



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

Phone : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
Email : ronavimumbai@mpcb.gov.in

No. RONM/SCN/MJ | 120525 F70715

Date: 23/05/2012

To
M/s. Al-Tamash Exports Pvt. Ltd
Plot No. M-19,
MDC Taloja,
Dist. Raigad.

Sub: Show Cause Notice for non-compliance.

- Re:
- Writ petition No. 17/2011 filed by Nicholas Almedia Vs State of Maharashtra & Ors.
 - Board's letter No. BO/P&L Divn./B-2158 dated 03/04/2012.
 - Board's letter No. BO/P&L Divn./B-2780 dated 27/04/2012.

WHEREAS, you have been granted Consent to Operate from Maharashtra Pollution Control Board under the provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Waste (Management & Handling) Rules, 1989 amended therein, stipulating various conditions.

AND WHEREAS, it is obligatory on your part to provide adequate pollution control system, so as to comply with the treated effluent discharge conditions prescribed in the consent.

AND WHEREAS, as per Bombay High Court Order dtd 30/03/2012, Board has directed to collect JVS once in a week. Accordingly JVS of your industry was collected on 23/04/2012 & 03/05/2012. The JVS analysis report of said JVS shows that the parameter S.S. is exceeding the consented limits.

AND WHEREAS, it has been observed that you are discharging undertreated effluent in to CETP and thereby disturbing its functioning.

AND WHEREAS, the Board vide letter referred at ref. No. (iii) directed to issue directions to industry which are not meeting the consented standards as per JVS results of weekly

205

-2-

AND Therefore, you are directed to submit fresh Bank Guarantee of Rs. 1,00,000/- towards upgradation of ETP to meet the consented standards in the name of Regional Officer Maharashtra Pollution Control Board, Navi Mumbai and to submit proposal with time bound programme on stamp paper in 7 days.

NOW THEREFORE, you are directed to show cause as to why legal action should not be initiated against your unit for above violations. Your reply if any should reach this Office within 7 days from the receipt of this letter failing which further course of legal action will be taken against your unit, which please note.

(Bharat Nimbarte)

Regional Officer-Navi Mumbai

Copy submitted to:

- i) Principal Scientific Officer, MPC Board, Sion, Mumbai 400 022.
- ii) Sr. Law Officer, MPC Board, Sion, Mumbai.

Copy to:

✓ Sub-Regional Officer – NM-III, MPCB, Navi Mumbai

He is directed to serve these directions in person and submit the compliance in time.

206

No. RONM/TB/ ID/MJ/ 120702-FT0573

Date: 02/07/2012

To
M/s. Al-Tamash Exports Pvt. Ltd.,
Plot No. M-19, MIDC Talaja,
Dist. Raigad.

Sub: Interim Direction u/s- 33 A of Water (Prevention & Control of Pollution)
Act, 1974 & u/s. 31A of Air(Prevention & Control of Pollution) Act, 1981.

Ref: 1) This Office Show Cause Notice vide No. RONM/SCN/MJ/120525FT0215
dtd 25/05/2012.
2) Personal Hearing extended on 02/07/2012.

This has reference to the above referred letter. In order to give you an opportunity, you were called for personal hearing on dtd 02/07/2012. During the discussion held with your representative and considering the difficulties expressed & assurance given during hearing, you are hereby directed to comply with the following condition:

- 1) You shall operate & maintain your ETP round the clock to meet MPCB consented standards before discharge to CETP.
- 2) You shall submit Bank Guarantee of Rs. 1,00,000/- in favour of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai within 15 days valid for one year towards the compliance of above.

In case, you fail to comply with the above d.rections, the Board will have no option then to initiate appropriate legal action including issuance of final directions and filing of prosecution as per the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981, respectively, which please note.

(Bharat Nimbarte)
Regional Officer-Navi Mumbai

Copy submitted to:

- 1) The Principal Scientific Officer MPCB, Mumbai
- 2) The Sr. Law Officer (P&L Div..I) MPCB, Mumbai.

Copy to: The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai - for follow up.

207

Maharashtra Pollution Control Board Regional Office Navi Mumbai

Tel. : 2757 27 39
2757 27 40
Fax : 2757 15 86
Website : <http://mpcb.gov.in>
E-mail : ronavimumbai@mpcb.gov.in



Raigad Bhavan, 7th Floor,
Sector - 11, C. B. D. Belapur,
Navi Mumbai - 400 614.

No RONM/TB/CD/MJ/Closure/ 120525 FT 0211

Date: 25/05/2012

To

M/s Vedant Dyestuff.
Pl. No.V-28/29,
MIDC Taloja
Dist. Raigad.

Sub: Voluntary Closure Directions under section 33A of Water Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981.

Ref : i) Writ petition No. 17/2011 filed by Nicholas Almedia Vs State of Maharashtra & Ors.
ii) Board's letter No.BO/P&L Divn./B-2158 dated 03/04/2012.
iii) Board's letter No.BO/P&L Divn./B-2780 dated 27/04/2012.

WHEREAS, you have been granted consent from Maharashtra Pollution Control Board under the Provisions of Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008, prescribed certain conditions those are to be adhered to by the industry.

ANDWHEREAS, it was obligatory on your part to provide adequate pollution control system, so as to comply the conditions prescribed in the consent

AND WHEREAS, as per Bombay High Court Order dtd 30/03/2012, Board has directed to collect JVS once in a week. Accordingly JVS of your industry was collected on 11/04/2012. The JVS analysis reports of said JVS shows that the parameters BOD, COD, SS & TDS are exceeding the consented limits.

AND WHEREAS, it has been observed that you are discharging undertreated effluent in to CETP and thereby disturbing its functioning.


208

-2-

AND Therefore, you are directed to submit fresh Bank Guarantee of Rs. 1,00,000/- towards upgradation of ETP to meet the consented standards in the name of Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai and to submit proposal with time bound programme on stamp paper in 7 days.

NOW THEREFORE, in exercise of the powers conferred upon me under section 33A of Water (Prevention & Control of Pollution) Act, 1974 delegated to the undersigned by the Board, and as per Boards Directions you are hereby directed you to stop manufacturing activity voluntarily & safely and report accordingly to this office without loss of time.

In case, you failed to comply with this voluntary closure direction, the Board will have no option than to initiate appropriate legal action against you including forfeiture of B.G., and directions to concerned authorities to disconnect water & power supply of your industry which may please be noted.


(Bhatat Nimbarte)
Regional Officer-Navi Mumbai
O' cghh

Copy submitted to: -

- 1) Principal Scientific Officer, MPCB, Mumbai.
- 2) The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy to:-The Sub-Regional Officer-NM-III, MPCB, Navi Mumbai.

He is directed to serve these directions in person & ensure the compliance and report further follow-up for necessary action in the matter.

209

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023516

Website: <http://mpcb.gov.in>

E-mail: psa@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai-400 022.

No. MPCB/PSO/B-396f

Date: 28.06.2012.

To
M/s. Vedant Dyestuff Intermediate Pvt. Ltd.,
Plot No. V-28/29, MIDC, Taloja,
Dist. Raigad-410 208.
Fax: 022-27402752.

**Sub : Restart of the manufacturing activity against the Voluntary Closure
Directions issued.**

Ref : 1. Voluntary Closure Direction issued vide Letter No. RONM/TB/CD/MJ/
Closure/0211, dtd. 25.05.2012.
2. Your submission dtd. 12.06.2012 & 21.06.2012.
3. MoM of Personal Hearing scheduled on 20.06.2012.

We refer to the directions of Voluntary Closure issued to you vide letter dtd. 25.05.2012 (ref.1) for not achieving the standards of JVS collected on 11.04.2012 and your submission dtd. 12.06.2012 followed by Personal Hearing dtd. 20.06.2012.

Considering your request vide letter dtd. 12.06.2012, the voluntary closure direction issued by Regional Officer, MPCB, Navi Mumbai vide letter ref. (1) above is hereby withdrawn and you are allowed to restart your manufacturing activity with the following conditions.

1. You shall operate and maintain your ETP so as to achieve the standards within consented limit by reducing your manufacturing production in the proportion within three months, i.e. September, 2012.
2. You shall submit Demand Draft of Rs.25,000/- (Rupees Twenty five thousand only) towards encashment of your existing B.G. of Rs.1.00 Lakh, which is valid upto June, 2013 and submit fresh B.G. of Rs.75,000/- (i.e. remaining amount of existing B.G. valid upto June, 2013) in favour of "Regional Officer, MPCB, Navi Mumbai", within 15 days from the date of issue of this direction.
3. You shall submit fresh B.G. of Rs.25,000/- (Rupees Twenty five thousand only) to observe the stabilization of ETP to achieve disposal standards of effluent within consented limit, valid up to one year, i.e. June 2013, within 15 days to RO, Navi Mumbai.
4. In case of failure to comply with the above directions, you shall voluntarily close down your manufacturing activities forthwith.



(Signature)
(Milind Mhaikar)

Region: Kalyan

A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Dombivali CETP

	Name of the Industry	Category of industries (LSI/MSI)	Generation & discharge of effluent M3 /day into CETP.	Action initiated by the Board against defaulting unit.
1	M/s. Shreeji Lifestyle (P) Ltd., Plot No. C-29, Phase-I, Dombivali	MSI	322	Direction issued vide No. ROK/TB/PD/158/120524ft0036, dt. 24.5.2012. Interim direction issued vide MPCB/ROK/TB/ID/63/120620ft0358, dt. 20.6.2012.

211

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212

Fax No. (0251) 2310192

Visit us on: <http://mpcb.gov.in>

E.mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.

NO. MPCB/ROK/TB/ID/63/120620FT0358

Date: 20/06/2012

To,
M/s. Shreeji Lifes Style Pvt. Ltd.,
Plot No. C-29, Phase-I,
MIDC, Dombivali,
Dist: Thane.

Sub: Interim Directions under section 33A of the Water (Prevention & Control of pollution) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref: 1) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s. State of Maharashtra and Others.
2) Visit & inspection of your industry on 02/05/2012.
3) Results of Joint Vigilance Samples collected on 02/05/2012.
4) ~~Proposed~~ Direction issued vide letter NO.ROK/TB/PD/158/120524FT0036, dtd. 24.05.2012.
5) Personal hearing held on 20.06.2012.

This refers to proposed directions issued by this office vide above referred letter at S. No. 4 and the personal hearing extended to you on 20/06/2012. During the course of personal hearing, non-compliances with respect to the consent conditions were brought to your notice. It was assured by you that immediate steps will be taken to comply with the consent conditions. Considering your assurance and submissions made during the course of hearing, following directions are issued for immediate compliances.

1. Industry have to use fresh acid for neutralisation of industrial effluent.
2. Industry shall provide upper bottom settling tank having adequate capacity within the period of 15 days from the date of personal hearing i.e. upto 05/07/2012.
3. Existing effluent treatment plant shall operate and maintain regularly to achieve the standard prescribed in consent order.
4. You shall submit irrevocable Bank Guarantee of Rs. 1,00,000/- in favour of Regional Officer, Maharashtra Pollution Control Board, Kalyan valid upto 30/06/2013. Bank Guarantee shall reach to this office within 07 days from the receipt of this letter. The Bank Guarantee will be encashed if you fail to comply with the aforesaid directions.

In case of your failure to comply with the above direction, Board will proceed against you as per the provisions of the Water (P&CP) Act, 1984 and Air (P&CP) Act, 1981. Which may please be noted.


(S. R. Deshmukh)
Regional Officer, Kalyan

Copy submitted to:

Regional Officer (HQ) I/c. HSM Division, MPC Board, Mumbai- for information.

Copy to:

1. Sub-Regional Officer, Kalyan-I, MPC Board, Kalyan.
2. For information and necessary follow up action.
2. Master file / CETP High Court File.



212

A Statement showing the names of small scale industries (SSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Dombivali CETP Phase-I

Sr. No.	Name of the Industry	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.
1.	M/s. Fine Organics Ltd., Plot No. A-122,125 MIDC Phase I, Dombivali.	12	Closure direction issued vide letter ROK/TB/Dom/VCD/12051ft 03209, Dt. 16.5.2012 Conditional direction issued on vide letter MPCB/RO(HQ)/Kalyan/B-3743,dt. 19.6.2012.
2.	M/s. Alchemie Laboratories, Plot No. B-39, Phase-I, Dombivali.	24	Proposed direction issued vide MPCB/ROK/TB/PD/MP/155/120024ft014,dt. 24.4.2012. Interim direction issued vide MPCB/ROK/TB/ID/MP/155/120514ft0299,dt. 14.5.2012.
3.	M/s. Orax Pharma (P) Ltd., Plot No. B-15, Phase-I, MIDC Dombivali.	4	Proposed direction issued vide MPCB/ROK/TB/PD/120424ft0152,dt. 24.4.2012. Interim direction issued vide MPCB/ROK/TB/ID/MP/156/120514ft0289,dt. 14.5.2012.
4.	M/s. Makers laboratories Ltd., Plot No. A-163, Phase-I, MIDC Dombivali.	21.6	Proposed direction issued vide MPCB/ROK/TB/PD/120024ft0147,dt. 24.4.2012. Interim direction issued vide MPCB/ROK/TB/ID/MP/154/120514ft0295,dt. 14.5.2012.
5	M/s. Dhanlaxmi Fabrics., Vill. Bhopar, Dombivali.	540	Proposed direction issued vide MPCB/ROK/TB/PD/159/120524ft0032,dt. 24.5.2012. Interim direction issued vide MPCB/ROK/TB/ID/MP/162/120614ft0119,dt. 14.6.2012.

213

POLLUTION CONTROL BOARD



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

No. MPCB/RO(HQ)/ Kalyan/B: 3743
To
M/s. Fine Organic Industries,
Plot no: A-122, 123, 124, 125
MIDC, Phase-I, Dombivli

Date: 19/06/2012

Sub: Conditional directions to restart manufacturing activities.

- Ref:
1. Writ Petition no: 17/2011, filed by Nicholas Almeida Vs State of Maharashtra & Others.
 2. Voluntary Closure issued vide no: MPCB/ROK/TB/VCD/1205016FT0329 dated: 16/05/2012
 3. Your reply & request letter dated: 25/05/2012
 4. Compliance report of Regional Officer, Kalyan vide off note dated: 28/05/2012
 5. Personal hearing extended to you before the Member Secretary of the Board on 15/06/2012

With refer to the directions of voluntary closure issued by Regional Officer, Kalyan dated 07/05/2012 followed by the compliance report dated 28/05/2012 & your reply dated: 25/05/2012. In this concern, a personal hearing was extended to you on 15/06/2012. During course of the hearing, the submission made by you was taken on record.

In view of the steps taken by you for up gradation of ETP and your assurance to complete remaining work and commission upgraded ETP within 7 days time, it was decided to allow you to restart your manufacturing activities, by issuing final directions.

The permission to restart is granted subject to the following terms & conditions:

1. You shall operate and maintain existing and upgraded ETP round'O clock, so as to prevent any sort of pollution in the surrounding area and to bring the COD and other

214

:2:

2. You shall complete and commission the remaining work of upgradation within 7 days of the date of issue of this order, so as to achieve the inlet parameters of CETP and consent granted to the unit.
3. You shall operate ETP regularly & maintain treated Effluent discharge standards, so as to achieve the standards laid down under the provisions of the Environment (Protection) Act, 1986 & Rules made there under.
4. You are directed to furnish an fresh operational irrevocable bank guarantee of Rs.50,000/- for ensuring compliance of directions issued/ consent conditions in favour of Regional Officer, MPC Board Kalyan, within 15 days time from the date of issue of these directions.

In case of failure to comply with the above directions, the Board will have no option than to issue appropriate legal action including forfeiture of bank guarantee against you, which may please be noted.


(Milind Mhaikar, IAS)
Member Secretary

Copy to:

- 1] Senior Law Officer, MPC Board, Mumbai / Regional Officer (HQ), MPCB, Mumbai- for information & necessary follow-up.
- 2] Regional Officer, MPCB, Kalyan / Sub-Regional Officer, MPCB, Kalyan-I - They are directed to forfeit existing Bank Guarantee of Rs. 25,000/- of M/s. Fine Organic Industries, Plot no: A-122, 123, 124, 125 MIDC, Phase-I, Dombivali & ensure necessary action for compliance of the directions.

REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212
Fax No. (0251) 2310192
Visit us on: <http://mpcb.gov.in>
E.mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) - 421 301.
Thane.

Sent by : RPAD

NO : MPCB/ROK/ TB/ID/MP/ 155/120514F0299 Date: 14/05/2012

To,
M/s .Alchemie Laboratories.,
Plot No. B-39, Phase-I,
Dombivali, Dist-Thane.

Sub : Interim Directions & under section 33(A) of the Water
(Prevention & Control of Pollution)Act 1974& under sections
31(A) of Air (Prevention & contro' of Pollution) Act, 1981.

- Ref . 1) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of
Maharashtra and Others.
2) Visit & inspection of your industry on 12/04/2012.
3) Results of Joint Vigilance Samples collected on 12/04/2012.
4) Proposed Direction issued vide letter no.
ROK/TB/PD/120024FTO147, dtd. 24/04/2012.
5) Reply from industry received on 08/05/2012.
6) Personnel hearing extended to you on dt.10/05/2012.

This refers to Proposed Direction issued by this office vide letter above at sr.no:4
and personal hearing extended to you by this office on 10/05/2012 .During the course of
personal hearing, non compliances with respect to Consent Conditions were brought to your
notice .It was assured by you immediate steps will be taken to comply with the consent
conditions. Considering your assurance / submissions made during the course of hearing.
following Directions are issued for immediate compliances.

1. Industry shall upgrade the existing ETP by providing tertiary effluent treatment plant.
Industry shall complete the up gradation work on or before 31/05/2012.
2. Industry shall segregate the high COD stream by providing three additional collection
tank and complete the work of the same on or before 31/05/2012.
3. Industry shall provide on line PH meter.
4. Industry shall operate & maintain Air pollution control system & effluent treatment plant
efficiently & regularly round the clock to meet the standard prescribed by Board.
5. Industry shall submit irrevocable Bank guarantee of Rs.25,000/- in favor of Regional
Officer, MPC Board, Kalyan valid up to one year within period of 3 days from the date
of personal hearing .

In case of your failure to comply with above directions, Board will proceed against
you as per the provision of Air (Prevention & control of Pollution) Act, 1981& under section
33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted.

(S.R.Deshmukh)

Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan I, MPCB, Kalyan.-For information & necessary follow-up
2. Master file



216

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212
Fax No. (0251) 2310192
Visit us on: <http://mpcb.gov.in>
E.mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.
Thane.

Sent by : RPAD
NO : MPCB/ROK/ TB/ID/MP/ 56/120514 FT0289

Date: 14/05/2012

To,
M/s .Orax Pharma Pvt Ltd.,
Plot No. B-15, Phase-I
MIDC Dombivali, Dist-Thane.


Sub: Interim Directions & under section 33(A) of the Water
(Prevention & Control of Pollution) Act 1974 & under sections
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref : 1) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of
Maharashtra and Others.
2) Visit & inspection of your industry on 12/04/2012.
3) Results of Joint Vigilance Samples collected on 12/04/2012.
4) Proposed Direction issued vide letter no.
ROK/TB/PD/120424FT0152, dtd. 24/04/2012.
5) Reply from industry received on 02/05/2012.
6) Personnel hearing extended to you on dt. 10/05/2012.

This refers to Proposed Direction issued by this office vide letter above at sr.no:4
and personal hearing extended to you by this office on 10/05/2012. During the course of
personal hearing, non compliances with respect to Consent Conditions were brought to your
notice. It was assured by you immediate steps will be taken to comply with the consent
conditions. Considering your assurance / submissions made during the course of hearing
following Directions are issued for immediate compliances.

1. Industry shall upgrade the ETP by providing additional collection tank, aeration tank
and tertiary effluent treatment plant. Industry shall complete the up gradation work
on or before 31/05/2012.
2. Industry shall segregate the high COD stream.
3. Industry shall operate & maintain Air pollution control system & effluent treatment
plant efficiently & regularly round the clock to meet the standard prescribed by Board.
4. Industry shall submit irrevocable Bank guarantee of Rs 25,000/- in favor of Regional
Officer, MPC Board, Kalyan valid up to one year within period of 3 days from the date
of personal hearing.

In case of your failure to comply with above directions, Board will proceed against
you as per the provision of Air (Prevention & control of Pollution) Act, 1981 & under section
33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted

o/c

(S.R. Deshmukh)

J/c Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan I, MPCB, Kalyan.-For information & necessary follow-up
2. Master file



217

**MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE-KALYAN**

Tel. No. (0251) 2310167/2310212
Fax No. (0251) 2310192
Visit us on: <http://mpcb.gov.in>
E.mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) – 421 301.
Thane.

Sent by: RPAD

NO: MPCB/ROK/ TB/ID/MP/ 154/120514FTO24 Date: 14/05/2012

To,
M/s .Makers Laboratories Ltd.,
Plot No. A-163, Phase-I,
MIDC Dombivali, Dist-Thane.


Sub: Interim Directions & under section 33(A) of the Water
(Prevention & Control of Pollution)Act 1974& under sections
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref 1) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of
Maharashtra and Others.
2) Visit & inspection of your industry on 12/04/2012.
3) Results of Joint Vigilance Samples collected on 12/04/2012.
4) Proposed Direction issued vide letter no.
ROK/TB/PD/120024FTO147, dtd. 24/04/2012.
5) Reply from industry received on 04/05/2012.
6) Personnel hearing extended to you on dt.10/05/2012.

This refers to Proposed Direction issued by this office vide letter above at sr.no:4
and personal hearing extended to you by this office on 10/05/2012 .During the course of
personal hearing, non compliances with respect to Consent Conditions were brought to your
notice .It was assured by you immediate steps will be taken to comply with the consent
conditions. Considering your assurance / submissions made during the course of hearing,
following Directions are issued for immediate compliances.

1. Industry shall upgrade the existing ETP by increasing capacity of primary and
secondary effluent treatment plant i.e. collection tank, settling tank, SDB and
aeration tank also industry shall provide tertiary effluent treatment plant and
complete the up gradation work of ETP on or before 30/06/2012.
2. Industry shall segregate the high COD stream.
3. Industry shall operate & maintain Air pollution control system & effluent treatment
plant efficiently & regularly round the clock to meet the standard prescribed by
Board.
4. Industry shall submit irrevocable Bank guarantee of Rs. 25,000/- in favor of
Regional Officer, MPC Board, Kalyan valid up to one year within period of 3 days
from the date of personal hearing .

In case of your failure to comply with above directions, Board will proceed against
you as per the provision of Air (Prevention & control of Pollution) Act, 1981& under section
33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted.

o c i

(S.R.Deshmukh)

-/- Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan I, MPCB, Kalyan.-For information & necessary follow-up
2. Master file

218

MAHARASHTRA POLLUTION CONTROL BOARD REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212
Fax No. (0251) 2310192
Visit us on: <http://mpcb.gov.in>
E.mail: rokalyan@mpcb.gov.in



Siddhivinayak Sankul,
3rd Floor, Near Oak Baug,
Station Road,
Kalyan (West) - 421 301.

NO. MPCB/ROK/ID/162/120614FT0119
To,
M/s. Dhanlaxmi Fabrics,
Village Bhopar, Dombivali,
Dist: Thane

Date: 14 / 6 / 2012

Sub: Interim Directions under section 33A of the Water (Prevention & Control of pollution) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref: 1) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s. State of Maharashtra and Others.
2) Visit & inspection of your industry on 02/05/2012.
3) Results of Joint Vigilance Samples collected on 02/05/2012.
4) Proposed Direction issued vide letter no. RCK/TB/PD/159/120524FT0032, dtd. 24.05.2012.
5) Personal hearing held on 14.06.2012.

This refers to proposed directions issued by this office vide above referred letter at S. No. 4 and the personal hearing extended to you on 14/06/2012. During the course of personal hearing, non-compliances with respect to the consent conditions were brought to your notice. It was assured by you that immediate steps will be taken to comply with the consent conditions. Considering your assurance and submissions made during the course of hearing, following directions are issued for immediate compliances.

1. Industry have to use fresh acid for neutralisation of industrial effluent.
2. Industry shall operate and maintain effluent treatment plant efficiently and regularly round the clock to meet the standard prescribed by the Board.
3. Industry shall change the media of tertiary effluent plant frequently (sand filter, carbon filter) and inform to this office.
4. You shall submit irrevocable Bank Guarantee of Rs. 1,00,000/- in favour of Regional Officer, Maharashtra Pollution Control Board, Kalyan valid upto 30/06/2013. Bank Guarantee shall reach to this office within 15 days from the receipt of this letter. The Bank Guarantee will be encashed if you fail to comply with the aforesaid directions.

In case of your failure to comply with the above direction, Board will proceed against you as per the provisions of the Water (P&CP) Act, 1984 and Air (P&CP) Act, 1981. Which may please be noted.

(S. R. Deshmukh)

Regional Officer, Kalyan

Copy submitted to:

Regional Officer (HQ) I/c. HSM Division, MPC Board, Mumbai- for information.

Copy to:

1. Sub-Regional Officer, Kalyan-I, MPC Board, Kalyan.
- For information and necessary follow up action.
2. Master file./ CETP High Court File.

Region : Pune

219

LSI/MSI Actions initiated against industries in MIDC RANJANGAON				
Sr No	Name of the Industry	Category of Industry	Gen. & Discharge of Effluent CMD to CETP	Action initiated by the Board against defaulting industry
1	Bombay Dyeing mfg Co. Ltd., B-28, MIDC Ranjangaon, Tal- Shirur, Dist- Pune	Red/LSI	Dom 30 Ind 2850	Voluntary Closure directions issued vide No. MPCB/ROP/1847/12 dated 27.06.2012
2	Tata Steel Processing & Distr. Ltd, (Tata Rayerson Ltd,) Plot No. B-18, MIDC Ranjangaon, Tal- Shirur, Dist-Pune.	Red/LSI	Dom 1.1 Ind 57	SCN issued vide No. MPCB/ROP/1843/12 dated 27.06.2012
3	SI Group, Plot No. E-29, MIDC Ranjangaon, Tal- Shirur Dist Pune.	Red/LSI	Dom 32.8 Ind 35	Voluntary Closure directions issued vide No. MPCB/ROP/1848/12 dated 27.06.2012
4	ITC Limited, (food div.) Plot No.D-1, MIDC Ranjangaon, Tal - Shirur, Dist - Pune	Red/LSI	Dom 63 Ind 800	Final Directions issued for up gradation of ETP vide No. MPCB/ROP/1855/12 dated 27.06.2012
5	Polyplastic Ltd., B-30/2, MIDC Ranjangaon, Tal- Shirur, Dist - Pune,	Red/LSI	Dom 19 Ind 500	SCN issued vide No. MPCB/ROP/1844/12 dated 27.06.2012

220

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdevadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1847/12

Date: 27/6/12

To,
M/s. Bombay Dyeing mfg Co. Ltd.,
B--28, MIDC Ranjagaon,
Tal- Shirur, Dist- Pune

Sub :- Directions of Closure u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:-**
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
 - 2) Analysis reports of the JVS collected from your industry on 06/06/2012 & 13/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012.
 - 4) Report of SRO, Pune-II dated 26/06/2012.

WHEREAS, the Board has granted a conditional Consent to Operate the unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012 & 08/06/2012 are exceeding the consented standards for the parameters BOD & COD. This indicates that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively.


Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.



: 2 :

AND WHEREAS, from the record of this office and observations made during the visit of Board Officers to your unit, I am satisfied that you have not provided full-fledged effluent treatment plant and/or you are not operating and maintaining the effluent treatment plant continuously and effectively thereby violating the provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandeo Mohekar, Regional Officer of the Board at Pune, hereby direct you to stop the charging of raw material forthwith and close down your manufacturing activity voluntarily in a safe manner and inform the same to this office immediately. Also direct you to submit an irrevocable Bank Guarantee of Rs. 2 Lakh within a period of seven days which shall be valid for a period of one year towards ensuring compliance of these directions. If you fail to comply with the above, the competent authorities will be directed to disconnect the water/electricity supply to your unit, which may be noted.



(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
- ✓ 1. The Joint Director (PAMS), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy f. w. cs. to :

1. The Executive Engineer, MSEDCL, Ranjangaon MIDC for information.
2. The Executive Engineer, MIDC, Ranjangaon MIDC for information.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-II - It is directed to serve a copy of these directions to above said industry and report the compliance accordingly.

Copy to Master File, MPCB, Pune.

222

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdewadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1643/12

Date: 27/6/12

To,
M/s. Tata Steel Processing & Distr. Ltd.
(Tata Rayerson Ltd.) Plot No. B-18,
MIDC Ranjangaon, Tal- Shirur,
Dist-Pune.

Sub:- Show Cause Notice.

- Ref:-
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
 - 2) Analysis reports of the JVS collected from your industry on 01/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012.
 - 4) Report of SRO, Pune-II dated 26/06/2012.

WHEREAS, the Board has granted a conditional Consent to Operate the unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012 are exceeding the consented standards for the parameters pH. This indicated that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively


Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.



223

2.

AND NOW, THEREFORE, you are hereby called upon to Show Cause as to why necessary legal action shall not be initiated against you for above lacuna within a period of seven days from the date of receipt of this notice, failing which, the Board will have no other option than to initiate necessary legal action against you, which may be noted.


(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Joint Director (PAMS), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-II - It is directed to serve a copy of this notice to above said industry and report the compliance accordingly

Copy to Master File, MPCB, Pune.



MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdevadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP / 1848/12

Date: 27/6/12

To,
M/s. SI Group,
Plot No. E-89,
MIDC Ranjangaon,
Tal. Shirur Dist Pune.


Sub :- Directions of Closure u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:-**
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008
 - 2) Analysis reports of the JVS collected from your industry on 01/06/2012, 06/06/2012 & 12/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012
 - 4) Report of SRO, Pune-II dated 26/06/2012.

WHEREAS, the Board has granted a conditional Consent to Operate the unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012, 06/06/2012 & 12/06/2012 are exceeding the consented standards for the parameters BOD & COD. This indicates that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively.

Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.




225

: 2 .

AND WHEREAS, from the record of this office and observations made during the visit of Board Officers to your unit, I am satisfied that you have not provided full-fledged effluent treatment plant and/or you are not operating and maintaining the effluent treatment plant continuously and effectively thereby violating the provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act), 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandeo Mohekar, Regional Officer of the Board at Pune, hereby direct you to stop the charging of raw material forthwith and close down your manufacturing activity voluntarily in a safe manner and inform the same to this office immediately. Also direct you to submit an irrevocable Bank Guarantee of Rs. 2 Lakh within a period of seven days which shall be valid for a period of one year towards ensuring compliance of these directions. If you fail to comply with the above, the competent authorities will be directed to disconnect the water/electricity supply to your unit, which may be noted.


(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
1. The Joint Director (PAMS), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy f. w. cs. to :

1. The Executive Engineer, MSEDCL, Ranjangaon MIDC for information.
2. The Executive Engineer, MIDC, Ranjangaon MIDC for information.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-II - It is directed to serve a copy of these directions to above said industry and report the compliance accordingly.

Copy to Master File, MPCB, Pune.

50 (PAMS)

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

226

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdewadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1855/12

Date: 27/6/12

To,
M/s. ITC Limited, (food div.)
Plot No.D-1,MIDC Ranjangaon,
Tal - Shirur, Dist - Pune

Sub :- Directions under Section 33A of the Water (Prevention Control of Pollution) Act, 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981

- Ref:-
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
 - 2) Analysis reports of the JVS collected from your industry on 01/06/2012, 06/06/2012 & 13/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012.
 - 4) Report of SRO, Pune-II dated 26/06/2012.

WHEREAS, the Board has granted a conditional consent to operate to your unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012, 06/06/2012 & 13/03/2012 are exceeding the consented standards for the parameters BOD & COD. This indicated that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively.

...2



227

2:


Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.

AND WHEREAS, from the record of this office and the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012, 06/06/2012 & 13/06/2012 which are exceeding the consented standards for the parameters BOD & COD, I am satisfied that you are not operating the effluent treatment plant effectively and regularly/you have not provided full-fledged ETP for treatment of industrial effluent generated from your unit thereby violated the provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandeo Mohekar, Regional Officer of the Board at Aurangabad, hereby issue directions as under -

1. To make upgradations in the existing ETP units with 30 days time for securing the compliance and to achieve the discharge standards prescribed in the consent.

You shall submit your reply/objections alongwith proposal for upgradation of your existing ETP and time bound programme of 30 days for completion the work of ETP immediately from the date of receipt of these directions, failing which the Board shall consider to issue appropriate final directions, as may deem fit in your case, which may be noted.



(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
2. The Joint Director (PAMS), MPCB, Mumbai.
3. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-II - It is directed to serve a copy of this notice to above said industry and report the compliance accordingly.

Copy to Master File, MPCB, Pune.

228

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdewadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1844 / 12

Date : 27/6/12

MPCB/ROP/SCN/

/2012

Date -

To,
M/s. Polyplastic Ltd.,
B-30/2, MIDC Ranjangaon,
Tal- Shirur, Dist - Pune,

Sub:- Show Cause Notice.

- Ref:-**
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
 - 2) Analysis reports of the JVS collected from your industry on 01/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on: 27/04/2012 & 22/05/2012.
 - 4) Report of SRO, Pune-II dated 26/06/2012

WHEREAS, the Board has granted a conditional Consent to Operate the unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 06/06/2012 are exceeding the consented standards for the parameters pH. This indicated that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively


Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.



229

: 2 :

AND NOW, THEREFORE, you are hereby called upon to Show Cause as to why necessary legal action shall not be initiated against you for above lacuna within a period of seven days from the date of receipt of this notice, failing which, the Board will have no any other option than to initiate necessary legal action against you, which may be noted


(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
- ✓ 1. The Joint Director (PAMS), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-II -- It is directed to serve a copy of this notice to above said industry and report the compliance accordingly.

Copy to Master File, MPCB, Pune.

LSI/MSI Actions initiated against industries in MIDC KURKUMBH				
Sr No	Name of the Industry	Category of Industry	Discharge of Gen. & Effluent CMD to CETP	Action initiated by the Board against defaulting industry
1	Cargill India Limited, E-45, MIDC Kurkumbh	Red/LSI	Dom 87.5 Ind 368.5	Voluntary Closure directions issued vide No. MPCB/ROP/1849/12 dated 27.06.2012
2	Alkyl Amines Chemicals Limited, D6/1, MIDC Kurkumbh	Red/LSI	Dom 38.5 Ind 417	PD issued vide No. MPCB/ROP/1842/12 dated 27.06.2012

No action initiated against SSI units of CETP Kurkumbh as there are no inlet parameters for BOD & COD in the consent issued to CETP Kurkumbh and guidance in the same was called from HQ.

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdewadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1849/12

Date : 27/6/12

To,
M/s. Cargill India Limited,
E-45, MIDC Kurkumbh
Dist Pune

Sub :- Directions of Closure u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

- Ref:-**
- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
 - 2) Analysis reports of the JVS collected from your industry on 01/06/2012 & 08/06/2012.
 - 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012.
 - 4) Report of SRO, Pune-I dated 25/06/2012

WHEREAS, the Board has granted a conditional Consent to Operate the unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986


AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012 & 08/06/2012 are exceeding the consented standards for the parameters BOD, COD & SS. This indicates that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively.

Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.



AND WHEREAS from the record of this office and observations made during the visit of Board Officers to your unit, I am satisfied that you have not provided full-fledged effluent treatment plant and/or you are not operating and maintaining the effluent treatment plant continuously and effectively thereby violating the provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandee Mohekar, Regional Officer of the Board at Pune, hereby direct you to stop the charging of raw material forthwith and close down your manufacturing activity voluntarily in a safe manner and inform the same to this office immediately. Also direct you to submit an irrevocable Bank Guarantee of Rs. 2 Lakh within a period of seven days which shall be valid for a period of one year towards ensuring compliance of these directions. If you fail to comply with the above, the competent authorities will be directed to disconnect the water/electricity supply to your unit, which may be noted.


(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
1. The Joint Director (PAMS), MPCB, Mumbai.
2. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy f. w. cs. to :

1. The Executive Engineer, MSEDCL, Kurkumbh MIDC for information.
2. The Executive Engineer, MIDC, Kurkumbh MIDC for information.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-I - It is directed to serve a copy of these directions to above said industry and report the compliance accordingly.

Copy to Master File, MPCB, Pune.

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE PUNE

233

Phone :- (020) 25811627 / 25811694
Fax :- (020) 25811701 / 25811029
Website :- <http://mpcb.gov.in>
E-mail :- ropune@mpcb.gov.in



3rd Floor, "Jog Center", Wakdewadi,
Pune - Mumbai Road,
Pune - 411 003.

MPCB / ROP 1842/12.

Date: 27/6/12

To,
M/s. Alkyl Amines Chemicals Ltd
D-6/1, MIDC Kurkumbh,
Dist Pune

Sub :- Proposed Directions of Closure u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 31A of the Air (Prevention & Control of Pollution) Act, 1981.

Ref:-

- 1) Consent granted under the provisions of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 and Authorization under the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.
- 2) Analysis reports of the JVS collected from your industry on 01/06/2012 & 08/06/2012.
- 3) e-mail received from MPCB, HQ, Mumbai on 27/04/2012 & 22/05/2012.
- 4) Report of SRO, Pune-I dated 25/06/2012.

WHEREAS, the Board has granted a conditional Consent to Operate to your unit under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under Rule 5 of the Hazardous Wastes (Management, Handling & Trans-Boundary Movement) Rules, 2008. AND WHEREAS, it is obligatory on your part to provide adequate pollution control systems and operate & maintain the same continuously and effectively so as to achieve the standards prescribed under Environment (Protection) Act, 1986.

AND WHEREAS, the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012. & 08/06/2012 are exceeding the consented standards for the parameters BOD & COD. This indicated that either you have not provided full-fledged effluent treatment plant or not operating and maintaining the same continuously and effectively.

Thus, you are not serious about the pollution control and contravening the consent conditions thereby damaging the surrounding environment knowingly and willfully.

...2



234


:2:

AND WHEREAS, from the record of this office and the analysis results of the Joint Vigilance Sample collected from your industry on 01/06/2012. & 08/06/2012 which are exceeding the consented standards for the parameters BOD & COD, I am satisfied that you are not operating the effluent treatment plant effectively and regularly/you have not provided full-fledged ETP for treatment of industrial effluent generated from your unit thereby violated the provisions of various environmental enactments and damaging the surrounding environment knowingly and willfully.

NOW, THEREFORE, in exercise of the powers conferred upon me under Section 33A of the Water (Prevention & Control of Pollution) Act), 1974 and under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981, I, Anil Dnyandeo Mohekar, Regional Officer of the Board at Aurangabad, hereby issue directions as under -

1. Why your industry shall not be directed to close down its manufacturing activity forthwith?
2. Why the competent authority shall not be directed to disconnect water/electricity supply of your unit?

You shall submit your reply/objections within a period of fifteen days from the date of receipt of these directions, failing which the Board shall consider to issue appropriate final directions, as may deem fit in your case, which may be noted.


(A.D. Mohekar)
Regional Officer-Pune

Copy submitted to :-

1. The Member Secretary, MPCB, Mumbai.
2. The Joint Director (PAMS), MPCB, Mumbai.
3. The Sr. Law Officer (P & L Div), MPCB, Mumbai.

Copy for information & necessary follow-up action to :

1. The Sub-Regional Officer, MPCB, Pune-I - It is directed to serve a copy of this notice to above said industry and report the compliance accordingly.
- Copy to Master File, MPCB, Pune.

235

Region : Kolhapur

A Statement showing the names of small scale industries (SSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

0.8 MLD CETP L.K.Akiwate CETP, Jaysingpur

Sr. No.	Name of the Industry	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.
1	Arihant Yarn Processors Pvt. Ltd. Plot No. 79-82, L.K. Akiwate Industrial Co-Op. Estate, Jaysingpur Tal:Shirol Dist:Kolhapur	100	Show Cause Notice issued dated 25.04.2012

1 MLD CETP Laxmi Co Op Industrial Est. Hatkanangale, Kolhapur

Sr. No.	Name of the Industry	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.
1	Mahlaxmi Co-Op. Yarn Processors Ltd. Plot No. 27-35 Shri Laxmi Co-Op. Industrial Estate Hatkanangale Tal:Hatkanangale Dist:Kolhapur	148.0	Closure Direction issued on 15/06/2012
2	Mahesh Textile Processors Ltd. Shri Laxmi Co-Op. Industrial Estate Hatkanangale Tal:Hatkanangale Dist:Kolhapur	75.0	Closure Direction issued on 15/06/2012
3	Unirose Textile Processor Pvt.Ltd., Shri Laxmi Co-Op. Industrial Estate Hatkanangale Tal:Hatkanangale Dist:Kolhapur	100.0	Closure Direction issued on 15/06/2012



Exhibit - VIII

Annexure-I

A statement showing the present status of compliance of CETP's including CETP Mahad with reference monitoring done by various Regional Offices of the MPC Board.

List of CETP's overall complying with the standards laid down under EP Rule, 1986 & consented standards with respect of 4 main important parameters out of which three parameters are complying with standards & slightly exceeding.

Sr. No	Name & Address of the CETP	Treatment Facility	Disposal	Average Analysis results of CETP outlet				
				Parameter	Standard	Mar-12	Apr-12	May-12
1	Thane-Belapur Assoc Plot No.P-60,MIDC Khairane, Thane Belapur Road, Navi Mumbai.	Primary & Secondary	Into Marine Costal Area	pH	5.5 to 9.0	7.45	7.66	7.10
				BOD	100	61.25	42.50	90.0
				COD	250	134	86.66	212.0
				SS	100	28	56.00	68.0
2	Butibori CETP Pvt Ltd Plot No.13,MIDC Butibori. Dist.Nagpur	Primary Secondary & Tertiary	on land for irrigation	pH	5.5 to 9.0	7.315	7.57	8.1
				BOD	30	21.2	22.10	24.0
				COD	250	125	144.75	82.0
				SS	100	58	54.00	42.0
3	SMS Waluj CETP Pvt Ltd Plot No.P-82,MIDC Waluj, Dist Aurangabad	Primary Secondary & Tertiary	Into Inland surface water	pH	5.5 to 9.0	7.855	8.07	7.9
				BOD	30	39	40.43	53.0
				COD	250	152	121.45	129.0
				SS	100	96	34.18	42.0
4	ACMA CETP Co-op Soc.Ltd W-30,MIDC Abernathy, Chemical Zone,Dist.Thane	Primary & Secondary	Into Inland surface water	pH	5.5 to 9.0	6.75	7.16	5.0
				BOD	100	47.5	46.50	70.0
				COD	250	438	165.00	264.0
				SS	100	86	63.50	80.0
5	MMA CETP Co-op Society Ltd Plot No P-43,MIDC Mahad Dist. Raigad	Primary Secondary & Tertiary	Into Marine Costal Area	pH	5.5 to 9.0	7.2	6.80	6.0
				BOD	100	170	94.00	100.0
				COD	250	304	263.00	230.0
				SS	100	227.3	113.00	90.0



237

6	Taloja CETP Co-op Society, P-24,MIDC Taloja, Navi Mumbai.	Primary Secondary & Tertiary	Into Marine Costal Area	pH	5.5 to 9.0	7.75	7.74	7.4
				BOD	100	240.00	142.14	59
				COD	250	686.00	260.40	140
				SS	100	190.00	122.00	64
7	Dombivli Better Environment Plot No.OS-8 ,MIDC Phase-I, Opp. Telephone Exchange,	Primary & Secondary.	Into Marine Costal Area	pH	5.5 to 9.0	7.20	7.53	7.3
				BOD	100	145.00	132.57	100
				COD	250	322.00	287.55	216
				SS	100	313.00	114.33	24
8	Dombivli CETP (Chemical) (Phase-II), R-4/2,MIDC Phase-II, Opp.W-4 shed,Dombivli(E)	Primary & Secondary.	Into Marine Costal Area	pH	5.5 to 9	6.95	7.21	6.6
				BOD	100	120.00	116.00	95
				COD	250	362.00	364.44	228
				SS	100	60.00	99.33	20
9	L.K.Akiwate Industrial Co- op Estate Ltd,Jaysingpur	Primary & Secondary.	Into Inland surface water	pH	5.5 to 9.0	7.49	7.99	7.83
				BOD	30	190.00	117.31	85
				COD	250	384.00	262.54	216
				SS	100	204.00	102.90	86
10	Ichalkaranji Textile Devlopment Cluster Ltd, Ichalkaranji, Tal- Hatkanagale, Dist- Kolhapur	Primary Secondary & Tertiary	Into Inland surface water	pH	5.5 to 9	8.32	8.47	8.02
				BOD	30	31.00	62.13	26.7
				COD	100	124.00	156.00	80
				SS	100	20.50	66.50	52



Exhibit -IX

Annexure-II

A statement showing the present status of compliance of CETP's including CETP Mahad with reference to monitoring by various Regional Offices of the MPC Board.

List of CETP'S which are marginally exceeding the prescribed standards. The exceedance considered for the parameters BOD - up to 100 mg/l, COD-upto 750 mg/l as against 250 mg/l & SS- upto 300 mg/l as against 100 mg/l

Sr. No.	Name & Address of the CETP	Treatment Facility	Disposal	Average Analysis results of CETP outlet				
				Parameter	Standard	Mar-12	Apr-12	May-12
1	Kurkumbh Environment Protection Co Society AM-4, MIDC Kurkumbh, Pune	Primary, Secondary & Tertiary	on land for irrigation	pH	5.5 to 9.0	7.81	7.65	8.19
				BOD	100	135.00	124.00	141.5
				COD	250	294.00	312.00	355
				SS	100		90.00	30.5
2	Ranjangoan CETP Pune	Primary, Secondary	on land for irrigation	pH	5.5 to 9.0	7.33	7.30	7.21
				BOD	100	195.00	260.00	137.3
				COD	250	516.00	680.00	333
				SS	200	235.00	490.00	100
3	Kagal Hatkangale CETP Five Star MIDC, Tal. Hatkangale, Dist. Kolhapur	Primary, Secondary & Tertiary	on land for irrigation	pH	6.5 to 8	7.725	7.87	8.21
				BOD	30	46.25	20.46	88.00
				COD	250	116	58.66	200.00
				SS	100	42.5	44.00	48.00
4	Hydro Air Tectonics (PCD) Plot No. 7, Talegaon Industrial Area, Tal. Maval, Dist. Pune	Primary, Secondary	on land for irrigation	pH	6.5 to 9.0	7.22	7.41	8
				BOD	30	21.75	118.00	66.25
				COD	250	62.00	280.00	159
				SS	100	25.00	112.00	17.5
5	PRIA CETP (I) Ltd. Plot No. P-58, MIDC Patalganga Dist. Raigad	Primary & Secondary	Into Marine Costal Area	pH	5.5 to 9.0	6.66	7.60	7.8
				BOD	100	398.00	238.50	180
				COD	250	983.20	644.40	368
				SS	100	58.00	206.00	

259

6	Ichalkaranji Textile Development Cluster Ltd, (Laxmi Co-Op. Ind. Estate) Ichalkaranji, Tal- Hatkanagale, Dist- Kolhapur	Primary, Secondary & Tertiary	Into Inland surface water					
				pH	5.5 to 9.0	8.49	8.46	8.39
				BOD	30	120.00	115.45	50
				COD	100	276.00	275.63	126
				SS	100	87.00	108.54	36
7	Lote Pershram Environment Protection Co-op Society, P-10, MIDC Lote, Khed, Ratnagiri.	Primary & Secondary.	Into Marine Costal Area					
				pH	6.5 to 9.0	8	8.00	7.58
				BOD	100	1162.5	425.90	224.00
				COD	250	2176	954.63	551.00
				SS	100	485	232.18	154.00
8	M/s. Common Effluent Treatment Plant, Plot No. AM 8,, MIDC Akkalkot Road, Solapur, Dist: Solapur	Primary & Secondary.	Into Inland surface water					
				pH	5.5 to 9.0			8.80
				BOD	30			138.00
				COD	80			380.00
				SS	100			42.00

Exhibit - X

Annexure-III

A statement showing the present status of compliance of CETP's including CETP Mahad with reference to monitoring various Regional Offices of the MPC Board.

List of CETP'S which are highly exceeding the prescribed standards. The exceedance considered for the parameters BOD - Above 500 mg/l, COD-Above 750 mg/l as against 250 mg/l & SS- Above 300 mg/l as against 100 mg/l

Sr. No.	Name & Address of the CETP	Treatment Facility	Disposal	Average Analysis results of CETP outlet				
				Parameter	Standard	Mar-12	Apr-12	May-12
1	Tarapur Environment Protection Sociey CETP, Plot No.AM-29(pt), MIDC Tarapur.Boisar, Dist.Thane.	Primary, Secondary & Tertiary	Into Marine Costal Area	pH	5.5 to 9	7.08	6.93	7.40
				BOD	100	387	550.00	500.00
				COD	250	852.8	1552.00	1248.00
				SS	100	345.6	239.30	220.00
2	Badlapur CETP Association Plot No.OS-4,MIDC Badlapur Dist Thane.	Primary, Secondary & Tertiary	Into Inland surface water	pH	5.5 to 9.0	7.3	6.70	7.55
				BOD	100	440	591.66	190.00
				COD	250	1064	1437.33	816.00
				SS	100	209	211.55	193.00
3	Chikhholi -Morivali Effluent Treatment P-17,MIDC Morivali, Abernath,Dist Thane.	Primary & Secondary.	Into Inland surface water	pH	5.5 to 9.0	8	7.98	6.90
				BOD	100	3000	1166.66	20.00
				COD	250	4840	2925.14	1040.00
				SS	100	146	236.28	50.00
4	RIA CETP Co-op Society Ltd Plot No. 9/11 MIDC,Dhatav,Tal-Roha, Dist. Raigad	Primary & Secondary.	Into Marine Costal Area	pH	5.5 to 9.0	7.22	7.57	7.6
				BOD	100	258.00	233.33	332
				COD	250	710.40	718.90	907
				SS	100	226.00	131.45	1201
5	Greenfield CETP Plant Pvt Ltd P-17 MIDC Chincholi, Dist Solapur	Primary, Secondary	on land for irrigation	pH	6.5 to 9.0	7.73	8.13	8.55
				BOD	30	355	343.80	293.00
				COD	100	910	1004.00	752.00
				SS	100	440	354.60	130.00