

IN THE HIGH COURT OF JUDICATURE AT BOMBAY  
ORDINARY ORIGINAL CIVIL JURISDICTION  
PUBLIC INTEREST LITIGATION NO.17 OF 2011

Nicholas H. Almeida

... Petitioner

Versus

State of Maharashtra & Ors.

... Respondents


**AFFIDAVIT ON BEHALF OF RESPONDENT NO.3 IN COMPLIANCE  
OF ORDERS DTD.05.07.2012 and 20.11.2012 PASSEED BY THIS  
HON'BLE COURT**

I, Yeshwant B. Sontakke, aged 47 Years, occupation-service, the Joint Director (Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3<sup>rd</sup> Floor, Sion-Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, looking after Water Pollution Prevention and Control of Pollution, more particularly the Common Effluent Treatment Plants in the State of Maharashtra, do hereby on state solemn affirmation as under.

I have carefully gone through the order passed by this Hon'ble Court dtd. 20.11.2012. I say and submit that in pursuance of the orders passed by this Hon'ble Court dtd.05.07.2012 and 20.11.2012, the following actions are initiated by the Respondent-Board :-

1) **Compliance of the Order dtd.5.07.2012:**

- (I) I say and submit that the Respondent – Board had filed a detailed Affidavit in pursuance of the order passed by this



MIDC Andheri and Maharashtra State Power Generation Co.Ltd., Bandra, with the instructions to the Regional Officers of the Board to identify highly polluting industries responsible for disturbing the functioning of the CETPs in their jurisdiction, by constituting the committees, more particularly for 5 Respondent-CETP areas with the outside Members (MIDC, CETP and other officials). At that time, the work of committees was just started and therefore, the actions initiated on the basis of Committee's report could not be reported. The Regional Officers of the Respondent-Board were also directed to ensure that a separate electric meter for each industrial unit is installed.

- (II) This Hon'ble Court by its order dtd.20.11.2012 further pointed out that the Counsel for the MPCB is not in a position to state about sharing data in respect of polluting industries with the respective Association in the MIDC industrial areas in compliance of the order passed by this Hon'ble Court dtd.05.07.2012.

I say and submit that the following compliances have been reported in respect of the order passed by this Hon'ble Court dtd.05.07.2012 from the various Regional Offices about the 5 Respondents. The Status of compliance, Committee constitution, its survey, actions initiated by the concerned Regional Officers in respect of the Respondent CETPs, reproduced as under :-

- (a) **Status of the compliance of Badlapur Industrial Area:-** The following compliances can be taken on record.



- (ii) **Constitution of Committee :** The Regional Officer



a committee consisting of the Sub-Regional Officer, MPCB, Kalyan-II, the local Executive Engineer of MIDC, Member of CETP Association and Ex-Sub Regional Officer of the MPCB by his order dtd.27.07.2012 for the Regional Office, MPCB, Kalyan area CETPs. The Badlapur CETP has communicated the names of the defaulting industries by its letter dtd.8.08.2012. The Regional Officer, MPCB, Kalyan had issued show cause notices to such defaulting units by letter dtd.21.08.2012.

(ii) **Committee's Survey** :- Thereafter, the Committee has started visit & inspection of Badlapur Industrial area, Badlapur. The Committee had collected JVS of CETP and top-ten industries identified by the Committee in the local area of CETP w.e.f. 7.8.2012.

(iii) **Analysis of JVS collected by the Committee** :- The Committee got analysed the samples collected from inlet & final outlet of CETP and received the reports on analysis as under :-

Parameters	Standards		22/8/2012		1/9/2012		24/9/2012		Avg.	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
pH	5.5-9.0	5.5-9.0	7.1	7.6	7.7	7.2	7.2	7.7	7.3	7.5
BOD	1500	100 mg/l	620.0	180.0	280	40	510	240	470	153
COD	2200 mg/l	250 mg/l	1312.0	344.0	528	132	1200	680	1013	385
SS	100 mg/l	100 mg/l	158.0	34.0	118	80	132	162	136	92
O&G	20 mg/l	10 mg/l	BDL	BDL	3.2	BDL	BDL	2.8	1.1	0.9

capacity. After going through the results of the inlet analysis, it has been noted that the inlet CETP COD was from 558 mg/ltr upto 1312 mg/ltr., i.e. well within the inlet COD designed capacity of CETP for 2200 mg/ltr., for which the CETP has been designed. From the results of outlet of the CETP on 22.8.2012, 1.9.2012 and 24.9.2012, it has been observed that the COD values were 344 mg/ltr, 132 mg/ltr & 382 mg/ltr. respectively for the above dates, which is overall below 500 mg/ltrs. and slightly exceeding the standards prescribed for outlet COD of 250 mg/ltr. Therefore, as per the CETP categorization in respect of compliance level decided by the Respondent-Board, the CETP is marginally complied.

(iv) Actions initiated by Regional Officer, MPCB,

Kalyan :- I say and submit that, the Regional Officer, Kalyan had issued Proposed Directions against six defaulting industries identified by his office on the basis of the results of sampling done by the committee. Thereafter, on the basis of their representations and available reports, the interim directions are issued, directing to operate & maintain ETPs properly and to furnish bank guarantees as per the criteria to ensure the compliance of the Environmental Norms.

The Regional Officer-Kalyan has forfeited the bank guarantees of 2 units, whom





Aashutosh Dying Mills (P) Ltd., F-25, MIDC Badlapur and M/s SBL Colorchem (P) Ltd., C-4, MIDC Badlapur respectively with further direction to furnish afresh bank guarantees of Rs.50,000/- each, for ensuring the future compliance of standards prescribed in the Consent Conditions, before disposal into CETP.

After issuance of the proposed directions, the Regional Officer-Kalyan will issue appropriate final directions against the defaulting units as per the criteria fixed by the Board for initiating further necessary actions by its circular dtd.24.07.2012. A copy of the said circular is enclosed for ready reference as an Exhibit-'I'.

(v) Expansion/Improvement of Badlapur CETP : I

say and submit that the Badlapur CETP has undertaken expansion and submitted proposal for expansion through MIDC to NEERI for technical approval. After technical approval, the concrete proposal will be submitted to the MoEF, Gol for necessary financial approval.

(b) Compliance of Chikholi-Morivali CETP, Ambernath :

(i) Constitution of Committee :- The Regional Officer, MPCB, Kalyan has already constituted a Common Committee for Kalyan region by letter dtd.27.07.2012.

(ii) Committee's Survey :- The Committee has started



area, Ambarnath w.e.f. 7.8.2012. The Committee had collected JVS of CETP on 28.08.2012, 29.08.2012 & 25.09.2012

(iii) **Analysis of JVS collected by the Committee :- I**

I say and submit that the Committee got analysed the samples collected from inlet & final outlet of CETP and received the reports on analysis as under :-

Parameter	Standards		28/8/2012		29/8/2012		25/9/2012		Avg	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
pH	5.5-9.0	5.5-9.0	7.8	8.0	7.9	7.9	8.4	8.0	8.0	7.9
BOD	1200	100 mg/l	300.0	95.0	235.0	38.0	520	70	351	67.66
COD	3500 mg/l	250 mg/l	568.0	353.0	800.0	188.0	1552	220	973	253
SS	100 mg/l	100 mg/l	104.0	70.0	116.0	48.0	42	28	87	48.66
O&G	20 mg/l	10 mg/l	1.4	BDL	2.6	BDL	4.6	BDL	2.8	BDL

I say and submit that CETP has been designed for 3500 mg/ltr. COD and 0.8 MLD in capacity. However, the inflow of the CETP is around 0.25 MLD only i.e. well within the capacity of the CETP. After going through the analysis of inlet COD & outlet COD for the above sampling on 28.08.2012, 29.08.2012 & 25.09.2012, the inlet COD has been observed 568 mg./ltr., 800 mg./ltr. & 1552 mg./ltr. with reference to the designed inlet COD capacity standards 3500 mg./ltr., which is well within the designed capacity. The outlet COD has been observed on the above dates 353 mg./ltr., 188 mg./ltr. & 253 mg./ltr., which is overall complying with the outlet standards of 250 mg./ltr. prescribed for COD in



Therefore, the said CETP can be treated overall complying with the CETP Norms.


(iv) Actions initiated by Regional Officer, MPCB, Kalyan :-

The Regional Officer of the Respondent-Board at Kalyan has issued proposed directions to the one defaulting highly polluting industry, identified on the basis of the results of sampling done by the Committee. After issuance of the proposed directions, the Regional Officer of the Board at Kalyan will issue appropriate final directions against the said defaulting unit as per the criteria fixed by the Board for initiating further necessary actions by its circular dtd.24/07/2012.

(v) Improvement of Chikhloli CETP :- I say and submit

that though the CETP is overall complying with the Environmental Norms, it has already undertaken some improvement measures after joining as the Respondent in this matter. The Sub-Regional Officer of the Respondent-Board at Kalyan-II has reported the following status of Chikhloli CETP, which has completed the improvement work, as under :

1. Erection work of the air blowers to the Equalization tank & aeration tank.
2. Erection work of the Primary sludge pumps.
3. Erection work of on-line pH meters.
4. Replacement of damaged air diffusers in the existing aeration tank.
5. Linking an agreement with the Ambarnath



from Morivli area to improve hydraulic load and bio-degradability of composite effluent.

I say and submit that as per the report submitted by the Sub-Regional Officer of the Board at Kalyan-II, the following work is yet to be undertaken and likely to be completed by the period mentioned before the same.

1. Receipt of air diffusers for the equalization tank:  
By 15.12.2012.
2. Erection of air diffusers in the equalization tank:  
By 22.12.2012.
3. Completion of Sewage collection system for collection of raw sewage from Morivli area: By 15.02.2013
4. Procurement and installation of the electrical panel to supply power to the new air blowers and Primary sludge pumps.
5. Procurement and installation of the piping work for supplying compressed air to the Equalization tank, aeration tank
6. Interconnecting piping work for sludge transfer.
7. Ordering of air diffusers for installation in the Equalization Tank.
8. Installation of the air blowers along with piping for enhancing supply of compressed air.

A copy of the Combined Report submitted by the Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan-II vide letter dtd.5.12.2012, details of observations of the Committee during their visits to the defaulting Member



of directions issued to them, visit reports and copies of the interim directions issued by the Regional Officer, MPCB, Kalyan on 6/9/2012, 12/10/2012 & 5/11/2012 alongwith encashment of bank guarantees of two defaulting units reported by the Regional Officer, MPCB, Kalyan vide letter dtd.7/12/2012 are enclosed herewith and marked as Exhibit-II collectively

(c) Compliance of Tarapur CETP : The following compliances can be taken on record.

(i) Constitution of Committee : -The Regional Officer of the Respondent-Board at Thane has constituted a committee consisting of the Sub-Regional Officer, MPCB, Tarapur-I, the local Executive Engineer of MIDC, Chairman of TEPS CETP Association and Ex-Regional Officer of the MPCB by his order dtd.8.8.2012 for the Regional Office, MPCB, Thane area CETPs.

(ii) Committee's Survey :- The Committee members had visited the ten highly polluting industries located in MIDC Tarapur on 12.9.2012 and 13.9.2012 respectively. The report of the said visit was communicated by the Sub-Regional of the Board at Tarapur-1 to the Regional Officer, MPCB, Thane vide letter dtd. 14.9.2012. The Second visit of the committee is expected shortly and accordingly action will be initiated against the defaulting industries.

(iii) Analysis of JVS collected by the Committee :- I say and submit that the Committee got analysed the samples collected from inlet & final outlet of CETP and received the reports on analysis of samples collected on 20/09/2012 to



Sr. No.	Reading Date	pH	BOD	COD
		5.5 to 9 mg./ltr.	100 mg./ltr.	250 mg./ltr.
1.	20/09/2012	7.1	240.0	656.0
2.	11/10/2012	7.4	180.0	472.0
3.	18/10/2012	7.7	260.0	624.0
4.	02/11/2012	7.3	290.0	656.0
5.	22/11/2012	6.9	310.0	896.0

From the above results, it can be seen that the outlet parameter of COD for the above dates is between 472.0 mg/ltr. to 896.0 mg/ltr., which is more than 250 mg./ltr. standards prescribed for the discharge of treated effluent from the outlet. The CETP is thereby non-complying with the standards and also discharging the excess effluent above the capacity of CETP without further treatment & disposal into the environment. Therefore, the CETP is treated as highly polluting CETP from the point of view of not only existing results, but from the point of view of the discharge of effluent directly from the Member industries without taking to CETP.

(iv) **Actions initiated by Regional Officer, MPCB, Thane :-**

I say and submit that, the Regional Officer of the Board at Thane has issued Proposed Directions to three defaulting industries (namely M/s Aarti Drugs Ltd., Palghar, Dist- Thane, M/s Resonance Specialities Ltd., Palghar, Dist- Thane & M/s. Punjab Chemicals & Crop Protection Ltd., MIDC Tarapur, Dist: Thane on 30.10.2012 & 31.10.2012 respectively, which have been identified on the basis of visit, inspections and the results of sampling done by





the Regional Officer-Thane will issue **appropriate final directions against the said defaulting unit as per the criteria fixed by the Board**, for initiating further necessary actions by its circular dtd.27/05/2012.

I further say and submit that besides the above action, the Regional Officer, MPCB, Thane has issued Proposed Directions to 21 industries and closure directions to 22 industries located in the MIDC Tarapur, in the last nine months. The Regional Officer, MPCB, Thane has also issued Proposed Directions to the CETP, Tarapur.

Thereafter, personal hearings extended to the defaulting industries and interim directions are issued by the Regional Officer of the Board at Thane as per criteria laid down by the Respondent-Board, by granting time to ensure the compliance of directions within stipulated time.

I say and submit that besides the actions initiated on the basis of Committee's report, the Regional Officer of the Board at Thane has further identified the non-complied industries on the basis of surprise visits, inspections & sampling done for monitoring of consent conditions and initiated following actions.

- (a) Proposed directions issued pointing out non-compliances to 13 nos. of defaulting industries.
- (b) Directions of closure issued against M/s.Balaji Engineer, MIDC Tarapur vide letter dtd.13/09/2012.


A compliance report submitted by the Regional Officer of the Respondent-Board at Thane dtd 22/11/2012

issued to the defaulting industries; copies of the directions issued to the defaulting industries are enclosed herewith and marked as an Exhibit-'III' collectively.

The Regional Officer, MPCB, Thane will decide further line of action to issue appropriate final directions as per the criteria laid down by the Respondent-Board, in due course of time. I crave leave to refer to and rely upon the said directions when produced.

(v) **Expansion/Improvement of TEPS CETP, Tarapur :- I**

say and submit that TEPS CETP, Tarapur is being operated under capacity with reference to total generation of about 40 MLD effluent from the cluster of Tarapur MIDC with 25 MLD capacity of the existing CETP since last more than 5 years. The Respondent-Board is pursuing the expansion of CETP with additional capacity to 37.5 MLD since long. The work of 25 MLD capacity in the first phase has been stated to be allotted to M/s.Ramkey Enviro Engineers Ltd. However, no further progress is observed. It becomes necessary to obtain concrete proposal from the CETP Association with time bound programme for the implementation of expansion proposal and to take into consideration all the aspects, which are responsible for no further development and till then, to strictly restrict the generation of effluent to the existing capacity of CETP i.e. 25 MLD, so that the total generation of effluent will be properly collected and treated within the existing capacity of CETP and thereafter, will be scientifically disposed off after achieving the standards prescribed for disposal of the treated effluent into the deep sea, at a point decided by





I say and submit that it is a high time to obtain concrete proposal and to direct the CETP Association alongwith other concerned Govt. Departments, with whom the issues pertaining to the allotment of plot is pending to implement the proposal in a time bound manner. The TEPS CETP, Tarapur is one of the highly polluting serious non-complied CETP, which instead of solving its own problems, unnecessarily raised the issues pertaining to the categories of industries, their consent/s, the results of samples and actions proposed & taken, when, it knows very well, which are the highly polluting defaulting non-complied industries.

- (d) **Compliance of Lote CETP** : The following compliances can be taken on record.
- (i) **Constitution of Committee** : -The Regional Officer of the Respondent-Board at Kolhapur has constituted a committee consisting of the Sub-Regional Officer, MPCB, Chiplun, the local Executive Engineer of MIDC, Lote Parshuram and the Chairman, CETP, Lote Parshuram, by his order dtd.10.8.2012 for the Regional Office, MPCB, Kolhapur area CETPs.
- (ii) **Committee's Survey** :- Thereafter, the committee has visited CETP, large & medium scale industries and carried out the surprise visits to the defaulting units on 17/08/2012, 23/08/2012, 26/09/2012, 27/09/2012, 19/10/2012, 21/11/2012 & 22/11/2012 and collected JVS samples.
- (iii) **Analysis of JVS collected by the Committee** :- I say and submit that the Committee got analysed the samples collected from inlet & final outlet of CETP.

Statement showing the inlet parameters of CETP as per the results of analysis in comparison with the standards prescribed in the consent granted to CETP.

Sr. No	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD, (mg/lit)	S.S.	T.D.S.
Consent Standard			5.5 to 9.0	1000	2000	400	---
1	CETP Inlet	01.11.2012	7.86	750	1856	196	4760
2	CETP Inlet	17.11.2012	7.98	640	1584	158	5978
3	CETP Inlet	21.11.2012	8.04	490	1888	260	8186
4	CETP Inlet	22.11.2012	7.89	690	1696	292	8704

Statement showing the outlet parameters of CETP as per the results of analysis in comparison with the standards prescribed in the consent granted to CETP.

Sr. No	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD, (mg/lit)	S.S.	T.D.S.
Consent Standard			6.5 to 9.0	100 mg/l	250 mg/l	100 mg/l	Nil
1	CETP Outlet	01.11.2012	7.32	170	480	110	3088
2	CETP Outlet	17.11.2012	6.34	205	456	132	3304
3	CETP Outlet	21.11.2012	6.87	185	472	130	3006
4	CETP Outlet	22.11.2012	6.72	185	440	150	3030

I say and submit that the inlet average COD is 1276 mg/lit. of the samples of CETP inlet collected by the committee, as against the designed inlet COD CETP capacity of 2000 mg/ltr. COD. The outlet average COD is 428 mg/lit. of the sample collected by the committee, as against the designed outlet standards prescribed for discharge of COD CETP capacity of 250 mg./lts. From the above, it can be concluded that, the results of the inlet are within the designed COD and as per the result of outlet performance of CETP is improved, which is below 600 mg./ltr., thereby, the category of the CETP can be said to be





(iv) **Actions initiated by Regional Officer, MPCB, Kolhapur**

I say and submit that, on the basis of the results of JVS samples collected by the Committee on 27/10/2012, the Regional Officer of the Board at Kolhapur has forfeited the Bank Guarantee of (1)M/s.Shreyas Intermediates, Plot No.D-21 to 24, MIDC Lote, Dist: Ratnagiri, amounting to Rs.50,000/- vide letter dtd.4/12/2012 and also instructed the said industry to submit afresh Bank Guarantee of Rs.2 Lakhs and (2) Bank Guarantee of M/s.Shree Pushkar Petro Products Ltd., B-102, 103, MIDC Lote, Dist: Ratnagiri amounting to Rs.1,50,000/- has also been forfeited vide letter dtd.4/12/2012.

I say and submit that on the basis of JVS results, the Regional Officer of the Respondent-Board at Kolhapur has issued proposed directions to M/s.Ganesh Chemicals, Plot No.B-80/81, MIDC Lote, and M/s.Aimco Pesticides, Plot No.B-1/1, MIDC Lote, Dist: Ratnagiri vide letters dtd.4/12/2012 and show cause notice to M/s.Rencal Chemicals, Plot No.B-15/16, MIDC Lote, Tal: Khed, Dist: Ratnagiri vide letter dtd.4/12/2012.

I further say and submit that besides the above actions, the Regional Officer, MPCB, Kolhapur has issued 31 - Show Cause Notice, 15 - Proposed Directions, 13 - Interim Directions and one closure directions to defaulting industries, in the year 2012.

Copies of the Reports dtd.4/12/2012 and 10/12/2012 submitted by the Regional Officer, MPCB, Kolhapur & Sub-Regional Officer, MPCB, Chiplun

Exhibit-IV collectively. The Regional Officer, MPCB, Kolhapur will initiate further line of action as per the criteria laid down by the Respondent-Board against the above industries, to ensure that they operate & maintain their ETP properly, so as to achieve the standards prescribed by the Board in the consent order.

(v) Expansion/Improvement of Lote, CETP :-I say and submit that the Sub-Regional Officer of the Respondent-Board at Chiplun has submitted the present status report of the **expansion work** done by the Lote Parshuram CETP is as under :

1. Work order for upgradation and modification given to M/s.Praj Industry, Pune.
2. The proposal received from CETP Association for financial assessment for expansion & financial approval has been forwarded after due scrutiny to the Additional Director, Ministry of Environment & Forests, Govt.of India on 06/02/2012.
3. As decided in the meeting conducted at MoEF, Delhi on 07/06/2012, Maharashtra Pollution Control Board and Central Pollution Control Board jointly visited the Lote CETP 12/09/2012 and view of the Respondent-Board were submitted to CPCB and MoEF, Delhi.

I further say and submit that the Sub-Regional Officer of the Respondent-Board at Chiplun also reported measures taken by the Lote CETP for improvement are as under :



2. Proper segregation of effluent for proper treatment.
3. Additional pumps & pipelines for better operation work under progress.
4. New Diffusers 200 nos. installed for effectiveness of the bio-reactors.

(e) **Compliance of Chincholi CETP** : The following compliances can be taken on record.

(i) **Constitution of Committee** : - The Regional Officer of the Respondent-Board at Pune has constituted a committee consisting of the Regional Officer, MPCB, Pune, Sub-Regional Officer, MPCB, Solapur, Shri. V.N. Munde, Ex-Regional Officer, MPCB by his order dtd.9.8.2012 for the Solapur CETP.

(ii) **Committee's Survey** :- I say and submit that the Regional Officer of the Respondent-Board at Pune reported that the Committee has been constituted and caused visit & inspection of the Chincholi CETP and member industries. The problems of CETP and members were discussed.

(iii) **Analysis of JVS collected by the Committee** :- The Respondent-Board monitored the CETP operations from time to time. The statement showing the report on composite sampling done in respect of M/s.Greenfield CETP Pvt.Ltd., Chincholi is enclosed and marked as **Exhibit-'V'**. The comparative statement of results of composite samples collected from time to time (inlet & outlet)

in respect of M/s.Greenfield CETP Pvt.Ltd., Plot  
No.P-17, MIDC Chincholi, Solapur is as under :

**Inlet Sampling results**

Sr. No.	Sampling Location	Date of Sampling	pH	BOD	COD	SS	TDS
		Inlet Standards =	5.5 to 9	1700 mg./ltr.	5000 mg./ltr	200 mg./ltr	6000 mg./ltr.
1.	CETP inlet	27/9/2012	8.47	310	808	640	5860
2.	CETP Inlet	15/10/2012	8.6	880	1840	228	5980
3.	CETP Inlet	23/10/2012	7.55	540	1440	860	3860
4.	CETP Inlet	8/11/2012	8.4	740	1792	340	9664

**Outlet Sampling results.**

Sr. No.	Sampling Location	Date of Sampling	pH	BOD	COD	SS	TDS
		Outlet Standards as per E(P) Rules, 1986=	6 to 9	100 mg./ltr.	250 mg./ltr	100 mg./ltr	2100 mg./ltr.
1	CETP outlet	27/09/2012	8.75	240	600	112	5210
2.	CETP outlet	15/10/2012	8.55	352	832	60	3860
3.	CETP outlet	23/10/2012	7.72	390	832	46	6870
4.	CETP outlet	8/11/2012	8.19	210	456	74	5620

From the statement, it can be seen that the results in respect of COD have been considerably improved and in the month of November, the inlet COD results was 1792 mg./ltr. as against the inlet designed capacity of COD 5000 mg./ltr. The CETP could achieve 456 mg./ltr. outlet COD levels, as against the outlet COD 250 mg./ltr. standards prescribed by the Respondent-Board in the consent order.

Therefore, overall the CETP falls in the marginally non-complid category as per these results.





(iv) **Actions initiated by Regional Officer, MPCB, Pune :**

The Regional Officer, MPCB, Pune has been directed to initiate further actions against the highly polluting industries being identified during the course of surprise visit & inspection and sampling done by the committee.

2) **Compliance of the Order dtd.20.11.2012 :-**a) **Communication of the Order dtd. 20.11.2012 to all**

**concerned** :- I say & submit that the Respondent-Board has communicated to the concerned Regional Officers, the directions given by this Hon'ble High Court on 20.11.2012, vide D.O. No. 24 dtd. 26/11/2012, for reporting compliance of the Order passed by this Hon'ble High Court dtd. 5.7.2012 and 20.11.2012 respectively.

I further say and submit that, the main points which have been communicated to the concerned Regional Officers for compliance vide D.O. letter dtd. 26.11.2012, are reproduced hereunder :-

- (i) To share data about industrial units in respect of Consent- Status including Consent to Operate and Renewal thereof, Copies of Closure Notices/Other Actions taken by the Board against Polluting Industries;
- (ii) Measures taken including earlier Directions issued with the amendments to Consents granted by the Board about prohibition of consumption of water for manufacture/ expansion carried out wt out Consents of the MPCB with Communication to MIDC to restrict water supply to consented



- (iii) Sharing of High polluting industries in Red Category immediately in a weeks time and Orange Category in 3 weeks time wt samples collection and analysis information for 2012 year.
- (iv) Regional Officer-Thane to inform all the industrial units in Tarapur to permit CETP- Association to take samples of industrial effluents from respective industrial units for the purpose of ensuring that it conform to the prescribed standards prior to disposal in to CETP, if not ,then to stop receiving it and to disconnect the outlet pipeline of that particular unit. RO may also inform concern unit ,that it will be treated as Contempt of Court Order dated 20/11/2012 and it will be liable for further necessary action as per the said order.
- (v) Regional Officers may also inform defaulting units to make contribution of their part of CETP Arrears including any other dues, so that operation and maintenance of CETP becomes financially viable as well as economically feasible.
- (vi) Regional Officers should also ensure proper visit, inspection and sampling with surprise visit, to discuss the problems of CETP, Industries, Implementation of statutory compliance as well as various Guidelines with various Orders passed by Hon High. Court, bringing more transparency in working
- (vii) Regional Officers should designate one full fledged Field Officer with IT base for compiling above





Regions, except Tarapur and all Respondents (Lote, Chincholi, Badalapur, Morivali and RIA. All these Respondents to place information regularly from 10/12/2012.

A sample copy of the said D.O. letter dtd. 26/11/2012 is enclosed and marked as an Exhibit – 'VI'.

b) **Pointwise compliance of the Order dtd. 20.11.2012 :-**

- i) With reference to point 2 of the order, I say and submit that the statement made by the learned counsel for Tarapur Environment Protection society (i.e. Respondent No.8), that the Respondent Board does not share data about highly polluting industrial units, is incorrect and misleading. In fact, the Sub-Regional Officer of the Board at Tarapur-1 has handed over consent copies of 57 nos. Red Category industries to the Respondent No.8 vide letters dtd. 10.9.2012 respectively. I further say and submit that the Respondent Board has also provided 19 copies of closure directions issued against highly polluting industries on 17.9.2012. Copies of the acknowledgement of the letters dtd. 10.9.2012 and acknowledgement of receipt of 19 closure directions are enclosed herewith and marked as an Exhibit – 'VII'

I say and submit that, Tarapur CETP is one of the most problematic CETP, having a large number of members and generating more than 40



capacity of CETP only to the tune of 25 MLD. The Respondent Board is taking rigorous follow up with the Respondent No.8, for last more than 5 years for enhancement of the capacity of CETP to ensure that total generation of effluent from the Tarapur area is collected properly and disposed off at a point decided by the NIO. Instead of taking corrective & remedial measures, the Respondent No.8 is unnecessarily making the contention that it is not in a position to give any particulars about highly polluting industries, stating that the individual industrial unit do not permit Respondent No.8 to collect samples of their industrial effluent and on the other hand the MPCB also does not share data about such industrial units. In fact, the Respondent No.8 has got full Authority before allowing any membership as well as any disposal of pre-treated effluent of the Member industries, to ensure that it conforms to the standards prescribed under the provisions of the Environment (Protection) Rules, 1986. The standards laid down under the provisions of the Environment (Protection) Rules, 1986 have been made uniformly applicable throughout India and have been notified under the provisions of the Environment (Protection) Act, 1986.

I say and submit that earlier one Public Interest Litigation No.179/2009 was filed by Shri Avinash Churi v/s State of Maharashtra & Ors. before this Hon'ble Court wherein the MPCB was





against the Tarapur CETP for prevention of damage to the environment due to the discharge of industrial effluent into Tarapur Industrial area. In the said PIL, the Respondent-Board had filed the Affidavit before this Hon'ble High Court, pointing out various non-compliances on the part of the Tarapur CETP, wherein the Tarapur CETP was also one of the Respondent in that petition, including under capacity of CETP, Sumps and non-joining of Sump No.3 to the CETP as well as excess use of unauthorized water supply (borewell, tankers). It is surprising that the Respondent NO.8 instead of taking effective steps to prevent above non-compliances, unnecessarily raised issues in respect of not having particulars of highly polluting industries, copies of consents, unauthorized water supply etc., which the Respondent No.8 should have itself prevented and obtained. The earlier petition filed by the Respondent No.8 was withdrawn by the Respondent No.8 at that time. The said PIL was disposed off on 1/4/2010 as withdrawn by the petitioner.

- ii) With reference to point 6 & 7 of the Order, I say and submit that, the Sub-Regional Officer of the Board at Tarapur-I has handed over list of Red and Orange Category industries (Large Scale Industries, Medium Scale Industries & Small Scale Industries) vide letter dtd. 26.11.2012. The Sub-Regional Officer of the Board at Tarapur-I, has also handed over consent copies of 419 nos. of




nos. of Orange Category industries to the Respondent No.8 vide letter dtd. 26.11.2012. The Sub-Regional Officer, Tarapur-I also handed over 21 copies of Proposed Directions, 17 copies of Interim Directions and 19 nos. of Voluntary closure directions and 2 copies of closure directions, to the Respondent No.8 vide letter dtd. 26.11.2012. The 728 copies of the Analysis Reports of Red Category industries also handed over to the Respondent No.8 vide letter dtd. 3.12.2012. The information made available to the Respondent No.8 in compliance of the Hon'ble High Court's order dtd.20.11.2012, vide letters dtd.26.11.2012 is enclosed herewith and marked as an Exhibit-'VIII'.

Recently, the Chairman of the Central Pollution Control Board has issued directions u/s 18(1)(b) of the Water (Prevention & Control of Pollution) Act, 1974 in the matter of M/s.Tarapur Environment Protection Society, CETP to the MPCB by letter dtd.25/09/2012, pointing out various non-compliances on the part of the TEPS CETP including not meeting with the prescribed inlet norms for the parameters of pH, NH<sub>3</sub>-N and Phenols, on account of not being operated properly its ETP units, thereby grossly violating the effluent discharge norms prescribed by the MPCB, having the bypass open channels existing inside the CETP premises with untreated effluent disposal to sump. It is also pointed out that sludge drying pits are inadequately maintained and sludge was dumped





without valid consent. MPCB has been asked to ensure the compliance of CETP in MIDC Tarapur and to obtain a time bound action plan, not exceeding 3 months for assessment of the adequacy of CETP for the treatment upto prescribed final effluent standards and the need for upgradation through an expert agency, attainment of compliance of inlet quality norms particularly, ammonical nitrogen, which is grossly exceeding and the other prescribed standards through improvement in CETP with proper operation & maintenance thereof and installation of online monitoring-cum-recording system for pH, TOC & flow at the outlet of the CETP. It is specifically directed that the society shall not grant Membership to any new industrial unit/s nor allow the existing member units to increase the production capacity as well as to ensure proper operation and maintenance of effluent collection and conveyance system through regular interaction with MIDC, so as to stop leakage / overflow and bypass of effluent etc. The Respondent-Board is in the process of finalizing third party expert agency to prepare an Action Plan for TEPS CETP alongwith Action Taken Report to be implemented. A copy of the said directions is enclosed herewith and marked as an Exhibit-'IX'. The Respondent-Board has already communicated the said copy of the directions to the Regional Officer, MPCB, Thane with directions to submit an in-depth report on



the compliance of various points raised in the said directions.

iii) With reference to point 8 of the Order, the Sub-Regional Officer, Tarapur-I also requested all the industries in Tarapur MIDC area to extend co-operation to the representative of the Respondent No.8 CETP for collection of samples of industrial effluent, vide letter dtd. 26.11.2012. A copy of the said letter is enclosed herewith and marked as an Exhibit – 'X'

iv) Compliance in respect of para 12 of the Order dtd. 20.11.2012 with respect to newly added Respondent No.13 i.e. RIA CETP, Dist: Raigad:

1. **Constitution of Committee** : -The Regional Officer of the Respondent-Board at Raigad has constituted a committee consisting of the Regional Officer, MPCB, Raigad, Sub-Regional Officer, MPCB, Raigad-II, the local Executive Engineer of MIDC or its representative of MIDC, Roha, Dist: Raigad and Member of Roha Indl. Association by his order dtd.21/08/2012 for the Regional Office, MPCB, Raigad area CETP. A copy of the constitution of committee vide letter dtd.21.08.2012 is enclosed herewith and marked as an Exhibit - 'XI'

2. **Committee's Survey** :- The committee has caused visit & inspection of the CETP on





04/10/2012, 30/10/2012, 6/11/2012 and 22/11/2012 respectively. The results thereof are already displayed on the website of the Respondent-Board, which are enclosed herewith and marked as an Exhibit-'XII'.

3. Analysis of JVS collected by the Committee :- The Committee got analysed the samples collected from inlet & final outlet of CETP and received the reports on analysis. The summary of the analysis results from 29/08/2012 upto 22/11/2012 are enclosed herewith and marked as an Exhibit-'XIII' collectively.

From the above statement, it can be observed that the range of inlet COD of CETP observed on the basis of results from 672 to 2384 and average inlet COD for the above period was observed 1608 mg./ltr., with reference to the designed inlet COD capacity of CETP at Roha 3200 mg./ltr., and the range of outlet COD of CETP observed on the basis of results from 300 mg./ltr. to 1120 and average outlet COD is 527.5 mg./ltrs. for above sampling period, with reference to the designed outlet COD capacity of CETP Roha 250 mg./ltr.

A statement showing the results on monitoring of CETP from the period 03/01/2012 to 21/11/2012 is enclosed as



statement, it has been observed that the minimum outlet COD is in the range of 280 mg./ltr. and maximum outlet COD is in the range of 1632 mg./ltr. with an average 695.59 mg./ltr. for the above period, except the outlet COD has been exceeded in the month of April, 2012 i.e. 1296 mg./ltrs. and 1064 mg./ltr., therefore, the CETP Roha has been added as the necessary Respondent. At that time, the defused aeration system was being replaced with surface aeration system as observed by the Sub-Regional Officer, MPCB, Raigad-II and communicated to the Respondent No.13 by letter dtd.17/05/2012. Therefore, on the basis of above average outlet COD for the above period, the CETP can be treated as marginally complied CETP.

4. Actions initiated by Regional Officer, MPCB, Raigad :- The Regional Officer, MPCB, Raigad has issued the proposed directions following by interim directions against 4 defaulting highly polluting industries identified on the basis of the results of sampling and inspection carried out by the Regional Office, MPCB, Raigad. Copies of the said directions are enclosed herewith and marked as an Exhibit 'XV'





The Regional Officer, MPCB, Raigad will initiate further line of action on the basis of further monitoring as per the criteria laid down by the Respondent-Board.

5. Expansion/Improvement of RIA CETP,

Raigad : I say and submit that the RIA CETP has already installed online pH flow meter, UASB Digester in the month of March, 2012 itself. After 05/07/2012, the CETP has installed TOC Analyzer and the existing defused aeration system is replaced by surface aeration system to improve the efficiency of the plant. The CETP has also installed the belt press for effective removal of the sludge. Internal pipelines are replaced to avoid leakages & seepages. The internal roads are repaired for proper approach & movement of the vehicles. Further, it proposes to provide Scada System and to make Online TOC operation strengthening.

The RIA CETP Association has prepared a concrete proposal for expansion of CETP capacity from 10 MLD to 12.50 MLD and sent it for necessary approval to the MIDC. The MIDC Authorities have approved the proposal and sent it to NEERI for further technical evaluation. Presently, the generation of effluent from the Member industries is below 10 MLD, i.e. well within



CETP reported by Sub-Regional Officer, MPCB, Raigad-II vide letter dtd.10.12.2012 is enclosed herewith and marked as an Exhibit-'XVI'.

**Compliance of the Order dtd. 20.11.2012:-** The Sub-Regional Officer, Raigad-II by his letter dtd. 7.12.2012 communicated the results on analysis of samples from 1.1.2012 to 22.11.2012, the copies of Consents. (Red) as well as the Legal Actions initiated by the Board from Janury 2012 onwards to the RIA CETP. A copy of the said letter dtd.7.12.2012 is enclosed herewith and marked as an Exhibit-'XVII'

- v) With reference to para 13 of the Order, I say and submit that, as directed by this Hon'ble High Court, the Respondent Board has furnished all the information to the Respondent No.8 within three weeks from the date of order dtd.20.11.2012 (i.e. upto 11.12.12) and complied with the order passed by this Hon'ble Court dtd.20/11/2012.

The Respondent Board also directed all concerned Regional Officers to furnish similar information to other associations running CETPs in their jurisdiction more particularly to the party respondents vide D.O. letter No.24 dtd. 26/11/2012.

I say and submit that now almost all the



made available the requisite information in respect of consent status, copies of directions, analysis results for the year, 2012 and categories of the industries etc. to the respective CETPs in their jurisdiction, which are the Respondents in this petition.

**Compliance of para 14 of the order dtd.20/11/2012 of this Hon'ble Court**


- vi) With reference to point 14 of the order, this Hon'ble High Court directed the Respondent-Board to display the performance of all CETPs on its website, on weekly basis w.e.f. 10/12/2012 for Respondent CETPs and w.e.f. 1.1.2013 for other CETPs.

Besides the above directions, the Member Secretary of the Board has issued another D.O. letter No. 27 dtd. 3.12.2012 to all concerned Regional Officers to upload the data on performance of all the CETPs in their Region from 10<sup>th</sup> December, 2012 onwards, without fail. Accordingly, all the concerned Regional Officers of the Respondent-Board have started display of the performance of all CETPs on the website of the Board from 10/12/2012. A statement showing the details in respect of the uploading of the results of various CETPs is enclosed at marked as an **Exhibit – 'XVIII'**


- vii) I say and submit that the other directions in the order passed by this Hon'ble Court pertain to the

MIDC. Hence I am advised not to deal with the same.

- 3) I say and submit that the Respondent-Board has decided to appoint NEERI and one of the other Expert Local Agency for evaluation of the CETP performance at Badlapur, so as to devise third party evaluation of CETPs in the State of Maharashtra regularly, as suggested by the NEERI in its preliminary report submitted to this Hon'ble Court for augmentation of CETP performance in the State of Maharashtra. A copy of the letter dtd.10.12.2012 is enclosed herewith and marked as an Exhibit- 'XIX'



(D. T. Devale )  
Sr.Law Officer, MPCB



(Yeshwant B. Sontakke)  
Joint Director (Water Pollution Control)





VERIFICATION


I, Yeshwant B. Sontakke, aged about 47 Years, occupation-service, the Joint Director(Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3<sup>rd</sup> Floor, Sion-Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, do hereby solemnly declare that whatever stated in the aforesaid reply from paragraph 1 to 3 are true and correct to the best of my knowledge and belief. I say that the contents of the above reply from paragraph 1 to 3 are drafted as per the official record. The same are read over to me and I have understood the same.

Hence, verified and signed at Mumbai on this 12<sup>th</sup> day of December, 2012.

Deponent,

Solemnly affirmed at Mumbai }


On this 12<sup>th</sup> day of December, 2012 }



(Yeshwant B. Sontakke)  
Joint Director (Water Pollution Control)



BEFORE ME

  
12/12/2012  
**S. K. WARKE**  
ADVOCATE & NOTARY  
5/4, Himalaya, Opp. Podar Hospital  
Next to Sadanand Restaurant,  
Worli, Mumbai - 400 018



## Exhibit - I

## MAHARASHTRA POLLUTION CONTROL BOARD

☎ : 24010437/4701/24020781  
24037124/5273/24044489

Fax : 24024068/24044531

Visit us on :

<http://mpcb.gov.in>

Kalpataru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Flr,  
Sion Matunga Scheme Rd.No.8  
Opp. Cine Planet cinema,  
Near Sion Circle, Sion (E),  
Mumbai - 400 022.

No.BO/P&L Divn./B- 4602

Date: 24/7/2012

circular

To

The Regional Officer,  
Maharashtra Pollution Control Board,  
Mumbai/Navi Mumbai/Thane/Raigad/Kalyan/Nashik/Pune  
Aurangabad/Amravati/Nagpur/Chandrapur/Kolhapur.

Sub : Constitution of Committee in compliance of the Order  
Passed by the Hon'ble High Court of Judicature at  
Mumbai in the Writ Petition No.17/2011 filed by  
Nicholas Almedia v/s State of Maharashtra and Ors.

Ref : Order dtd.5/7/2012 passed by Hon'ble High Court of  
Judicature at Mumbai.

You are well aware that Hon'ble High Court of Judicature at Mumbai through PIL bearing No.17/2011 filed by Nicholas Almedia v/s State of Maharashtra and Ors., oversee the compliance of the CETPs in the State of Maharashtra. Hon'ble High Court has already made the highly polluting non-complied CETPs as the Respondents in the above matter. Hon'ble High Court, Mumbai passed a detailed order dtd.5/7/2012 issuing a number of directions to all concerned. A copy of the said order is already communicated to you by e.mail. by the Policy and Law Division.

Hon'ble High Court directed the CETP Associations to inform the MPCB about the highly polluting industries and the MPCB has been instructed to take appropriate action against such units in accordance with the law. Earlier one circular has been issued laying down the criteria for initiating stringent actions against the defaulting Members of CETP. It has been observed that various SSI Units not having substantial quantity of effluent, on the basis of the exceedance of BOD & COD parameters double the inlet parameters of CETP had been directed to close down voluntarily. However, the SSI units had raised the issue that as far as there BOD & COD are not exceeding the designed outlet capacity of CETP, on the basis of meager quantity of their effluent exceeding the BOD & COD parameters, which are well within designed capacity of CETP and not affecting the performance of CETP, as well as SSI units having less than 25 M<sup>3</sup> effluent per day, but not given BOD & COD parameters taking into consideration the designed capacity of CETP.



spite of sufficient time given, not complied with the final directions, then to issue voluntary closure directions with safe closure, in appropriate cases of serious nature, where safety & environment aspects not involved, without giving safe closure, for reasons recorded in writing, disconnection orders can be issued.

- 3) In other normal cases, if out of number of samples, one of the sample report is highly exceeding beyond the designed capacity of CETP outlet, first of all proposed directions, then, obtaining bank guarantee with final directions giving reasonable time for compliance and thirdly, on the basis of continuous exceedance, disturbing functioning of CETPs, causing serious pollution in the surrounding area, voluntary closure can be issued. However, in normal cases, if no serious problem of pollution and some time is given, which requires to be extended for completing the remaining work, the bank guarantee can be encashed as per Legal Matrix and double the bank guarantee to be obtained at 2<sup>nd</sup> time and at the time of 3<sup>rd</sup> extension, the second bank guarantee to be forfeited and double the bank guarantee of forfeited second bank guarantee to be obtained, by giving last time for compliance and then, if not complied, final closure directions can be issued with disconnection of electricity / water supply in normal cases, where, there is no necessity to grant safe closure period on account of continuous activity, which may result into environmental hazard, if all of sudden closed.

The above procedure is to be followed scrupulously in case of top ten highly polluting industries / serious polluting industries identified during monitoring, having substantial discharge of effluent to CETP and also affecting the performance of CETP. In case of SSI unit, the bank guarantee forfeiture model should be followed as far as practicable, unless SSI unit results into disturbance of functioning of CETP. The ROs should constitute committees consisting of following members.

- (i) Regional Officer/Sub-Regional Officer.
- (ii) Shri P.P. Nandusekar  
Advisor : MIDC for non-complied CETPs at Navi Mumbai.
- (iii) Shri V.N. Munde,  
A retired Regional Officer,  
Maharashtra Pollution Control Board,  
For Pune Region.
- (iv) Shri P.M. Gokhale,  
Ex-Sub-Regional Officer,  
Maharashtra Pollution Control Board,  
For Nashik Area.
- (v) Shri S.S. Kotwal,  
Ex-Sub-Regional Officer,  
Maharashtra Pollution Control Board,  
For Aurangabad Area.



- 4) The Regional Officers will take serious note of the information submitted by the Associations of CETPs in their jurisdiction about highly polluting industries received from it, as also on its own carrying out surprise visits and taking samples of effluents being discharged by the industries. However, the ROs should prepare an inventory of the highly polluting industries, affecting the performance of CETP/s in their jurisdiction, which are really disturbing the whole functioning of CETP/s and initiate stringent action/s against such units in compliance of the orders passed by the Hon'ble High Court from time to time in the PIL bearing No.17/2011. In other cases, as stated above in respect of violations, the actions shall be initiated as per the legal matrix, i.e. firstly issuance of proposed directions, then, after extending personal hearing to issue final directions to comply with various short comings, such as taking inplant measures to bring parameters within limits in a stipulated short period in the final directions, upgradation of pollution control devices within stipulated time, stoppage of discharge of effluent in contravention of consent conditions immediately with the bank guarantees as proposed in the legal matrix. Then if final directions are not complied in a stipulated time, then, to forfeit the bank guarantee and top up with double the amount of earlier bank guarantee and to grant remaining period for compliance of directions. If not complied, the 2<sup>nd</sup> directions within stipulated time, then again forfeiture and to top up the bank guarantee with double the amount of second time bank guarantee and to grant last opportunity and then, thereafter if violation continue, to go for voluntary closure/refusal/revocation of consent etc., provided no serious incidence of pollution occurs in the meantime.
- 5) The ROs should inform the concerned Associations about the action/s being taken against highly polluting industries, which shall also be done within 4 weeks time from the date of action taken by them, as per the order passed by the Hon'ble High Court dtd.5/07/2012.
- 6) The ROs should also issue appropriate directions to CETPs in their jurisdiction about the highly polluting top ten industries identified by them on the basis of monitoring, the actions being taken by the MPCB against the defaulting units, requiring further compliance from the individual members, on the basis of the reporting by the Associations as well as on the basis of MPCB's own surprise visits and sampling. ROs should also direct the CETP not to allow the disposal of effluent into CETP in case the CETP is not functioning for whatsoever reasons and to stop the manufacturing activities till CETP is made operational. ROs shall also direct the CETP Members to have its own effluent treatment plant with separate electric meter. ROs should communicate the CETP the constitution of Committee for industrial units within the MIDC Estates.



: 5 :

Copy submitted to: Hon'ble Chairman, MPCB, Mumbai – for favour of information.

Copy to: PSO/SLO(P&L Divn.)/AST/JD(AIR)/I/C JD(WATER)/JD(PAMS)/ RO(HQ),  
MPCB, Mumbai – for information and necessary action.

Exhibit -II  
~~SECRET~~

Kind attention  
 Shri Devte saheb.

MAHARASHTRA POLLUTION CONTROL BOARD  
 REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212

Fax No. (0251) 2310192

Visit us on: <http://mpcb.gov.in>



Siddhivinayak Sankul,  
 3<sup>rd</sup> Floor, Near Oak Baug,  
 Station Road, Kalyan (West),  
 Dist. Thane - 421 301.  
 Date:- 5/12/2012

No. MPCB/TB/121205FT0289

To,  
 Sr. Law Officer (P&L) Div.  
 MPC Board, Sion Mumbai.

Sub:- Follow-up of Hon Court order in writ petition no. 17/2011.

- Ref: 1. Order passed by Hon'ble high on 05.07.2012.  
 2. Order passed by Hon'ble high on 20.11.2012.  
 3. D.O. letter No.24, dt. 26.11.2012.

Part A Action taken by the Board as per order passed by Hon,ble high on 5.07.2012

As per order passed by the Hon'ble High Court dated 05.07.2012 & circular issued by the Board on 24.07.2012, this office has constitute committee consisting Sub-Regional Officer Kalyan II, local Executive Engineer MIDC, Member of CETP Association, & Ex-Sub Regional Officer of Board on 27.07.2012. Badlapur CETP(Association) has informed name of defaulter industries to this office on 08.08.2012. This office has issued SCN to defaulter industries on 24.08.2012 (list enclosed). This office has conducted personal hearing of defaulter industries on 03.09.2012 & issued directions on 06.09.2012. (list enclosed)

Committee members has started vigilance on 07.08.2012. Committee has carried out visits to Badlapur Industrial area & Chikhli Morivali Industrial area Ambarnath. Committee has collected JVS of CETP & top 10 highly polluting industries in respective industrial area.

Top 10 polluting Industries

Sr.No.	MIDC Badlapur	Sr.no.	MIDC Chikhli
1	M/s. Ashutosh Dyeing Mills Pvt. Ltd., Plot No. F-12/25, MIDC Badlapur,	1	Sequent Scientific Ltd, Plot No. 7/8, Engineering Zone, Chikhli, Ambarnath
2	M/s. Arch Pharma Badlapur, G-4,5 MIDC, Badlapur, Dist. Thane	2	Centaur Chemical Pvt. Ltd., Plot No. 75, Chikhli MIDC, Ambarnath, Dist. Thane
3	M/s. Prempooja Textiles, Plot No. B-10, MIDC Badlapur, Dist. Thane	3	Acharya Chemicals, W-41,42 MIDC Morivali, Ambarnath

c9 / 1/1/1/1



4	M/s. SBL Colourchem Pvt. Ltd., Plot No. C-4, MIDC Badlapur, Dist. Thane	4	Ambernath Organics Pvt. Ltd., Unit No. 1, Plot No. 61/63/64/69 & 70, MIDC Chikholi, Ambernath, Dist. Thane
5	M/s. Monogram Textile Processors, B-44, MIDC Badlapur, Dist. Thane	5	Ashu Organic (I) Pvt Ltd, W-48 & 49, MIDC Morivali, Ambernath
6	M/s. D.K. Pharma Pvt. Ltd., P.No.F-32, W-5, 6, 7, MIDC Badlapur	6	Hanaka Organics Pvt. Ltd., Plot No. W-108, MIDC Morivali, Dist. Thane
7	M/s. Ganesh Silk Mills, Plot No. B-23, MIDC Badlapur, Dist. Thane	7	Nikava Pharmaceuticals Industries, W-52, MIDC Morivali, Ambernath, Dist. Thane
8	M/s. Anuvi Chemicals Ltd., W- 71(B), MIDC, Badlapur, Dist Thane	8	Borax Morarji Ltd M.G. Road Ambernath
9	M/s. Pacific Organics Badlapur	9	Monomer Chemicals Ind. Pvt Ltd, Plot No. 32, MIDC Chemical Zone, Ambernath
10	M/s. Oleofine Organics (I) Pvt. Ltd., Plot No. G-1, MIDC Badlapur	10	Kemix Chemical Pvt Ltd, W-51, MIDC Morivali, Ambernath

In MIDC Badlapur area 6 & in Chikholi Morivali 1 defaulting industries observed out of above top 10 polluting industries in respective MIDC. Accordingly this office has issued P.D. to the defaulting industries on 12.09.2012. (List enclosed)

1. Badlapur CETP, Plot No. OD-4, MIDC Badlapur, Tal-Ambarnath Dist- Thane:

	Defaulter industries informed by Badlapur CETP.	Monitoring of industries done by Committee in MIDC Badlapur	Monitoring of industries done by Committee in MIDC Chikholi Morivali
	12	10	10
Defaulters observed in Committee Monitoring	.....	6	1
Action taken by Regional office	I.D issued to 11 industries on 06.09.2012	P.D issued to 6 industries on 12.09.2012	P.D issued to 1 industries on 12.09.2012

The primary, secondary, tertiary treatment is provided; same was found in operation. JVS of inlet & final outlet was collected during visit of committee. Analysis reports of JVS is as below;

27

Parameter	Standards		22/8/2012		1/9/2012		24/9/2012		Avg.	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
pH	5.5-9.0	5.5-9.0	7.1	7.6	7.7	7.2	7.2	7.7	7.3	7.5
BOD	....	100 mg/l	620.0	180.0	280	40	510	240	470	153
COD	2200 mg/l	250 mg/l	1312.0	344.0	528	132	1200	680	1013	385
SS	100 mg/l	100 mg/l	158.0	34.0	118	80	132	162	136	92
O&G	20 mg/l	10 mg/l	BDL	BDL	3.2	BDL	BDL	2.8	1.1	0.9

CETP is designed for 2200 mg/l COD and 8 MLD capacities. From the above, it can be concluded that, the results of the inlet are within the designed COD and the (average) outlet results are below 500 Mg/L hence as per RO (HQ) mail dated 28.03.2012 it comes under partial complied CETP.

**Chikloli Morivali Effluent Treatment CETP, Ambernath, Plot No. P-17, MIDC, Morivali, Tal-Ambernath, Dist-Thane :**

The design capacity of CETP of 0.8 MLD however the daily inflow is around 0.25 to 0.30 MLD. The analysis report received from regional laboratory is as below:

Parameter	Standards		28/8/2012		29/8/2012		25/9/2012		Avg	
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
pH	5.5-9.0	5.5-9.0	7.8	8.0	7.9	7.9	8.4	8.0	8.0	7.9
BOD	....	100 mg/l	300.0	95.0	235.0	38.0	520	70	351	67.66
COD	3500 mg/l	250 mg/l	568.0	353.0	800.0	188.0	1552	220	973	253
SS	100 mg/l	100 mg/l	104.0	70.0	116.0	48.0	42	28	87	48.66
O&G	20 mg/l	10 mg/l	1.4	BDL	2.6	BDL	4.6	BDL	2.8	BDL

CETP designed for 3500 mg/l COD and 0.8 MLD in capacity; however the inflow to the CETP is around 0.25 MLD. From above, it can be concluded that, the results of the inlet are within the designed COD and as per the result of outlet performance of CETP is improved.





**Part B- Action taken against Hon'ble High Court Order dt. 20/11/2012 & D.O. letter No. 24 dt. 26.11.2012**

Following are the follow-up taken by this office on daily basis.

Sr. No.	Date	Action taken
1.	29/11/2012	1. Copy of Order passed by Hon'ble High Court dt. 20.11.2012 is served to the CETPs. (Badlapur CETP Association & Chikloli Morivali ETP). 2. List of Red Category & Orange Catagory industries communicated to both CETPs.
2.	30/11/2012	1. Copy of action taken on defaulting industries and Copy of consents of CETP member industries communicated to both the CETPs.
3.	1/12/2012	1. JVS results of defaulting industries and other industries communicated to both the CETPs.
4.	3/12/2012	1. Letter issued to the industries to pay outstanding CETP charges on regular basis, otherwise it will be contempt of High Court Order.
5.	4/12/2012	1. Conducted meeting with both the CETPs and their member industries and discuss the issues of directions given by the court on 20.11.2012. Also informed CETPs to display the performance of CETP on web site on weekly basis. 2. Sampling of both CETPs are started on weekly basis. 3. Started surprise visit to the industries. 4. Deputed Shri. Ketan Patil, F.O. & Shri. Shashikant Patil, F.O. for compiling CETP performance on Boards website.

This is for your information please.

  
(S.R. Bhosale)  
SRO Kalyan-II  
  
(S.R. Seshmukh)  
Regional Officer  
Kalyan

Copy submitted for information to,  
Regional Officer, (H.Q.), MPC Board, Mumbai.

100% for the parameters of BOD & COD as well as other parameters. They had requested during the course of personal hearings that in case of exceedance of one result of JVS, stringent action of voluntary closure, creates a lots of problems including the employment of labour, the time bound orders placed with the company for the final product, the batchwise process discontinuation and in case of continuous process, having the repercussions of the environment & safety hazard, not giving safe closure period. They had requested that they do not oppose the actions initiated for defaults, but the degree of the violation may be taken into consideration, which may not affect the performance of the CETP and therefore, some other actions not disturbing the production activity may kindly be considered by the Board.

The criteria as was reported to the Hon'ble High Court and the difficulties expressed by the SSI, MSI & LSI Units considered by discussions with the HoDs present in the personal hearings. It was decided that the whole criteria for initiating actions against the defaulting Members of CETPs can be reviewed suitably with reference to the various orders passed by the Hon'ble High Court of Judicature at Mumbai from time to time in the PIL bearing No.17/2011. It was observed that Hon'ble High Court directed in various orders in the above petition that the MPCB should concentrate more on highly polluting large & medium scale units, which are disturbing / affecting the functioning of CETPs, resulting into serious pollution in the surrounding area. Therefore, the main thrust was on the pollution potential due to discharge of sub-standard effluent to CETP, thereby affecting the performance of the CETP.

After due deliberation, it was decided that first of all the Regional Officer/s should identify top ten / highly polluting industries / Members of CETP/s, who are really responsible for the disturbance of / affecting the functioning of CETP/s due to highly polluting effluent with high BOD and high COD and in some other cases with highly polluting other parameters frequently, which has resulted into serious pollution in the surrounding areas and also disturbed the functioning of CETP for quite a longer time, in spite of giving sufficient time & opportunity. Such units should be kept under vigilance and watch and the earlier criteria circulated for initiating action may be amended as under : -

- 1) If the BOD & COD parameters are exceeding on very higher side and abnormal, in such cases, if the performance of CETP is affected due to disposal of the exceeding parameters beyond the designed capacity of CETP and also resulted into serious pollution of the environment in the surrounding area, such as, fish kill, affecting drinking water source for the nearby area, affecting aquatic life etc., then on the basis of highly exceeding parameters of BOD, COD and other parameters responsible for such incidence, voluntary closure by giving safe period can be issued.



**Detail observations of committee during visit to CETP Badlapur and CETP Chikholi-Morivali, Ambarnath.**

Sr. No	Name of Industry	Type of Industry	Date of Visit	Ind Effluent Qty. in CMD		Observations		Valid upto
				Dom.	Indl.			
1	Pacific Organics Pvt. Ltd., W-116 (A), Vill. Kharavali, MIDC Badlapur, Dist. Thane	Red /SSI	7/8/2012	3.0	8.0	1	During visit industry was found in operation engaged in Bromine Recovery.	31/12/2012
						2	ETP is provided comprising of neutralization system, Aeration tank, hopper bottom settling tank, SDB.	
						3	Industry has not provided secondary & tertiary treatment as per conditional directions dtd. 17/12/2011.	
						4	JVS of final outlet collect & seal at site (PH 7-8 by PH Paper).	
2	Prem Pooja Textile Processors Pvt. Ltd., Plot No. B-10, MIDC Badlapur, Dist. Thane	Red - SSI	7/8/2012	4.0	70.0	1	During visit industry was found in operation engaged in processing of cotton fabrics.	31/10/2015
						2	ETP was found in operation.	
						3	JVS of final outlet collect during visit having PH 7-8 (by PH paper).	
3	M/s. Ganesh Silk Mills, Plot No. B-23, MIDC Badlapur, Dist. Thane	Red - SSI	7/8/2012	6	66	1	During visit industry was found in operation.	31/10/2010 Applied
						2	ETP is provided same was found in operation.	
						3	Upgradation in respect of combine sand filter is required.	
						4	JVS of final outlet collect during visit having PH 7-8 by PH paper.	
4	Aashutosh Dyeing Mills Pvt. Ltd., Plot No. F-25, MIDC Badlapur, Dist. Thane	Red - SSI	8/8/2012	6.0	47.0	1	During visit industry was found in operation.	31/10/2014
						2	ETP was found in operation. JVS of final outlet collect & seal at site. PH of final outlet is 7-8 (by PH paper).	
						3	Industry has installed one pump at -- cum neutralization tank & lift effluent in hopper bottom tank by using flexible PVC pipe	
						4	last Hazardous waste sent on 21 July having 278 Kg.	
						5	Industry has install PH meter & separated electric meter at ETP.	
5	Monogram Textile Processors Pvt. Ltd., B-44, MIDC Badlapur, Dist. Thane	Red/SSI	8/8/2012	9.0	95.0	1	During visit industry was found in operation.	30/9/2014
						2	ETP is provided same was found in operation. JVS of final outlet collect & seal at site. PH of final outlet is 7-8 (by PH paper).	
						3	Sludge drying bed is provided but same was unscientifically -- up gradation is required to SDB.	
6	SBL Colourtech Pvt. Ltd., Plot No. C-4, MIDC Badlapur, Dist.- Thane	Red/SSI	8/8/2012	2.5	35.0	1	During visit industry was found in operation engaged in Manufacturing of reactive dyes.	31/12/2011
						2	ETP is in operation but except secondary clarifier. Shed Arrangement is not provided to SDB.	
						3	Effluent generate from vacuum pot PH 3-4 leads towards the (by pass). Adjacent nalla (from vacuum pot).	
						4	JVS of final ETP outlet & bypass having PH 7-8 & 3-4 (by pH paper) collect & seal at site	

7	M/s Monomer Chemical Industries Pvt Ltd , Plot No.32 Chemical Zone MIDC Ambernath, Dist-Thane.	Red SSI	16/8/2012	2.5	35.0	5	Industry has provided flexible PVC pipes at ETP.	31/03/2011
						1	During visit industry was found in operation and engaged in manufacturing of Reactive Dyes.	
						2	ETP was found in operation.	
						3	JVS of final effluent was collected and seal at site. PH of same is 7-8	
						4	Industry has provided additional holding tank. Board has issued interim direction on 05/03/2012. For operation and maintainance of ETP.	
						5	Industry has submitted B.G. of Rs.25000/-	



## The list of defaulting industries reported by High Court Committee.

Sl. No.	Name of the Industry	Cat.	Capital Investment	Industrial Effluent (CMD)	Consent Status	Date of PD Issued	Date of ID issued
	M/s Ashutosh Dyeing Mills Pvt Ltd, Plot No.F-25, MIDC, Badlapur, Dist-Thane.	Red SSI,	69.61/- Lacs	47.0	MPCB/ROKCA/O/CC -70, dtd.8/4/2010, valid up to: 31/10/2014.	MPCB/ROK/PD /218 dt.12/09.2012	MPCB/ROK/TB/ID/UK/268, dtd.12/10/2012
	M/s. Monogram Textile Processor, Plot No. B- 44, MIDC, Badlapur, Dist-Thane.	Red SSI,	79.25/- Lacs	65.0	MPCB/ROKCA/O/CC -63, dtd.31/03/2010 valid up to: 30/09/2014	MPCB/ROK/PD /224 dt.12/09.2012	MPCB/ROK/TB/ID/UK/267 dtd.12/10/2012.
	M/s .Prempooja Textile. Plot No. B-10, MIDC, Badlapur, Dist-Thane.	Red SSI,	33.88/- Lacs	70.0	BO/JD/(WPC)/RO KN/EIC-KN 4223-10/O/CC-85 dtd.17/07/2012, valid up to: 31/10/2015	MPCB/ROK/PD / 222, dt.12/09.2012	MPCB/ROK/TB/ID/UK/269 dtd.12/10/2012
	M/s. Ganesh Silk Mills, Plot No. B-23, MIDC Badlapur.	Red SSI,	26.14/- Lacs	66.0	Applied for Renewal submitted to HQ	MPCB/ROK/PD / 223 dtd.12/09/2012.	MPCB/ROK/TB/Id/12110 5FT0234, dtd.5/11/2012
	M/s. Pacific Organics, Plot No. 115/116, MIDC, Badlapur, Dist-Thane.	Red /SSI	2.53/- Crore	8.0	BO/JD-PAMS/RO-KN/EIC No. KN-5555-11/R/CC-06 dtd.27/01/2012, valid up to 31/12/2012	1) ROK/TB/SCN/94/ 652, dt.24.08.2012 2)MPCB/ROK/PD/ 223, dt.12.09.2012	ID issued against SCN Vide no. MPCB/ROK/TB/ID/198, dtd. 06/09/2012.
	M/s SBL Colour Chem. Pvt Ltd, Plot No.C-4, MIDC, Badlapur,	Red/ SSI	1.99/- Crore	35.0	BO/RO Kalyan/PCI-I/EIC-1518-07/R/CC-132 dtd.18/6/2008 valid up to: 31/12/2011. Applied	MPCB/ROK/PD / 220, dt.12/09.2012	MPCB/ROK/TB/ID/UK/265, dtd.12/10

**The list of defaulting industries reported by High Court Committee.**

					application submitted to HQ		
M/s Monomer Chemical Industries Pvt Ltd , Plot No.32 Chemical Zone MIDC Ambernath ,Dist-Thane.	Red SSI	2.17 Crore	50.0		Bo/Ro/Kalyan/PCI-I/EIC-1776-08/R/CC-197 dt; 7/11/2008 valid up to 31.03.2013	MPCB/ROK/PD/219, dt.12/09.2012	MPCB/ROK/TB/I D/UK/266 dtd.12/10/2012



## MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167  
(0251) 2310212  
(0251) 2310192



Sidhivinayak Sankul,  
3<sup>rd</sup> & 4<sup>th</sup> Floor,  
Near Oak Baug,  
Kalyan (West),  
Dist. Thane

E.mail: [rokalyanmpcb@rediffmail.com](mailto:rokalyanmpcb@rediffmail.com)Visit us on: <http://mpcb.gov.in>

Date:- 08/08/2012

Visit Report

- 1) Name & Address of Industry : M/s Aashubh Dyeing Mills Pvt. Ltd.  
plot No. F-25 MIDC Badlapur  
Dist - Thane.
- 2) Date of Visit : 08/08/12
- 3) Contacted Person : Harish Thanvi
- 4) Status of Consent : 31.10.2014
- 5) Products : processing of cotton fabrics
- 6) Industrial Effluent Quantity : Dom. 6.0 Indl. 47.0
- 7) Pollution Control System : primary & Tertiary treatment followed provided.
- 8) Observations :

① During visit industry was found in operation. ② ETP was found in operation. ③ JVs of final outlet collect & treat at site. pH of final outlet is 7-8 (by pH paper). ④ Industry has provided installed one pump at column nitrilization tank & lift effluent in hopper bottom tank by using flexible PVC pipe. ⑤ ~~last~~ last H.W. sent on 21 July having 278 kg. ⑥ Industry has install pH meter & separate electric meter at ETP.

Industry Representative

Representative of MIDC

(A.D. Gorhe)

Representative of CETP

(S.R. Bhosale)

# MAHARASHTRA POLLUTION CONTROL BOARD SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167  
(0251) 2310212  
(0251) 2310192



Sidhivinayak Sankul,  
3<sup>rd</sup> & 4<sup>th</sup> Floor,  
Near Oak Baug,  
Kalyan (West),

E.mail: [rokalyanmpcb@rediffmail.com](mailto:rokalyanmpcb@rediffmail.com)  
Visit us on: <http://mpcb.gov.in>

Dist. Thane  
Date: 08/08/2012

## Visit Report

- 1) Name & Address of Industry : M/s Monogram Textile Processors  
Pvt. Ltd B-44 MIDC Ind. Area  
Badlapur Dist - Thane.
- 2) Date of Visit : 08/08/2012
- 3) Contacted Person : Bharat Tayade
- 4) Status of Consent : 30/09/2014 (validity)
- 5) Products : Processing of cotton & silk fabrics.
- 6) Industrial Effluent Quantity : Dom. 9.0 Indl. 95. M<sup>3</sup>
- 7) Pollution Control System : Primary treatment followed  
tertiary.
- 8) Observations :

- ① During visit industry was found in operation
- ② ETP provided same was found in operation.  
IWS of final outlet collect & deal at  
site. pH of IWS is 7-8 (by pH paper).
- ③ Sludge drying bed is provided but  
same was unscientifically a upgradation  
is required to SDB. ④

Industry Representative

*[Signature]*  
Representative of MIDC

Representative of CETP

(S.R. Bhosale)

(A.D. Gorhe)



# MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167  
(0251) 2310212  
(0251) 2310192



Sidhivinayak Sankul,  
3<sup>rd</sup> & 4<sup>th</sup> Floor,  
Near Oak Baum,  
Kalyan (West),  
Dist. Thane  
Date: 07/08/2012

E.mail: [rokalyanmpcb@rediffmail.com](mailto:rokalyanmpcb@rediffmail.com)  
Visit us on: <http://mpcb.gov.in>

## Visit Report

- 1) Name & Address of Industry : M/s. Parmpooja Textile Processors Pvt. Ltd.  
Plot No. B-10 MIDC Badlapur  
Dist - Thane.
- 2) Date of Visit : 07/08/12
- 3) Contacted Person : Sumit Jain.
- 4) Status of Consent : Valid upto 31.10.2015
- 5) Products : processing of cotton fabrics.
- 6) Industrial Effluent Quantity : Dom. 4.0 M<sup>3</sup> Indl. 70 M<sup>3</sup>
- 7) Pollution Control System : Primary & Tertiary treatment provided to treat the trade Effluents
- 8) Observations :
  - ① During Visit industry was found in operation engaged in processing of cotton fabrics.
  - ② ETP was found in operation.
  - ③ IIS of final effluent collected during visit having pH 7-8 (by pH paper)
  - ④

Industry Representative

*[Signature]*  
Representative of MIDC

Representative of CBIP

*[Signature]*  
(A.D. Gorhe)

*[Signature]*  
(S.R. Bhosale)

# MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167  
(0251) 2310212  
(0251) 2310192



Sidhivinayak Sankul,  
3<sup>rd</sup> & 4<sup>th</sup> Floor,  
Near Oak Baug,  
Kalyan (West),  
Dist. Thane  
Date: 07/08/2012

E-mail: [rokalyanmpcb@rediffmail.com](mailto:rokalyanmpcb@rediffmail.com)  
Visit us on: <http://mpcb.gov.in>

## Visit Report

- 1) Name & Address of Industry : m/s Ganesh Silk Mills Pvt.-Ltd.  
B-23 MIDC, Badlapur
- 2) Date of Visit : 07/08/12
- 3) Contacted Person : Ritesh Jain
- 4) Status of Consent : valid up to 31/10/2010 applied for renewal.
- 5) Products : processing of cotton & silk fabrics
- 6) Industrial Effluent Quantity : Dom. Indl.
- 7) Pollution Control System : primary & tertiary treatment provided to treat the trade effluent.
- 8) Observations :
  - ① During Visit industry was found in operation
  - ② ETP is provided same was found in operation.
  - ③ Upgradation in respect of combine sand filter is required
  - ④ SRS of final outlet collect during Visit pH having pH 7-8 by pH paper.

Industry Representative

Representative of MIDC

D. E. C. Badlapur

(A.D. Ghorde)  
Ex.SRO MPCB

Representative of CETP

(S.R. Bhosale)  
SRO MPCB Kalyan II



# MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167

(0251) 2310212

(0251) 2310192



Sidhivinayak Sankul,

3<sup>rd</sup> & 4<sup>th</sup> Floor,

Near Oak Baug,

Kalyan (West),

Dist. Thane

Date: 07/08/2012

E.mail: [rokalvanmpcb@rediffmail.com](mailto:rokalvanmpcb@rediffmail.com)

Visit us on: <http://mpcb.gov.in>

## Visit Report

- 1) Name & Address of Industry : M/s Pacific Organics Pvt Ltd.  
Plot No. W-116(A), MIDC Kharwai  
Badlapur.
- 2) Date of Visit : 07/08/12
- 3) Contacted Person : Shri. Sunil Dadadekar.
- 4) Status of Consent : Valid up to 31/12/2012
- 5) Products : Bromin Recovery.
- 6) Industrial Effluent Quantity : Dom. 3.0 Indl. 8.0
- 7) Pollution Control System : Primary treatment is provided to treat the trade Effluent.
- 8) Observations :

- ① During visit industry was found in operation engaged in Bromin Recovery.
- ② ETP is provided comprising cold room neutralization system, Aeration tank, sump bottom settling tank, SDB.
- ③ Industry has not provided secondary & tertiary treatment as per conditional consent directions dtd 17/12/2011.
- ④ Ins of final effluent outlet collect & seal at site. (PH 7-8 by pH paper)

Industry Representative

*Rajesh*  
Representative of MIDC

Representative of CETP

*A.D. Ghorde*  
(A.D. Ghorde)

*S.R. Bhosale*  
(S.R. Bhosale)

# MAHARASHTRA POLLUTION CONTROL BOARD

SUB-REGIONAL OFFICE-Kalyan II

Tel. No. (0251) 2310167  
(0251) 2310212  
(0251) 2310192

E-mail: [rokalyanmpcb@rediffmail.com](mailto:rokalyanmpcb@rediffmail.com)

Visit us on: <http://mpcb.gov.in>



Sidhivinayak Sankul,  
3<sup>rd</sup> & 4<sup>th</sup> Floor,  
Near Oak Baug,  
Kalyan (West),  
Dist. Thane

Date: 08/08/2012

## Visit Report

- 1) Name & Address of Industry : M/s SBL Colourtech P. Ltd  
Plot No. C-4 MIDC
- 2) Date of Visit : 08/08/12
- 3) Contacted Person : valid upto 31/12/2011
- 4) Status of Consent : Shri Matondakar 3293287
- 5) Products : S.O. Dyes & Dyes intermediate.
- 6) Industrial Effluent Quantity : Dom. 2.5 Indl. 25.0
- 7) Pollution Control System : primary, secondary & Tertiary  
Treatment. Provided
- 8) Observations :
  - ① During visit industry was found in operation engaged in manufacturing of machine dyes.
  - ② ETP was in operation but secondary clarifier shed arrangement is not provided to SDB. <sup>from vacuum port</sup> having PH 3-4 leads towards the (bypass) adjacent nalla (from vacuum port) ③ The effluent generated of Final ETP outlet & bypass having PH 7-8 & 3-4 (by pH paper) is collected & dealt out alike.
  - ④ Industry has provided Flexible PVC pipes at ETP.

Industry Representative

Representative of MIDC

Representative of CETP

(A.D. Gorhe)

(S.R. Bhosale)



**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE-KALYAN**

Tel. No. 2310167/2310212  
Fax No. 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



Sidhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road, Kalyan (West),  
Dist. Thane

Ref. ROK/TB/ID/198/722

Date: 06/09/2012

To,  
M/s. Pacific Organics.,  
Plot No. W-115/116, MIDC,  
Badlapur, Dist-Thane.

Sub : Interim Directions & under section 33(A) of the Water  
(Prevention & Control of Pollution) Act 1974 & under sections  
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref : 1) Writ Petition No. 17/2011 filed by Nicholas Almeida v/s State of  
Maharashtra and Ors.  
2) Order passed by Honorable High Court Dt. 10.05.2012 & 5.7.2012  
in writ petition No. 17/2011  
3) Letter submitted by Badlapur Common Effluent Treatment Plant  
Association . dt. 04/08/2012  
4) Show cause notice issued vide letter no.  
ROK/TB/SCN/94/652 Dtd. 24/08/2012.  
5) Personnel hearing extended to you on dt. 03/09/2012.

This refers to Show caused notice issued by this office vide letter above at sr.no:4  
and personal hearing extended to you by this office on 03/09/2012 .During the course of  
personal hearing, non compliances with respect to Consent Conditions were brought to your  
notice .It was assured by you immediate steps will be taken to comply with the consent  
conditions. Considering your assurance / submissions made during the course of hearing,  
following Directions are issued for immediate compliances.

1. Industry shall upgrade the existing ETP within 30 September 2012.
2. Industry shall submit proposal for up gradation of ETP within 2 days from date of  
Personal hearing
3. Industry shall provide separate the electric meter to ETP .
4. Industry shall operate & maintain effluent treatment plant efficiently & regularly  
round the clock to meet the standard prescribed by Board.
5. Industry shall submit irrevocable **Bank guarantee of Rs 25,000/-** in favor of  
Regional Officer, MPC Board, Kalyan valid up to one year within period of 15  
days from the date of personal hearing .

In case of your failure to comply with above directions, Board will proceed against  
you as per the provision of Air (Prevention & control of Pollution) Act, 1981 & under section  
33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be  
noted.

(S.R. Deshmukh )  
Regional Officer, Kalyan

Copy submitted to:  
Regional Officer (HQ), I/c. HSM Div. M.P.C. Board, Mumbai, for information.



**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE-KALYAN**

Tel. No. (0251) 2310167/2310212  
Fax No. (0251) 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) - 421 301.  
Thane.

Sent by: RPAD

NO: MPCB/ROK/ TB/ID/UK/ 121012FT0114/268 Date: 12.10.12

To,  
M/s Ashutosh Dyeing Mills Pvt Ltd,  
Plot No.F-25, MIDC,  
Badlapur, Dist-Thane.


Sub: Interim Directions & under section 33(A) of the Water  
(Prevention & Control of Pollution) Act, 1974 & under sections  
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref : 1) Consent granted by Board  
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of  
Maharashtra and Others.  
3) High Court Order, Dt 5.7.2012  
4) Board Circular No:BO/P&L Div/B-4602 dt 24.7.2012  
5) Visit of Committee on 8.8.2012 & 21.8.2012  
6) Report submitted by SRO K-II on 12.9.2012  
7) Proposed Direction issued vide letter no.  
MPCB/ ROK/TB/PD/218/120912FT0283 dtd. 12.9.2012  
8) Personnel hearing extended to you on dt.11/10/2012

This refers to Proposed Direction issued by this office vide letter above at sr.no:6  
and personal hearing extended to you by this office on 11/10/2012. During the course of  
personal hearing, non compliances with respect to Consent Conditions were brought to your  
notice. It was assured by you immediate steps will be taken to comply with the consent  
conditions. Considering your assurance / submissions made during the course of hearing,  
following Directions are issued for immediate compliances.

1. Industry shall operate & maintain effluent treatment plant efficiently & regularly round  
the clock to meet the standard prescribed by Board in consent order
2. Industry shall submit irrevocable **Bank guarantee of Rs. 25,000/-** in favor of Regional  
Officer, MPC Board, Kalyan valid up to one year within period of 15 days from the  
date of personal hearing.

In case of your failure to comply with above directions, Board will proceed against  
you as per the provision of Air (Prevention & control of Pollution) Act, 1981 & under section  
33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted.

  
(S.R. Deshmukh)  
Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan II, MPCB, Kalyan - For information & necessary follow-up
2. M/s Badlapur CETP Association, Plot No -OS-4 MIDC Badlapur, Dist -Thane

3. Master file.



**MAHARASHTRA POLLUTION CONTROL BOARD  
REGIONAL OFFICE-KALYAN**

Tel. No. (0251) 2310167/2310212  
Fax No. (0251) 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) - 421 301.  
Thane.

Sent by: RPAD

NO: MPCB/ROK/TB/D/UK/121012FT0111/267

Date: 12/10/2012

To,  
M/s Monogram Textile Processor  
Plot No. B-44, MIDC,  
Badlapur, Dist-Thane.

Sub: Interim Directions & under section 33(A) of the Water  
(Prevention & Control of Pollution) Act 1974 & under sections  
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref : 1) Consent granted by Board  
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of  
Maharashtra and Others.  
3) High Court Order Dt 5.7.2012  
4) Board Circular No:BO/P&L Div/B-4602 dt 24.7.2012  
5) Visit of Committee on 8.8.2012 & 21.8.2012  
6) Report submitted by SRO K-II on 12.9.2012  
7) Proposed Direction issued vide letter no.  
MPCB/ROK/TB/PD/224/120912FT0304, dtd. 12.9.2012  
8) Personnel hearing extended to you on dt. 11/10/2012

This refers to Proposed Direction issued by this office vide letter above at sr.no:6 and personal hearing extended to you by this office on 11/10/2012. During the course of personal hearing, non compliances with respect to Consent Conditions were brought to your notice. It was assured by you immediate steps will be taken to comply with the consent conditions. Considering your assurance / submissions made during the course of hearing, following Directions are issued for immediate compliances.

1. Industry shall operate & maintain effluent treatment plant efficiently & regularly round the clock to meet the standard prescribed by Board in consent order
2. Industry shall submit irrevocable **Bank guarantee of Rs 25,000/-** in favor of Regional Officer, MPC Board, Kalyan valid up to one year within period of 15 days from the date of personal hearing.

In case of your failure to comply with above directions, Board will proceed against you as per the provision of Air (Prevention & control of Pollution) Act, 1981 & under section 33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted.

(S.R. Deshmukh)  
Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan II, MPCB, Kalyan. -For information & necessary follow-up
2. M/s Badlapur CETP Association Plot No. OS 4 MIDC Badlapur Dist. Thane



**MAHARASHTRA POLLUTION CONTROL BOARD  
REGIONAL OFFICE KALYAN**

Tel. No. (0251) 2310167/2310212  
Fax No. (0251) 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) - 421 301.  
Thane.

Sent by: RPAD

NO: MPCB/ROK/TB/ID/UKI/2/012PTD118/269 Date: 12/10/2012

To,  
M/s .Prempooja Textile.  
Plot No. B-10, MIDC,  
Badlapur, Dist-Thane.


Sub: Interim Directions & under section 33(A) of the Water  
(Prevention & Control of Pollution) Act 1974 & under sections  
31(A) of Air (Prevention & control of Pollution) Act, 1981.

- Ref. : 1) Consent granted by Board  
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of  
Maharashtra and Others.  
3) High Court Order Dt 5.7.2012  
4) Board Circular No:BO/P&L Div/B-4602 dt 24.7.2012  
5) Visit of Committee on 7.8.2012 & 21.8.2012  
6) Report submitted by SRO K-II on 12.9.2012  
7) Proposed Direction issued vide letter no.  
MPCB/ROK/TB/PD/222/120912FTO310, dtd. 12.9.2012  
8) Personnel hearing extended to you on dt.11/10/2012

This refers to Proposed Direction issued by this office vide letter above at sr.no:6 and personal hearing extended to you by this office on 11/10/2012. During the course of personal hearing, non compliances with respect to Consent Conditions were brought to your notice. It was assured by you immediate steps will be taken to comply with the consent conditions. Considering your assurance / submissions made during the course of hearing, following Directions are issued for immediate compliances.

1. Industry shall operate & maintain effluent treatment plant efficiently & regularly round the clock to meet the standard prescribed by Board in consent order
2. Industry shall submit irrevocable Bank guarantee of Rs 50,000/- in favor of Regional Officer, MPC Board, Kalyan valid up to one year within period of 15 days from the date of personal hearing.

In case of your failure to comply with above directions, Board will proceed against you as per the provision of Air (Prevention & control of Pollution) Act, 1981 & under section 33(A) of the Water (Prevention & Control of Pollution) Act 1974. Which may please be noted.

  
(S.R. Deshmukh)  
Regional Officer, Kalyan.

Copy to:

1. Sub-Regional Officer, Kalyan II, MPCB, Kalyan.-For information & necessary follow-up
2. M/s Badlapur CETP Association, Plot No. OS-4 MIDC Badlapur, Dist-Thane



**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE-KALYAN**

Tel. No. (0251) 2310167/2310212  
Fax No. (0251) 2310192  
Visit us on: <http://mpcb.gov.in>  
E.mail: [rokalyan@mpcb.gov.in](mailto:rokalyan@mpcb.gov.in)



Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road,  
Kalyan (West) – 421 301.

NO. MPCB/ROK/TB/ID/12/05FT0234  
To,  
M/s. Ganesh Silk Mills,  
Plot No. B-23, MIDC Badlapur,  
Tal. Ambernath, Dist: Thane.

Date: 5/11/2012


**Sub:** Interim Directions under section 33A of the Water (Prevention & Control of pollution) Act 1974 & under Section 31A of the Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** 1) Consent granted by the Board.  
2) Visit to your unit by the Board officer on 07/08/2012 & 21/08/2012.  
3) Proposed direction issued on 12/09/2012.  
4) Personal hearing held on 01.11.2012.

This refers to proposed direction issued by this office vide above referred letter at S. No. (3) and the personal hearing extended to you on 01/11/2012. During the course of personal hearing, non-compliances with respect to the consent conditions were brought to your notice. It was assured by you that immediate steps will be taken to comply with the consent conditions. Considering your assurance and submissions made during the course of hearing, following directions are issued for immediate compliances.

1. You shall utilize the fresh acid to maintain the pH parameter.
2. You shall be modified effluent treatment plant, so as to achieve parameters like BOD, COD within prescribed limit as per consent.
3. You shall be operate air pollution control system effectively and monitor regularly.
4. You shall submit irrevocable Bank Guarantee of Rs. 25,000/- in favour of Regional Officer, Maharashtra Pollution Control Board, Kalyan valid upto one year. Bank Guarantee shall reach to this office within 15 days from the receipt of this letter. The Bank Guarantee will be encashed if you fail to comply with the aforesaid directions.

In case of your failure to comply with the above direction, Board will proceed against you as per the provisions of the Water (P&CP) Act, 1984 and Air (P&CP) Act, 1981. Which may please be noted.

  
(S. R. Deshmukh)  
Regional Officer, Kalyan

Copy submitted to:  
Regional Officer (HQ) I/c. HSM Division, MPC Board, Mumbai- for information.  
Copy to:

1. Sub-Regional Officer, Kalyan-II, MPC Board, Kalyan.  
- He is directed to serve the directions to above industry and keep follow up and report the compliance thereof.

MAHARASHTRA POLLUTION CONTROL BOARD  
REGIONAL OFFICE-KALYAN

Tel. No. (0251) 2310167/2310212

Fax No. (0251) 2310192

Visit us on: <http://mpcb.gov.in>



Siddhivinayak Sankul,  
3<sup>rd</sup> Floor, Near Oak Baug,  
Station Road, Kalyan (West),  
Dist. Thane - 421 301.

Date:- 7/12/2012

No. MPCB/TB/

To,

Sr. Law Officer (P&L) Div.

MPC Board, Sion Mumbai.

**Sub:-** Follow-up of Hon Court order in writ petition no. 17/2011.

- Ref:** 1. Order passed by Hon'ble high on 05.07.2012.  
2. Board circular dt. 24/7/2012.  
3. Order passed by Hon'ble high on 20.11.2012.  
4. D.O. letter No.24, dt. 26.11.2012.

Sir,

As per the directives in writ petition No. 17/2011, this office has observed non compliances of above directions from two units which are categorizes as top ten highly polluting industries, namely, M/s. Aashutosh Dying Mills (P) Ltd., F-25, MIDC Badlapur. & M/s. SBL Colorchem (P) Ltd., C-4, MIDC Badlapur.

On 7/12/2012 this office inform to the bank of respective industries that Board has forfeited the B.G. of said units. Also inform to the industries to furnish fresh B.G. of Rs. 50,000/- as per the s. no. 3 of Board circular dt. 24.7.2012

(S.R. Seshmukh)  
Regional Officer  
Kalyan

Copy submitted for information to,  
Regional Officer,(H.Q.), MPC Board, Mumbai.



Exhibit - III

**MAHARASHTRA POLLUTION CONTROL BOARD**

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagle Estate,  
Thane-400 604

No. MPCB/ROT/

Date :- 22.11.12

To,  
The Regional Officer (HQ),  
MPC Board, Mumbai.

Subject:- Report on Compliance of Hon'ble High Court Orders dated 5 /07/2012 in PIL No. 17/2011.

Sir,

Vide above referred orders Hon'ble High Court had directed Board to consider constituting a committee for MIDC estates for monitoring the functioning of the CETP and also for industrial units within the MIDC estates.

Accordingly Regional Officer Thane had constituted the committee in the month of Aug 2012. The committee members have visited ten highly polluting industries located in MIDC Tarapur on 12/09/2012 and 13/09/2012. SRO Tarapur -1 vide his letter dated 14/09/2012 had submitted report on the visit of the committee members.

Based on the report of SRO Tarapur-1, Regional Officer Thane has issued proposed directions to three defaulting industries on 30/10/2012 and 31/10/2012(copies enclosed).

Besides the above Regional Officer Thane has in the last nine months has issued proposed directions to 21 industries and closure directions to 22 industries located in the MIDC Tarapur. Also issued proposed directions to the CETP it self. Details of the same are enclosed herewith.

The second visit of the committee is expected shortly and accordingly report will be submitted in due course of time.

Submitted for further necessary action please.

(N. H. Shivangi)  
Regional Officer, Thane

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane

5<sup>th</sup> Floor, Office Complex Bldg.,

Near Mulund Check Naka,

Wagle Estate,

Thane-400 604

### ACTION TAKEN BY MPCB SINCE MARCH 2012 TO NOVEMBER 2012

Action	NO of actions
Closure Direction	22
Proposed Direction	21
Interim Direction	18



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane

5<sup>th</sup> Floor, Office Complex Bldg.,

Near Mulund Check Naka,

Wagle Estate,

Thane-400 604

No. MPCB/ROT/

Date :- 22.11.12

List of LSI/MSI Industries to whom Voluntary Closure direction are issued from MIDC Tarapur Industrial Area

Sr. No	Name of Industry	Category of Industries (MSI/LSI)	Generation & discharge of effluent m3/day into CETP	Action initiated by the Board against defaulting unit
1	M/s Camlin fine Camicals Plot No: D-2/3 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 20.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1063 dated 12.04.2012
2	M/s Jivraj Camicals (Calayx Chemicals & Pharmaceuticals) Plot No:N-90 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 7.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1074 dated 12.04.2012
3	M/s Aarti Drugs Ltd Plot No:N-198 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 63.10	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1073 dated 12.04.2012
4	M/s Bajaj Health Care Plot No:N-216,217 MIDC Tarapur, Tal: Palghar, Dist: Thane	MSI	Industrial Effluent - 69.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1072 dated 12.04.2014
5	M/s Sarex Overseas Plot No:N-131,132 MIDC Tarapur, Tal: Palghar, Dist: Thane	MSI	Industrial Effluent - 25.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1070 dated 12.04.2012
6	M/s Aarti Drugs Ltd Plot No:E-9/3 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 34.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1068 dated 12.04.2012
7	M/s Aarti Drugs Ltd Plot No:E-21/22 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 70.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1066 dated 12.04.2012

	Thane			
8	M/s Auro Laboratories Plot No:K-56 MIDC Tarapur, Tal: Palghar, Dist: Thane	MSI	Industrial Effluent - 19.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1064 dated 16.05.2012
9	M/s Everest Kantoo Cylinders Plot No:N- 62 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 10.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1289 dated 22.06.2012
10	M/s Mudra Life Style Plot No:D-1 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 115.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1142 dated 29.05.2012
11	M/s Resonance Speacialities Plot No:T-140 MIDC Tarapur, Tal: Palghar, Dist: Thane	MSI	Industrial Effluent - 11.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1085 dated 18.05.2012

List of SSI Industries to whom Voluntary Closure direction are issued from MIDC Tarapur Industrial Area

Sr. No	Name of Industry	Category of Industries (MSI/LSI)	Generation & discharge of effluent m3/day into CETP	Action initiated by the Board against defaulting unit
1	M/s Trichem Science Ltd Plot No: K-57 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 0.2	Voluntary closure direction issued by MPCB Board - MPCB/ROT/ dated 12.04.2012
2	M/s Mohini Organics Plot No:T-77,78,79 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 1.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1088 dated 12.04.2012
3	M/s Salvi Chemicals Plot NoE-93 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 55.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1067 dated 12.04.2012
4	M/s Genesis Coiar Plot No F-4/22 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 0.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1137 dated 12.04.2012



5	M/s Alpha Dychem Plot No N-223 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 5.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1071 dated 12.04.2012
6	M/s Ramdev Chemicals Plot No E-41 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 2.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1069 dated 12.04.2012
7	M/s Vardhaman Dyestuff Plot No N-34 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 68.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1281 dated 22.06.2012
8	M/s Dhoopchem Pvt. Ltd Plot No T-22/23 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 13.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/1288 dated 22.06.2012
9	M/s Laxmi Dyestuff Pvt Ltd Plot No T-22/23 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 25.0	Voluntary closure direction issued by MPCB Board - , MPCB/ROT/1270 dated 22.06.2012
10	M/s Shree Vinayak Industries Plot No E-1/1 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial effluent - 1.5	Voluntary closure direction issued by MPCB Board - MPCB/ROT/CD/1268 dated 19.06.2012
11	M/s Khanvelkar Plasticizer Plot No T-82 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial effluent - 11.0	Voluntary closure direction issued by MPCB Board - MPCB/ROT/CD/1285 dated 22.06.2012

**List of LSI/MSI/SSI Industries to whom PD/SC are issued from MIDC Tarapur Industrial Area**

Sr. No	Name of Industry	Category of Industries (MSI/LSI/SSI)	Generation & discharge of effluent m3/day into CETP	Action initiated by the Board against defaulting unit
1	M/s Calyx Chemicals & Pharmaceuticals Plot No: N-91/102 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 53.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD dated 14.04.2012
2	M/s Aarti Industries Ltd Plot No: L-5 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 20.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD-1082 dated 17.04.2012

3	M/s Aarti Industries Ltd Plot No:K-18/19 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 50.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1080 dated 17.04.2012
4	M/s Crown Chemicals Plot No:E-87/88 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 8.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1083 dated 17.04.2012
5	M/s Pharmaceuticals Products (I) Ltd Plot No: 24/25 MIDC Tarapur, Tal: Palghar, Dist: Thane	MSI	Industrial Effluent - 33.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1081 dated 17.04.2012
6	M/s K.P Chemicals Plot No: L-63 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 11.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1292 dated 22.06.2012
7	M/s Valsad District Co Op Milk Producers Plot No: M-12 MIDC Tarapur, Tal: Palghar, Dist: Thane	LSI	Industrial Effluent - 90.0	Showcause Notice issued by MPCB Board - MPCB/ROT/SCN- 1271 dated 22.06.2012
8	M/s Ravikiran Chemicals Plot No: L-7 MIDC Tarapur, Tal: Palghar, Dist: Thane	SSI	Industrial Effluent - 6.0	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1076 dated 17- 05.2012
9	M/s. Balaji Engineering Pvt. Ltd. Plot No. J-80, MIDC Tarapur	SSI	Industrial Effluent - 0.075	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1141 dated 29- 05.2012
10	M/s. Suraj Engineering Pvt. Ltd. Plot No. W-59, MIDC Tarapur	SSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1777 dated 16- 10.2012
11	M/s. Pal Fashion Plot No.E-40, MIDC Tarapur	LSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1809 dated 19- 10.2012
12	M/s. Usha Fashions Pvt. Ltd. Plot No. E-42, MIDC Tarapur	MSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1799 dated 19- 10.2012
13	M/s. Punjab Chemicals & Crop Protection Ltd. Plot No. E-51/1&2, 52 MIDC Tarapur	LSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1916 dated 30- 10.2012



14	M/s. Resonance specialities Plot No. T-140, MIDC Tarapur	SSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1918 dated 31-10.2012
15	M/s. Gini silk mills Plot No. E-15, MIDC Tarapur	MSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1926 dated 01-11.2012
16	M/s. Mudra life style. Plot No. D-1, MIDC Tarapur	LSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1927 dated 01-11.2012
17	M/s. Nayakem organics pvt ltd. Plot No. -80, MIDC Tarapur	SSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1932 dated 02-11.2012
18	M/s. Utam chemicals Pvt. Ltd. Plot No. T-87, MIDC Tarapur	SSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1933 dated 02-11.2012
19	M/s. Mohini organics Pvt. Ltd. Plot No. T-97, MIDC Tarapur	MSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1931 dated 02-11.2012
20	M/s. Kriplon synthetics Pvt. Ltd. Plot No. N-97/98, MIDC Tarapur	MSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1934 dated 02-11.2012
21	M/s. Rolson synthetics Pvt. Ltd. Plot No. E-8, MIDC Tarapur	MSI	Industrial Effluent -	Proposed direction issued by MPCB Board - MPCB/ROT/PD- 1930 dated 02-11.2012

Compliance Report   Hon'ble High Court Order Dated 5/7/2012

Sr. No.	Responsibility	Directions	Compliance Status
1	TEPS- CETP	The association running CETP shall ensure that the effluent being received from the chemical industries meet with the inlet norms for the CETP, so that after the treatment, the CETP is able to release the treated effluents within the permissible norms.	No compliance in this regard from the TEPS-CETP yet.
2	TEPS- CETP	In case the association running CETP finds that the effluents being sent by an individual industrial unit into the CETP inlet are carrying such high pollution load that CETP will not be in a position to treat the same for the purpose of meeting with the CETP outlet norms, the association shall discontinue receiving such effluent from the concerned individual industrial unit after giving prior notice and thereupon the concerned industrial unit shall stop all manufacturing activities.	Not complied ➤ TEPS-CETP has neither identified industries which are discharging effluents of high pollution load (i.e. not meeting CETP inlet standards) into CETP nor issued any prior notice to the concerned industrial units about stoppage of all manufacturing activities.
3	1) MIDC 2) Industries	For ensuring effective compliance with the above direction, the MIDC and the association shall make necessary arrangement for providing sumps for storing effluent being received from individual industry for the purpose of treatment in the CETP. It is made clear that even before such sumps are provided, direction nos. (1) and (2) above may be given and shall be complied with by the concerned industrial unit.	➤ MIDC Tarapur has provided 3 nos. of sumps and pipeline for carrying effluents from individual industries to the sumps from which the effluent is pumped to the TEPS-CETP.
4	Industries	Hereafter any industrial unit having its own effluent treatment plant shall not carry on any manufacturing activity whenever its effluent treatment plant is not functioning for any reason whatsoever, whether for maintenance, repairs or for any reason whatsoever.	No instance of any industry voluntarily stopping its manufacturing activities observed till date.
5	1) CETP 2) Industries	Similarly, whenever the CETP is not functioning for any reason whatsoever, the association shall call upon its member to stop manufacturing activities and the manufacturers shall thereupon stop their manufacturing activities.	Non functioning of CETP for long periods not yet observed except on one occasion when due to transformer failure functioning of the CETP was stopped. It was restored in half an hour. During this period CETP association did not inform the industries to stop their manufacturing activities.
6	Industries	With effect from 1 August 2012 each industrial unit having its own effluent treatment plant shall have a separate electric meter for its effluent treatment plant.	Not complied



: 2 :

As per Point No. 6 of Hon'ble High Court Orders Board has constituted Committee for monitoring major highly polluting industries. The committee was formed vide letter dated 8/8/2012. The said committee has visited 10 nos. of polluting industries on 12/09/2012, based on the committee's report 3 nos. of industries were found violating the consent conditions. Accordingly proposed directions were issued to them. (copy enclosed)

Regarding excess water consumption by industries, SRO Tarapur-I had written to the Deputy Engineer (Maintenance Sub-division), MIDC, Tarapur, vide no. MPCB/SROT-I/TB-1199 dated 27.8.12 requesting him to verify the quantum of water released to the industries & curtail excess water & release water according to the consented quantity. He had also handed over list of 86 nos. of LSI & MSI besides list of 417 nos. RED SSI. (copy enclosed)

In accordance with the Hon'ble High Court orders dated 05<sup>th</sup> July 2012, CETP Association has not informed the Board of highly polluting industries. This office has on its own carried out surprise visit to the industries for monitoring the compliance of consent conditions. Based on these visits 11 nos. of industries were issued proposed directions besides closure directions to one industry. List enclosed.

Vide E-mail dated 27.7.12 SRO Tarapur-I had sent the copy of Hon'ble High Court Orders dated 05.7.12 to the CETP Association & requested them to comply the orders. Vide letter dated 10.9.12, SRO Tarapur-I had requested the CETP Association to submit the list of highly polluting top ten industries but till date they have not provided the same.

TEPS has proposed additional CETP of 37.5 MLD capacity. The work of 25 MLD capacity in the first phase has been allotted to M/s Ramky Enviro Engineers Ltd. The work is not yet started due to the dispute on the matter of handing over the plot by MIDC to the TEPS.

### List of Proposed Directions

Sr. No.	Name & Address of the industries	Date of Proposed Directions
1	M/s. Tarapur Environment Protection Society, Plot No. AM-29, MIDC Tarapur, Tal. Palghar, Dist. Thane	17/10/2012
2	M/s. Suraj Engineering Pvt. Ltd., Plot No. W-59 (W), MIDC Tarapur, Tal. Palghar, Dist. Thane	16/10/2012
3	M/s. Pal Fashion, Plot No. E-49, MIDC Tarapur, Tal. Palghar, Dist. Thane	19/10/2012
4	M/s. Usha Fashion, Plot No. E-42, MIDC Tarapur, Tal. Palghar, Dist. Thane	19/10/2012
5	M/s. Kesaram Engineering, Plot No. W-196, MIDC Tarapur, Tal. Palghar, Dist. Thane	30/10/2012
6	M/s. Gini Silk Mills, Plot No. E-15, MIDC Tarapur, Tal. Palghar, Dist. Thane	1/11/2012
7	M/s. Mudra Life Style Ltd., Plot No. D-1, MIDC Tarapur, Tal. Palghar, Dist. Thane	1/11/2012
8	M/s. Nayakem Organics Pvt. Ltd., Plot No. T-128, MIDC Tarapur, Tal. Palghar, Dist. Thane	2/11/2012
9	M/s. Uttam Chemicals, Plot No. T-87, MIDC Tarapur, Tal. Palghar, Dist. Thane	2/11/2012
10	M/s. Mohini Organics, Plot No. T-77, MIDC Tarapur, Tal. Palghar, Dist. Thane	2/11/2012
11	M/s. Krimplon Synthetics Pvt. Ltd., Plot No. N-97/98, MIDC Tarapur, Tal. Palghar, Dist. Thane	2/11/2012
12	M/s. Rolson Synthetics Pvt. Ltd., Plot No. E-8, MIDC Tarapur, Tal. Palghar, Dist. Thane	2/11/2012
13	M/s. Concord Silk Mills, Plot No. J-83, MIDC Tarapur, Tal. Palghar, Dist. Thane	4/12/2012

### List of Closure Directions

Sr. No.	Name & Address of the industries	Date of Closure Directions
1	M/s. Balaji Engineering Plot No. J-80, MIDC Tarapur, Tal. Palghar, Dist. Thane	13/9/2012



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane

5<sup>th</sup> Floor, Office Complex Bldg.,

Near Mulund Check Naka,

Wagle Estate,

Thane-400 604

No. MPCB/ROT/PD/ 1917

Date:- 31/10/2012

To,

M/s Aarti Drugs Ltd. (Rashesh Chemical Divn.),

Plot no. E-9/3, MIDC Tarapur,

Tal. Palghar, Dist: Thane.

Sub:- Proposed directions under section 33A of the Water (P. & C.P.) Act, 1974 & Section 31A of the Air (P. & C.P.) Act, 1981.

Ref:- 1) Visit of Committee to your industry on 12.9.12.  
2) SRO's Tarapur-I visit report no. MPCB/SROTR-I/TB-1285 dated 14.10.12.

WHEREAS, you are operating your industry in pollution prevention area declared under the Water (P. & C.P.) Act, 1974 & the Air (P. & C.P.) Act, 1981. AND WHEREAS, Board has granted consent to your unit with certain terms & conditions & it is obligatory on your part to comply them. Further it is also obligatory on your part to provide necessary collection, storage treatment & disposal arrangements for the hazardous wastes generated from your activities.

AND WHEREAS in accordance with High Court orders Board has formed a Committee for the purpose of identifying polluting industries & checking their compliances & accordingly the Committee has visited your unit on 12.9.12 & has made the following observations as reported by the SRO Tarapur-I Viz :-


- 1) You have not made separate arrangement for segregation and treatment of high COD streams.
- 2) You have not provided secondary treatment facility.
- 3) Sludge drying beds were found to be overflowing with high oil and grease content.

This amounts to violation of various provisions of the aforementioned Acts besides Hon'ble High Court Orders & clearly shows your gross negligent attitude towards pollution control.

NOW THEREFORE, in the exercise of the powers conferred upon the undersigned by the Board under Section 33A of Water (P. & C.P.) Act, 1974 & under Section. 31 of the Air (P. & C.P.) Act, 1981, I hereby issue proposed directions against your industry as follows:-

- a) Why your unit shall not be directed to close down its activity forthwith?
- b) Why the competent authorities shall not be directed to disconnect Water/ Electricity supply to your unit?

You shall submit your reply / objections to these directions within a period of 7 days from the date of receipt of these directions and remain present for hearing on 07.11.2012 at 3.15 pm at this office failing which, the Board will have no option than to issue appropriate final directions as may be deemed fit in your case, which may please be noted.

  
(N.H. Shivangi)

I/c Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, M.P.C. Board, Sion, Mumbai-22.
- 2) Regional Officer (H.Q.), M.P.C. Board, Sion, Mumbai-22.

Copy to:-

Sub Regional Officer, M.P.C. Board, Tarapur -I.

- He is requested to serve these directions on the industry & follow up and report within a week.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane

5<sup>th</sup> Floor, Office Complex Bldg

Near Mulund Check Naka,

Wagle Estate,

Thane-400 604

No. MPCB/ROT/PD/ 1918

Date:- 31/10/12

To,

M/s. Resonance Specialties Ltd.

Plot no. T-140, MIDC Tarapur,

Tal. Paighar, Dist. Thane.

Sub:- Proposed directions under section 33A of the Water (P. & C.P.) Act, 1974 & Section 31A of the Air (P. & C.P.) Act, 1981.

Ref:- 1) Visit of Committee to your industry on 12.9.12.

2) SRO's Tarapur-I visit report no. MPCB/SROTR-I/TB-1285 dated 14.10.12.

WHEREAS, you are operating your industry in pollution prevention area declared under the Water (P. & C.P.) Act, 1974 & the Air (P. & C.P.) Act, 1981. AND WHEREAS, Board has granted consent to your unit with certain terms & conditions. & it is obligatory on your part to comply them. Further it is also obligatory on your part to provide necessary collection, storage treatment & disposal arrangements for the hazardous wastes generated from your activities.

AND WHEREAS in accordance with High Court orders Board has formed a Committee for the purpose of identifying polluting industries & checking their compliances & accordingly the Committee has visited your unit on 12.9.12 & has made the following observations as reported by the SRO Tarapur-I Viz :-

- 1) You have not made separate arrangements for segregation and treatment of high COD streams.
- 2) Your ETP was not in operation which means you are discharging untreated effluent into the MIDC drainage system leading to CETP and are thus responsible for disturbing the performance of the CETP.
- 3) Operation and Maintenance of the ETP is extremely poor.

AND WHEREAS, earlier Board has issued voluntary closure directions to your unit on 18/05/2012.

This amounts to violation of various provisions of the aforementioned Acts besides Hon'ble High Court Orders & clearly shows your gross negligent attitude towards pollution control.

NOW THEREFORE, in the exercise of the powers conferred upon the undersigned by the Board under Section 33A of Water (P. & C.P.) Act, 1974 & under Section. 31 of the Air (P. & C.P.) Act, 1981, I hereby issue proposed directions against your industry as follows:-

- a) Why your unit shall not be directed to close down its activity forthwith?
- b) Why the competent authorities shall not be directed to disconnect Water/ Electricity supply to your unit?

You shall submit your reply / objections to these directions within a period of 7 days from the date of receipt of these directions and remain present for hearing on 07.11.2012 at 3.30 pm at this office failing which, the Board will have no option than to issue appropriate final directions as may be deemed fit in your case, which may please be noted.

  
(N.H. Shivangi)  
I/c Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, M.P.C. Board, Sion, Mumbai-22.
- 2) Regional Officer (H.Q.), M.P.C. Board, Sion, Mumbai-22.

Copy to:-

Sub Regional Officer, M.P.C. Board, Tarapur -I.

- He is requested to serve these directions on the industry & follow up and report within a week.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ PD/ 1976

Date: 30/10/2012

To,

M/s. Punjab Chemicals & Crop Protection Ltd.,  
Plot No. E-51/1 & 2/52, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub:- Proposed directions under section 33A of the Water (P. & C.P.) Act, 1974  
& and section 31A of the Air (P. & C.P.) Act, 1981.

Ref:- 1) Visit of committee constituted by Board on 12/09/2012  
2) Report submitted by S.R.O. Tarapur-I vide e-mail dtd. 14/09/2012.

WHEREAS, you are operating your industry in pollution prevention area declared under Water (P. & C.P.) Act, 1974 & Air (P. & C.P.) Act, 1981. AND WHEREAS, Board has granted consent to your industry subject to certain terms & conditions therein. AND WHEREAS, it is obligatory on your part to comply those conditions and provide necessary water & air pollution control devices and operate them continuously and efficiently so as to meet the standards prescribed in the consent at all times. Further it is also obligatory on your part to provide necessary collection, storage treatment & disposal arrangements for the hazardous waste generated from your activities.

AND WHEREAS, vide above referred report the Sub Regional Officer, Tarapur-I reported that during the visit of the Committee to your industry on 12/09/2012, for checking compliance to the consent conditions, following observations were made:-

1. You have not segregated high COD streams and also not provided separate treatment facility for the same.
2. Observed no biomass in bio-reactor of Effluent Treatment Plant.
3. You have not provided proper arrangement for disposal of storm water in factory premises. Septic effluent is meeting with storm water drain.
4. House keeping in and around factory premises is extremely poor.

This amounts to violation of consent conditions and clearly shows your gross negligent attitude towards pollution control.

...2/-

: 2 :

NOW THEREFORE, in the exercise of the powers conferred upon the undersigned by the Board under Section Sec.33A of Water (P&CP) Act, 1974 & under Sec. 31A of Air (P & CP) Act 1981, I hereby issued proposed directions against your industry as follows:-

- a) Why your unit shall not be directed to close down its activity forthwith?
- b) Why the competent authorities shall not be directed to disconnect Water/ Electricity supply to your unit?

You shall submit your reply/objections to these directions within a period of 7 days from the date of receipt of this letter and remain present for hearing on 06/11/2012 at 3.30 pm to this office, failing which, the Board will have no option than to issue appropriate final directions as may be deemed fit in your case, which may please be noted.



( N.H. Shivangi )  
I/c. Regional Officer, Thane

Copy submitted to :

- 1) Sr. Law Officer, M.P.C. Board, Sion, Mumbai-22.
- 2) Regional Officer (HQ), MPC Board, Sion, Mumbai-22.

Copy to:-

Sub-Regional Officer, M.P.C. Board, Tarapur-I – He is requested to serve these directions on the industry & follow up and report within 7 days.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No MPCB/ROT/ID/ 1995

Date: 9 /11/2012.

To,

M/s. Mohini Organics Pvt. Ltd,  
Plot No. T-77, 78, 79, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.


Ref: 1) Proposed direction No.MPCB/ROT/PD/ 1931, dtd. 02/11/2012.  
2) Personal hearing dtd. 07/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 07/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall Operate & Maintain ETP at all times to achieve the prescribed standards.
2. You shall not resort to burying of solid waste or hazardous waste.
3. You shall submit additional Bank Guarantee of Rs. 1.00 Lac within week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

  
(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.

- He shall serve these directions on industry and take timely follow-up & submit progress report within a week.

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ID/B- 241

Date: 24/01/2012.

To,

M/s. Mudra Lifestyle Ltd.,  
Plot No. D-1, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act,  
1974 and Air (P & CP) Act, 1981.


Ref: 1) Proposed direction No. MPCB/ROT/PD/ 84, dtd. 10/01/2012.  
2) Personal hearing dtd. 17/01/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 17/01/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. Industry shall submit ETP up gradation proposal with time bound programme within week.
2. Industry shall upgrade the ETP in all means within one month period.
3. Industry shall submit the Bank Guarantee of Rs. 1,00,000/- within a week valid upto one year.
4. Industry shall provide the wet scrubber within one month.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

  
(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-  
Member Secretary, MPC Board, Mumbai.

Copy submitted to:-  
1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.  
2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.  
- He shall serve these directions on industry and take timely follow-up & submit progress report.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ID/ 1792

Date: 9 /11/2012.

To,

M/s. Nayakem Organics Pvt. Ltd.,  
Plot No. T-128, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.


Ref: 1) Proposed direction No.MPCB/ROT/PD/ 1932, dtd. 02/11/2012.  
2) Personal hearing dtd. 07/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 07/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall operate & maintain ETP round the clock so as to achieve consented standards.
2. You shall file water cess returns regularly.
3. You shall dispose Hazardous wastes regularly as per Hazardous Waste (MH&TM) Rules 2008.
4. You shall submit Bank Guarantee of Rs. 25,000/- within week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

  
(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.

- He shall serve these directions on industry and take timely follow-up & submit progress report within a week.

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ID/B- 248

Date 24/01/2012.

To,  
M/s. Pal Fashion,  
Plot No. E-49, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act,  
1974 and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No.MPCB/ROT/PD/ 97, dtd. 11/1/2012  
2) Personal hearing dtd. 17/01/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 17/01/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. Industry shall submit ETP up gradation proposal with time bound programme within week.
2. Industry shall complete the ETP up gradation work within one month.
3. Industry shall submit the Bank Guarantee of Rs. 1,00,000/- within a week valid upto one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-  
Member Secretary, MPC Board, Mumbai.

Copy submitted to:-  
1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.  
2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.  
- He shall serve these directions on industry and take timely follow-up & submit progress report.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ID/ 1992

Date: 9/11/2012.

To,

✓ Mrs. Uttam Chemicals,  
Plot No. 87, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No. MPCB/ROT/PD/ 1933, dtd. 02/11/2012.  
2) Personal hearing dtd. 07/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 07/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall operate & maintain ETP at all times to achieve the consented standards.
2. You shall provide adequate Air Pollution Control system to limit the fugitive emission.
3. You shall file cess returns regularly as per Water Cess Act, 1977.
4. You shall submit Bank Guarantee of Rs. 25,000/- within week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.

- He shall serve these directions on industry and take timely follow-up & submit progress report within a week.

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/ID/B- 249

Date 29/01/2012.

To,  
M/s. Gini Silk Mill,  
Plot No. E-15, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974 and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No.MPCB/ROT/PD/111, dtd. 12/1/2012  
2) Personal hearing dtd. 18/01/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 18/01/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. Industry shall submit the time bound programme for up gradation of ETP within one week.
2. Industry shall submit the Bank Guarantee of Rs. 1,00,000/- within one week valid up to one year.
3. Industry shall complete the ETP up gradation work within one month.
4. Industry shall revalidate the earlier Bank Guarantee and submit the same within a week.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)  
I/c. Regional Officer, Thane.

Copy submitted to:-  
Member Secretary, MPC Board, Mumbai.

Copy submitted to:-  
1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.  
2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I.  
- He shall serve these directions on industry and take timely follow-up & submit progress report.



### Information of Water consumption & Effluent generation

Sr No.	Name Of Industry	Effluent Qty	Domestic	Water Consumption
1	AB Mauri India Ltd	332.5	18.00	823.00
2	M/s Alpha Blue Chem	3.2	0.8	8.5
3	M/s Aimko Pesticides	30.00	17.00	4
4	M/s Atharv Chem	0.15	0.5	3.00
5	M/s Aroma Intermediates	0.2	1.1	1.30
6	M/s Bahar Agro Chem	11.00	4.00	15
7	M/s Bharat Organics	6.00	1.5	7.5
8	M/s Chromatic India Ltd	125.00	5.00	130
9	M/s Dow Agro Sciences	673	100	856
10	M/s Deepak colour Chem	9.00	0.8	9.8
11	M/s Dr. Khan Industrial Consultant	7.00	1.00	15.00
12	M/s Dongreen Resin & Chem	4.00	1.00	5.00
13	M/s Deepchand Chemicals	0.20	0.80	1.00
14	M/s Excel Industries	85.00	63.00	148
15	M/s Filtra Speciatly	17.2	10.00	29
16	M/s Garuda Chemical	2.5	0.55	4.5
17	M/s Gharda Chemical	848.00	86.00	1,762.00
18	M/s Good Rasayan	1.00	2.00	14.00
19	M/s Ganesh Chemical	3.20	1.00	4.20
20	M/s Harishree Aromatic	3.00	1.00	9.00
21	M/s Indumati Chemical	0.00	2.00	2.00
22	M/s Maharashtra Bio hygenic	0.00	0.00	0.00
23	M/s M.R. Pharma Pvt Ltd	0.50	0.50	1.00
24	M/s Pallavi Fragrances	0.2	0.3	1.5
25	M/s Parco Pharmaceuticals	1.00	1.6	120.00
26	M/s Punjab Chem	0.2	2.00	147.00
27	M/s Pact Labs Pvt Ltd	1.5	1.50	3.00
28	M/s Shree Pushkar Petro	60.00	8.00	300.00
29	M/s Rallis India ltd	25.00	15.00	177.00
30	M/s Ratnagiri Chemicals	5.00	1.8	31.5
31	M/s Reneal Chemicals	2.1	4.00	12.00

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: rothane@mpcb.gov.in



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

129  
10/12

No. MPCB/ROT/ID/ 1957

Date: 07/11/2012.

To,  
M/s. Resonance Specialties Ltd.,  
T-140 MIDC, Boisar,  
Tarapur, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No.MPCB/ROT/PD/ 1918, dtd. 31/10/2012.  
2) Personal hearing dtd. 07/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 07/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall submit time bound programme for provision of separate arrangements for segregation and treatment of high COD streams within week.
2. You shall operate and maintain Effluent Treatment Plant round the clock so as to achieve consent standards.
3. You shall not discharge substandard (untreated/partially treated) effluent into MIDC drain leading to CETP for whatsoever reason.
4. You shall submit Bank Guarantee of Rs. 2.00 Lacs within week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)

I/c. Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I - He shall serve these directions on industry and take timely follow-up & submit progress report within a week.

Received  
Regional  
7/11/12



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagle Estate,  
Thane-400 604.

128  
10/12

No. MPCB/ROT/ID/ 2078

Date: 27/11/2012.

To,

M/s. Punjab Chemicals & Crop Protection Ltd.,  
Plot No. E-51/1&2/52, MIDC Industrial Area,  
Tarapur, Boisar, Dist. Thane-401 506.

Sub: Interim Directions under section 33-A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No.MPCB/ROT/PD/ 1416, dtd. 30/10/2012.  
2) Personal hearing dtd. 27/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 27/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall operate & maintain ETP at all times to achieve the consented standards.
2. You shall submit Bank Guarantee of Rs. 1.00 Lac within a week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)

Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub Regional Officer, MPCB, Tarapur-I - He shall serve these directions on industry and take timely follow-up & submit progress report within a week.

*[Handwritten signature]*  
27/11/12

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 25802272

Fax: 25805398

Website:

Website: <http://mpcb.gov.in/>

E-mail Id: rothane@mpcb.gov.in



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Malund Check-Naka,  
Wagare Estate,  
Thane-400 604.

No. MPCB/ROTHD/ 1114

Date: 3/11/2012

To:

M/s. Aarti Drugs (Rashesh Chem. Divn.)  
Plot No. E-9/3, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub: Interim Directions under section 33 A of the Water (P & CP) Act, 1974  
and Air (P & CP) Act, 1981.

Ref: 1) Proposed direction No. MPCB/ROTHD/ 1117, dtd. 03/10/2012  
2) Personal hearing dtd. 07/11/2012.

This is with reference to the directions issued by MPC Board vide above referred letter to your industry and subsequent personal hearing given to you on 07/11/2012.

During the course of personal hearing you have informed about the steps being taken to comply with various non-compliances mentioned in the Proposed Directions and have also assured to take suitable action in time bound manner. Accordingly, following interim directions are issued for immediate compliance, which were also informed to you during the course of hearing:-

1. You shall submit time bound programme for segregation and treatment of high COD streams within week.
2. You shall provide secondary treatment facility so as to achieve consented standards.
3. You shall clean sludge drying beds periodically so as to achieve high filtration rate.
4. You shall reduce the effluent quantity by 10 CMD as claimed in your reply dtd. 07/11/2012.
5. You shall submit additional Bank Guarantee of Rs. 2 Lacs within week valid up to one year.

In case, you fail to comply with the above interim directions, MPC Board will have no alternative but to issue appropriate final directions to close down your industry by disconnection of Electricity & Water Supply which may please be noted.

(N. H. Shivangi)  
J/c. Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, P&L (Divn), MPC Board, Mumbai.
- 2) Regional Officer (HQ), MPC Board, Mumbai.

Copy to: Sub-Regional Officer, MPCB, Tarapur-L.

He shall serve these directions on industry and take timely follow-up & submit progress report within a week.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagale Estate,  
Thane-400 604.

No. MPCB/ROT/PD/ 1901

Date: 30/10/2012

To,  
M/s. Kesaram Engineering,  
Plot No.W-198, MIDC, Tarapur,  
Tal. Palghar, Dist. Thane.

Sub:- Proposed directions under section 33A of the Water (P. & C.P.) Act, 1974.

Ref:- 1) Report submitted by Sub Regional Officer, vide letter dated 09/10/12.  
2) Visit of Board officials to your industry on 03/10/12.  
3) Complaint from neighboring industries, vide letter dated 10/9/12.

WHEREAS, you are operating your manufacturing unit in water pollution prevention area declared under the Water (P. & C.P.) Act, 1974. AND WHEREAS, it is obligatory on your part to obtain consent from the Board and provide necessary pollution control devices so as to control pollution due to your manufacturing activities.

AND WHEREAS, during the visit of Board officials to your unit on 03/10/12, it was noted that you are operating your industry without consent since long time. You have also not provided treatment facilities for the treatment of trade effluents generated from your industrial activities and are discharging polluted water into MIDC drainage network leading to CETP, thereby contributing in disturbance of performance of CETP.

The above non-compliances amount to violation of Water (P. & C.P.) Act, 1974 and clearly shows your gross negligent attitude towards pollution control.


NOW THEREFORE, in the exercise of the powers conferred upon the undersigned by the Board under Section Sec.33A of Water (P&CP) Act, 1974 & under Sec. 31A of Air (P & CP) Act 1981, I hereby issued proposed directions against your industry as follows:-

- a) Why your unit shall not be directed to close down its activity forthwith?
- b) Why the competent authorities shall not be directed to disconnect Water/ Electricity supply to your unit?

...2/-

: 2 :


You shall submit your reply/objections to these directions within a period of 7 days from the date of receipt of this letter and remain present for hearing on 05/11/2012 at 3.20 pm at this office, failing which, Board will have no option than to issue appropriate final directions as may deemed fit in your case, which may please be noted.



( N.H. Shivangi )  
Regional Officer, Thane

Copy submitted to :

- 1) Sr. Law Officer, M.P.C. Board, Sion, Mumbai-22.
- 2) Regional Officer (HQ), MPC Board, Sion, Mumbai-22.



Copy to:-

*Tarapur-1*  
Sub-Regional Officer, M.P.C. Board, ~~Thane~~ - He is requested to serve these directions on the industry & follow up and report within a week.



(140/11/2)

## MAHARASHTRA POLLUTION CONTROL BOARD


Tel : 25802272

Fax : 25805398

Visit us at:

Website : <http://mpcb.gov.in/>

E-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)



Regional Office, Thane  
5<sup>th</sup> Floor, Office Complex Bldg.,  
Near Mulund Check Naka,  
Wagle Estate,  
Thane-400 604

No. MPCB/ROT/PD/ 1934

Date:- 2/11/2012

To,  
M/s Kriplon Synthetics Pvt. Ltd.,  
Plot no. N-97/98, MIDC Tarapur,  
Tal. Paighar, Dist. Thane.

Sub:- Proposed directions under section 33A of the Water (P. & C.P.) Act, 1974 &  
Section 31A of the Air (P. & C.P.) Act, 1981.

Ref:- 1) Visit of Board Officials to your industry on 18.10.12.  
2) SRO Tarapur-I letter no. MPCB/SROTR-I/1621 dated 23.10.12.

WHEREAS, you are operating your industry in pollution prevention area declared under the Water (P. & C.P.) Act, 1974 & the Air (P. & C.P.) Act, 1981. AND WHEREAS, Board has granted consent to your industry with certain terms & conditions & it is obligatory on your part to comply them. Further it is also obligatory on your part to provide necessary collection, storage treatment & disposal arrangements for the hazardous wastes generated from your activities.

AND WHEREAS during the visit of Board Officials to your industry on 18.10.12 it was observed that inspite of interim directions issued to your industry you have not yet provided secondary treatment facilities thereby violating the interim directions.

This amounts to violation of consent conditions & clearly shows your gross negligent attitude towards pollution control


NOW THEREFORE, in the exercise of the powers conferred upon the undersigned by the Board under Section 33A of Water (P. & C.P.) Act, 1974 & under Section 31 of the Air (P. & C.P.) Act, 1981, I hereby issue proposed directions against your industry as follows:-

- Why your unit shall not be directed to close down its activity forthwith?
- Why the competent authorities shall not be directed to disconnect Water/ Electricity supply to your unit?

You shall submit your reply / objections to these directions within a period of 7 days from the date of receipt of these directions and remain present for hearing on 07.11.2012 at 4.15 pm at this.

--2--

office failing which, the Board will have no option than to issue appropriate final directions as may be deemed fit in your case, which may please be noted.

  
(N.H. Shivangi)

I/c Regional Officer, Thane.

Copy submitted to:-

- 1) Sr. Law Officer, M.P.C. Board, Sion, Mumbai-22.
- 2) Regional Officer (H.Q.), M.P.C. Board, Sion, Mumbai-22.

  
O/c Kiran

Copy to:-

Sub Regional Officer, M.P.C. Board, Tarapur-I.

He is requested to serve these directions on the industry & follow up and report within a week.



Exhibit. - IV

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE, KOLHAPUR.**

Tel. No. (0231) 2652952,  
2660448 Fax No. (0231)  
2652952.



Udyog Bhavan,  
Near Collector Office,  
Kolhapur - 416 003.

Nd. MPCB/RO/KOP/ 4193 /12.

Date: - 04/12/12

To,  
Joint Director (PAMS),  
M. P. C. BOARD  
3<sup>rd</sup> Floor, "KALPATARU POINT",  
Sion, Mumbai.

Sub : Compliance of the order passed by Hon'ble High Court of  
Judicature at Bombay in the PIL bearing W.P. No. 17/2011  
filed by Nicholas Almedia v/s State of Maharashtra & Ors.

Ref : Hon'ble Member Secretary DO Letter No. 24, dated- 26.11.12

Sir,

With reference to above subject the compliance of order passed by Hon'ble High Court dated 20.11.2012 and compliance of DO letter dated 26.11.2012 is as below-

The CETP having capacity 6 MLD functioning from 2003, the details of industries connected to CETP is as below.

Scale	Nos	Effluent quantity
LSI	12	2688 M <sup>3</sup> /D
MSI	08	348 M <sup>3</sup> /D
SSI	36	135 M <sup>3</sup> /D
Total	56	3173 M <sup>3</sup> /D

1. This office has handedover the data to CETP's about industrial units in respect of consent status, including consent to operate and renewal thereof, copies of closure directions /notices/ other actions taken by the Board against polluting industries on dt.30.11.2012. (Attached As Annex-I).

3. Collection & Analysis information for the year 2012 of highly polluting industries in Red category /& orange category is communicated to CETP association on dt.30.11.2012.

4. Industries in Lote MIDC are permitting to collect samples of their effluent by CETP Association.

5. As Chairman of CETP informed this office the charges of CETP collected by MIDC from the industries and the same are remitted to CETP on monthly basis & there is no pending treatment charges from the industries. (Attached As Annex-3).

6. As per Board circular dt/27.7.2012 the Committee has been constituted by this office. The committee has inspected & made surprise visits to the industries regularly & collected samples. Also discussed the various problems of CETP with various with regards to orders passed by Hon'ble High Court bringing more transparency in working.

7. This office has designated one full fledged Field Officer for compiling data of above information on weekly basis.

Action initiated in the year -2012.

Action	
Closure Direction	01
Interim Direction	13
Proposed Direction	15
Show cause notice	31

The samples of CETP inlet, outlet collected by constituted committee. The results reveals that inlet average COD is 1276 mg/lit and BOD 520.5 mg/lit.

Out let average COD is 428 mg/lit and BOD 182 mg/lit. (Sheet enclosed)

A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) with generation & discharge of effluent to CETP and actions initiated by the Board against the defaulting units is enclosed.

This is submitted for information and needful action please.

Yours faithfully,



**A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) in generation & discharge of effluent to C' s and actions initiated by the Board against the defaulting units.**

Sr. No	Name of the Industry	Category of industries (LSI/MSI)	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.	Present status
1.	M/s.Gharada Chemicals Ltd., D-1/2, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	LSI	934 M3/day	Closure directions were issued on 28/3/2012, however, on account of further corrective measures and personal hearing extended to it, restart directions issued on 4/4/2012 subject to the certain terms & conditions, directing the unit to operate & maintain pollution control devices to achieve inlet parameters being disposed off into the CEPT. To connect online pH Monitoring System and Flow Meter reading to the their Website to the information of the public at large by 30/5/2012 and to connect online Boiler Stack Monitoring System to the website for the information of the public, which the same is made operational. To install AAQM Station and online Air Monitoring system by 30/5/2012. Show cause issued on 19.10.2012 for non-compliance.	Online pH meter & Flow meter installed. Online SO2 analyzer installed for AAQM. Online stack monitoring installed. JVS results are within limit.
2.	M/s.Dow-Agro Science Pvt.Ltd., A-1, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	760 M3/day	Interim direction issued on dt.01.09.2012. Instructed industry to provide Bioassay test system with 03 months, Online TOC meter, BG of 1.0 lakh to be submitted, Take measures to reduce limits of TDS, Chlorides & Sulphates.	Industry place order for online TOC meter, BG of 1.0 lakh submitted, Online Bioassay test work under progress.TDS & chlorides, sulphates not mentioned in the consent.
3.	M/s.USV Ltd	LSI	316 M3/day	JVS results are within prescribed norms.	complied
4.	M/s.A.B. Mauri India Pvt.Ltd., B-7/2A, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	LSI	350 M3/day	The Board has issued directions on 27/6/2012, directing them to dispose of the RO rejects to M/s.ROCHEM in a scientific manner till commissioning of evaporator and dryer commission multiple effect evaporator plant on 31/12/2012 and the bank guarantee of Rs.2 Lakh forfeited. Fresh BG Rs.10.0 Lakh taken.	RO reject stored in premises, platform for composting as per CREP norm work completed. Industry started composting. RO reject 40.0m3/d is utilize for composting purpose. Work order issued for multiple effect evaporator.



5.	M/s. Riverside Industries Ltd, M Plot No.B-6, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	172 M3/day	Interim direction issued on dt.31.08.2012. Industry shall install ACF & PSF within 15 days. BG of 50000/- shall be submitted.	BG of 50000/- submitted, ACF & PSF installed.
6.	M/s.S.I. Group India Ltd	LSI	163 M3/day	Interim direction issued on dt.02.12.2011. As per interim direction upgradation work of ETP, Segregation of concentrated stream shall be completed before 31.03.2012. Industry has upgraded ETP & segregated stream. JVS result last three month within prescribed norms.	Complied.
7.	M/s.Excel Industries Ltd., Plot No.B-6, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	148 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/4/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	JVS results within prescribed norms.
8.	M/s.Shreyas Intermediates Ltd.	LSI	145 M3/day	Interim directions issued on 27/6/2012 for stabilization of ETP to be completed before 31/7/2012 and bank guarantee of Rs.50,000/- has been forfeited.	Upgradation work completed. Online pH meter installed. Samples are collected on dt.17.08.2012 & 27.10.12 exceeds prescribed norms. LES collected & Proposal submitted to HQ. Letter issued for forfeiture of BG of Rs. 50000/- and letter issued for submission of fresh BG of Rs. 2 Lacs.
9.	M/s.Chromatic Colour Chem	MSI	130 M3/day	Closure direction issued on dt.15.01.2011. Conditional restart issued on 29.01.2011. As conditional direction industry has upgraded ETP in stipulated period. JVS result last three months meet the notified standard as SSI unit.	SSI unit result within norms.
10.	M/s.Shree Pushkar Petro Products Ltd., B-102, 103, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	68 M3/day	Now, the unit has provided secondary effluent treatment plant including pressure sand filter and activated carbon filter. Hence, conditional directions issued on 27/6/2012 for stabilization of ETP to be completed before 31/7/2012, to provide online pH meter at the outlet of ETP on or before 31/07/2012 and bank guarantee of Rs.1.50 Lakhs has been forfeited.	Upgradation work completed. Online pH meter order but not installed. After upgradation samples are collected on dt.17.08.2012 & 27.10.12. result exceeds prescribed norms. Letter issued for forfeiture of BG of Rs. 1.5 Lac.



11.	M/s. Ratnagiri Chemicals Pvt. Ltd., Plot No.C-39, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	5.0 m3/day	Interim directions are issued by the Regional Officer, MPCB, Kolhapur dtd.16/6/2012, directing them to complete upgradation of ETP within one month period and not to discharge substandard effluent to CETP.	Upgradation work completed. Presently unit is not in operation.
12.	M/s. Panjab Chemicals & Crop. Product Ltd., Plot No.D-2, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	2.20 M3/day	Interim directions are issued by the Regional Officer, MPCB, Kolhapur dtd.16/6/2012, directing them to achieve zero discharge by the end of 30 <sup>th</sup> June, 2012.	Upgradation work is completed. After upgradation sample is collected on 23.08.2012. results within limit.
13.	M/s. Dongreen Chemicals, B-23, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	MSI	5.00 M3/day	Directions are issued by the Regional Officer, MPCB, Kolhapur vide letter dtd.28/03/2012, directing the unit to upgrade ETP, so as to ensure complying with inlet parameters of CETP within 3 months i.e. upto 15/6/2012 by submitting concrete proposal, to submit Bank Guarantee of Rs.50,000/- ensuring compliance of directions	BG of 50000/- is submitted. Unit is not in operation from April-2012.
14	M/s. Aimco Pesticide Plot No. B 1/1, MIDC Lote, Tal- Khed, Dist- Ratnagiri.	MSI	30 M3/day	Proposed Directions issued on 04.12.2012. For JVS results exceeding the prescribed norms in the month of oct. 2012	

**A Statement showing the names of small scale industries (SSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.**

Sr. No.	Name of the Industry	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.	Present status
1.	M/s.Swastik Industries, A-5/1, MIDC Lote, Tal: Khed, Dist: Ratnagiri	5.50 M3/day	Interim directions are issued on 28/3/2012 by the Regional Officer, MPCB, Kolhapur, directing the unit to upgrade the ETP within 3 months time i.e. upto 15/6/2012, to segregate concentrated stream in separate collection tank by 31/05/2012 and to treat concentrated stream in upgraded ETP by 15/6/2012, with Bank Guarantee of Rs.50,000/- ensuring the compliance of the directions.	Upgradation work completed. BG submitted. After upgradation sample collected on 23.08.2012 & 22.11.12 JVS results are within Bords norms.
2	M/s.Harishree Aromatics and Chemicals, B-22, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	4.0 M3/day	Interim directions are issued on 28/3/2012 by the Regional Officer, MPCB, Kolhapur, directing the unit to upgrade the ETP within 3 months time i.e. upto 15/6/2012, not to use the waste aqueous solution from pesticide industry as a raw material and provide sufficient capacity of scrubber by 31/5/2012 with Bank Guarantee of Rs.50,000/- ensuring the compliance of the directions.	Upgradation work completed. After upgradation sample collected on 08.08.2012. result are within Bords norms.
3.	M/s.Yojana Industries, Plot No.D-44/4, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	11.50 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	JVS samples collected on 26.05.2012. COD meets inlet parameter to CETP.
4.	M/s.Deepak Colour Chem, Plot No.D-17/12, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	9.80 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	JVS collected on 09.06.2012 results within prescribed norms.
5.	M/s.Samarth Engineers, Plot No.E-15, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	0.50 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/4/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Industry started recycle of effluent.
6.	M/s.Bahar Agrochem, E-24, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	15.0 M3/day	Regional Officer, MPCB,Kolhapur has issued interim directions vide letter dtd.16/6/2012, directing the unit to install online TOC Analyser within 3 months, to segregate strong & weak stream before end of June, 2012 etc.	After upgradation sample is collected on 13.08.2012 results are within prescribed norms.



7	M/s. Rencal Chemicals B15/16, MIDC Lote Parshuram, Tal- Khed, Dist- Ratnagiri.	2.1 M3/day	Show Cause notice issued for exceeding the JVS results , 4.4.12	-
8	M/s. Ganesh Chemicals P. No. B-80,81, MIDC Lote Parshuram, Tal- Khed, Dist- Ratnagiri.	3.2 M3/day	Proposed Directions issued on 04.12.12. for exceeding the JVS results.	-

Sr. No	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD <sub>i</sub> (mg/lit)	S.S.	T.D.S.
Consent Standard			6.5 to 9.0	100 mg/l	250 mg/l	100 mg/l	Nil
1	CETP Inlet	22/06/2012	8.14	590	1488	262	5284
2	CETP Inlet	23/06/2012	8.3	540	1392	258	5316
3	CETP Inlet	24/06/2012	8.4	185	480	162	2892
4	CETP Inlet	25/06/2012	8.28	680	1472	258	2592
5	CETP Inlet	26/06/2012	8.1	410	936	184	2696
6	CETP Inlet	27/06/2012	7.9	750	1792	192	4798
7	CETP Inlet	28/06/2012	8.01	410	1008	188	3468
8	CETP Inlet	29/06/2012	7.69	825	2000	196	5122
9	CETP Inlet	30/06/2012	7.43	425	1144	136	2644
10	CETP Inlet	01/07/2012	8.22	450	1040	140	2800
11	CETP Inlet	02/07/2012	7.79	725	1632	188	5052
12	CETP Inlet	03/07/2012	7.59	390	1024	68	2140
13	CETP Inlet	04/07/2012	7.95	320	824	132	2790
14	CETP Inlet	05/07/2012	7.93	410	952	154	3340
15	CETP Inlet	06/07/2012	7.8	490	1248	138	2796
16	CETP Inlet	07/07/2012	7.81	430	1184	140	3160
17	CETP Inlet	08/07/2012	8.36	375	1024	164	3224
18	CETP Inlet	09/07/2012	8.03	350	800	144	2680
19	CETP Inlet	13/07/2012	8.09	430	1104	148	3246
20	CETP Inlet	17/07/2012	8.12	775	1424	134	2548
21	CETP Inlet	19/07/2012	8.27	875	1840	176	5120
22	CETP Inlet	24/07/2012	8.14	480	1352	158	4710
23	CETP Inlet	26.07.2012	7.76	660	1344	68	2140
24	CETP Inlet	17.08.2012	7.61	460	1152	138	4822
25	CETP Inlet	22.08.2012	7.67	580	1248	126	2834
26	CETP Inlet	31.08.2012	7.96	215	504	118	3017
27	CETP Inlet	10.09.2012	7.05	142	320	106	2719
28	CETP Inlet	12.09.2012	7.82	425	896	164	3426
29	CETP Inlet	10.10.2012	7.29	660	1952	196	7858
30	CETP Inlet	19.10.2012	7.92	670	1792	164	8326
31	CETP Inlet	01.11.2012	7.86	750	1856	196	4760
32	CETP Inlet	17.11.2012	7.98	640	1584	158	5978
33	CETP Inlet	21.11.2012	8.04	490	1888	260	8186
34	CETP Inlet	22.11.2012	7.89	690	1696	292	8704



Sr. No.	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD, (mg/lit)	S.S.	T.D.S.
Consent Standard			6.5 to 9.0	100 mg/l	250 mg/l	100 mg/l	Nil
1	CETP Outlet	22/06/2012	8.34	195	496	156	3214
2	CETP Outlet	23/06/2012	8.21	170	416	152	3196
3	CETP Outlet	24/06/2012	8.11	125	272	124	2246
4	CETP Outlet	25/06/2012	8.04	225	544	268	3282
5	CETP Outlet	26/06/2012	7.84	230	456	162	2618
6	CETP Outlet	27/06/2012	8.31	245	600	114	2291
7	CETP Outlet	28/06/2012	7.78	155	368	118	2310
8	CETP Outlet	29/06/2012	7.97	260	544	162	2962
9	CETP Outlet	30/06/2012	7.79	195	464	122	2288
10	CETP Outlet	01/07/2012	8.12	195	368	154	3114
11	CETP Outlet	02/07/2012	7.93	225	576	158	3052
12	CETP Outlet	03/07/2012	7.95	135	384	124	2610
13	CETP Outlet	04/07/2012	8.1	115	280	128	2560
14	CETP Outlet	05/07/2012	8.26	142	288	142	2830
15	CETP Outlet	06/07/2012	7.88	185	448	78	2190
16	CETP Outlet	07/07/2012	7.67	155	368	126	2428
17	CETP Outlet	08/07/2012	7.96	145	344	82	2188
18	CETP Outlet	09/07/2012	7.85	165	384	110	2326
19	CETP Outlet	13/07/2012	7.24	185	424	82	2118
20	CETP Outlet	17/07/2012	7.11	240	512	54	1768
21	CETP Outlet	19/07/2012	7.63	235	584	138	3986
22	CETP Outlet	24/07/2012	7.12	185	416	132	3248
23	CETP Outlet	26.07.2012	7.78	245	528	1634	3210
24	CETP Outlet	17.08.2012	7.54	145	368	106	2114
25	CETP Outlet	22.08.2012	7.59	165	392	102	1958
26	CETP Outlet	31.08.2012	7.23	78	224	64	2186
27	CETP Outlet	10.09.2012	6.88	115	264	60	4925
28	CETP Outlet	12.09.2012	6.76	132	304	114	2891
29	CETP Outlet	10.10.2012	7.02	240	584	154	5686
30	CETP Outlet	19.10.2012	7.76	215	504	138	5212
31	CETP Outlet	01.11.2012	7.32	170	480	110	3088
32	CETP Outlet	17.11.2012	6.34	205	456	132	3304
33	CETP Outlet	21.11.2012	6.87	185	472	130	3006
34	CETP Outlet	22.11.2012	6.72	185	440	150	3030

Amal - 1

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**SUB-REGIONAL OFFICE, CHIPLUN**

Telefax. (02355) 261570



2nd floor Parkar Complex,  
224, Behind Nagar parishad,  
Tal. Chiplun,  
Dist: - Ratnagiri -415605.

No. SROCH/TBI 2820/12

Date: 30/11/12

To,  
The Chairman,  
CETP MIDC Lote,  
P-30, MIDC Lote,  
Tal-Khed, Dist-Ratnagiri.

Sub : Information regarding highly polluting industries & action  
initiated by MPC Board in the year 2012.


Ref : Order passed by Hon'ble Highcourt Dt.05.07.2012 &  
20.11.2012 respectively.


Sir,

With reference to above subject, the information regarding list of highly polluting industries, JVS results of the year 2012, action initiated by Board in the year 2012, details about consent status including copies of closure notices / other direction against the polluting industries are enclosed herewith.

- 1.Name of the industries along with consent status : Annex-1
- 2.Water consumption & effluent quantity along with JVS result : Annex-2
- 3.Action initiated against defaulting industries along with copies : Annex-3

The above information is shared as per direction given by Hon'ble Highcourt dt.20.11.2012 (copy enclosed). This is for information & necessary action.

  
लोटे परकुशम एन्वयरमेंट प्रोटेक्शन  
को-ऑपरेटिव सोसायटी लि.  
न.पाव.डी.सी.लोटे  
... एड. जि. रत्नागिरी पिन-४१५ ७२६

Yours faithfully,  
  
(S H Padwal)  
Sub-Regional Officer,



Anex II

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**SUB-REGIONAL OFFICE, CHIPLUN**

Telefax. (02355) 261570



2nd floor Parkar Complex,  
224, Behind Nagar parishad,  
Tal. Chiplun,  
Dist: - Ratnagiri -415605.

No. SROCH/TB/2823/12

Date: 30.11.12

To,  
Deputy Engineer,  
Water supply,  
MIDC Kherdi,  
Tal-Chiplun, Dist-Ratnagiri.

Sub : Supply water as per consent condition.

Ref : Order passed by Hon'ble Highcourt Dt.05.07.2012 &  
20.11.2012 respectively.

Sir,

With reference to above subject, as per order passed by Hon'ble High Court dt.20.11.2012 it is mentioned that non to supply water more than consent limits to the industry. (copy of order enclosed).

Details about the water consumption of the industry located in MIDC Lote as per consent is enclosed annex-1.

This is submitted for information & needful action please.

Yours faithfully,

(S H Padwal)  
Sub-Regional Officer,  
M.P.C. Board, Chiplun

Copy submitted for information & necessary action please :  
Regional Officer, MPCB, Kolhapur.

### Information of Water consumption & Effluent generation

Sr No.	Name Of Industry	Effluent Qty	Domestic	Water Consumption
1	AB Mauri India Ltd	332.5	18.00	823.00
2	M/s Alpha Blue Chem	3.2	0.8	8.5
3	M/s Aimko Pesticides	30.00	17.00	4
4	M/s Atharv Chem	0.15	0.5	3.00
5	M/s Aroma Intermediates	0.2	1.1	1.30
6	M/s Bahar Agro Chem	11.00	4.00	15
7	M/s Bharat Organics	6.00	1.5	7.5
8	M/s Chromatic India Ltd	125.00	5.00	130
9	M/s Dow Agro Sciences	673	100	856
10	M/s Deepak colour Chem	9.00	0.8	9.8
11	M/s Dr. Khan Industrial Consultant	7.00	1.00	15.00
12	M/s Dongreen Resin & Chem	4.00	1.00	5.00
13	M/s Deepchand Chemicals	0.20	0.80	1.00
14	M/s Excel Industries	85.00	63.00	148
15	M/s Filtra Speciatly	17.2	10.00	29
16	M/s Garuda Chemical	2.5	0.55	4.5
17	M/s Gharda Chemical	848.00	86.00	1,762.00
18	M/s Good Rasayan	1.00	2.00	14.00
19	M/s Ganesh Chemical	3.20	1.00	4.20
20	M/s Harishree Aromatic	3.00	1.00	9.00
21	M/s Indumati Chemical	0.00	2.00	2.00
22	M/s Maharashtra Bio hygenic	0.00	0.00	0.00
23	M/s M.R. Pharma Pvt Ltd	0.50	0.50	1.00
24	M/s Pallavi Fragrances	0.2	0.3	1.5
25	M/s Parco Pharmaceuticals	1.00	1.6	120.00
26	M/s Punjab Chem	0.2	2.00	147.00
27	M/s Pact Labs Pvt Ltd	1.5	1.50	3.00
28	M/s Shree Pushkar Petro	60.00	8.00	300.00
29	M/s Rallis India ltd	25.00	15.00	177.00
30	M/s Ratnagiri Chemicals	5.00	1.8	31.5
31	M/s Rencal Chemicals	2.1	4.00	12.00



285	M/s Bajaj Health Care Ltd	N-219	RED-SSI
286	M/s Auro Oil Industries	N-22	RED-SSI
287	M/s Maharashtra Organo Metalic Catalysts Pvt Ltd	N-220 & 221	RED-SSI
288	M/s Unisynth Chemicals	N-222	RED-SSI
289	M/s Alpha Dye Chem	N-223	RED-SSI
290	M/s Radiant Intermediates Pvt Ltd	N-224	RED-SSI
291	M/s Pentagon Drugs Pvt Ltd	N-225	RED-SSI
292	M/s Pallav Chemicals & Solvents Pvt Ltd	N-226	RED-SSI
293	M/s Pure Helium India Pvt Ltd	N-23	RED-SSI
294	M/s Rolex Chemicals Industries Pvt Ltd	N-27	RED-SSI
295	M/s Evails India Ltd	N-32	RED-SSI
296	M/s Sunil Chemicals & Plastics Pvt Ltd	N-33	RED-SSI
297	M/s Vardhman Dyestuff Industries Pvt Ltd	N-34	RED-SSI
298	M/s Jubailo Chem Pvt Ltd	N-35	RED-SSI
299	Icon Organic Pvt Ltd	N-36	RED-SSI
300	M/s Shivam Polymers & Chemicals	N-38/1	RED-SSI
301	M/s D.H Organics	N-39	RED-SSI
302	M/s Sheshadri Nihalani & Menon Chemicals Pvt Ltd	N-4	RED-SSI
303	M/s Rajkob Industries	N-41	RED-SSI
304	M/s Om Maruti Glasswool & Wirenetting Pvt Ltd	N-43	RED-SSI
305	M/s Ambani Organics Pvt Ltd	N-44	RED-SSI
306	M/s Devendra Kirti Pharma Chem Pvt Ltd	N-45	RED-SSI
307	M/s Ucil Synchem Pvt Ltd	N-46/3	RED-SSI
308	M/s Sunil Great (H.Y.K.) Processor Pvt Ltd	N-47/3	RED-SSI
309	M/s Gangwal Chemicals Pvt Ltd	N-5	RED-SSI
310	M/s Ujwal Pharma Pvt Ltd	N-52	RED-SSI
311	M/s Boston	N-55	RED-SSI
312	Standered soap Industries	N-56	RED-SSI
313	M/s Welcome	N-59	RED-SSI
314	M/s Unicom fabro Chem P Ltd	N-60	RED-SSI
315	M/s Sunmoon Pharmaceuticals Pvt Ltd	N-65	RED-SSI
316	M/s Subray Catal Chem Pvt Ltd	N-71	RED-SSI
317	M/s Suru Chemicals & Pharmaceuticals Pvt Ltd	N-72	RED-SSI
318	M/S Para Dyes ACid & Chemicals	N-74/1	RED-SSI

3/18



319	M/s Chemete Industries	N-74/2	RED-SSI
320	M/s Himson Chemical Inds Pvt Ltd	N-75	RED-SSI
321	M/s Draagon Drugs Pvt Ltd	N-76	RED-SSI
322	M/s Sunshine Organics Pvt Ltd	N-78	RED-SSI
323	M/S Royal Pharma	N-79	RED-SSI
324	M/S Network Polymers Pvt. Ltd	N-80	RED-SSI
325	M/s Subshri Chemicals Pvt Ltd	N-81	RED-SSI
326	M/s Pharchem	N-82	RED-SSI
327	M/s Rank Organics Chemical P Ltd	N-85	RED-SSI
328	M/s Glenfil Chemicals Pvt Ltd	N-87,88	RED-SSI
329	M/s Jivraj Chemicals Inds. Pvt Ltd	N-90	RED-SSI
330	M/S Nutraplus Products (I) Ltd.	N-92	RED-SSI
331	M/S Rajesh Cookers	N-95	RED-SSI
332	M/s Utkal fans Pvt Ltd	S/11	RED-SSI
333	M/s Lab Chemie Ind Ltd	S-19	RED-SSI
334	M/s Salema Chemicals	T-10	RED-SSI
335	M/s Keshava Organics Pvt Ltd	T-100	RED-SSI
336	M/s Shree Sai Enterprises	T-101	RED-SSI
337	M/s Ruchika Chemical Pvt Ltd	T-103	RED-SSI
338	M/s Lalitha Chem industries Pvt Ltd	T-104	RED-SSI
339	M/s Boisar Chemicals Pvt Ltd	T-106	RED-SSI
340	M/s Maldeep Chemicals	T-107	RED-SSI
341	M/s JPN Pharma Pvt Ltd	T-108,109	RED-SSI
342	M/s Shree Vinayak Chemex (I) Pvt Ltd	T-11	RED-SSI
343	M/s Empeef Chemicals Pvt Ltd	T-114	RED-SSI
344	M/s Vipul Dye Chem	T-115	RED-SSI
345	M/s Ashish Interchem Pvt Ltd	T-117	RED-SSI
346	M/s Ashish rang Udyog Pvt Ltd	T-118	RED-SSI
347	M/s Samanta Organics P Ltd	T-119	RED-SSI
348	M/s Omtech Chemical Ind Pvt Ltd	T-12	RED-SSI
349	M/s Visen Industries Ltd	T-121	RED-SSI
350	M/s Sapan Chemicals	T-122	RED-SSI
351	M/s Dhoop Chem (India) Pvt Ltd	T-123/124	RED-SSI
352	M/s Globle Techno Industries	T-126	RED-SSI

14/18



354	M/s Nayakem Organics Pvt Ltd	T-128	RED-SSI
355	M/s Henkel Chembond Surface	T-129	RED-SSI
356	M/s Om Pharmaceuticals Industries	T-130	RED-SSI
357	M/s SPN Lab	T-133	RED-SSI
358	M/S Indusmin Food	T-136	RED-SSI
359	M/s Vikas Pharmaceutical Industries	T-141	RED-SSI
360	M/s Life Line Drugs	T-2	RED-SSI
361	M/s Laxmi Dystuff Pvt Ltd	T-22,23	RED-SSI
362	M/s Chemo Dyestuff Pvt Ltd	T-24, 27	RED-SSI
363	M/s Shogun Chemicals Pvt Ltd	T-29	RED-SSI
364	M/s Trume chemical	T-33	RED-SSI
365	M/s. Resins & Allied Products	T-36	RED-SSI
366	M/s Vikas Dyestuff Pvt Ltd	T-37	RED-SSI
367	M/s Surya Chemicals Industries	T-41	RED-SSI
368	M/s Kedar Janani Chemplast Pvt Ltd	T-42	RED-SSI
369	M/s Kedar Janani Chemplast Pvt Ltd	T-43/44	RED-SSI
370	M/s Om Petro Chem	T-47	RED-SSI
371	M/s Indian Metal & Chemicals Corporation	T-5	RED-SSI
372	M/s Anchor Chemicals Industries	T-52	RED-SSI
373	M/s Maxwell Life Science Pvt Ltd	T-53 & T-81	ORANGE-SSI
374	M/s Shreenath Chemicals	T-54,80	RED-SSI
375	M/s Premier Intermediates Pvt Ltd	T-55, 57	RED-SSI
376	M/s Premier Orgochem Industries Pvt Ltd	T-58	RED-SSI
377	M/s Suraj lok Chemicals Pvt Ltd	T-6	RED-SSI
378	M/s Pantheon Phar Chem	T-61	RED-SSI
379	M/s Asha Dyestuff industries Pvt Ltd	T-64	RED-SSI
380	M/s Saroj Colour Chem P Ltd	T-67	RED-SSI
381	M/s Divesh Metal	T-69	RED-SSI
382	M/s Shreenath Vet feed Pvt Ltd	T-70	RED-SSI
383	M/s Nikita Chemical Industries	T-72/60	RED-SSI
384	M/s Minar Chemicals Pvt Ltd	T-76	RED-SSI
385	M/s Mohini Organic Pvt Ltd	T-77,78,79	RED-SSI
386	M/s Khanvilkar Plastizer Pvt Ltd	T-82	RED-SSI

15/18



387	M/s Arch Pharmalabs Ltd	T-84/85/86	RED-SSI
388	M/s Uttam Chemicals	T-87	RED-SSI
389	M/s Jagdamba Chemicals	T-88	RED-SSI
390	M/s Meden Pharma Pvt Ltd	T-90	RED-SSI
391	M/s Mohini Organic Pvt Ltd	T-91	RED-SSI
392	M/s Shubham Inks & Chemicals Pvt Ltd	T-92	RED-SSI
393	M/s Stallion Dyestuff Pvt Ltd	T-94	RED-SSI
394	M/s Nikita transphase Adducts Pvt Ltd	T-96	RED-SSI
395	M/s Fabriking Electricals (I) Pvt Ltd	T-99	RED-SSI
396	M/s Galaxy Surfactants Ltd	M-3	RED-SSI
397	M/s Aarti Industries Ltd	K-18,19	RED-LSI
398	M/s Aarti Industries Ltd	L-5	RED-SSI
399	M/s Atul Ltd	L-92	RED-MSI
400	M/s Valsad Dis Co Op Mik producers Union Ltd	M-12	RED-LSI
401	M/s Vadilal Dairy International Ltd	M-13	RED-MSI
402	M/s Abhilasaha Texchem Pvt Ltd	M-3	RED-MSI
403	M/s Calyx Chemicals & Pharmaceuticals P Ltd	N-102/91	RED-LSI
404	M/s Sarex overseas	N-131,132	RED-LSI
405	M/s Aarti Drugs Ltd	N-198	RED-LSI
406	M/s Akary Organics Pvt Ltd	N-20 & 21	RED-MSI
407	M/s Rajendra mechanical Industries Ltd	N-211/1	RED-LSI
408	M/s Akrey Organics(P) Ltd	N-211/2/14 & 15	RED-SSI
409	M/s Pharmaceuticals Products of India Ltd	N-24 & 25	RED-MSI
410	M/s Sarex Chemicals	N-32	RED-SSI
411	M/s Galaxy Surfactants Ltd	N-46/ & 2	RED-LSI
412	M/s Everest Kantoo Cylinders Pvt Ltd	N-62	RED-LSI
413	M/s First Winner Industries pvt Ltd	N-66	RED-LSI
414	M/s Nirbhay Rasayan Pvt Ltd	N-96	RED-LMSI
415	M/s Kripton Synthetics Pvt Ltd	N-97,98	RED-MSI
416	M/s S.C Enviro Agro India P Ltd	T-113,137,138,25 1	RED-LSI
417	M/s Sriman Organic Chemical Industries Ltd	T-13,14	RED-LSI
418	M/s Resonance specialties Ltd	T-140	RED-MSI
419	M/s Lupin Ltd	T-142	RED-MSI

16/18



## Orange-Category industries - SRO Tarapur I

Sr. No	Name of the Industry	Plot No - MIDC Tarapur	Category
1	Maxwell Life Science Pvt. Ltd.	T-81	Orange/SSI
2	M/s Healty Life Pharma	N-31/1	Orange/SSI
3	M/s Emil Pharmaceutical Industries	N-49,50&51	Orange/SSI
4	M/s Unitech fibre Pvt.Ltd	N-29	Orange/SSI
5	M/s Lyka Labs Ltd	T-139	Orange/SSI
6	M/s Ciron Drugs and Pharmaceuticals Ltd	N-119	Orange/SSI
7	M/s Good Earth	N-61	Orange/SSI
8	M/s Toue Cosmetics	T-51	Orange/SSI
9	M/s Indico Remedies Ltd	N-10/1	Orange/SSI
10	M/s Gangawal Chemical pvt.Ltd.	T-7	Orange/SSI
11	M/s Alchemie Gases & Chemicals Pvt. Ltd	T-112	Orange/SSI
12	M/s Ucil Synchen Pvt. Ltd.	N-46/3	Orange/SSI
13	M/s Brassica Pharmaceuticals and Chemicals	T-68	Orange/SSI
14	M/s Jaron Cosmetique Pvt. Ltd	T-48	Orange/SSI
15	Maxwell Life Science Pvt. Ltd	T-53	Orange/SSI
16	M/s Suyog Pharmaceuticals Pvt.Ltd.	T-46	Orange/SSI
17	M/s Suyog Pharmaceuticals Pvt.Ltd.	T-17 to 21	Orange/SSI
18	M/s Hotel sarovar	P-25	Orange/SSI
19	M/s Hotel sarovar Residency		Orange/SSI
20	M/s Hotel Contesa		Orange/SSI
21	M/s Group Pharmaceuticals	W-46(B)	Orange/SSI
22	M/s Diamond Pharmaceuticals		Orange/SSI
23	M/s Brilantco Textile		Orange/SSI
24	M/s Aqudra Forspel P.Ltd	K-43	Orange/SSI
25	M/s Gangawal Chemical pvt.Ltd.	N-5	Orange/SSI
26	M/s Ashish Life Science P.Ltd	J-137	Orange/SSI
27	M/s Vardhman Remedies P. Ltd	J-102	Orange/SSI
28	M/s Loba Chemie Pvt. Ltd	D-22	Orange/SSI
29	M/s Pratin Foods P. Ltd	W-145	Orange/SSI
30	M/s Gem Tech	W-184	Orange/SSI
31	M/s Diamond Bio Life Pvt. Ltd	C-13	Orange/SSI
32	M/s Nirion Ltd	D-8	Orange/SSI
33	M/s Nylocel Industries Coating P. Ltd	J-233	Orange/SSI
34	M/s Unitech fibre Pvt.Ltd	E-56 & 57	Orange/SSI
35	M/s Galaxy Surfactants Ltd	W-44	Orange/SSI
36	M/s Karina Synthetics P. Ltd	S-13	Orange/SSI
37	M/s Bio Labs Diagnostics p Ltd	J-245	Orange/SSI
38	M/s Medibios Laboratories	J-76	Orange/SSI
39	M/s Mayur Colours Ltd	D-2/2	Orange/SSI
40	M/s Accurex Bio-Med	G-54	Orange/SSI
41	M/s Impulse Pharma Pvt. Ltd	J-202/1	Orange/SSI
42	M/s STS Automobiles	J-96	Orange/SSI
43	M/s Trupti Pharma	W-11	Orange/SSI
44	M/s Vardhaman Fab	L-101, 102	Orange/SSI

17/1/18



45	M/s Welax Laboratories Pvt. Ltd	J-134	Orange/SSI
46	M/s Custom Capsules Pvt. Ltd	B-8/1	Orange/LSI
47	M/s Sai Services	PAP-232	Orange/SSI
48	M/s Authentic Petroproduct Ltd	E-18,19	Orange/SSI
49	M/s Star Auto Garage	P-37	Orange/SSI
50	M/s Invert ..... Pvt. Ltd	E-39	Orange/SSI
51	M/s Pratik Conductors	W-161	Orange/SSI
52	M/s Tejas Organics Pvt. Ltd	E-55	Orange/SSI
53	M/s satguru Agro Industries	E-91	Orange/SSI
54	M/s Karan Metal	S-6	Orange/SSI
55	M/s Samruiddhi Packaging	G-16/1	Orange/SSI
56	M/s Metalogical Services	J-67	Orange/SSI
57	M/s Metalogical Services	S-24	Orange/SSI

18/18

Summary	Total
Red / SSI-LSI-MSI	419
Orange	57
Total	476



# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office Tarapur- I

Tel : (02525) 273314



M.I.D.C. Office Compound,  
Tarapur, Post TAPP, Boisar (W),  
Tal- Palghar, Dist-Thane -401504

1/3

MPCB/SROTR-I/TB- 1715

Date: 26/11/2012

To,  
The Chairman,  
Tarapur Environment Protection Society,  
Plot No. AM-29, MIDC Tarapur, Tal: Palghar  
Dist: Thane.

Sub: Highly Polluting Industries from MIDC Tarapur Industrial Area..... Regarding  
copies of Closure Direction (C.D./P.D./I.D.)

Ref: Notice of motion No.349 of 2012 Public Interest Litigation No. 17 of 2011 in the High  
Court of Judicature at Bombay Ordinary Civil Jurisdiction.

Sir,

With reference to above subject, this is to inform you that in the High Court of Judicature at  
Bombay Ordinary Civil Jurisdiction Public Interest Litigation No. 17 of 2011, Nicholas Almeida &  
others Versus State of Maharashtra and others during the course of hearing on 20.11.2012. at  
Mumbai High Court, the order (No 3.(II) has been passed to MPCB for furnishing copies of closure  
notice and other action taken highly polluting industries.. please find enclosed direction copy is as  
below mentioned.

## ❖ Proposed Direction.

- 1.M/s Aarti Industries Ltd (Unit II) Formally Known as Aarti Drugs Ltd, Plot No L-5 MIDC Tarapur
- 2.M/s Pharmaceuticals Products of (I) Ltd, Plot No L-5 MIDC Tarapur 24/12.
3. M/s Aarti Industries Ltd Plot No K-18/19 MIDC Tarapur
- 4.M/s Calayx Chemical & Pharmaceuticals Ltd, Plot No N-91/102 MIDC Tarapur
- 5.M/s Ravi kiran Chemicals, Plot No L-7 MIDC Tarapur
6. M/s D.R. Coats & Resins Pvt. Ltd, Plot No E-123 MIDC Tarapur
- 7.M/s Agarwal Chemicals, Plot No E-58 MIDC Tarapur.
8. M/s Pal Fashion, Plot No E-49 MIDC Tarapur.
9. M/s D.C Polyester, Plot No E-26/2 MIDC Tarapur.
10. M/s Balkrishnan Synthetics, Plot No H-3/1 MIDC Tarapur.
- 11.M/s Resonance Specialties Ltd, Plot No T-140 MIDC Tarapur.
- 12.M/s Usha fashion Pvt. Ltd, Plot No E-42 MIDC Tarapur.
- 13.M/s Nayakem Organics Pvt. Ltd, Plot No T-128 MIDC Tarapur.
14. M/s Uttam Chemicals, Plot No T-87 MIDC Tarapur.

Received

26/11/2012

18:00 pm



- 2/3
15. Rolson Synthethics Pvt. Ltd, Plot No E-8 MIDC Tarapur.
  16. M/s Punjab Chemicals & Crop Protection Ltd, Plot No E-51/1 & 2/52, MIDC Tarapur.
  17. M/s Mudra Life Style Ltd, Plot No. D-1 MIDC Tarapur.
  18. M/s Gini Silk Mills Pvt Ltd, Plot No. E-15 MIDC Tarapur.
  19. M/s Aarti Drugs Ltd, Plot No. E-9/3 MIDC Tarapur.
  20. M/s Kriplon Synthethics Pvt. Ltd, Plot No. E-9/3 MIDC Tarapur.
  20. M/s Mohini Organics, Plot No. T-77 MIDC Tarapur.
  21. M/s Zobra Dyestuff Pvt. Ltd, Plot No. W-14 MIDC Tarapur.

❖ Interim Direction:

1. M/s Concord Silk Pvt. Ltd, Plot No. J-23 MIDC Tarapur
2. M/s Dicl Tex Furnishing, Plot No. J-23 MIDC Tarapur.
3. M/s Dicitex Export Plot No. J-23 MIDC Tarapur.
4. M/s D' Decore Home Fabrics, Plot No. F-6/1 MIDC Tarapur.
5. M/s D' Decore Plot No. G-15/1&2 MIDC Tarapur.
6. M/s Mandhana Weaving House, Plot No. C-2 MIDC Tarapur.
7. M/s Pal Fashion, Plot No E-49 MIDC Tarapur.
8. M/s Detco Textile Plot No. E-30 MIDC Tarapur.
9. M/s Balkrishna Synthethics Ltd, Plot No. H-3/1 MIDC Tarapur.
10. M/s Ganesh Benzoplast, Plot No. D-5/2 MIDC Tarapur.
11. M/s Silvester Textile, Plot No. E-24 MIDC Tarapur.
12. M/s G.M Syntex Pvt. Ltd, Plot No. E-37/2 & 38 MIDC Tarapur.
13. M/s Mudra Life Style Ltd, Plot No. D-1 MIDC Tarapur.
14. Gini Silk Mills, Plot No. E-15 MIDC Tarapur.
15. M/s Calayx chemicals & Pharmaceuticals Ltd, Plot no. N-91/102 MIDC Tarapur
16. M/s Agarwal chemicals, Plot No. E-58 MIDC Tarapur.
17. Resonance Specialities Plot No. T-140 MIDC Tarapur

❖ Voluntary Closure Direction.

1. M/s Camlin Fine Chemicals, Plot No. D-2/3 MIDC Tarapur
2. M/s Jivraj Chemicals (Calayx Chem & Pharmaceuticals Unit-II, Plot No. N-90 MIDC Tarapur
3. M/s Aarti Drugs Ltd, Plot No. N-198 MIDC Tarapur
4. M/s Bajaj Health Care Ltd, Plot No. N-216/217 MIDC Tarapur
5. M/s Alfa Dychem, Plot No. N-223 MIDC Tarapur
6. M/s Sarex Overseas, Plot No. 131, 132 MIDC Tarapur.
7. M/s Ramdev Chemicals, Plot No. E-41 MIDC Tarapur.
8. M/s aarti Industries, Plot No. E-9/3 MIDC Tarapur
9. M/s Salvi Chemicals, Plot No. E-93 MIDC Tarapur
10. M/s Aarti Industries, Plot No. E-21/22 MIDC Tarapur
11. M/s Trichem Life Science Ltd, Plot No. K-57 MIDC Tarapur.
12. M/s Auro Laboratories, Plot No. K-56 MIDC Tarapur.
13. M/s Genius Colour, Plot No. F-4/22 MIDC Tarapur.
14. M/s Mudra Life Style Pvt. Ltd, Plot No. D-1 MIDC Tarapur



3/3


15. M/s Everest Kantoo Cylinder Ltd, Plot No. N-62 MIDC Tarapur
16. M/s Vardhaman Dyestuff, Plot No. N-34 MIDC Tarapur
17. M/s Dhoop Chem (I) Pvt. Ltd, Plot No. T-123, 124 MIDC Tarapur.
18. M/s Laxmi Dyestuff Pvt. Ltd, Plot No. T-22/23 MIDC Tarapur.
19. M/s Khanvilkar Plasticizer Pvt. Ltd, Plot No. T-82 MIDC Tarapur

❖ Closure Direction.

1. M/s Balaji Engineering Pvt. Ltd, Plot No. J-80 MIDC Tarapur
2. M/s Shree Vinayaka Industries, Plot No. E-10/1 MIDC Tarapur.

Submitted for your information.

Yours Faithfully



(D.B. Patil)

26/11/20

Sub Regional Officer, Tarapur-I

Copy Submitted to:-

- 1) JD (Water) MPCB, Mumbai.
- 2) SLO MPCB, Mumbai.
- 3) Regional Officer, MPCB Thane.

**RE: Time Bound compliance of various orders of HC in WP No.17/2011-  
Nicholas Almedia vs SoM, more particularly 5-7-12 & 20-11-12**

RO Thane

Sent: Tuesday, December 04, 2012 6:03 PM

To: Yashwant B. Sontakke

Cc: Dattatray T. Devale; nsw.wagh@rediffmail.com

Sir,

With reference to above it is submitted Member Secretary has issued DO letter to the undersigned on 26.11.12. On the same day Sub-Regional Officer Tarapur-I has carried out the following compliances :-

- 1) He has handed over list of Red & Orange category industries (LSI, MSI & SSI) vide letter no. MPCB/SROT-I/TB-1714 dated 26.11.12 to the Tarapur Environment Protection Society (TEPS) office.
- 2) He has handed over consent copies of 419 nos. of Red category industries & consent copies of all the 57 no. of Orange category industries to the TEPS vide letter no. MPCB/SROT-I/TB-1717 dated 26.11.12. It is notable that even before the recent High Court orders dated 20.11.12, he had already handed over 57 no. of consent copies of Red category industries to the TEPS.
- 3) He has requested all the industries to extend co-operation to TEPS-CETP representative in the matter of collection of samples vide letter no. MPCB/SROT-I/TB-1717 dated 26.11.12.
- 4) He has handed over 21 copies of proposed directions, 17 copies of interim directions, 19 no. of voluntary closure directions & 2 copies of closure directions to the TEPS vide letter no. MPCB/SROT-I/TB-1716 dated 26.11.12.

The copies of aforementioned letters have been E-mailed to Senior Law Officer, Regional Officer, (HQ) & Regional Officer, Thane, on the same day i.e. on 26.11.12.

- 5) Thereafter, on 27.11.12 onwards till 02.12.12 he has started the work of compilation & xeroxing of analysis results on all the industries. Finally on 03.12.12. he has handed over 728 copies of analysis report of Red category industries to TEPS vide letter no. MPCB/SROT-I/TB-1732 dated 03.12.12.
- 6) Regional Officer, Thane, has requested 49 no. of industries to make payment of outstanding CETP treatment charges on 29.11.12 vide letter no. MPCB/ROT/2091. The list of 49 no. of industries was obtained from the TEPS itself.

Besides the above, SRO Tarapur-I has been requested to arrange for the secondly visit of the Committee to the 10 highly polluting industries & submit the report.

In the past, the Committee had visited the 10 highly polluting industries & proposed directions were issued to three defaulting industries based on the Committee's visit report.



RE: Time Bound compliance of various orders of HC in WP No.17/2011-... Page 2 of 2

Miss Vaishali <sup>Sadhale</sup> ~~Gaikwad~~, ALO, has been telephonically briefed about the aforementioned five points on daily basis since 27.11.12.

Report was e-mailed on 30.11.12 to Sr. Law Officer, with a copy to RO(HQ) regarding compliance of MS's DO letter.

Submitted for further necessary action please.

Regards,

N. H. Shivangi,  
**Regional Officer,**  
Maharashtra Pollution Control Board, Thane  
e-mail Id: [rothane@mpcb.gov.in](mailto:rothane@mpcb.gov.in)

---

**From:** Dattatray T. Devale  
**Sent:** 03 December 2012 13:00  
**To:** RO Thane  
**Subject:** FW: Time Bound compliance of various orders of HC in WP No.17/2011-Nicholas Almedia vs SoM, more particularly 5-7-12 & 20-11-12

Dattatraya Devale.  
Sr. Law Officer,  
Maharashtra Pollution Control Board,  
Mumbai.

---

**From:** Dattatray T. Devale  
**Sent:** Monday, December 03, 2012 12:58 PM  
**To:** RO Thane  
**Subject:** Time Bound compliance of various orders of HC in WP No.17/2011-Nicholas Almedia vs SoM, more particularly 5-7-12 & 20-11-12

Sir,

Pl.find attached DO Letter dtd.3/12/2012 on the captioned subject for information and further doing the needful in the matter.

Pl.treat this as most urgent.

Y.F.  
Vaishali, ALO  
Maharashtra Pollution Control Board,  
Mumbai.

71

Exhibit - IX

B-22013/PCI-SSI/CETP-Maharashtra/2012 26-28

September 25, 2012

To,

The Chairman  
Maharashtra Pollution Control Board,  
Kalpataru Point, 3rd & 4th floor,  
Sion Matunga Scheme Road No.8,  
Sion (E), Mumbai - 400 022

Sub: Directions under Section 18 (1) (b) of the Water (Prevention and Control of Pollution) Act, 1974, in Case of M/s Tarapur Environment Protection Society, Common Effluent Treatment Plant, Plot No. AM-29 (Pt); MIDC Tarapur, Taluka- Boisar, District- Thane Maharashtra.

WHEREAS amongst others, under Section 17 of the Water (Prevention and Control of Pollution) Act, 1974, one of the functions of the Pollution Control Boards is to plan a comprehensive programme for the prevention, control and abatement of pollution of stream and wells in the concerned State and to secure the execution thereof;

WHEREAS the Central Government has notified standards for discharge of environmental pollutants from Common Effluent Treatment Plants (CETPs), under the Environment (Protection) Act, 1986 and rules framed there under and State Boards are required to ensure compliance of these standards;

WHEREAS on basis of inspection conducted by CPCB Zonal Office Vadodra on January 23-24, 2008 of the CETP at Maharashtra Industrial Development Corporation industrial area -Tarapur (MIDC-Tarapur) directions under Section 18 (1) (b) of Water (Prevention and Control of Pollution) Act 1974 were issued to Maharashtra Pollution Control Board (MPCB) on June 16, 2008 to direct the concerned CETP for ensuring compliance of the prescribed standards and to direct MIDC for taking adequate measures to augment, operate and maintain the effluent carrying system of the industrial estate;

WHEREAS, to ensure compliance of the treated effluent disposal norms by the Common Effluent Treatment Plants (CETPs) in the Maharashtra state, Central Pollution Control Board further issued the following directions to Maharashtra Pollution Control Board under Section 18 (1) (b) of the Water (Prevention and Control of Pollution) Act, 1974 on September 2, 2008:

1. To initiate monitoring of all CETPs at least every quarter and take follow up action against member industries/CETPs not complying with the prescribed standards.
2. Not to permit expansion/establishment of the industrial units in the areas where the associated CETPs are not complying with the required standards and where such CETPs do not have adequate hydraulic load capacities.
3. To submit action taken report every quarter on (1) and (2) above within one month of every quarter to CPCB;

Cont'd....



WHEREAS, a team from CPCB, Zonal Office (West), Vadodara inspected and monitored the CETP of M/s Tarapur Environment Protection Society on 4.5.2012 and observed the following shortcomings:

1. The influent received by the CETP is not meeting with the prescribed inlet norms for parameters: pH – 2.90 (limit 5.5 to 9.0),  $\text{NH}_3\text{-N}$  – 183 mg/l (limit 50 mg/l) and Phenols – 6.75 mg/l (limit 5 mg/l).
2. The CETP is not being operated properly as one out of the two secondary clarifiers was found non-operational, the launders of both the primary clarifiers and the operational secondary clarifier were found submerged and plastic / backyard scrap material was observed floating in the equalization tank, the treatment unit subsequent to screens.
3. The CETP is grossly violating the effluent discharge norms prescribed by MPCB in the consent conditions for parameters: TSS – 369 mg/l and 163 mg/L in MIDC sump No. 2 (limit 100 mg/l), COD – 1623 mg/l and 1474 mg/l in MIDC sump No. 2 (limit 250 mg/l), BOD – 591 mg/l and 579 mg/l in MIDC sump No. 2 (limit 100 mg/l),  $\text{NH}_3\text{-N}$  – 156 mg/l and 139 mg/l in MIDC sump No. 2 (limit 50 mg/l), TKN – 161 mg/l and 171 mg/l in MIDC sump No. 2 (limit 50 mg/l), CN – 1.21 mg/l (limit 0.2 mg/l), Sulphide – 5.5 mg/l (limit 5 mg/l), Oil and Grease – 51.8 mg/l (limit 20 mg/l), and phenols – 5.65 mg/l (limit-5mg/l).
4. The bypass open channels existing inside the CETP premises were carrying untreated effluent to the treated water disposal sump.
5. Sludge drying pits are inadequately maintained and sludge was dumped in haphazard manner.
6. A big chunk of land in the CETP premises and the land near the effluent receiving tank was found contaminated as a result of seepage of effluent from the drains outside the CETP premises.
7. The Sump receiving treated effluent of CETP for transferring it to the MIDC sump was also found to be broken and the effluent was finding its way on open earthen surface.
8. The treated effluent sample collection point is not easily accessible due to overflow and spread of effluent in the area.
9. The exhaust of the DG set is not as per MPCB's consent conditions.
10. Significant fugitive emissions were observed during lime handling for chemical preparation.
11. The CETP is operating without valid consent under the Water (Prevention and Control of Pollution) Act 1974, Air (Prevention and Control of Pollution) Act 1981 and Authorization under Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008.

NOW, THEREFORE, in exercise of the power conferred under section 18 (1) (b) of the Water (Prevention & Control of Pollution) Act, 1974, the Maharashtra Pollution Control Board is further directed to ensure compliance of the following by the CETP in MIDC, Tarapur owned and operated by M/s Tarapur Environment Protection Society:

1. Submission of a time bound action plan with a time schedule not exceeding three months for the following:
  - i) Assessment through an expert agency, a) the adequacy of the CETP for treatment upto the prescribed final effluent standards and the need for upgradation, if any.

- ii) Attainment of compliance of a) the prescribed CETP inlet quality norms, particularly in reference of Ammonical Nitrogen ( $\text{NH}_3\text{-N}$ ) found to be grossly exceeding during the inspection and b) the prescribed CETP final effluent standards through improvement in the CETP, if required, and ensuring proper operation of all stages of treatment.
  - iii) Installation and commissioning of an on-line monitoring - cum recording system for pH, TOC and Flow at the outlet of the CETP.
2. The society shall not grant membership to any new industrial unit/s nor allow the existing member units to increase the production capacity.
  3. Introduction of a system/ mechanism of assessing the effluent quality received from its member units and informing SPCB regularly for initiating action against the member units sending effluent non-complying with inlet quality norms to CETP.
  4. Ensuring proper operation and maintenance of the effluent collection and conveyance system through regular interaction with MIDC so as to stop leakage/ overflow and by-pass of effluent.
  5. Operation of the CETP with valid Consents under Water (Prevention and Control of Pollution) Act 1974 and Air (Prevention and Control of Pollution) Act and Authorization under Hazardous Waste (Management, Handling & Transboundary) Rules 2008.

Maharashtra Pollution Control Board is also directed to provide list of industries not complying with the quantity and quality norms along with list of industries against which action has been taken under the Water (Prevention and Control of Pollution) Act, 1974 and the Environment (Protection) Act, 1986.

The ATR on the above directions shall be submitted to the Central Pollution Control Board within two months from the receipt of these directions followed by bimonthly progress report.

(Mira Mehrishi)  
Chairman

Copy to:

1. AD & I/c Zonal Office (West)  
Central Pollution Control Board  
Parivesh Bhawan, Opp. VMC Ward office no. 10  
Subhanpura, Vadodara - 390 023

for follow up please

2. Director (CP)  
Ministry of Environment & Forests  
Paryavaran Bhawan,  
CGO Complex  
Lodhi Road,  
New Delhi-110 003

for information please

3. I/c-ESS, CPCB, Delhi

for information please

4. I/c- IT Division, CPCB, Delhi

for information please



Exhibit -X

**MAHARASHTRA POLLUTION CONTROL BOARD**  
Sub Regional Office, Tarapur -I

Tel - [ 952525 ] 273314



M.I.D.C. Office Compound,  
Near Chitralaya, (Boisar)  
Tarapur - 401504.  
Taluka - Palghar  
Dist - Thane.

No. / MPCB/ SROT-I / TB - 1712

Date : 26/11/2012.


To,  
All Industries  
MIDC Tarapur  
Tal: Palghar, Dist: Thane.

Sub : To extent Co-operation to TEPS-CETP representative for collection of effluent Sample.

Ref : Notice of motion No. 349 of 2012 in PIL No. 17 of 2011.

With reference to above, this is to inform you that in the High Court of judicature at Bombay Ordinary Original Civil Jurisdiction Public Interest Litigation (PIL) No. 17 of 2011, Nicholas Almeida and others Versus State of Maharashtra and others. During the course of hearing on 20.11.2012. at Mumbai High Court. Hon'ble High Court has pass the order stating that MPCB as well as MIDC to inform to individual industrial unit in MIDC Tarapur Industrial Area to permit TEPS-CETP Association for taking samples of industrial effluent. In case of failure on the part to extending co operation in the matter of collecting samples, it will be treated as contempt of court and Hon'ble court will take action against concern industrial unit for violation of these directions.

In view of above it is requested to extent co operation to TEPS/CETP representative while visiting your industry for taking effluent sample.

  
( D. B. Patil ) 26/11/12  
Sub Regional Officer, Tarapur -I

Copy Submitted to:

- 1) JD (Water) MPCB , Mumbai
- 2) SLO MPCB, Mumbai.
- 3) Regional Officer, MPCB Thane



Exhibit - XI  
**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai 400 614.

No. MPCB/ROR/TB/ 634

Date: 21 Aug 2012

Office Order


**Sub: Constitution of Committee for monitoring of performance of CETP.-**

Ref: Board Circular vide No. BO/P&L Div/B-4602 dtd 24.07.2012

As per the Board direction vide above reference, following committee is formed for the respective CETP for monitoring the performance of CETP for one year.

Name of CETP	Members of Committee
PRIA CETP, Patalganga, Dist Raigad	The Regional Officer, MPC Board, Raigad
	The Sub Regional Officer-I, MPC Board Raigad
	Executive Engineer (MIDC) or his representative, MIDC, Patalganga, Dist Raigad
	Member of PRI Association.
RIA CETP, Roha, Dist Raigad	The Regional Officer, MPC Board, Raigad
	The Sub Regional Officer-II, MPC Board Raigad
	Executive Engineer (MIDC) or his representative, MIDC, Roha, Dist Raigad
	Member of Roha Industrial Association.
MMA CETP, Mahad Dist Raigad	The Regional Officer, MPC Board, Raigad
	The Sub Regional Officer-II, MPC Board Raigad
	Executive Engineer (MIDC) or his representative, MIDC, Roha, Dist Raigad
	Member of Mahad Manufacturer Association.

The committee shall cause the surprise visit to the CETP and shall over see the performance of the CETP.

  
(V.V. Shinde)  
Regional officer, Raigad

Copy to,  
Sub Regional Officer-I/II/Mahad, MPC Board, Raigad  
- For Information and implementation.

Copy for information and further needful to



Exhibit - XII

# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative :- Mr. D. S. Parkhe (GM, Sadhana Nitrochem Ltd)

Date & time of visit :- 29.8.2012, at 1600 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan  
SRO, Raigad-II

Dr. D. V. Tuljapurkar  
FO, Raigad - II

D.S. Parkhe

Sadhana Nitrochem Ltd

D. D. Galam

RIA CETP

# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative : Mr. A. G. Keni (Neelikon Food Dyes & Chem Ltd)

Date & time of visit : 03.09.2012, at 1500 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan

Dr. D. V. Tuljapurkar

A. G. Keni

D. D. Galam

SRO, Raigad-II

FO, Raigad - II

Neelikon Food Dyes & Chem

RIA-CETP



# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA/CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative :- Mr. B. B. Sapre, Executive Director, Roha Inds, Asso.

Date & time of visit : 18.09.2012, at 1330 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad .

During visit CETP operation is going on. JVS is collected from V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan

Dr. D. V. Tuljapurkar

B. B. Sapre

D. D. Galam

RIA-CETP

# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative : Mr. A. G. Keni, Roha Inds. Asso.

Date & time of visit : 04.10.2012 at 1630 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan

SRO, Raigad-II

Dr. D. V. Tuljapurkar

FO, Raigad - II

A. G. Keni

Roha Inds. Association

D. D. Galam

RIA-CETP



# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative :- Mr. P. P. Bardeskar, Hon. Secretary, Roha Inds. Asso.


Date & time of visit :- 30.10.2012 at 1500 hrs.


## Observations


As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of


1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from Inlet and V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

  
Dr. A. N. Harshwardhan  
SRO, Raigad-II

  
Dr. D. V. Tuljapurkar  
FO, Raigad - II

  
P. P. Bardeskar  
Hon. Secretary, RIA

  
D. D. Galam  
RIA-CETP

# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative : Mr. A. G. Keni, Hon Treasurer, Roha Inds. Asso.

Date & time of visit : 6.11.2012 at 1700 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from Inlet and V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan

SRO, Raigad-II

Dr. D. V. Tuljapurkar

FO, Raigad - II

A. G. Keni

Hon. Treasurer, RIA

D. D. Galam

RIA-CETP



# MAHARASHTRA POLLUTION CONTROL BOARD

Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

## Visit Report

Name & Address of Industry :- M/s. RIA CETP, MIDC Roha, Tal Roha, Dist-Raigad.

Industry Representative :- Mr. Galam D.D. (Manager CETP)

Visited by :- Dr. A. N. Harshvardhan (SRO), Dr. D. V. Tuljapurkar (F.O)

RIA Representative :- Mr. A. G. Keni, Hon Treasurer, Roha Inds. Asso.

Date & time of visit :- 22.11.2012 at 1530 hrs.

## Observations

As per Hon'ble High Court, Mumbai directions followed by directions from MPCB, a joint committee is formed by RO Raigad comprising of

1. Executive Engineer, MIDC Alibag Division
2. Representative of Roha Inds Association
3. RO / SRO, Raigad

During visit CETP operation is going on. JVS is collected from Inlet and V notch / outlet of CETP in presence of following members. MIDC's representative is not attended visit and sampling.

Dr. A. N. Harshwardhan

SRO, Raigad-II

Dr. D. V. Tuljapurkar

FO, Raigad - II

A. G. Keni

Hon. Treasurer, RIA

D. D. Galam

RIA-CETP

# Exhibit - XIII

## M/S. RIA CETP, MIDC DHATAV, TAL. ROHA, DIST-RAIGAD.

Comparative statement showing Results of analysis done in respect of samples collected by the committee in comparison with the standards

Date	Consented Standards	29.08.2012	03.09.2012	03.09.2012	18.09.2012	04.10.2012	30.10.2012.	06.11.2012	22.11.2012	Minimum	Maximum	Average
Parameters		Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	inlet	Inlet	Inlet	Inlet	
pH	5.5 to 9.0	7.9	7.9	8	7.5	7	8.1	7.3	7.6	7	8.1	7.663
B.O.D.		470	210	700	750	500	360	750	590	210	750	541.250
C.O.D.	3200 mg/lit.	1424	672	2384	2000	1456	1104	2064	1760	672	2384	1608.000
SS		124	52	52	142	142	132	118	122	52	142	110.500
O&G	20 mg/lit.	3	2.4	3.6	2.8	4	4			2.4	4	3.300
TDS		7541	5129	4941	13448	11880	11082	11136	8600	4941	13448	9219.625



# M/S. RIA CETP, MIDC DHATAV, TAL. ROHA, DIST-RAIGAD.

Comparative statement showing Results of analysis done in respect of samples collected by the committee in comparison with the standards

Date	Consented Standards	29.08.2012	03.09.2012	03.09.2012	18.09.2012	04.10.2012	30.10.2012	06.11.2012	22.11.2012	Minimum	Maximum	Average
Parameters		Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	
pH	5.5 to 9.0	8.5	7.8	7.7	7.9	7.3	7.8	7.3	7.3	7.3	8.5	7.7
B.O.D.	100 mg/lit.	330	150	140	230	160	310	120	120	120	330	195
C.O.D.	250 mg/lit.	1120	352	328	640	472	704	304	300	300	1120	527.5
SS	100 mg/lit.	110	38	40	62	58	44	32	56	32	110	55
O&G	10 mg/lit.	3.2	BDL	BDL	2	BDL				2	3.2	2.6
TDS	2100 mg/lit.	3877	3877	2035	3894	3855	4872	3488	3400	2035	4872	3662.25

M/S. RIA CETP, MIDC DHATAV, TAL. ROHA, DIST-RAIGAD.

Analysis Report from 03.01.2012 to 22.11.2012.

Date	03.01.2012	17.01.2012	03.02.2012	23.02.2012	02.03.2012	09.03.2012	17
Parameters	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	
pH	7.8	8.5	7.6	7.3	7.2	6.9	
B.O.D.	280.0	90.0	220.0	120.0	500.0	80.0	
C.O.D.	448.0	688.0	680.0	308.0	1296.0	312.0	
SS	94.0	176.0	142.0	330.0	192.0	194.0	
O&G	1.4	BDL	BDL	BDL	1.8	BDL	
TDS	-	-	-	-	3747.0	3178.0	
Total R.Chlorine	BDL	BDL	BDL	BDL	BDL	BDL	
Total Ammo. Nitrogen	5.6500	10.3200	66.6000	54.2000	59.7000	7.5400	1
Fluoride	5.1700	0.5240	0.6783	0.5892	0.1351	BDL	0
Chlorides	939.7	1469.5	2499.2	1799.4	1189.6	-	1
Sulphide	BDL	BDL	BDL	BDL	BDL	2.0510	0
T.K. Nitrogen	14.00	29.12	84.00	67.20	61.60	12.88	
Sulphate	729.7500	909.5000	0.08	2307.5000	836.9300	-	5
Total Chromium	0.33	0.36	0.08	0.30	0.43	0.03	
Organo Phosphorus	BDL	BDL	BDL	BDL	BDL	BDL	
Chlorinated Hydrocarbon	BDL	BDL	BDL	BDL	BDL	BDL	
Nickel	0.02	0.03	0.02	0.03	0.04	0.05	
Cadmium	0.04	0.03	0.03	BDL	0.02	BDL	
Copper	0.10	0.09	0.03	0.03	0.21	0.24	
Lead	0.23	0.19	0.02	0.01	0.16	BDL	
Zinc	BDL	BDL	0.03	BDL	BDL	0.32	
Cyanide	BDL	BDL	0.6783	BDL	BDL	BDL	
Mercury	0.0099	BDL	0.0227	0.0139	0.0214	0.0901	0
Phenol	BDL	0.6654	0.8736	0.7271	0.8952	0.5544	0
Boron	0.2300	1.1600	1.6100	0.1400	0.4800	-	0
Arsenic	-	-	-	-	-	-	
TDS	-	-	-	-	-	-	



05.04.2012	06.04.2012	07.04.2012	08.04.2012	09.04.2012	10.04.2012	11.04.2012	12.04.2012	14.04.2012	15.04.2012
Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet
7.5	7.7	7.5	7.6	7.2	7.6	7.6	7.6	7.6	7.6
360.0	320.0	120.0	490.0	110.0	200.0	180.0	270.0	180.0	190.0
1440.0	960.0	480.0	1424.0	280.0	608.0	576.0	824.0	680.0	464.0
162.0	228.0	80.0	134.0	88.0	72.0	226.0	56.0	142.0	110.0
BDL	BDL	-	BDL	BDL	BDL	BDL	BDL	BDL	BDL
9107.0	10616.0	5641.0	7570.0	4528.0	8994.0	5926.0	5837.0	8792.0	9155.0
BDL	BDL	BDL	-	BDL	BDL	-	-	-	-
29.6360	8.0862	62.3510	-	3.4912	24.4516	-	-	-	-
1.4800	1.0400	0.8400	0.9600	0.8800	0.7200	-	-	-	-
2899.1	3299.0	2649.2	3099.0	1419.6	3249.0	-	-	-	-
BDL	BDL	BDL	BDL	BDL	0.1100	-	-	-	-
46.20	11.76	154	BDL	12.32	36.40	-	-	-	-
2159.00	6304.00	2659	880.00	560.00	3380.00	-	-	-	-
0.05	BDL	BDL	0.10	BDL	BDL	-	-	-	-
BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	-
BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	-
BDL	BDL	0.04	0.07	BDL	BDL	-	-	-	-
0.01	BDL	BDL	BDL	BDL	BDL	-	-	-	-
0.07	0.01	BDL	0.08	BDL	BDL	-	-	-	-
0.09	BDL	BDL	0.03	BDL	BDL	-	-	-	-
0.09	BDL	0.03	0.03	0.01	BDL	-	-	-	-
BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	-
0.0089	0.0120	0.027	0.0220	0.0040	0.0245	-	-	-	-
0.2700	BDL	BDL	0.2500	BDL	BDL	-	-	-	-
0.9900	0.3100	0.6800	1.4500	0.5200	0.3200	-	-	-	-
		-							
		-							

[illegible]



[illegible]

29.08.2012	03.09.2012	03.09.2012	18.09.2012	04.10.2012	30.10.2012	06.11.2012	22.11.2012.	Minimum	Maximum	Average
Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	Outlet	
8.5	7.8	7.7	7.9	7.3	7.8	7.3	7.3	6.9	8.7	7.669387755
330	150	140	230	160	310	120	120	80	600	237.8367347
1120	352	328	640	472	704	304	300	280	1632	695.5918367
110	38	40	62	58	44	32	56	32	330	133.7142857
3.2	BDL	BDL	2	BDL				1.4	2.6	1.92
								723	10642	7403.5
								0	0	-
								3.4912	72.39	30.42664286
								0.1351	5.17	1.113476923
								939.7	3299	2171.623077
								0.11	2.051	0.818
								11.76	156.8	52.74
								0.08	6304	1775.495385
								0.03	0.7	0.258181818
								0	0	-
								0	0	-
								0.01	0.07	0.038
								0.01	0.04	0.023333333
								0.01	0.24	0.082727273
								0.01	0.23	0.1
								0.01	0.32	0.082857143
								0.6783	0.6783	0.6783
								0.004	0.0901	0.020935714
								0.0004	0.8952	0.503233333
								0.14	1.61	0.751538462
								0.063	0.063	0.063
3877	3877	2035	3894	3855	4872	3488	3400	5192	5192	5192



M/S. RIA CETP, MIDC DHATAV, TAL. ROHA, DIST-RAIGAD.

Analysis Report from 03.01.2012 to 22.11.2012.

Date	03.01.2012	17.01.2012	03.02.2012	23.02.2012	02.03.2012	09.03.2012	17.03.2012	05.04.2012	06.04.2012	07.04.2012
Parameters	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet
pH	7.4	8.0	6.9	7.5	8.1	7.0	7.0	7.9	7.6	7.4
B.O.D.	1350.0	250.0	750.0	450.0	1000.0	300.0	510.0	750	925	450
C.O.D.	3808.0	784.0	1616.0	1152.0	3568.0	1600.0	1768.0	2576	2368	1440
SS	80.0	262.0	588.0	308.0	498.0	348.0	386.0	310	262	100
O&G	4.8	1.8	6.8	3.0	3.8	4.2	BDL	BDL	BDL	BDL
Chlorides	2519.2	2399.3	5098.4	3398.9	3688.9	-	4198.7	4748.5	3798.8	2600
Total R.Chlorine	BDL	BDL	BDL	BDL	BDL	-	BDL	BDL	BDL	BDL
Total Ammo. Nitrogen	56.4000	23.6000	50.8000	114.6000	292.5000	10.7200	11.8200	110.758	76.578	115.000
Fluoride	18.1600	0.6230	0.5876	0.6671	0.1023	BDL	0.5678	0.96	1.28	1.00
Sulphide	BDL	BDL	BDL	BDL	BDL	-	0.6612	BDL	BDL	BDL
T.K. Nitrogen	67.20	67.20	156.80	224.00	364	-	43.68	201.6	159.6	224.00
Chromium (H)	-	-	-	-	-	BDL	BDL	-	-	-
Total Chromium	0.63	0.43	0.06	1.15	1.30	0.49	0.47	BDL	BDL	0.00
Nickel	0.05	0.05	0.07	0.07	0.13	0.07	0.05	BDL	BDL	BDL
Sulphate	1855.0000	2627.0000	3139.9000	5030.7000	3960.8000	-	1623.50	4568	4432	2000
Cadmium	BDL	0.01	BDL	0.08	0.03	BDL	0.02	BDL	BDL	BDL
Copper	0.06	0.11	0.07	0.27	0.59	0.19	0.41	0.12	0.3	0.00
Lead	0.05	0.04	BDL	0.62	0.36	0.08	0.20	-	BDL	BDL
Zinc	0.01	BDL	BDL	BDL	BDL	0.08	BDL	0.06	BDL	0.00
Cyanide	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Mercury	0.0220	BDL	0.0232	0.0151	0.0406	0.0320	0.0198	0.0528	0.0181	0.00
Phenol	0.3211	BDL	0.8731	0.464	0.394	0.6461	0.6612	0.1	1.7	0.00
TDS	-	-	-	-	14029.0	11430.0	7962	19462	8847	11100
Boron	0.7900	1.8700	1.4900	1.2100	1.5800	0.7100	1.3800	2.67	0.89	1.50
Arsenic	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	BDL	-
Phosphate	-	-	0.2432	-	-	-	-	-	-	-
Organo Phosphorus Pesticides	-	-	0.053	-	-	-	-	BDL	BDL	BDL
Chlorinated Pesticides	-	-	BDL	-	-	-	-	BDL	BDL	BDL

08.04.2012	09.04.2012	10.04.2012	11.04.2012	12.04.2012	14.04.2012	15.04.2012	16.04.2012	17.04.2012	18.04.2012	19.04.2012
Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet
7.8	7.4	7.5	7.9	7.7	7.1	6.8	6.9	7.5	6.6	8.5
750.0	540.0	700.0	750.0	1100.0	780.0	800.0	675.0	850.0	950.0	1050.0
2512.0	2064.0	2096.0	2800.0	3920.0	2544.0	1920.0	2400.0	2352.0	3008.0	3680.0
176.0	250.0	98.0	484.0	130.0	256.0	204.0	184.0	146.0	208.0	184.0
BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
5048.4	3498.9	5498.3		-	-	-	-	-	-	-
-	BDL	BDL		-	-	-	-	-	-	-
-	10.6638	53.9190		-	-	-	-	-	-	-
0.9200	0.9600	1.1200		-	-	-	-	-	-	-
BDL	BDL	BDL		-	-	-	-	-	-	-
148.40	28.00	156.80		-	-	-	-	-	-	-
BDL	-	-		-	-	-	-	-	-	-
0.14	0.05	BDL		-	-	-	-	-	-	-
BDL	0.02	0.01		-	-	-	-	-	-	-
4546.00	4646.00	1260.00		-	-	-	-	-	-	-
BDL	BDL	BDL		-	-	-	-	-	-	-
-	0.07	BDL		-	-	-	-	-	-	-
0.03	0.03	BDL		-	-	-	-	-	-	-
0.01	0.02	BDL		-	-	-	-	-	-	-
BDL	BDL	BDL		-	-	-	-	-	-	-
0.0364	0.0080	0.0215		-	-	-	-	-	-	-
0.0900	0.3700	0.5500		-	-	-	-	-	-	-
26248.0	-	14928	17177	16939.0	15682.0	14195.0	14693.0	14119.0	16492.0	15144.0
2.6200	1.2000	0.9800	-	-	-	-	-	-	-	-
BDL	-	BDL		-	-	-	-	-	-	-
-	-	-		-	-	-	-	-	-	-
-	-	BDL		-	-	-	-	-	-	-
-	-	BDL		-	-	-	-	-	-	-



[illegible]

[illegible]



03.09.2012	18.09.2012	04.10.2012	30.10.2012.	06.11.2012	22.11.2012	Minimum	Maximum	Average
Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	Inlet	
8	7.5	7	8.1	7.3	7.6	6.3	8.9	7.652
700	750	500	360	750	590	210	1350	642.788
2384	2000	1456	1104	2064	1760	672	3920	1890.000
52	142	142	132	118	122	52	588	198.077
3.6	2.8	4	4			1.8	6.8	3.582
						1499.5	5498.3	3520.156
						0	0	-
						9.01	292.5	71.196
						0.1023	18.16	1.924
						0.0112	0.6612	0.336
						11.2	364	139.055
						0	0	-
						0.05	1.3	0.446
						0.01	0.21	0.073
						200	5030.7	2825.316
						0.01	0.08	0.030
						0.02	0.59	0.171
						0.02	0.62	0.145
						0.01	0.12	0.060
						0	0	-
						0.003	0.0528	0.025
						0.09	1.7	0.486
4941	13448	11880	11082	11136	8600	350	26248	11293.500
						0.47	2.67	1.454
						0.0215	0.0513	0.036
						0.2432	0.2432	-
						0.053	0.053	-
						0	0	-

PH  
BOD  
COD  
SS  
etc.

TDS

Exhibit - XV

and causing serious pollution in the surrounding area  
**Maharastra Pollution Control Board**  
Regional Office Raigad



Raigad Bhavan, 6th Floor,  
Sector - 11, C.B.D. Belapur,  
Navi Mumbai - 400614

Reg. NO. / ROR / 121012 / 0416

Date: 12 / 10 / 2012

To,  
M/s Neelicon Food Dyes and Chemicals Ltd,  
Unit-I, Plot No 67, MIDC Dhatav,  
Tal Roha, Dist Raigad

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and u/s 31A of the Air (P&CP) Act, 1981.

Ref : 1) Consent and Authorization granted by Board.  
2) Visit of Board officials to your unit on 10.10.2012

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements for the effluent as well as air pollution control devices, so as to achieve the standards prescribed in the consent order

AND WHEREAS, the officers of the Board visited to your unit 10.10.2012 and observed that you have provided only primary ETP for treatment of effluent @ 325 CMD (as per consent).

AND WHEREAS, it is also observed that the scrubber provided was not in operation during the visit.

AND WHEREAS, it is also brought to your notice that you have not submitted the Environmental Statement for last year and you could not produce the details of Hazardous waste disposed to CHWTSDF. However, you have stored huge quantity of Hazardous waste in ETP premises.

AND WHEREAS, new construction was observed within the premises and you are increasing the production, water consumption and their by pollution phase wise.

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are



:2:

violating above consent conditions and causing serious pollution in the sur.  
/ causing threat to the environment;

NOW THEREFORE, in exercise of powers conferred upon me by the Board  
33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1986  
Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose to issue  
following directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your manufacturing activity shall not be stopped to control above pollution till you take the remedial measures in respect of above non compliances.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6<sup>th</sup> floor, Sector-11, C.B.D. Belapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 22.10.2012 11.30 am with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you

*V. V. Shinde*  
(V. V. Shinde)  
Regional Officer, Raigad

Copy submitted to:

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai, for information.

Copy to:

- 1) Sub- Regional Officer, Raigad-II, MPC Board, Raigad.

He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry.

- 2) The Chairman, RIA CETP, Roha Dist Raigad.

*Recd.*  
*SRJ*

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai 400 614.

Date: 31.10.2012

No. MPCB/ROR/ID/121031/0412

To,  
M/s Neelicon Food Dyes and Chemicals Ltd,  
Unit-I, Plot No 67, MIDC Dhatav,  
Tal Roha, Dist Raigad.

Sub: - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of the Air (P & C.P.) Act, 1981

Ref:- 1) Proposed Direction issued to you vide No MPCB/ROR/121012FT0416 dtd 12.10.2012

2) Personal Hearing conducted on 22.10.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the explanation/discussions during the personal hearing on 22.10.2012, you are hereby issued following interim directions.

**You shall undertake the following steps.**


- 1) Industry shall provide secondary and tertiary treatment within 3 months period i.e. up to 31.01.2013
- 2) Industry shall operate and maintain the existing ETP continuously so as to achieve the parameters of treated effluent within the consented norms.
- 3) Industry shall submit the detailed water budget along with water bills for last three months within 8 days period.
- 4) Industry shall comply with the provision of Hazardous Waste (M.H & T) Rules 2008 and shall dispose the Hazardous waste to CHWTSDF regularly.
- 5) Industry shall install online pH meter and Flow meter with data logger at the outlet of ETP within period of one month.
- 6) Industry has installed separate energy meters for the Pollution Control Equipments within period of three months. Industry shall submit the energy consumption for the same every month to this office.



..2..

- 7) Industry shall furnish Bank Guarantee of Rs 2, 000, 00/- (Rs. Two lac) to Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for a period of one year. The Bank guarantee shall be submitted to this office 10 days from the date of hearing i.e. 22.10.2012

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted

  
(V.V. Shinde)

Regional Officer- Raigad.

**Copy submitted for information to:**

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

**Copy to:-**

Sub Regional Officer-II, M.P.C. Board Raigad  
-For Follow up and submission of compliance.

**Maharashtra Pollution Control Board**  
**Regional Office Raigad**

Fax : 2756 2132  
Tel. : 2757 2620



Raigad Bhavan, 6th Floor,  
Sector - 11, C.B.D. Belapur,  
Navi Mumbai - 400614

Ref. NO. / ROR / 140120420

Date : 2/10/2002

To,  
M/s Anshul Speciality Molecules,  
Plot No 108/109/110, MIDC Dhatav,  
Tal Roha, Dist Raigad

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and u/s 31A of the Air (P&CP) Act, 1981.

Ref : 1) Consent and Authorization granted by Board.  
2) Visit of Board officials to your unit on 10.10.2012

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements for the effluent as well as air pollution control devices, so as to achieve the standards prescribed in the consent order

AND WHEREAS, the officers of the Board visited to your unit 10.10.2012 and observed that you have provided only primary ETP for treatment of effluent @ 34 CMD and you are not operating the ETP scientifically.

AND WHEREAS, it is also observed that you are generating distillation residue @ 30.2 MT/Annum however the consented quantity is only 41 kg/day.

AND WHEREAS, it is also brought to your notice that you have not obtained the Environmental Clearance for the product Chloromethyl Isopropyl carbonate (CMIC) which is drug intermediate.

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area / causing threat to the environment.



:2:

M/  
Tel. No. 2757 6034  
Fax No. 2756 2132

**NOW THEREFORE**, in exercise of powers conferred upon me by the Board u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981, I, Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose to issue following directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your manufacturing activity shall not be stopped to control above pollution till you take the remedial measures in respect of above non compliances.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6<sup>th</sup> floor, Sector-11, C.B.D. Belapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 22.10.2012 11.30 am with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you

ok V. V. Shinde  
(V. V. Shinde)  
Regional Officer, Raigad

**Copy submitted to:**

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information.
- 2) Principal Scientific Officer. M.P.C. Board, Mumbai, for information.

**Copy to:**

- 1) Sub- Regional Officer, Raigad-II MPC Board, Raigad.

He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry.

2) The chairman, RIA CETP, Raha Dist - Raigad.

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai 400 614.

No. MPCB/ROR/ID/ 847

Date: 8/11/2012

To,  
M/s Anshul Speciality Molecules,  
Unit-II. Plot No 108/109/110, MIDC Dhatav,  
Tal Roha, Dist Raigad.

**Sub:** - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of the Air (P & C.P.) Act, 1981

**Ref:-** 1) Proposed Direction issued to you vide No MPCB/ROR/121012FT0420  
Dtd 12.10.2012

2) Personal Hearing conducted on 07.11.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the explanation/discussions during the personal hearing on 07.11.2012, you are hereby issued following interim directions.

**You shall undertake the following steps.**

- 1) Industry shall operate and maintain the existing ETP continuously so as to achieve the parameters of treated effluent within the consented norms.
- 2) Industry shall upgrade their existing ETP by providing secondary treatment since the effluent quantity is above 25 CMD. The upgradation shall be completed by Feb 2013.
- 3) Industry shall amend the consent in respect to increase the quantity of hazardous waste.
- 4) Industry shall install online pH meter with data logger at the outlet of ETP within period of three month.
- 5) Industry shall install separate energy meters for the Pollution Control Equipments within period of three months. Industry shall submit the energy consumption for the same every month to this office.



..2..

- 6) Industry shall furnish Bank Guarantee of Rs 1, 000, 00/- (Rs. One lac only) in favour of Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for period of one year. The Bank guarantee shall be submitted to this office within 15 days from the date of hearing i.e. 22.10.2012

M  
Tel. No  
Fax No

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted

*o/c*  
*B. V. Shinde*  
(V.V. Shinde)  
Regional Officer- Raigad.

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad  
-For Follow up and submission of compliance.

# Maharashtra Pollution Control Board

## Regional Office Raigad

Fax : 2756 2132  
Tel. : 2757 2620



Raigad Bhavan, 6th Floor,  
Sector - 11, C.B.D. Belapur,  
Navi Mumbai - 400614

Ref. NO. TOR / 1210/200416  
M/s Neelicon Food Dyes and Chemicals Ltd,  
Unit-II, Plot No 17, MIDC Dhatav,  
Tal Roha, Dist Raigad

Date : 12 / 10 / 2012

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and u/s 31A of the Air (P&CP) Act, 1981.

Ref : 1) Consent and Authorization granted by Board.  
2) Visit of Board officials to your unit on 10.10.2012

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements for the effluent as well as air pollution control devices, so as to achieve the standards prescribed in the consent order

AND WHEREAS, the officers of the Board visited to your unit 10.10.2012 and observed that you have not provided online pH meter and flow meter at the outlet of ETP

AND WHEREAS, it is also brought to your notice that you have not submitted the Environmental Statement for last year and you could not produce the details of Hazardous waste disposed to CHWTSDF. However, you have stored huge quantity of Hazardous waste in ETP premises.

AND WHEREAS, new construction was observed within the premises and you are increasing the production, water consumption and their by pollution phase wise.

AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area / causing threat to the environment.




NOW THEREFORE, in exercise of powers conferred upon me by 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1986, I, Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose the following directions

- a) Why your consent shall not be revoked / refused for the above compliances?
- b) Why your manufacturing activity shall not be stopped to control above till you take the remedial measures in respect of above non compliances.

You are hereby directed to remain present for personal hearing before Regional Officer, Raigad, at Raigad Bhavan, 6<sup>th</sup> floor, Sector-11, C.B.D. Belapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 22.10.2012 11.30 am with your statement and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you

  
(V. V. Shinde)  
Regional Officer, Raigad

**Copy submitted to:**

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information.
- 2) Principal Scientific Officer. M.P.C. Board, Mumbai, for information.

**Copy to:**

- 1) Sub- Regional Officer, Raigad-I, MPC Board, Raigad.  
He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry.
- 2) The Chairman, RIA CETP, MIDC Dhatav, Tal. Roha Dist Raigad  
- For Information

**MAHARASHTRA POLLUTION CONTROL BOARD**  
**REGIONAL OFFICE - RAIGAD**

Tel. No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai 400 614.

No. MPCB/ROR/ID/121021A0412

Date: 31/10/2012

To,  
M/s Neelicon Food Dyes and Chemicals Ltd,  
Unit-II, Plot No 17, MIDC Dhatav,  
Tal Roha, Dist Raigad.

Sub:- Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of  
the Air (P & C.P.) Act, 1981

Ref:- 1) Proposed Direction issued to you vide No MPCB/ROR/121012FT0416  
dtd 12.10.2012

2) Personal Hearing conducted on 22.10.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the  
explanation/discussions during the personal hearing on 22.10.2012, you are hereby  
issued following interim directions.

You shall undertake the following steps.

- 1) Industry shall operate and maintain the existing ETP continuously so as to achieve  
the parameters of treated effluent within the consented norms.
- 2) Industry shall install online pH meter and Flow meter with data logger at the outlet of  
ETP within period of one month.
- 3) Industry shall install separate energy meters for the Pollution Control Equipments  
within period of three months. Industry shall submit the energy consumption for the  
same every month to this office.
- 4) Industry shall furnish Bank Guarantee of Rs 2, 000, 00/- (Rs. Two lac only) in favor of  
Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for  
period of one year. The Bank guarantee shall be submitted to this office within 15  
days from the date of hearing i.e. 22.10.2012



..2..

In case, you fail to comply with the above directions, the Board will have no option than to initiate further necessary legal action against you, which please be noted.

o/c

V. V. Shinde

Regional Officer- Raigad.

Copy submitted for information to:

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad  
-For Follow up and submission of compliance.

# Maharashtra Pollution Control Board

## Regional Office Raigad

Fax : (022) 2756 21 32  
Tel. : (022) (D) 2757 26 20  
(022) (O) 2757 60 34



Raigad Bhavan, 6<sup>th</sup> Floor,  
Sector - 11, C. B. D. Belapur,  
Navi Mumbai - 400 614.  
Dist. - Thane, Maharashtra.

Ref. NO./MPCB/ROR / 1209/240327

Date : 12 / 9 / 2012

To,  
M/s Roha Dye Chem Ltd,  
Plot No 42, MIDC, Roha,  
Dist Raigad

Sub : Proposed directions u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981.

- Ref : 1) Consent and Authorization granted by Board.  
2) Writ Petition No. 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others.  
3) Visit to the unit on 19.06.2012  
4) Result of Joint Vigilance Sample collected on 19.06.2012.  
5) Member Secretary letter vide no.BO/P&L Divn/B-2780,dt.,7/04/2012.  
- Criteria for initiating action.

WHEREAS, you have been granted Conditional Common Consent and Authorization under the provisions of the Water (P&CP) Act, 1974 and the Air (P&CP) Act, 1981 and the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide adequate and suitable treatment & disposal arrangements as well as air pollution control devices, so as to achieve the standards prescribed in the consent order and to dispose off it in accordance with the condition laid down for disposal in the consent.

AND WHEREAS, it has been observed that you are discharging untreated / undertreated effluent, not conforming to the standards prescribed in the consent order and thereby disturbing the function of CETP.

AND WHEREAS, the officers of the Board visited to your unit and collected the Joint Vigilance Samples in the presence of your representative on 19.06.2012 the analysis results of the samples are exceeding the parameters of BOD(130 mg/l), COD(464 mg/l), Chlorides(2949.1 mg/l) and TDS (5818 mg/l) which is exceeding the standards prescribe by the Board in its consent order

AND WHEREAS, joint vigilance sample collected from time to time have been communicated to you. AND WHEREAS, you have not taken corrective measures to comply with the above non-compliances/consent conditions.



AND WHEREAS, after examination of the record of your case the reports of the officers of the Board and after making necessary inquiry, I am satisfied that you are violating above consent conditions and causing serious pollution in the surrounding area / hampering performance of CETP.

NOW THEREFORE, in exercise of powers conferred upon me by the Board u/s 33A of the Water (P&CP) Act, 1974 and /or u/s 31A of the Air (P&CP) Act, 1981, I, Vinayak V. Shinde, Regional Officer, MPC Board, Raigad, hereby propose to issue following Directions

- a) Why your consent shall not be revoked / refused for the above non-compliances?
- b) Why your highly polluting unit shall not be directed to be closed down?
- c) Why your manufacturing activity shall not be stopped to control above pollution till you take the remedial measures in respect of above non-compliances.
- d) Why the CETP shall be directed not to receive your effluent, till you achieve the inlet parameters of CETP.

You are hereby directed to remain present for personal hearing before the Regional Officer, Raigad, at Raigad Bhavan, 6<sup>th</sup> floor, Sector-11, C.B.D. Belapur, Navi Mumbai-400 614 (Phone No. 2757 2620) on 17.09.2012 11.30 am with your say and all relevant documents/reports and proposal for upgradation of Pollution Control systems, if any.

Your reply to these proposed directions shall be submitted within 8 days time, failing which, the above proposed directions will be confirmed on the basis of record available with the Board within 45 days from the service of these directions to you

V. V. Shinde  
(V. V. Shinde)  
Regional Officer, Raigad

**Copy submitted to:**

- 1) Sr. Law Officer, (P&L) Division M.P.C. Board, Mumbai, for information.
- 2) Principal Scientific Officer. M.P.C. Board, Mumbai, for information.

**Copy to:**

- 1) Sub-Regional Officer, Raigad-II, MPC Board, Raigad.  
He is directed to serve the directions to the above industry and keep the follow up and remain present for the personal hearing with record of the industry.
- 2) The Chairman, RIA CETP Co-Op Society Pvt. Ltd, MIDC Dhatav, Tal Roha Dist Raigad  
-For information

MAHARASHTRA POLLUTION CONTROL BOARD  
REGIONAL OFFICE - RAIGAD

Tel. No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6th Floor,  
Sec-11, C.B.D. Belapur,  
Navi Mumbai 400 614.

No. MPCB/ROR/ID/121003470198

Date: 2/10/2012

To,  
M/s Roha Dye Chem Ltd,  
Plot No 42, MIDC Dhatav,  
Tal Roha, Dist Raigad.

Sub: - Interim Directions u/s 33A of Water (P. & C.P.) Act, 1974 & u/s 31A of  
the Air (P & C.P.) Act, 1981

Ref:- 1) Proposed Direction issued to you vide No MPCB/ROR/120912FT0327  
Dtd 12.09.2012


2) Personal Hearing conducted on 28.09.2012

We refer the direction issued to you vide letter at ref. no.1, and considering the  
explanation/discussions during the personal hearing on 28.09.2012, you are hereby issued  
following interim directions.

You shall undertake the following steps.

- 1) Industry shall operate and maintain the existing ETP continuously so as to achieve the parameters of treated effluent within the consented norms.
- 2) Industry shall submit the manifest copy of Hazardous Waste disposed in last one year to this office within 8 days.
- 3) Industry shall ensure that there shall not be any leakages to outside of the factory premises.
- 4) Industry shall install online pH meter at the outlet of ETP within period of one month.
- 5) Industry has installed separate energy meters for the Pollution Control Equipments. Industry shall submit the energy consumption for the same every month to this office.
- 6) Industry shall furnish Bank Guarantee of Rs 2, 000, 00/- (Rs. Two lac only) in favor of Regional Officer M.P.C. Board, Raigad in prescribed format, which will be valid for period of one year. The Bank guarantee shall be submitted to this office within 15 days from the date of hearing i.e. 28.09.2012.

In case, you fail to comply with the above directions, the Board will have no option  
than to initiate further necessary legal action against you, which please be noted

  
O V.V. Shinde)  
Regional Officer- Raigad.

Copy submitted for information to:

- 1) Sr. Law Officer (P&L Div-I), M.P.C. Board, Mumbai.
- 2) Principal Scientific Officer, M.P.C. Board, Mumbai

Copy to:-

Sub Regional Officer-II, M.P.C. Board Raigad-For Follow up.



Exhibit - XVI

MAHARASHTRA POLLUTION CONTROL BOARD  
SUB- REGIONAL OFFICE, RAIGAD-II.

Tel No. 2757 6034  
Fax No. 2756 2132



Raigad Bhavan, 6<sup>th</sup> floor  
Sec-11, C.B.D. Belapur  
Navi Mumbai 400 614.

NO: MPCB/SROR-II/TB-479

Date: 10/12/2012

To,  
The Senior Law Officer,  
M.P.C.Board,  
Sion, Mumbai-22.

Sub :- Compliance/Improvement made by RIA CETP Roha.

Ref :- 1) Hon'ble High Court order dated 20.11.2012.

This office has visited time to time to check the compliance and improvement by CETP with reference Hon'ble High court order dated 05.07.2012. Details are as below.

1. TOC Analyzer Installed and in operation.
2. Replacement of existing diffused aeration system to surface aeration system to improve the efficiency.
3. Installation of additional belt press to removal the sludge effectively.
4. Internal pipeline replacement done to avoid the seepage and leakages.
5. Internal road repaired for proper approach & movement of vehicles.
6. Proposed to provide SACDA system and online TOC operation.
7. Expansion proposal is approved by MIDC & further to NEERI for approval.
8. Presently CETP is run for 10.0 MLD capacity per day.

This is for your information and further needful please.

Thanking you,

Your Faithfully,


  
(Dr. A.N. Harshwardhan)  
Sub- Regional Officer, Raigad-II

Exhibit - XVII

**MAHARASHTRA POLLUTION CONTROL BOARD**  
Sub Regional Office, Raigad-II

Phone: 27576034  
Fax : 27562132



Raigad Bhavan, 6th Floor,  
Sector-11, C.B.D. Belapur,  
Navi Mumbai 400 614

No. MPCB/SROR-II/B-476

Date: 07/12/2012

To,  
M/s. RIA CETP Co-Op Society Pvt. Ltd.,  
MIDC Dhatav, Tal: Roha,  
Dist: Raigad.

Sub : Submission of Analysis report of JVS collected from Roha Industrial area,  
analysis results thereof and consent copies.  
Ref :- Hon'ble High Court order dtd. 20.11.2012

Sir,

This has reference to the PIL going on Hon'ble High Court, Mumbai in respect of CETP's matter dtd. 20.11.2012. As per the court order I am furnishing the analysis results, consent copies and legal action taken against the defaulting industries located in MIDC industrial estate, Roha, who is member unit of CETP. It includes all Red type of industries.

You are aware of the sampling and monitoring is already undertaken by this office with a committee member twice in a month from Aug' 12. And results thereof is already communicated time to time and displayed on MPCB website also.

You are further requested to go through it and inform any defaulting unit observed during your routine/ vigilance visit and any other data available with you so that legal action will be initiate accordingly.

As per the court order, joint vigilance sampling along with committee in and around the industrial area has to be performing immediately.

Thanking You.

Your's Faithfully,

Encl: As above

(Dr. A.N. Harshvardhan)  
Sub Regional Officer, Raigad-II

Copy submitted to :

1. Sr. Law Officer, MPCB, Sion, Mumbai.
2. Regional Officer, MPCB, Raigad.

Received  
11/12/2012



XVIII

**Latest Reports of CETP at a Glance(as available at 05:00 p.m.on 12th December 2012)**

## **Common Effluent Treatment Plant**

Sr. No.	Name of CETP	Reading Date	PH	BOD	COD
1	Tarapur Environment Protection Society, Dist.Thane	05/12/2012	7.4	-	960.0
2	Dombivli Better Environment Systsem Association, Dist. Thane	26/11/2012	7.3	110.0	296.0
3	Dombivli CETP(Chemical)phase-II, Dist.Thane	26/11//2012	7.1	270.0	968.0
4	ACMA-CETP-Co-operative Soc.Ltd Ambarnath, Dist. Thane	22/11/2012	6.2	36.0	112.0
5	Chikloli-Morivali Effluent Treatment, Ambarnath, Dist.Thane	30/11/2012	8.3	160.0	560.0
6	Badlapur CETP, Dist.Thane	29/11/2012	6.8	180.0	592.0
7	Thane-Belapur Association, Navi Mumbai Dist. Thane.	26/11/2012	7.3	20.0	80.0
8	Taloja CETP Co-operative Soc.Navi Mumbai, Dist.Thane	30/11/2012	7.6	-	300.0
9	Pria CETP(I) Ltd,Patalganga, Dist.Raigad	22/11/2012	8.3	180.0	528.0
10	Ria CETP Co-op Society Ltd, Roha, Dist.Raigad	22/11/2012	7.3	120.0	300
11	MMA-CETP Co-op. Society Ltd,Mahad, Dist.Raigad	01/11/2012	7.3	127.5	336.0
12	Lote Parshuram Environment Protection co-op Society, Dist. Ratnagiri	22/11/2012	6.72	185.0	440.0
13	Ranjangaon CETP, Dist.Pune	30/11/2012	8.10	70.0	176.0
14	Kurkumbh Environment Protectionco-op. Soc.Dist.Pune	23/11/2012	7.97	130	280.0
15	Hydro Air Techonics(PCD), , Talegaon, Dist. Pune	07/11/2012	8.62	40.8	92.0

16	L.K.Akiwate Industrial Co-op.Estate Ltd.Joysinghpur, Dist. Kolhapur	29/11/2012	7.15	370.0	1360
17	Kagal Hatkanangale CETP, Dist. Kolhapur	29/11/2012	7.02	27.5	120.0
18	Ichalkaranji Textile Deveopment Cluster Ltd.(12 MLD) Dist.Kolhapur	29/11/2012	8.30	340.0	1402.0
19	Ichalkaranji Textile Deveopment Cluster Ltd.(1MLD) Dist.Kolhapur	29/11/2012	8.17	450.0	1104.0
20	Greenfield CETP Plant Pvt.Ltd, Chincholi, Dist.Solapur	27/11/2012	8.1	145.0	368.0
21	SMS Walunj CETP Pvt.Ltd.Dist. Aurangabad	27/11/2012	8.1	119.0	300.0
22	Butibori CETP Pvt.Ltd.Dist.Nagpur	29/11/2012	8.02	10.0	24.0



Tel: 24010437/24020781/24014701  
Fax: 24023516/24024066/24014531  
Website: <http://mpcb.gov.in>  
E-mail: [enquiry@mpcb.gov.in](mailto:enquiry@mpcb.gov.in)



Kalpateru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai-400 022.

BY R.P.A.D./FAX/HAND DELIVERY  
NO.BO/P&L Divn./B- 7218

Date: 10/12/12

To

Shri Rakeshkumar,  
Scientist – G & Head Mumbai Zonal Lab.,  
NEERI,  
89-B, Dr. Anny Besant Road,  
Near Worli Fly Over, Worli,  
Mumbai-400 018.

Sub: Evaluation or Audit of CETP performance in terms of  
efficient functioning.

Ref: Augmentation of CETP Performance Report (Preliminary)  
submitted by NEERI, Research Institute in consultation  
with the MPCB & MIDC as per the directions of the  
Hon'ble High Court of Judicature at Mumbai in the PIL  
No.17/2011, vide order dtd.30/03/2012.

Sir,

MPCB has gone carefully through the Preliminary Report submitted by NEERI before Hon'ble High Court, Mumbai in the Public Interest Litigation No.17/2011 with a copy to the MPCB & MIDC for further doing the needful in the matter. At the outset, the MPCB take a note of appreciation for excellent preliminary observations made in the report, suggesting some remedial measures including the performance of CETPs to be evaluated or audited in terms of efficient functioning.

Hon'ble High Court of Judicature at Mumbai has rightly taken up the issue in respect of efficient operation & maintenance of the CETPs in the State of Maharashtra. Since, the CETP is Common Effluent Treatment Facility to a number of industries situated in the cluster areas and through CETP/s, further disposal of the treated effluent is done on large scale basis, once, the performance of CETP/s is effectively evaluated/audited and further compliance of environmental norms is implemented, then, definitely the compliance level of that particular area in terms of individual units (small, medium & large scale) will be improved.

Since, the NEERI has been involved in the above petition by the Hon'ble High Court itself since long and the Preliminary Report is taking care of almost all the issues pertaining to the performance of the CETPs in the State of Maharashtra, MPCB has decided to engage the services of NEERI alongwith Shri R.V. Aundhe, Director, M/s. Aditya Environmental Services, who had incidentally done the evaluation of some of the CETPs in the State of Maharashtra on behalf of the MPCB earlier and now also doing independently, so that further regular evaluation can be carried out through one of them as per availability of their services. It will be more appropriate that the scope of the work can be finalized by NEERI itself.


Initially, the evaluation of CETP at Badlapur can be undertaken and for that purpose, you are requested to kindly communicate your acceptance to the

: 2 :

proposal alongwith the professional charges fees being charged by NEERI with the scope of the work, the time requirement and the infrastructure facilities as well as manpower requirements, so that final work order can be placed. You are, therefore, requested to communicate your acceptance by 11/12/2012.

Thanking you,

Yours faithfully,

  
( Rajiv Kumar Mital )  
Member Secretary

Copy submitted to: Hon'ble Chairman, MPCB, Mumbai – for favour of information pl.

Copy to: Sr.Law Officer(P&L Divn.)/Asstt.Secretary(Tech.)/Chief Accounts Officer/  
Joint Director(AIR)/ Principal Scientific Officer/Joint Director(WPC)/Joint  
Director(PAMS)/Regional Officer(HQ), MPCB, Mumbai – for information and  
necessary follow up action.

Copy to: Shri R.V. Aundhe, Director, M/s.Aditya Environmental Services, Mumbai –  
for information – He is requested to communicate his acceptance alongwith the  
professional charges fees and the scope of work to be included etc. by 11/12/2012.



ORDINARY ORIGINAL CIVIL JURISDICTION  
PUBLIC INTEREST LITIGATION NO.17 OF 2011

Nicholas H. Almeida

... Petitioner

Versus

State of Maharashtra & Ors.

... Respondents

---

AFFIDAVIT ON BEHALF OF RESPONDENT NO.3  
IN COMPLIANCE OF ORDERS DTD.05.07.2012 and  
20.11.2012 PASSEED BY THIS HON'BLE COURT

---

Dated this <sup>th</sup>12... Day of December, 2012

Advocate for Respondent No.3