



IN THE HIGH COURT OF JUDICATURE AT BOMBAY
ORDINARY ORIGINAL CIVIL JURISDICTION

PUBLIC INTEREST LITIGATION NO.17 OF 2011

Nicholas H. Almeida

... Petitioner

Versus

State of Maharashtra & Ors.

... Respondents


And

Shree Hari Chemicals Export Ltd.

... Applicant

AFFIDAVIT ON BEHALF OF RESPONDENT NO.3 IN
COMPLIANCE OF ORDER DTD.10/5/2012 PASSEED BY
THIS HON'BLE COURT


I, Yeshwant B. Sontakke, aged 47 Years, occupation- service, the Regional Officer (HQ) and Incharge Joint Director (Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3rd Floor, Sion- Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, looking after Water Pollution Prevention and Control of Pollution, more particularly the Common Effluent Treatment Plants in the State of Maharashtra, do hereby on state



Respondent-Board has communicated to all the Regional Officers of the Board, the directions passed by this Hon'ble Court on 10/5/2012 vide letter dtd.22/5/2012. They were instructed to carry out continuous composite monitoring in their respective jurisdiction and to identify highly polluted industries responsible for performance of CETP, by discharging highly polluted effluent. They were also directed to initiate actions against highly polluting industries at the respective Regional level as per the criteria / prescribed format communicated to them vide letter dtd.27/4/2012, which has been already been reproduced in the Affidavit filed by the Respondent Board in compliance of the order passed by this Hon'ble High Court dtd. 30.3.2012.

2) After going through the order dtd.10/5/2012 passed by this Hon'ble Court, the following information can be brought on record with reference to the compliance of the said order in respect of various points raised in the said order.

- (i) **Submission of the reports indicating the names & addresses of the Members of the respective CETPs and the products being manufactured by the Member units, the quantity of effluent being discharged etc. by the Members :-** This Hon'ble Court specifically directed the newly added parties (5 CETPs) to submit reports indicating the names &



I say and submit that such type of specific report alongwith an Affidavit in compliance of the order passed by this Hon'ble Court dtd.10/5/2012 has been received from :

- (a) **Lote Parshuram Environment Protection Co Operative Society Ltd., P-10, MIDC Lote, Tal: Khed, Dist: Ratnagiri**, by its letter dtd.12/6/2012. The information in the form of Exhibit-'A' has been enclosed to the Affidavit filed on behalf of the CETP through Mr.Shrikant Yashwant Barve, the Plant Manager of the CETP Lote Parshuram. However, as far as other newly added Respondents are concerned, the Respondent-Board has not received any such report till date. After going through the report submitted by the Lote Parshuram Environment Protection Co-Operative Society Ltd., it has been observed that as far as the effluent generation and pollution load is concerned, there are 11 **nos.** of large scale industries, having large quantity of effluent and 7 **nos.** of medium scale industries, having the quantity of effluent more than 25 M3/day and 38 **nos.** of small scale industries having effluent less than 25

no. of industries, which are Members of CETP
Lote Parshuram.

The major effluent generation is from the large scale & medium scale industries, which are Members of CETP and having generation of **3000.5** quantity of daily effluent from large scale industries, **242.6** quantity of daily effluent from the medium scale industries and **407** quantity of daily effluent from the small scale industries.


I say and submit that out of 3650 M3/day generation and discharge of effluent by the large, medium and small scale industries, as mentioned in the Exhibit-'A' to the Affidavit filed by Lote Parshuram Environment Protection Co-Op. Society Ltd., total 3243.1 M3/day effluent is being generated and disposed off into the CETP from the large scale industries and medium scale industries, which are under obligation to treat it to the inlet parameters of CETP by giving full fledged treatment and thereafter to send it for further disposal through CETP. The remaining 407

M3/day effluent is being generated from the small scale industries. Hence, major




generated from the large & medium scale industries randomly before disposal to CETP, then the performance of CETP can be properly maintained.

I say and submit that the Regional Officer of the Respondent-Board at Kolhapur through the Sub-Regional Officer of the Respondent-Board at Chiplun also monitored the SSI units and initiated appropriate actions as per the criteria decided by the Respondent-Board against not only large & medium scale industries but also against the small scale industries, which are causing serious pollution due to high COD stream disposal alongwith its effluent and thereby affecting the performance of CETP. A statement showing generation & disposal of effluent from the large scale, medium scale and small scale industries and the actions initiated by the Regional Officer, MPCB, Kolhapur alongwith a list of defaulting industries after 30/03/2012 (as per order dtd.30/3/2012 passed by this Hon'ble Court) is enclosed herewith and marked as an Exhibit- 'I' collectively.



Plant Pvt. Ltd. through their Advocate vide letter dtd. 2.7.2012 on 4.7.2012 alongwith the report indicating the names & addresses of their Member units and the products being manufactured by the respective units with quantity of effluent being discharged by them daily from this particular CETP. However, the Sub-Regional Officer of the Board at Solapur has submitted the information in the tabular form giving the details of the category of industry, generation and discharge of effluent quantity to CETP and action taken by the Respondent-Board in respect of the names & addressed of the industries, which have not complied with the MPCB norms. An extract of the said statement showing the actions initiated by the Respondent-Board against the defaulting LSI, MSI and SSI units is enclosed herewith and marked as an Exhibit-'II'.


- (c) **Badlapur CETP Association, Plot No.OS-4, MIDC Badlapur, Dist: Thane :-** M/s Badlapur CETP Association has not so far submitted any report indicating names, addresses of their member units and the products being manufactured by the respective units and the



I say and submit that as per the verification report submitted by the Incharge Regional Officer, MPCB, Kalyan, there are 2 non-complied CETPs, which have been made Respondents in the present petition in his jurisdiction at Badlapur and Chikhholi & Morivali Effluent Treatment.

Badlapur CETP is having the primary, secondary and tertiary treatment facilities, however, the same was not in a operation since 6/06/2012 till date due to leakage of inlet effluent carrying pipeline from the collection sump to primary treatment and thereby, the CETP is directly discharging effluent from the collection tank to final outlet of MIDC sump. Therefore, CETP Authorities informed all the Member Units of Badlapur CETP Association for reduction of effluent quantity by voluntary closures of the units from 07/06/2012.

The I/c Regional Officer, MPCB, Kalyan informed that the composite sampling for 24 hrs. is carried out regularly. The designed capacity of Badlapur CETP is for 2200 mg/ltr. COD and 8 MLD capacity and thereby the



the results of CETP for the period from 02-03-2006 upto 14/15-06-2012 alongwith report of I/c Regional Officer, Kalyan of the Respondent Board is enclosed herewith and marked as an Exhibit-'III'.

Taking into consideration non-operation of CETP at Badlapur and exceeding results of outlet, the Respondent-Board has decided to forfeit the bank guarantee of Rs.5 Lakhs and to obtain further afresh operational bank guarantee of Rs.10 Lakhs, valid for a period of one year.

- (d) **Chikhloli-Morivali Effluent Treatment , P-17, MIDC Morivali, Ambernath, Dist:Thane :-**
The Respondent-Board has received a photocopy of the Affidavit filed by M/s Chikhloli Morivali Effluent Treatment, Ambernath, through their Advocate vide letter dtd. 2.7.2012 on 4.7.2012 alongwith the report indicating the names & addresses of their Member units and the products being manufactured by the respective units with quantity of effluent being discharged by them daily from this particular CETP.



clarifier is rectified and made operational. The bank guarantee of Rs.2 Lakhs has been submitted for proper operation & maintenance of CETP. The designed capacity of CETP is 0.8 MLD only, however, the daily inflow is around 0.25 to 0.30 MLD only, which is very meager. The composite sampling is carried out from 31/05/2012 to 17/06/2012. It has been observed that the CETP has been designed for 3,500 mg/ltrs.-COD and 08 MLD capacity of generation of effluent of which, 0.25 MLD is inflow. The results of inlet from the results are above the designed COD and the outlet results are also exceeding the limits. A statement showing the results on analysis from the 31/05/2012 to 17/6/2012 is already enclosed at Exhibit-'III' above.

A statement showing the various actions initiated by the Incharge Regional Officer of the Respondent-Board at Kalyan upon the defaulting Large Scale Industries, Medium Scale Industries and Small Scale industries discharging effluent to CETPs at Badlapur and Chikloli Morivali is enclosed herewith and marked as an Exhibit-'IV'.


has already filed Regular Criminal Case No.388/2010 against the Tarapur CETP on account of non-compliance of consented discharge standards. The CETP has started its upgradation work and it is at the final stage of completion stage. The following steps are taken for upgradation of CETP.

- (i) Old & partial working diffused Aeration System of aeration tank -1 was replaced with nine numbers of Aspirators in march-2011 & same were at work.
- (ii) Old & partial working diffused Aeration System of Aeration Tank -2 was replaced with nine numbers of Aspirators in july-2011 & same were at work.
- (iii) Old & partial working diffused Aeration System of aeration tank -3 was now replaced with nine numbers of Aspirators. It's start up & commissioning activity was going on. As informed by TEPS it will be commissioned within next 15 days. The cost incurred for above upgradation to aspirators was Rs. 2.93 Crore.

TEPS CETP has informed that the partial broken air grid rectification work of aeration tank -4 will be taken in hand after commissioning of aspirator installation of Aeration Tank-C.

replacement of its said bottom valve. Now entire load diverted to second clarifier. As informed by TEPS the work will be completed within 10 days.

I say and submit that the present inlet capacity of CETP at Tarapur is 25 MLD and 3500 COD. I say and submit that the CETP is generating 33 MLD effluent from its Members. The CETP has undertaken the expansion of CETP for 37.5 MLD on the Plot allotted by MIDC in Tarapur Industrial Area. The work has been awarded to M/s. Ramkey Enviro Engineers Ltd. The period of 15 months from the date of LOI dtd. 19/6/2012 is fixed up for completion of upgradation. I say and submit that it is necessary that taking into consideration the under capacity of CETP, it is necessary that the CETP Authorities should be directed to submit a concrete proposal with time bound program and bar chart for completion of the upgradation before this Hon'ble Court, so that the longstanding upgradation of the capacity can be completed in a time bound manner. I further say and submit that the results of composite inlet & outlet effluent for 24 hrs. for the month of April, 2012 and June, 2012 are submitted by the Sub-




under stabilization stage and the capacity of CETP is yet to be increased. A present status report alongwith the Statements showing the analysis of the report of TEPS-CETP for the month of April, 2012 and June, 2012 for a period upto 15/06/2012 and list of LSI/MSI industries, whom the voluntary closure directions issued and further conditional directions issued alongwith copies of a number of voluntary closure directions & conditional directions are enclosed herewith and marked as an Exhibit-'V' Collectively.

I say and submit that the directions were also given to CETP Tarapur vide letter dtd. 3.3.2012. The present status of compliance report is submitted by the Sub-Regional Officer, MPCB, Tarapur, which is enclosed herewith and marked as an Exhibit-'VI'

(ii) Issuance of Notices to the Associations / Societies of CETPs, calling upon them to comply with pollution control norms laid down under the provisions of the various Environmental Laws: I

say and submit that the Respondent-Board has already issued directions u/s 33A of the Water



Respondent-Board and also communicated the revised Guidelines for Centrally Sponsored Scheme of Common Effluent Treatment Plants published by the Ministry of Environment & Forests, Govt. of India and directed to comply with various conditions mentioned therein. I say and submit that the replies received from the concerned CETPs are taken on record. I say and submit that after going through those replies, it has been observed that almost all the CETPs have communicated that they have taken effective steps for proper operation and maintenance of CETPs and thereby, their performance have been improved. The marginally non-complied and highly non-complied CETPs agreed to upgrade their CETPs.

3. **Performance of the complied and marginally complied CETPs and ETPs till 30/06/2012 alongwith Action Taken Report against highly polluting industries** :- I say and submit that various Regional Offices through the Sub-Regional Offices monitored the performance of CETP and ETPs of highly polluting Member units in the marginally complied and complied CETPs also. The statements showing the performance of CETPs on an average monitoring basis in respect of complied, marginally complied and highly exceeding CETPs are already enclosed in this Affidavit in Reply. As far as actions initiated by the Regional

concerned, I say and submit that the statement showing the actions initiated by them against highly polluting industries having poor performance of the ETPs in the respective CETP areas and the copies of directions initiated by them are enclosed herewith and marked as an Exhibit -'VII' collectively. The ETPs of other Member units were not so far abnormal and therefore, no actions were initiated against them by the respective Regional Officers.

4. Summery of the performance of the CETPs : I say and submit that in compliance of the orders passed by this Hon'ble Court dtd.30/3/2012 and 10/5/2012, the respective Regional Officers of the Respondent-Board continued the monitoring of marginally and highly polluting CETPs in their jurisdiction. The statements showing the present status of compliance of the standards laid down under the provisions of the Environment (Protection) Rules, 1986 on the basis of the monitoring of the marginally exceeding CETPs and the highly exceeding CETPs on an average results of the monitoring done by the various Regional Offices through their Sub-Regional Offices are enclosed herewith and marked as an Exhibit-'VIII', 'IX' & 'X' respectively i.e. of the complied CETPs, marginally exceeding CETPs and highly exceeding CETPs respectively. I say and submit that because of continuous monitoring of the performance of CETPs, it has been observed that overall there has been


terms of the enhancement of the capacity of existing treatment units and / or addition of new treatment units for further improvement in those CETPs.

I say and submit that there is one more CETP which is not professionally operated. Local officers are directed to look into the matter and CETP should operate properly and details thereof shall be submitted on priority. However, as per the monitoring done for the month of May and June by the Sub-Regional Officer of the Board at Solapur, the results of CETP are found to be in the marginally exceeding. Therefore, it is included in the marginally exceeding statement.


I say and submit that the numbers of the complied CETPs have been increased from 6 to 10, marginally complied 11 to 8 and highly non-complied remains 5. Besides that, there has been further improvement in the operation & maintenance thereof, which can be seen from the improvement of the monitoring results on an average basis enclosed to this particular Affidavit.

Identified by,

Deponent,



(D. T. Devale)
Sr. Law Officer
MPCB



(Yeshwant B. Sontakke)
Regional Officer(HQ) and
Joint Director (Water Pollution Control)

VERIFICATION

I, Yeshwant B. Sontakke, aged about 47 Years, occupation-service, the Regional Officer (HQ) and Incharge Joint Director(Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3rd Floor, Sion-Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, do hereby solemnly declare that whatever stated in the aforesaid Affidavit from paragraph 1 to 4 are true and correct to the best of my knowledge and belief. I say that the contents of the above Affidavit from paragraph 1 to 4 are drafted as per the official record. The same are read over to me and I have understood the same.

Hence, verified and signed at Mumbai on this 4th day of July, 2012.

Deponent,

Solemnly affirmed at Mumbai }

On this 4th day of July, 2012 }

(Yeshwant B. Sontakke)
Regional Officer(HQ) and
I/c Joint Director(Water Pollution Control)



BEFORE ME
V. B. Sontakke
4-7-2012
VASANT B. MORE
Notary Gr. Mumbai

Exhibit - I

A) Lote Parshuram Env't. Protection Co-op. Society Ltd., P-30, Lote Parashuram, MIDC, Khed, Ratnagiri

I) A Statement showing the names of large scale industries (LSI) and medium scale industries (MSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

Sr. No.	Name of the Industry	Category of industries (LSI/MSI)	Generation & discharge of effluent into CETP.	Action initiated by the Board against defaulting unit.
1.	M/s. Gharada Chemicals Ltd., D-1/2, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	LSI	934 M3/day	Closure directions were issued on 28/3/2012, however, on account of further corrective measures and personal hearing extended to it, restart directions issued on 4/4/2012 subject to the certain terms & conditions, directing the unit to operate & maintain pollution control devices to achieve inlet parameters being disposed off into the CETP. To connect online pH Monitoring System and Flow Meter reading to the their Website to the information of the public at large by 30/5/2012 and to connect online Boiler Stack Monitoring System to the website for the information of the public, which the same is made operational. To install AAQM Station and online Air Monitoring system by 30/5/2012.
2.	M/s. Dow-Agro Science Pvt. Ltd., A-1, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	760 M3/day	Regional Officer-Kolhapur had already issued show cause notice vide letter dttd. 25/1/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.
3.	M/s. USV Ltd	LSI	316 M3/day	JVS results are within prescribed norms.

4.	M/s.A.B. Mauri India Pvt.Ltd., B-7/2A, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	LSI	350 M3/day	The Board has issued directions on 27/6/2012, directing them to dispose of the RO rejects to M/s.ROCHEM in a scientific manner till commissioning of evaporator and dryer commission multiple effect evaporator plant on 31/12/2012 and the bank guarantee of Rs.2 Lakh has been forfeited.		
5.	M/s.Riverside Industries Ltd.M Plot No.B-6, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	172 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtid.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
6.	M/s.S.L. Group India Ltd M/s.S.L. Group India Ltd	LSI	163 M3/day	Interim direction issued on dt.02.12.2011.As per interim direction upto date of ETP, Segregation of concentrated stream shall be completed before 31.03.2012. Industry has upgraded ETP & segregated stream. JVS result last three month within prescribed norms.		
7.	M/s.Excel Industries Ltd., Plot No.B-6, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	148 M3/day	Regional Officer-Kolhapur has issued show cause notice vide letter dtid.13/4/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
8.	M/s.Shreyas Intermediates Ltd.	LSI	145 M3/day	Interim directions issued on 27/6/2012 for stabilization of ETP to be completed before 31/7/2012 and bank guarantee of Rs.50,000/- has been forfeited.		
9.	M/s.Shree Pushkar Petro Products Ltd., B-102, 103, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	LSI	68 M3/day	Now, the unit has provided secondary effluent treatment plant including pressure sand filter and activated carbon filter. Hence, conditional directions issued on 27/6/2012 for stabilization of ETP to be completed before 31/7/2012, to provide online pH meter at the outlet of ETP on or before 31/07/2012 and bank guarantee of Rs.1.50 Lakhs has been forfeited.		



II)

A Statement showing the names of small scale industries (SSI) with generation & discharge of effluent to CETPs and actions initiated by the Board against the defaulting units.

10.	M/s.Ratnagiri Chemicals Pvt.Ltd., Plot No.C-39, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	5.0 m3/day	Interim directions are issued by the Regional Officer, MPCB, Kolhapur dtd.16/6/2012, directing them to complete upgradation of ETP within one month period and not to discharge substandard effluent to CETP.
11.	M/s.Panjab Chemicals & Crop. Product Ltd., Plot No.D-2, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	MSI	2.20 M3/day	Interim directions are issued by the Regional Officer, MPCB, Kolhapur dtd.16/6/2012, directing them to achieve zero discharge by the end of 30 th June, 2012.
12.	M/s.Dongreen Chemicals, B-23, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	MSI	5.00 M3/day	Directions are issued by the Regional Officer, MPCB, Kolhapur vide letter dtd.28/03/2012, directing the unit to upgrade ETP, so as to ensure complying with inlet parameters of CETP within 3 months i.e. upto 15/6/2012 by submitting concrete proposal, to submit Bank Guarantee of Rs.50,000/- ensuring compliance of directions

Sr. No.	Name of the Industry	Generation & discharge of effluent M3/day into CETP.	Action initiated by the Board against defaulting unit.
1.	M/s.Swastik Industries, A- 5/1, MIDC Lote, Tal: Khed, Dist: Ratnagiri	5.50 M3/day	The Board has issued directions on 27/6/2012, directing them to provide leak proof holding tank for the storage of concentrated effluent on or before 31.7.2012 and to provide online pH meter and flow meter to the outlet of ETP on or before 31.7.2012 and directed to submit B.G. of Rs. 1 Lac towards compliance of above directions and consent conditions.

61

2	M/s. Harishree Aromatics and Chemicals, B-22, MIDC Lote, Tal: Khed, Dist: Ratnagiri.	4.0 M3/day	The Board has issued directions on 27/6/2012, directing them to complete and commission the activated carbon filter and pressure sand filter on or before 30.6.12. The Board has also forfeited B.C. of Rs. 25000/- out of existing 50,000/- B.G. submitted by the said industry towards non-provision of adequate treatment facility in a stipulated period.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued interim directions vide letter dtd.16/6/2012, directing the unit to install online TOC Analyser within 3 months, to segregate strong & weak stream before end of June, 2012 etc.	Closure direction issued on dt.15.01.2011. Conditional restart issued on 29.01.2011. As conditional direction industry has upgraded ETP in stipulated period. JVS result last three months meet the notified standard as SSI unit.
3.	M/s. Yojana Industries, Plot No.D-44/4, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	11.50 M3/day		Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
4.	M/s. Deepak Colour Chem, Plot No.D-17/12, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	9.80 M3/day		Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
5.	M/s. Samarth Engineers, Plot No.E-15, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	0.50 M3/day		Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
6.	M/s. Bahar Agrochem, E-24, MIDC Lote Parshuram, Tal: Khed, Dist: Ratnagiri.	15.0 M3/day		Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		
7.	M/s. Chromatic Colour Chem	130 M3/day		Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.	Regional Officer-Kolhapur has issued show cause notice vide letter dtd.13/04/2012 on account of having exceedance less than 25% in respect of results of samples collected by him. The unit is under observation.		

21

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448

Fax No. (0231) 2652952

E-mail: rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.

Website: <http://mpcb.gov.in>

No. MPCB/RO/KOP/ 1107/12.

Date: - 28 / 03 / 12.

To,
M/s. Gharda Chemicals Ltd.,
D-1/2, MIDC Lote,
Tal-khed, Dist-Ratnagiri.

Sub: Closure Directions u/s 33A of the Water (P & CP) Act, 1974.

Ref: 1) Proposed Directions by this office on dt.22.02.2012.

2) Results of joint vigilance samples collected on 11.08.2011 & 21.09.2011 & 07.03.2011 respectively.

3) Your reply dt.02.03.2012.

4) Vis't & inspection made on dt.15.03.2012.

5) Personal hearing extended to you on 28.03.2012.

WHEREAS, you have been granted conditional consent to operate for operation of your large scale unit subject to condition that you shall operate & maintain comprehensive treatment & disposal arrangement, so as to achieve the inlet parameters of CETP & the dispose of your treated effluent after achieving standards only for the purpose of hydraulic load through CETP at lote parshuram.

AND WHEREAS, you have submitted reply to proposed direction dt.22.02.2012, stating that you are doing up gradation of effluent treatment plant with effect from Feb-2012 by making provision of 8.0 Cr, which includes installation of Reverse Osmosis, solvent recovery, recovery of product & active reactant from the waste water, which will reduce the pollution load considering thereby the quality treated effluent being disposed off to CETP will also be improved, thereby admitting inadequacy in existing treatment & disposal arrangement.

AND WHEREAS, the officers of the M. P. C. Board regularly monitors the effluent being sent by you after due treatment to CETP by collecting joint vigilance samples from time to time & observed that the report of analysis on JVS collected on 11.08.2011 (BOD-120 mg/l), 21.09.2011 (COD- 1136 mg/l, BOD-700 mg/l) 07.03.2012 (COD-344) & also as per CETP record on 24.02.2012 (COD-1276), which shows that you are contributing the pollution being caused in the surrounding area.

AND WHEREAS, you are disposing of 848 m3 effluent daily to the CETP, having major contributing factor for the disturbance of the operation of CETP and therefore CETP is unable to achieve results, thereby, it is discharging highly polluting under treated effluent in Dabhol Creek, giving rise to pollution thereof.

22

..2..


AND WHEREAS, after examining the record of your case, report of officers of the Board and making necessary enquiry I am satisfied that you are failed to submit your reply/ compliance of consent conditions, directions issued by Board and thereby violated various environment enactments.

NOW THEREFORE, in exercise of the powers conferred upon me by the Board under section 33 A of the Water (P & C of P) Act, 1974, Air (P & C of P) Act, 1981 & Hazardous Waste (M & TM) Rules, 2008, I, hereby direct you to stop the manufacturing activities forthwith within 72 hours with safe closure.

In case, you fail to comply with the above directions, the Board will have no option than to communicate appropriate competent authority for disconnection of Electricity/Water supply, which may please be noted.

This is issued with approval of competent authority of the Board.

FOR AND ON BEHALF OF THE BOARD


(P.M. Joshi)
Regional Officer,
M. P. C. Board, Kolhapur 28/3/12

Copy submitted to:

1. The Member Secretary, M.P.C. Board, Mumbai.
2. Sr. Law Officer (P&L Div-II), M.P.C. Board, Mumbai.
3. Joint Director (PAMS), M.P.C. Board, Mumbai.

Copy to:

1. Sub-Regional Officer, M.P.C. Board, Chiplun.
- He is directed to serve the direction to the industry & keep vigil & report.
2. Master file.



23

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 2402 4068

Visit us at

Website : <http://mpcb.mah.nic.in>

E-mail : mpcb@vsnl.net

R P A Of Hand Delivery/ Fax



Kolhapur Region,
2nd, 3rd & 4th floor,
Opp. Chhatrapati
Near Sion, Colaba, Sion 15,
Mumbai - 400 022

No BO/P&L Divn /B. 2222

To

Date 04/04/2012

M/s Gharda Chemicals Ltd.,
D-1/2 MIDC Lote,
Tal Khed Dist Ratnagiri

Suo Conditional directions to restart manufacturing activities

- Ref
- 1) Directions of closure issued by the Regional Officer MPCB, Kolhapur vide letter No 14P/14P/2012 dt 28/3/2012
 - 2) Your reply dt 30/3/2012
 - 2) Report of Regional Officer MPCB Kolhapur dt 3/4/2012
 - 3) Personal hearing extended to you on 4/4/2012

We refer to the directions of closure issued by the Regional Officer of the Board at Kolhapur vide letter dt 28/3/2012, for not achieving the standards laid down under the Environment (Protection) Rules, 1986 and discharging untreated effluent in Dabhol Creek and having contributing factor for the disturbance of the operation of CETP and therefore CETP is unable to achieve the results.

We also refer to your reply dt 30/3/2012, stating that you are taking necessary steps for improving the quality of effluent, followed by personal hearing extended to you on 4/4/2012.

During the course of hearing, the report submitted by the Regional Officer of the Board at Kolhapur dt 3/4/2012 is taken on record. You represented that submitted at the time of hearing that the JVS results of MPCB and JVS results collected by CETP are generally within the limit. He further submitted that they have installed online pH Monitoring System and flow meter. You have agreed to install online Boiler Stack Monitoring System by 30/5/2012.

Considering the steps taken by you, you are hereby allowed to restart your manufacturing activities subject to the compliance of following conditions:


- a) You shall operate and maintain pollution control devices properly, so as to achieve the inlet parameters, being disposed off in to the CETP.
- b) You shall connect the online pH Monitoring System and Flow Meter reading to your website for the information of public, at large by 30/5/2012 as agreed by you during the course of hearing. You shall also connect online Boiler Stack Monitoring System to the website for the information of the public, at large, whenever the same is made operational.

24

2

- c You shall install the Ambient Air Quality Monitoring station and online Air Monitoring System by 30/5/2012 and to continuously monitor the AAQM, which shall also be placed / made available on your website. You shall further link to the website of the Maharashtra Pollution Control Board for checking the AAQM results as per the standards prescribed by the Board, whenever it is made operational.

In case you fail to comply with the aforesaid direction, the Board will not have any option than to initiate appropriate legal action against you including forfeiture of Bank Guarantee, which may please note



(Milind Mhaskar)
Member Secretary

Copy to

- 1) Sr. Law Officer (P & L Division) / Joint Director (PAMS), MPCB, Mumbai - for information and necessary follow up
- 2) Regional Officer, MPCB, Kolhapur / Sub Regional Officer, MPCB, Chiplun - for information and necessary follow up action.





25

**MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR**

Tel No (0231) 2652952.

2660448

Fax No (0231) 2652952

e-mail -

rokolhapur@mpcb.gov.in



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
<http://mpcb.mah.nic.in>

No.MPCB/RO/KOP/ 248/12

Date: 25/01/2012.

To,

M/s. Dow Agroscience,

A-1,MIDC Lote Parshuram, Tal. - Khed,

Dist.- Ratnagiri.

Sub- Show Cause Notice.

Ref- 1. Analysis result of joint Vigilance sample

dt.- 30.06.11, 27.07.11

2. Report from SRO Chiplun.



WHEREAS, you are operating your industry in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundry Movement) Rules, 2008.

AND WHEREAS, Board has granted consent to operate to your industrial plant to discharge sewage and trade effluent in 'Water Pollution Prevention Area' subject to certain terms & conditions more precisely defined under section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under section 31 of the Air (Prevention & Control of Pollution) Act, 1981.

AND WHEREAS, it was obligatory on your part to provide full-fledged effluent treatment plant for treatment of your industrial effluent and operate & maintain the same round the clock.

AND WHEREAS, based on results of JVS collected at the time of visit Dtd. 30.06.11, 27.07.11 implies that you have failed to achieve the prescribed standards and discharging sub- standard effluent in to the environment.

Hence, you are now directed to show cause as to why legal action under provisions of the Water (P &CP) Act, 1974 and the Air (P &CP) Act, 1981 should not be initiated against your unit.

You are directed to file your reply / objection within 10 days time, failing which, the Board will have no option than to initiate appropriate legal action against you.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 24044533

Visit us at :

Website www.mpcb.gov.in

E-mail : pci2@mpcb.gov.in



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

NO.MPCB/JD(PAMS)/B - 3952

Date : 22/6/2012

To

M/s.A.B. Mauri (I) Ltd.,
B-7/2A, MIDC Lote, Tal: Khed,
Dist : Ratnagiri.

Sub : Conditional directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974

- Ref : 1) Directions issued by the Regional Officer, MPCB, Kolhapur vide letter dtd.28/3/2012.
2) Your reply dtd.12/6/2012
3) Present status report submitted by Regional Officer, MPCB, Kolhapur dtd.21/6/2012.
4) Personal hearing extended to you on 22/6/2012 before Member Secretary, MPCB.


We refer to the directions issued by the Regional Officer of the Board at Kolhapur vide letter dtd.28/3/2012 and your reply dtd.12/6/2012, personal hearing has been extended to you on 22/6/2012 before the Member Secretary of the Board.

During the course of hearing, the present status report submitted by the Sub Regional Officer, MPCB, Chiplun was taken on record, wherein it was reported that you have partially complied with the directions issued by the Regional Officer, MPCB, Kolhapur dtd 28/3/2012. Your representative has informed during hearing that, you have commissioned new RO system, the work of composting platform is in progress, which will be completed within 2 months period and placed an order for installation of evaporator and dryer.

Considering the steps taken by you, the following conditional directions are issued for necessary compliance.


- You shall operate and maintain your existing effluent treatment plant round the clock, so as to achieve the consented parameters.
- You shall dispose off the RO reject to M/s ROCHEM in a scientific manner till commissioning of evaporator and dryer.
- You shall commission Multiple Effect Evaporator Plant on or before 31/12/2012.

It was also decided during hearing to forfeit Bank Guarantee of Rs 2 Lakhs out of existing Bank Guarantee of Rs 10 Lakhs submitted by you to Regional Office, Kolhapur and remaining Bank Guarantee of Rs 8.00 lakhs will be continued towards the compliance of above said directions. Hence your Bank Guarantee of Rs 2 lakh is forfeited herewith.



27

In case you fail to comply with the aforesaid directions, the Board will have no option than to forfeit the remaining Bank Guarantee and further to initiate stringent legal action against you, which deem fit & proper in your case, which please note.


(Milind Mhaiskar)
Member Secretary

Copy to -

- 1) Senior Law Officer(P&L Divn.)/ Joint Director (PAMS), MPCB, Mumbai - for information and necessary follow up.
- 2) Regional Officer, MPCB, Kolhapur- He is directed to forfeit Bank Guarantee of Rs 2 lakhs out of 10 lakhs submitted by the industry and get renewed the remaining BG of Rs 8.00 lakhs towards the compliance of directions and consent conditions and report the compliance accordingly.
- 3) Sub Regional Officer, MPCB, Chiplun - for information and necessary follow up action.

28

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR


Tel. No. (0231) 652952,
660448
Fax No. (0231) 652952
e-mail - rokolhapur@yahoo.com

Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
<http://mpcb.mah.nic.in>

No. MPCB/RO/KOP/ 1325/12

Date: 13/04/2012

To,
M/s. Riverside Industries Ltd,
Plot No. B-6, MIDC Lote Parshuram,
Tal. Khed., Dist- Ratnagiri.



Sub- Show Cause Notice.

Ref- Report submitted by SRO Chiplun vide No.888/12, Dated-04.04.2012.

WHEREAS, you are operating your industry in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.


AND WHEREAS, Board has granted consent to your industrial plant to discharge sewage and trade effluent in 'Water Pollution Prevention Area' subject to certain terms & conditions more precisely defined under section 26 of the Water (P & CP) Act, 1974 & under section 21 of the Air (P & CP) Act, 1981 & Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, Sub Regional Officer Chiplun reported that-

1. The JVS results dated 10.11.2011 exceeds prescribed limit.
2. You are discharging substandard effluent to CETP having high COD.

Therefore, you are now directed to show cause as to why legal action under provisions of the Water (P & CP) Act, 1974 & Air (P & CP) Act, 1981 & Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 shall not be initiated against your unit.

Your reply / objection should reach this office within 7 days time, failing which; the Board will have no option than to initiate appropriate further action as deem fit in your case, which may please be noted.


(P. M. Joshi)
Regional Officer, Kolhapur

Copy to: Sub Regional Officer, MPC Board, Chiplun.
-For necessary follow up action.

Same
B
17.4.12

RPAD
MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR

Tel. No. (0231) 652952,
660448

Fax No. (0231) 652952

e-mail - rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
<http://mpcb.mah.nic.in>

No. MPCB/RO/KOP/ 1326 / 12

Date: 13/04/2012

To,
M/s. Excel Industries Ltd.,
Plot No. B-6, MIDC Lote Parshuram,
Tal. Wadgaon, Dist- Ratnagiri.

Sub- Show Cause Notice.

Ref- Report submitted by SRO Chiplun vide No.878/12, Dated-04.04.2012.

WHEREAS, you are operating your industry in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008.

AND WHEREAS, Board has granted consent to your industrial plant to discharge sewage and trade effluent in 'Water Pollution Prevention Area' subject to certain terms & conditions more precisely defined under section 26 of the Water (P & CP) Act, 1974 & under section 21 of the Air (P & CP) Act, 1981 & Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008.

AND WHEREAS, Sub Regional Officer Chiplun reported that-

1. The JVS results dated 17.12.2011 exceeds prescribed limit.
2. You are discharging substandard effluent to CETP having high COD.
3. You have not provided on line pH meter.

Therefore, you are now directed to show cause as to why legal action under provisions of the Water (P & CP) Act, 1974 & Air (P & CP) Act, 1981 & Hazardous Waste (Management, Handling & Transboundry Movement) Rules, 2008 shall not be initiated against your unit.

Your reply / objection should reach this office within 7 days time, failing which; the Board will have no option than to initiate appropriate further action as deem fit in your case, which may please be noted.

(P. M. Joshi)
Regional Officer, Kolhapur

Copy to : Sub Regional Officer, MPC Board, Chiplun.
-For necessary follow up action.

RECEIVED
Excel Industries
Ltd. Lote

16 APR 2012

MAHARASHTRA POLLUTION CONTROL BOARD

Tel : 2402 0781 / 2401 0437

Fax : 24044533

Visit us at :

Website www.mpcb.gov.in

E-mail : pci2@mpcb.gov.in



Kalpafaru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

NO.MPCB/JD(PAMS)/B - 3958

Date 27/6/2012



To
Mrs. Shreyas Intermediates Ltd.,
Plot No.D-21, 22, 23, 24, MIDC Lote Parshuram,
Tal: Khed, Dist: Ratnagiri.

Sub : Directions u/s 33A of the Water (Prevention
& Control of Pollution) Act, 1974

- Ref : 1) Conditional Directions issued by the Board vide letter
dtd.24/11/2011
2) Your reply dtd.20/6/2012
3) Present status report submitted by Regional Officer,
MPCB, Kolhapur dtd.21/6/2012.
4) Personal hearing extended to you on 22/6/2012 before
Member Secretary, MPCE.

We refer to the directions issued by the Board vide letter dtd.24/11/2011 subject to compliance of certain conditions and your reply dtd.20/6/2012, personal hearing has been extended to you on 22/6/2012 before the Member Secretary of the Board.

During the course of hearing, the present status report submitted by the Sub Regional Officer, MPCB, Chiplun was taken on record, wherein it was reported that you have partially complied with the directions issued by the Board dtd.24/11/2011. Your representative has informed that the upgradation work of your existing ETP is in progress. Activated Carbon Filter and Pressure Sand Filter are received at site.


Considering the steps taken by you, the following conditional directions are issued for necessary compliance.

- You shall operate and maintain your existing effluent treatment plant round O'Clock, so as to achieve the consented parameters.
- You shall complete and commission the upgrarded ETP including Activated Carbon Filter & Pressure Sand Filter on or before 31/07/2012
- You shall recycle your treated effluent in the process to the maximum extent on or before 30/09/2012.
- You shall provide online pH meter at the outlet of ETP on or before 31/7/2012.

It was also decided during hearing to forfeit Bank Guarantee of Rs 50,000 out of existing Bank Guarantee of Rs 1 Lakhs submitted by you to Regional Office, Kolhapur towards the non provision of adequate treatment facility in a stipulated period and remaining Bank Guarantee of Rs 50,000/- will be continued towards the compliance of above said directions. Hence your Bank Guarantee of Rs 50,000/- is forfeited herewith.

31

In case you fail to comply with the aforesaid directions, the Board will have no option than to forfeit the Bank Guarantee and further to initiate stringent legal action against you, which deem fit & proper in your case, which please note.



(Milind Mhaikar)
Member Secretary

Copy to -

- 1) Senior Law Officer(P&L Divn.)/ Joint Director (PAMS), MPCB, Mumbai - for information and necessary follow up.
- 2) Regional Officer, MPCB, Kolhapur - He is directed to forfeit Bank Guarantee of Rs 50,000/- out of 1 lakhs submitted by the industry and get renewed the remaining BG of Rs 50,000/- towards the compliance of directions and consent conditions and report the compliance accordingly.
- 3) Sub Regional Officer, MPCB, Chiplun - for information and necessary follow up action.

- 32

MAHARASHTRA POLLUTION CONTROL BOARD

2402 0781, 2401 0437
Fax: 24044533
Website: www.mpcb.gov.in
E-mail: pc12@mpcb.gov.in



Kalpataru Point,
2nd, 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

NO.MPCB/JD(PAMS)/B - 3956

Date : 27/6/2012

To
M/s.Shree Pushkar Petro Product Ltd.,
B-102, 103, MIDC Lote,
Tal: Khed, Dist: Ratnagiri.



Sub : Conditional directions u/s 33A of the Water (Prevention & Control of Pollution) Act, 1974

- Ref : 1) Directions issued by the Regional Officer, MPCB, Kolhapur vide letter dtd.28/3/2012.
2) Your reply dtd.18/6/2012
3) Present status report submitted by Regional Officer, MPCB, Kolhapur dtd.21/6/2012.
4) Personal hearing extended to you on 22/6/2012 before Member Secretary, MPCB.

We refer to the directions issued by the Regional Officer of the Board at Kolhapur vide letter dtd.28/3/2012 and your reply dtd.18/6/2012, personal hearing has been extended to you on 22/6/2012 before the Member Secretary of the Board.


During the course of hearing, the present status report submitted by the Regional Officer, MPCB, Kolhapur was taken on record, wherein it was reported that you have partially complied with the directions issued by the Regional Officer, MPCB, Kolhapur dtd.28/3/2012. Your representative has informed during the hearing that, you have commissioned secondary effluent treatment plant including pressure sand filter & activated carbon filter and commissioned the same. It is also understood that you have provided water metering system for ensuring water consumption and waste water generation.

Considering the steps taken by you, the following conditional directions are issued for necessary compliance.

- You shall operate and maintain your existing effluent treatment plant round O'Clock, so as to achieve the consented parameters.
- You shall stabilize the ETP on or before 31/07/2012.
- You shall provide online pH meter at the outlet of ETP on or before 31/7/2012.

33

In case you fail to comply with the aforesaid directions, the Board will have no option than to forfeit the remaining Bank Guarantee and further to initiate stringent legal action against you, which deem fit & proper in your case, which please note.


(Milind Mhaikar)
Member Secretary

Copy to -

- 1) Senior Law Officer(P&L Divn.)/ Joint Director (PAMS), MPCB, Mumbai - for information and necessary follow up.
- 2) Regional Officer, MPCB, Kolhapur - He is directed to forfeit Bank Guarantee of Rs 1.5 lakhs out of 5 lakhs submitted by the industry and get renewed the remaining BG of Rs 3.5 lakhs towards the compliance of directions and consent conditions and report the compliance accordingly.
- 3) Sub Regional Officer, MPCB, Chiplun - for information and necessary follow up action.

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail: rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.mah.nic.in>

No. MPCB/RO/KOP/2550/12.

Date: 16/06/2012.

To,
M/s. Ratnagiri Chemicals.,
Plot No. C-39, MIDC Lote Parshuram,
Tal- Khed, Dist- Ratnagiri.



Sub: Interim Directions under section 33 A of the Water(Prevention & Control of Pollution) Act, 1974 & 31 A of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008.

Ref: 1. Proposed Directions vide No.MPCB/RO/KOP/1515/12
dtd. 25.04.2012.
2. Personal hearing extended to you by the undersigned
on 15.06.2012..

With reference to the proposed directions issued on 25.04.2012 followed by the personal hearing extended on 15.06.2012, the following interim directions are issued u/s 33 A of the Water (Prevention & Control of Pollution) Act, 1974 & 31 A of the Air (Prevention & Control of Pollution) Act, 1981 with the following terms & conditions.

1. You shall complete up-gradation of Effluent treatment Plant within one month period without fail.
2. You shall not discharge substandard effluent to CETP.

In case you fail to comply with the above interim directions, the Board will have no option but to issue final directions as may deem fit in your case, which may please be noted.

FOR & ON BEHALF
OF THE BOARD

(S. S. Doke)

Regional Officer, Kolhapur

Copy f.w.cs. for information to:

1. Joint Director (PAMS), MPC Board, Mumbai.

Copy to:

1. Sub-Regional Officer, M.P.C. Board, Chiplun.

- He is directed to submit the compliance report from time to time & keep vigil.

35

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,

2660448

Fax No. (0231) 2652952

E-mail:

rokolhapur@yahoo.com



Udyog Bhavan,

Near Collector Office,

Kolhapur - 416 003.

Website: <http://mpcb.gov.in>

No. MPCB/RO/KOP/ 15 /12.


To,

Date: - 25 / 04 / 12.

M/s. Ratnagiri Chemicals.,

Plot No. C-39, MIDC Lote Parshuram.

Tal- Khed, Dist- Ratnagiri.



Sub: Proposed Directions u/s 33 A of the Water (Prevention & Control of Pollution) Act, 1974, 31 A of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management Handling & Transboundary Movement) Rules, 2008.

- Ref-**
- 1) Non compliance letter issued by SRO Chiplun dated- 02.08.2011.
 - 2) Report submitted by SRO Chiplun vide No. WP/SROCH/ 952/12, Dated- 14.04.12.
 - 3) Show Case notice issued by Board dated- 13.04.2012.
 - 4) Results of JVS collected dated- 13.04.2012.

WHEREAS, you are operating your industry in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS it was obligatory on your part to provide full fledged effluent treatment plant & Air pollution control arrangements for treatment & disposal of industrial effluent, air emissions & to operate the same round the clock so as to meet the standards prescribed by the Board under the provisions of the Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

AND WHEREAS Board has granted consent to operate to your industrial plant to discharge sewage and trade effluent in 'Water Pollution Prevention Area' subject to certain terms & conditions more precisely defined under section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 31 of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

36

..2..

AND WHEREAS, the Sub Regional Officer Chiplun reported that-

1. Results of JVS collected dated, 06.03.2012 & 13.04.2012 exceeds prescribed limit.
2. You are discharging substandard effluent to CETP having high COD.
3. You have not provided secondary treatment.


AND WHEREAS, after examining the record of your case, reports of officers of the Board & making necessary enquiries I am satisfied that you are operating the unit with inadequate Pollution control devices & also discharging untreated industrial effluent to CETP knowingly, willfully causing grave injury to the environment.

NOW THEREFORE, in exercise of the powers conferred upon me by the Board under section 33A of Water (Prevention & Control of Pollution) Act, 1974, I, P. M. Joshi the Regional Officer, Maharashtra Pollution Control Board, Kolhapur hereby propose to issue following directions-

1. Why the manufacturing activity shall not be stopped?
2. Why Bank Guarantee of Rs. 25,000/- submitted by you shall not be forfeited.
3. Why the appropriate authorities shall not be directed to disconnect water/electricity supply of your unit?

You are hereby directed to file your reply to these proposed directions within 7 days, failing which the Board shall consider to issue appropriate final directions, as may deem fit in your case, which may please be noted.

FOR AND ON BEHALF
OF THE BOARD


(P. M. Joshi) 24/4/12
Regional Officer, Kolhapur

Copy submitted to:

1. The Member Secretary, M.P.C. Board, Mumbai.
2. Sr. Law Officer (P&L Div-II), M.P.C. Board, Mumbai.
3. Zonal Officer (PAMS), M.P.C. Board, Mumbai.

Copy to-

MAHARASHTRA POLLUTION CONTROL BOARD

REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail: rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.mah.nic.in>

No. MPCB/RO/KOP/ 2599 /12.

Date: 16 / 06 / 2012.

To,
M/s. Panjab Chemicals & Crop. Product. Ltd.,
Plot No. D-2, MIDC Lote Parshuram,
Tal. Kolhapur, Dist- Ratnagiri.



Sub: Interim Directions under section 33 A of the Water (Prevention & Control of Pollution) Act, 1974 & 31 A of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M, H & T) Rules, 2008.


Ref: 1. Proposed Directions vide No. MPCB/RO/KOP/1328/12
dtd. 13.04.2012.
2. Personal hearing extended to you by the undersigned
on 15.06.2012..

With reference to the proposed directions issued on 13.04.2012 followed by the personal hearing extended on 15.06.2012, the following interim directions are issued u/s 33 A of the Water (Prevention & Control of Pollution) Act, 1974 & 31 A of the Air (Prevention & Control of Pollution) Act, 1981 with the following terms & conditions.

1. You shall comply all the directions issued in Proposed Directions dt. 13.04.12. within time limit of 45 days, i.e. 31.07.2012.
2. You shall achieve zero discharge by the end of 30th June 2012 as per your commitment given on 18.04.2012 failing which you shall voluntary close down your production activity.

In case you fail to comply with the above interim directions, the Board will have no option but to issue final directions as may deem fit in your case, which may please be noted.

FOR & ON BEHALF
OF THE BOARD


(S. S. Doke)

Regional Officer, Kolhapur

Copy f.w.cs. for information to:

1. Joint Director (PAMS), MPC Board, Mumbai.

Copy to:

1. Sub-Regional Officer, M.P.C. Board, Chiplun.

- He is directed to submit the compliance report from time to time & keep vigil.

38

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail:
rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.gov.in>

No. MPCB/RO/KOP/ 12.

Date: 12/04/12.



M/s. Tapan Chemicals & Crop. Product. Ltd.,
Plot No. 12, MIDC Lote Parshuram,
Tal. Chiplun, Dist. Ratnagiri.

Sub: Proposed Directions u/s 33 A of the Water (Prevention & Control of Pollution) Act, 1974, 31 A of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (Management Handling & Transboundary Movement) Rules, 2008.

Ref: 1) Show Cause Notice Dated-25.01.2012.
2) Report submitted by SRO Chiplun vide No. SROCH/TB/863/12, Dated- 03.04.12.

WHEREAS, you are operating your industry in 'Pollution Prevention Area' declared under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, it was obligatory on your part to provide full fledged effluent treatment plant & Air pollution control arrangements for treatment & disposal of industrial effluent, air emissions & to operate the same round the clock so as to meet the standards prescribed by the Board under the provisions of the Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

AND WHEREAS, Board has granted consent to operate to your industrial plant to discharge sewage and trade effluent in 'Water Pollution Prevention Area' subject to certain terms & conditions more precisely defined under section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 31 of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

39

..2..

AND WHEREAS, the Sub Regional Officer Chiplun reported that-

1. Results of JVS collected dated. 30.06.2011, 22.09.2011 exceeds prescribed limit.
2. You are discharging substandard effluent to CETP having high COD.
3. You have not disposed Burnt material generated from accident to CHWTSDF.


AND WHEREAS, after examining the record of your case, reports of officers of the Board & making necessary enquiries, I am satisfied that you are operating the unit with inadequate Pollution control devices & also discharging untreated industrial effluent to CETP knowingly, willfully causing grave injury to the environment.

NOW THEREFORE, in exercise of the powers conferred upon me by the Board under section 33A of Water (Prevention & Control of Pollution) Act, 1974. I, P. M. Joshi the Regional Officer, Maharashtra Pollution Control Board, Kolhapur hereby propose to issue following directions-

1. Why the manufacturing activity shall not be stopped?
2. Why Bank Guarantee of Rs. 50,000/- submitted by you shall not be forfeited.
3. Why the appropriate authorities shall not be directed to disconnect water/electricity supply of your unit?

You are hereby directed to file your reply to these proposed directions within 7 days, failing which the Board shall consider to issue appropriate final directions, as may deem fit in your case, which may please be noted.

FOR AND ON BEHALF
OF THE BOARD


(P.M. Joshi)

Regional Officer, Kolhapur

OK

12/4/11

Copy submitted to:

1. The Member Secretary, M.P.C. Board, Mumbai.
2. Sr.Law Officer (P&L Div-II), M.P.C. Board, Mumbai.
3. Zonal Officer (PAMS), M.P.C. Board, Mumbai.

Copy to-

1. The Sub-Regional Officer, M. P. C. Board, Chiplun.

You are directed to...

40

MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail: rokolhapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.gov.in>

No. MPCB/RO/KOP/1103/12.

Date: - 28/03/12.

To,
To,
M/s Dongreen Chemicals,
33, MIDC Lote, Tal-Khed,
Dist-Ratnagiri.



- Sub: Directions u/s 33A of the Water (P & CP) Act, 1974.
Ref: 1) Proposed Directions by this office on dt.22.02.2012.
2) Your reply thereto dt.14.03.2012.
3) Results of joint vigilance samples collected on 17.08.2011 & 22.09.2011.
4) Visit & inspection made on dt.15.03.2012.
5) Personal hearing extended to you on 28.03.2012.

WHEREAS, you have been granted conditional consent to provide comprehensive treatment & disposal arrangement, so as to achieve the inlet parameters of CETP by proper operation & maintenance. You have been granted consent to operate for generation of 4.0 m³/d effluent with the condition that treat the effluent to the extend possible, so as to achieve the inlet parameters of CETP.

AND WHEREAS, the officer of the Board caused visit/inspection for sampling of your premises from time to time. And whereas the report of JVS collection on 17.08.2011(BOD-160 mg/l, COD-464mg/l), 22.09.2011(BOD-57500 mg/l, COD-140800 mg/l). Shows that the parameters of BOD & COD are exceeding. Now therefore after extending opportunity of personal hearing the following final directions are issued against you.

- 1.You shall upgrade your effluent treatment plant, so as to ensure that you are complying with the inlet parameters of CETP within 03 months period i.e upto 15.06.2012, by submitting concrete proposal for implementation thereof within 15 days time.
- 2.You shall submit an irrevocable bank guarantee of Rs.50000/- in favour of Regional Officer, MPC Board, Kolhapur within 15 days time period which shall be valid upto one year.