

IN THE HIGH COURT OF JUDICATURE AT BOMBAY
 ORDINARY ORIGINAL CIVIL JURISDICTION
 PUBLIC INTEREST LITIGATION NO.17 OF 2011

Nicholas H. Almeida ... Petitioner

Versus


State of Maharashtra & Ors. ... Respondents

ADDITIONAL AFFIDAVIT ON BEHALF OF RESPONDENT NO.3 IN COMPLIANCE OF THE ORDER DTD.3.1.2013 PASSEED BY THIS HON'BLE COURT


I, Yeshwant B. Sontakke, aged 47 Years, occupation-service, the Regional Officer (HQ) and Incharge Joint Director (Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3rd Floor, Sion-Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, looking after Water Pollution Prevention and Control of Pollution, more particularly the Common Effluent Treatment Plants in the State of Maharashtra, do hereby on state solemn affirmation as under.


I have carefully gone through the order passed by this Hon'ble Court dtd. 3.1.2013. I say and submit that in pursuance of the order passed by this Hon'ble Court dtd.3.1.2013, the Respondent Board has already filed affidavits on 17.1.2013 & 21.1.2013 respectively.

I say and submit that the the Sub-Regional Officer of the Board at Mahad and Sub-Regional Officer at Chiplun have forwarded their present status reports regarding performance of Mahad CETP, compliance of M/s Astec Life Sciences & M/s Sudarshan Chemicals vide letter dtd. 5.2.2013 and performance of Chiplun




self-explanatory. Copies of the said reports dtd. 5.2.2013 & 6.2.2013 are enclosed herewith and marked as an Exhibit-I & II respectively.


(S.K. Purkar)
Law Officer, MPCB


(Yeshwant B. Sontakke)
Joint Director (Water Pollution Control)



BEFORE ME

6-2-2013
Vasant D. More
Notary Public, Mumbai

VERIFICATION


I, Yeshwant B. Sontakke, aged about 47 Years, occupation-service, the Joint Director(Water Pollution Control) of the Maharashtra Pollution Control Board, having my Office at Kalpataru Point, 3rd Floor, Sion-Matunga Scheme Road No.8, Opp.Cine Max Cinema, Sion (East), Mumbai -400 022, do hereby solemnly declare that whatever stated in the aforesaid reply is true and correct to the best of my knowledge and belief. I say that the contents of the above additional affidavit are drafted as per the official record. The same are read over to me and I have understood the same.

Hence, verified and signed at Mumbai on this ___ th day of February, 2013.

Deponent,


Solemnly affirmed at Mumbai }

On this 6th day of February, 2013 }


(Yeshwant B. Sontakke)
Joint Director (Water Pollution Control)



BEFORE ME


6/2/2013
Vasant B. More
Notary Gr. Mumbai

Reg. No. 74/2013

DT. 6-2-2013

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE MAHAD

Exhibit - I

Ph / Fax. :- 02145 – 232372
Email-sromahad@mpcb.gov.in



CFC Bldg., MIDC Area
Mahad, Dist. Raigad

No. SROM/TB/179/13

Date : 05/02/2013

To,
Regional Officer,
M. P. C. Board Raigad.



Sub:- Compliance report in respect of M/s. MMA CETP Co. Op. So. Ltd.
Plot No. P - 43, MIDC Mahad, Dist. Raigad

Ref.:- 1) Direction issued vide No. MPCB/ROR/121228FT0432 dtd: 26/12/2012
2) This office visit dtd. 04/02/2013

Sir,

With reference to above subject, please find enclosed herewith the compliance report in respect of M/s. MMA CETP Co. Op. So. Ltd., Plot No. P – 43, MIDC Mahad against Direction issued on dtd. 26/12/2012

Conditions Imposed	Conditions Complied
1) You should operate and maintain website by providing it within 30 days time duly supported by the Bank Guarantee of Rs. 2.5 Lakhs within seven days but till date you have not submitted the Bank Guarantee.	1) Development of website work is completed (www.mmacetp.com) & Bank Guarantee of Rs. 2.5 Lakhs submitted to Regional Office, Raigad.
2) You are also directed to operate and maintain tertiary treatment units properly and periodically cleaning shall be carried out, so as to improve functional efficiency of the CETP.	2) Cleaning of tertiary treatment unit is completed & also try to operate and maintain tertiary treatment properly.
3) Conduct treatability study for all units of CETP through a suitable Agency for improvement of scientific operation and maintenance of CETP	3) Authority is in process for finalizing the order for CETP treatability study. It will be finalize within few days.

This is for information & for onward submission, please.

Yours faithfully,

-sd-

Sub Regional officer,
M. P.C. B. Mahad.

Copy submitted for information & necessary action please:-
Principal Scientific Officer, MPC Board, Mumbai.

MMA CETP Mahad, Maximum & Average JVS Results from May-2012 to Jan- 2013

May-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	7.95	7.85	pH	6.69	7.24
BOD	412.5	470	BOD	102	132
COD	984	1120	COD	236	272
SS	172	196	SS	98	116

June-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	6.47	6.78	pH	7.42	7.55
BOD	575	980	BOD	77	82.5
COD	1109	1216	COD	221	232
SS	180	194	SS	87	92

July-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	6.84	8.14	pH	7.26	7.82
BOD	109	165	BOD	72	92
COD	276	368	COD	190	224
SS	99	128	SS	101	114

Aug-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	6.9	7.29	pH	7.38	7.94
BOD	141.5	165	BOD	96.5	145
COD	360	464	COD	240	360
SS	96	128	SS	85	112

Sept-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	7.24	7.36	pH	6.69	7.24
BOD	345	370	BOD	90	104
COD	825	976	COD	224	256
SS	136	144	SS	90	110

Oct-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	7.17	7.24	pH	7.38	7.41
BOD	205	245	BOD	125	160

COD	520	592	COD	304	384
SS	166	180	SS	81	108

Nov-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	7.22	7.92	pH	7.43	7.56
BOD	184	245	BOD	129	132
COD	476	592	COD	312	336
SS	131	132	SS	119	158

Dec-12					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	---	8.12	pH	7.42	7.82
BOD	---	290	BOD	114	145
COD	---	688	COD	299	368
SS	---	144	SS	129	150

Jan-13					
Inlet			Outlet		
Parameters	Average	Maximum	Parameters	Average	Maximum
pH	7.335	7.46	pH	7.13	7.15
BOD	458	487	BOD	90	112
COD	696	864	COD	247	280
SS	144	154	SS	116	130

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE MAHAD

Phone / Fax :- 02145 - 232372
email-sromahad@mpcb.gov.in



CFC Bldg., MIDC Area,
Mahad, Dist. Raigad.

No. SROM/TB/181/13

Date : 05 /02 /2013

To,
Regional Officer,
M.P.C. Board, Raigad.

Sub :- Compliance & improvement in respect of M/s. Astec Life Sciences Ltd.,
Plot No. B-16,17,18 & 21, MIDC Mahad, Dist. Raigad.

Ref. :- 1) Interim Direction issued vide no. MPCB/PSO/Restart/B-7132 dtd. 04/12/2012.
2) Visit to industry on dtd. 10.01.2013

Sir,

With reference to about subject, please find enclosed herewith the compliance & improvement report in respect of M/s. Astec Life Sciences Ltd., Plot No. B-16,17,18 & 21, MIDC Mahad, Dist. Raigad as below.

- 1) During visit industry found in operation. Treated effluent found disposing to CETP within consent limit. No effluent found disposing outside factory premises.
- 2) The JVS results of Oct, Nov & Dec-2012 & Jan-2013 found within consent limits. (Separate sheet enclosed).
- 3) Compliance of Interim Direction vide no. MPCB/PSO/Restart/B-7132 dtd. 04/12/2012.

Sr.No	Conditions Imposed	Conditions Complied
1.	You shall construct concrete based flooring for all the open & storage area for storage of raw materials & Haz. Waste before 31/12/2012	Industry has shifted raw material/ Haz. Waste into concrete based floor store.
2.	You shall make arrangements for storm water drain along with all the storage area & the water runoff from the storage. Storm water shall be collected and pumped to ETP for further treatment.	Industry has made arrangement for storm water drain along with all the storage area with recollection arrangement in ETP for further treatment.

3.	You shall operate & maintain air pollution control devices properly & monitor it & submit the report to Board through SRO/RO before 31/12/2012	Industry has operate & maintain air pollution control devices (Boiler stack & scrubber) regularly & monitor air emissions regularly. Also industry has submitted air monitoring report to Board. (Separate sheet enclosed)
4.	You shall submit fresh B.G of Rs. 2.5 Lacs within 7 days, for a period of 1 year in favor of Regional Officer, M.P.C.Board, Raigad to observe the performance of above conditions	Industry has submitted the B.G of Rs.2.5 Lacs.

This is for information & further necessary action, please.

Yours faithfully

-sd-

Sub Regional officer,
M. P. C. Board, Mahad

Copy to:- for information & necessary action, please :-
Principal Scientific Officer, M. P. C. Board, Mumbai,

M/s. Astec LifeScineces Ltd , B-16, 17, 18 & 21, MIDC Mahad

Sr. Parameter No	Parameter	Consent Limit	17/1/12	2/2/12	31/3/12	11/4/12	14/5/12	29/5/12	6/6/12	15/6/12	19/6/12	17/7/12	21/8/12	17/9/12	18/10/12	01/11/12	26/12/12	10/1/13
1	PH.	5.5 - 9.0	6.63	8.03	6	9.37	7.68	7.62	4.83	5.75	7.68	2.57	4.42	6.79	7.71	7.93	7.67	7
2	B.O.D.	100	220	200	380	90	64	87.5	56	28.5	66	92	775	48	68	62	46	6
3	C.O.D.	250	576	464	640	240	152	144	160	80	176	240	1632	120	192	220	112	2
4	S.S.	100	20	9	126	58	16	16	128	47	37	58	162	27	28	58	24	N
5	O & G	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
6	T.A.N.	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
7	T.D.S.	2100	2900	2155	2724	1154	164	NA	5002	673	NA	2202	NA	1933	1020	2022	1750	N
8	Chloride	600	220	NA	605	35	NA	NA	1250	NA	NA	570	NA	66	NA	NA	510	N
9	Sulphate	1000	1372	NA	3218	340	NA	NA	2059	NA	NA	1512	NA	97	NA	NA	751	N
10	Phen. Comp	NP	NA	0.94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.99	N
11	Cynide	NP	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
12	Pesticid e	NP	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
	Location		Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated
	Disposal		CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP

Note :- 1) All parameter except pH are expressed in mg/lit.
 2) The above results belongs to treated effluent of weak stream.
 3) NA - Not An.
 4) NR - Result
 5) NP= Not Pr

MAHARASHTRA POLLUTION CONTROL BOARD
SUB REGIONAL OFFICE MAHAD

Phone / Fax. :- 02145 – 232372
email-sromahad@mpcb.gov.in



CFC Bldg., MIDC Area,
Mahad, Dist. Raigad.

No. SROM/TB/ 180 /13

Date : 05 /02 /2013

To,
Regional Officer,
M.P.C. Board, Raigad.

Sub: Compliance & improvement in respect of M/s. Sudarshan Chemicals Industries Limited, Plot No. A-19/1 & 19/2, MIDC Mahad, Dist. Raigad.

Ref. :- 1) Interim Direction issued vide no.130114FTO251 on dtd. 15/01/2013
2) Visit to industry dtd. 28/01/2013.

Sir,

With reference to about subject, please find enclosed herewith the compliance & improvement report in respect of M/s. Sudarshan Chemicals. Industries Limited, Plot No. A-19/1 & 19/2, MIDC Mahad, Dist. Raigad as below.

1) Compliance of Interim Direction vide no. 130114FTO251 on dtd. 15/01/2013

Sr.No	Conditions Imposed	Conditions Complied
1.	Your existing Bank Guarantee of Rs. 1.0 Lacs is forfeited. As the Bank Guarantee is expired on 30.06.2012, you are hereby directed to submit nthe DD of Rs. 1.0 Lacs within 7 days.	Industry has submitted DD of Rs. 1.0 Lacs on dtd. 18/01/2013 to Regional Office, M.P.C.Board, Raigad.
2.	You shall operate & maintain the existing ETP effectively so as to treat the effluent to achieve the parameters within the consented norms and after achieving consented standards, you shall dispose the treated effluent to the CETP.	Operation & maintenance of ETP is as per norms & presently industry has achieve consented standards & dispose treated effluent to CETP.
3.	You shall furnish fresh Bank Guarantee of Rs. 2.0 Lacs ensuring compliance of this above direction which shall be valid for period of one year.	Industry has submitted fresh Bank Guarantee of Rs. 2.0 Lacs

This is for information & further necessary action, please.

D.A: As above

Yours faithfully

Sd/-

Sub Regional officer,
M. P. C. Board, Mahad

Copy to:- for information & necessary action, please :-
Principal Scientific Officer, M. P. C. Board, Mumbai.

M/S SUDARSHAN CHEMICALS LTD. A 19/1, 19/2 MIDC, Mahad

Sr.No	Parameter	Consent Limits	17/1/12	2/2/2012	24/3/12	21/4/12	9/5/2012	12/7/2012	27/8/12	26/9/12	30/10/12	30/11/12	27/12/12	28/01/13
1	pH	5.5-9.0	6.67	7.5	6.62	9.02	7.07	7.57	6.89	7.32	6.12	7.45	6.98	6.78
2	B.O.D	100	80	70	295	110	74	86	72	48	39	27.5	10.5	67.5
3	C.O.D	250	224	224	480	272	184	232	240	136	152	136	72	200
4	S.S.	100	20	156	150	112	32	106	29	21	23	32	49	NA
5	Oil & Grease	10	NA	NA	NA	---	NA	NA	NA	NA	NA	NA	NA	NA
6	TDS	2100	---	---	---	2918	---	---	---	---	---	---	---	NA
7	Chromium Total	2	BDL	BDL	0.12	BDL	BDL	BDL	BDL	0.117	BDL	BDL	---	NA
8	Nickel	3	BDL	BDL	0.032	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.94	NA
9	Cadmium	2	0.232	0.156	BDL	0.24	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA
10	Copper	3	0.023	BDL	0.03	BDL	0.05	BDL	BDL	BDL	BDL	BDL	BDL	NA
11	Zinc	2	0.117	BDL	0.018	BDL	BDL	0.056	BDL	0.352	BDL	BDL	BDL	NA
12	Mercury	0.01	BDL	BDL	BDL	BDL	BDL	---	---	---	BDL	BDL	---	NA
13	Phenolic compd	1	NA	0.078	---	NA	---	---	---	---	---	BDL	---	NA
	LOCATION		Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated	Treated
	DISPOSAL		CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP	CETP

Note :- 1) All parameter except pH are expressed in mg/lit.

- 2) NA- Not Analysed
- 3) NR - Result Not Receive
- 4) NP= Not Prescribed

Exhibit -II

**MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE, CHIPLUN**

Telefax. (02355) 261570




2nd floor Parkar Complex,
224, Behind Nagar parishad,
Tal. Chiplun,
Dist: - Ratnagiri -415605.

No. SROCH/TB/ 261/13

Date: 06/02/2013

To,
Sr. Law Officer,
M.P.C. Board,
Sion, Mumbai.



Sub : Compliance of order passed by Hon,ble high court of Judicature at
Bombay in the PIL bearing WP no.17/2011 filed by Nicholas Almedia v/s
State of Maharashtra & Ors.

Ref : Mail received on dt.06.01.2013.

Sir,

With reference to above subject, the additional information is enclosed herewith.

1. The CETP result of the month Jan-2013.
2. Compliance of various direction issued by Hon'ble high court.
3. Board has issued conditional direction to CETP on 24.12.2012 for improvement of performance of CETP. The compliance report of this direction enclosed.
4. Action taken report already communicated to the CETP association on 09.01.2013 & which is included in Board's affidavit of 20.01.2013.
5. Board has issued direction u/s 33A to CETP on 24.01.2013 to improve the performance of CETP.

This is submitted for information & necessary action please.

Yours faithfully,

(S H Padwal)

Sub-Regional Officer,
M.P.C. Board, Chiplun

Copy for information please:
Regional Officer, MPCB< Kolhapur.

D:\SBS\sr law officer.doc

May-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.96	9.02	pH	7.62	8.18
BOD	704	975	BOD	284	470
COD	1629	2080	COD	695	1120
SS	298	394	SS	161	182

Jun-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.98	8.92	pH	7.64	8.34
BOD	657	875	BOD	224	390
COD	1515	2000	COD	533	912
SS	240	288	SS	150	268

Jul-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.98	8.36	pH	7.79	8.32
BOD	522	875	BOD	183	245
COD	1225	1840	COD	426	584
SS	138	188	SS	117	158

Aug-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.57	8.14	pH	7.35	7.92
BOD	397	580	BOD	169	195
COD	1033	1264	COD	390	496
SS	128	140	SS	101	126

Sep-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.78	7.82	pH	6.84	7.76
BOD	298.6	425	BOD	135	145
COD	736	928	COD	325	352
SS	117.3	164	SS	109	120


(1/8)

Oct-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.6	7.92	pH	7.38	7.75
BOD	665	670	BOD	227	240
COD	1872	1952	COD	544	584
SS	180	196	SS	146	154

Nov-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.97	8.04	pH	6.64	7.32
BOD	606	690	BOD	191	205
COD	1722	1888	COD	456	480
SS	236	292	SS	137	150

Dec-12					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.72	8.61	pH	7.1	7.57
BOD	730	850	BOD	159	210
COD	1565	1764	COD	381.6	496
SS	187	240	SS	128	146

Jan-13					
Inlet			Outlet		
Parameter	Average	Maximum value	Parameter	Average	Maximum value
pH	7.53	8.25	pH	6.72	7.01
BOD	800	925	BOD	160	165
COD	1718	1792	COD	374	384
SS	165	194	SS	127	134


 (S. H. Padwal)
 Sub Regional Officer
 M.P.C. Board Chiplun

2/8

LOTE PARSHURAM ENVIRONMENT PROTECTION
CO-OPERATIVE SOCIETY,
(CETP), LOTE, P-30, MIDC Lote
Tal-Khed Dist-Ratnagiri.

Analysis Result

Sr. No	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD, (mg/lit)	S.S.	T.D.S.
Consent Standard			6.5 to 9.0	100 mg/l	250 mg/l	100 mg/l	Nil
1	CETP Inlet	26/7/2012	7.78	660	1344	68	2140
2	CETP Inlet	17/8/2012	7.61	460	1152	138	4822
3	CETP Inlet	22/8/2012	7.87	580	1248	126	2834
4	CETP Inlet	31/8/2012	7.96	215	504	118	3017
5	CETP Inlet	10/9/2012	7.76	296	928	58	4092
6	CETP Inlet	12/9/2012	7.82	425	896	164	3426
7	CETP Inlet	26/9/2012	7.78	175	384	130	3087
8	CETP Inlet	10/10/2012	7.29	660	1952	196	7858
9	CETP Inlet	19/10/2012	7.92	670	1792	164	8326
10	CETP Inlet	1/11/2012	7.86	750	1856	196	4760
11	CETP Inlet	17/11/2012	7.98	640	1584	158	5978
12	CETP Inlet	21/11/2012	8.04	490	1888	260	8186
13	CETP Inlet	22/11/2012	7.89	690	1696	292	8704
14	CETP Inlet	3/12/2012	8.61	775	1764	240	9440
15	CETP Inlet	11/12/2012	7.36	670	1408	180	7000
16	CETP Inlet	24/12/2012	7.62	675	1504	176	4899
17	CETP Inlet	31/12/2012	7.54	850	1488	134	4046
18	CETP Inlet	07/01/2013	8.25	925	1568	194	6591
19	CETP Inlet	14/01/2013	6.80	775	1784	160	3763
20	CETP Inlet	21/01/2013	7.11	675.0	1728	174	3838.0
21	CETP Inlet	28/01/2013	7.97	825.0	1792	134.0	3081.0

S. H. Padwal

(S. H. Padwal)
Sub-Regional Officer,
M.P.C. Board, Chiplun.

(3/8)

LOTE PARSHURAM ENVIRONMENT PROTECTION
CO-OPERATIVE SOCIETY,
(CETP), LOTE, P-30, MIDC Lote
Tal-Khed Dist-Ratnagiri.

Analysis Result

Sr. No	Sampling Location	Date & Time Sampling	pH	BOD (mg/lit)	COD, (mg/lit)	S.S.	T.D.S.
Consent Standard			6.5 to 9.0	100 mg/l	250 mg/l	100 mg/l	Nil
1	CETP Outlet	26/7/2012	7.78	245	528	134	3210
2	CETP Outlet	17/8/2012	7.54	145	368	106	2114
3	CETP Outlet	22/8/2012	7.59	165	392	102	1958
4	CETP Outlet	31/8/2012	7.23	78	224	64	2186
5	CETP Outlet	10/9/2012	6.02	128	352	94	2651
6	CETP Outlet	12/9/2012	6.76	132	304	114	2891
7	CETP Outlet	26/9/2012	7.76	145	320	120	4090
8	CETP Outlet	10/10/2012	7.02	240	584	154	5686
9	CETP Outlet	19/10/2012	7.75	215	504	138	5212
10	CETP Outlet	1/11/2012	7.32	170	480	110	3088
11	CETP Outlet	17/11/2012	6.34	205	456	132	3304
12	CETP Outlet	21/11/2012	6.87	185	472	130	3006
13	CETP Outlet	22/11/2012	6.72	185	440	150	3030
14	CETP Outlet	3/12/2012	7.04	136	352	130	3860
15	CETP Outlet	11/12/2012	6.23	144	304	124	2766
16	CETP Outlet	24/12/2012	7.57	120	372	130	3860
17	CETP Outlet	31/12/2012	7.22	185	384	112	2278
18	CETP Outlet	07/01/2013	7.01	165	368	126	3869
19	CETP Outlet	14/01/2013	6.16	155	384	134	2235
20	CETP Outlet	21/01/2013	6.92	165	360	132	2803
21	CETP Outlet	28/01/2013	6.82	155	384	116	2849

Shaney

(S. H. Padwal)

Sub-Regional Officer,
M.P.C. Board, Chiplun.

4/8

MAHARASHTRA POLLUTION CONTROL BOARD
SUB-REGIONAL OFFICE, CHIPLUN

Telefax. (02355) 261570



2nd floor Parkar Complex,
224, Behind Nagar parishad,
Tal. Chiplun,
Dist:- Ratnagiri -415605.

No. SROCH/TB/ 2 5 2 /13

Date: 5 / 2 /2013

To,
Regional Officer,
M.P.C.Board,
Kolhapur.

Sub: Compliance Report of M/s Lote Parshuram Environment
Co-operative Society, Tal- Khed Dist-Ratnagiri
Ref: Conditional Directions u/s 33A of the Water (P&CP) Act, 1974
dated 24/12/2012.



With reference to above subject the compliance of Conditional direction is as below.

Sr. No.	Condition	Compliance	Remarks
1	You shall provide online flow meter, pH meter and TOC analyzer to outlet with data logger and real time display by March-2103 duly supported by Bank Guarantee of Rs. 3.0 lacs valid for one year insuring compliance of the said condition.	Tender floated for installation of TOC meter, pH meter & online flow meter at CETP outlet.	CETP sent application to bank to provide bank guarantee.
2	You shall Evaluate the performance for individual units of CETP by the independent expert agency in time bound manner duly supported by Bank Guarantee of Rs. 50000/- valid for one year insuring the compliance of said condition.	work order given to Dr. Babasaheb Ambedkar Technological University, Lonere.	CETP sent application to bank to provide bank guarantee.
3	You shall provide tertiary treatment so as to achieve the outlet standards prescribed under EPA by submitting concrete proposal with bar chart and to implement the upgradation by March 2013 duly supported Bank Guarantee of Rs. 5.0 Lac valid for one year insuring the compliance of said condition.	Pressure sand filter & Carbon filter quotation received. Decision taken in the Board meeting of this month.	CETP sent application to bank to provide bank guarantee.

This is submitted for information & necessary action please.

DA: As Above

Yours faithfully,

(S.H. Padwal)
Sub-Regional Officer,
M.P.C. Board, Chiplun.

5/8



LOTE PARSHURAM ENVIRONMENT PROTECTION CO-OP. SOCIETY LTD.

P-30, Lote Parshuram MIDC, Khed, Ratnagiri (Maharashtra)
(RTG/KHD/GNL. (0)105/2000-2001 / Year 2000)

E-mail : cetp_lote@rediffmail.com

Tele Fax : (02356) 272113

4th Feb, 2013

To,
The Regional Officer,
Udyog Bhavan,
Near Collector Office,
Kolhapur - 416003

Sub.: Compliance to Conditional Direction given by RO MPCB Kolhapur, dated
24th Dec 2012, Ref No. MPCB/RO/KOP/4443/12

Dear Sir,

As per Direction Issued by MPCB RO Kolhapur dated 24.12.2012 following compliance actions are taken by Lote CETP,

- a) Web Site created and can be accessed now at www.lotecetp.com
- b) Work order is given to Dr. Babasaheb Ambedkar Technological University Lonere, to carry out treatability study of member industries effluent and checking efficiency of equipments at CETP.
- c) Tender floated for installation of TOC Meter, pH Meter & Online Flow Meter at CETP outlet. Earnest efforts are put to install these equipments at the earliest.
- d) We have taken up tertiary treatment issue and shall take all efforts to try to install tertiary treatment facility like Pressure Sand Filter & Carbon Filter to further improve outlet effluent quality.
- e) We have sent application to our Bank to provide following Bank Guarantees,
 - i) Bank Guarantee of Rs 3.0 lacs towards installation of Flow Meter, TOC Meter & pH meter at outlet of CETP
 - ii) Bank Guarantee of Rs 5.0 lacs towards installation of Tertiary treatment.

We shall intimate updated progress report on CETP Compliance time to time.

We will always be obliged for your kind advises.

Thanking You and assuring you of our best attention, always,

618




LOTE PARSHURAM ENVIRONMENT PROTECTION CO-OP. SOCIETY LTD.

P-30, Lote Parshuram MIDC, Khed, Ratnagiri (Maharashtra)
(RTG/KHD/GNL.(O)105/2000-2001 / Year 2000)

E-mail : cetp_lote@rediffmail.com

Tele Fax : (02356) 272113

Yours faithfully,
For Lote Parshuram CETP,


Rahul Ratnaparkhi
(Director)

CC : Sub Regional Officer, MPCB, Chiplun.

Annexure:-

- 1) Bank Guarantee Application copy given to bank.
- 2) PO Copy given to Dr. Babasaheb Ambedkar Technological University Lonere
- 3) Quotations received for pH & TOC meter.

7/8




MAHARASHTRA POLLUTION CONTROL BOARD
REGIONAL OFFICE, KOLHAPUR.

Tel. No. (0231) 2652952,
2660448
Fax No. (0231) 2652952
E-mail: rokohapur@yahoo.com



Udyog Bhavan,
Near Collector Office,
Kolhapur - 416 003.
Website: <http://mpcb.gov.in>



No. MPCB/RO/KOP/4729 /13.

Date: - 24 / 01 / 13.

To,
The Chairman,
Lore Parshuram CETP, MIDC Lore,
Tal-Khed, Dist-Ratnagiri.

Sub: Directions w/s 33A of the Water (Prevention & control of Pollution) Act, 1974 and w/s 31A of the Air (Prevention & control of Pollution) Act, 1981.

- Ref:** 1) Consent granted by Board.
2) Order passed by Hon'ble High Court of Judicature at Mumbai in the Public Interest Litigation No 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others.
3) Direction issued by the Board to you time to time.

We refer to the orders passed by Hon'ble High Court of Judicature at Mumbai in the Public Interest Litigation No 17/2011 filed by Nicholas Almeida V/s State of Maharashtra and Others from time to time as well as the Guidelines issued by the CPCB from time to time.

We also refer to the Direction issued by the Hon'ble Member Secretary MPCBoard dtd 04.04.2012, 15.12.12 & direction issued by Regional Officer, Kolhapur dated- 24.12.2012.

We also refer to the analytical reports of the treated effluent samples taken by the Board officials on 07.01.2013 and 14.01.2013 which was found exceeds the permissible limits in case of BOD and COD as prescribed in the consent order.

You are, therefore directed to continue to improve the performance of the CETP so as to bring the treated effluent within the permissible limits as prescribed in the consent order.

FOR AND ON BEHALF OF THE BOARD

(S. S. Doke)
Regional Officer,
M. P. C. Board, Kolhapur

Copy submitted to:

1. The Member Secretary, M.P.C. Board, Mumbai.
2. Sr. Law Officer (P&L Div-II), M.P.C. Board, Mumbai.
3. Joint Director (PAMS), M.P.C. Board, Mumbai.
4. Joint Director (WPC), M.P.C. Board, Mumbai.

Copy to:

1. Sub-Regional Officer, M.P.C. Board, Chiplun.
- He is directed to serve the direction to the industry & keep vigil & report.

2. Master file.

MPCB/RO/KOP/4729/13

818

