# District Environment Plan



**Prepared By** 



**Environment Department, Government of Maharashtra** 



**Maharashtra Pollution Control Board** 

Yavatmal

#### 1.0 Preamble

Hon'ble National Green Tribunal vide order dated 26/09/2019 in O.A. No. 360 of 2018 filed by Shree Nath Sharma Vs Union of India and Others directed that CPCB shall facilitate the District Magistrates in preparation of District Environmental Plan by placing Model plan on its website. This model plan may be adopted as per local requirements by all Districts under supervision of District Magistrate.

The said Order also directs that Department of Environment in respective States / UTs should collect district plans to prepare State Environment Plan, which shall be monitored by respective Chief Secretaries of State/UT by 15/12/2019.

Based on State Environmental plans, CPCB and Ministry of Environment, Forest & Climate Change shall prepare National Environmental Plan, under the supervision of Secretary, MoEF&CC and Chairman, CPCB by 31/01/2020. The National Action Plan needs to be submitted before Hon'ble NGT 15/02/2020.

In compliance to above directions, CPCB has prepared a model District Environment Plan (DEP) that covers following thematic areas;

In compliance to above directions and as per the model DEP prepared by CPCB, Environment Action plan for Yavatmal District is prepared.

## 2.0 Introduction

Yavatmal district, formerly known as Yeotmal, is a district of the Indian state of Maharashtra. It is located in the region of Vidarbha, in the east-central part of the state. It is Vidarbha's third-largest district by population, after Nagpur and Amravati. Yavatmal town is the administrative headquarters of the district. The incumbent district collector is Ashwin Mudgal. It is believed that Yavatmal, along with the rest of the former Berar province, was part of the legendary kingdom of Vidarbha mentioned in the Mahabharata. General Yavatmal district profile is presented in the **Table 1** and location is shown in **Figure 1**.

**Table 1 Yavatmal District Profile** 

Description	Details
Average Climate	Min. – 5.6, Max. – 45.6. Rainfall: 911.34 mm.
Geographical Location	It lies in 19.26 to 20.42 North Latitude and East Longitude – 77.18 to 79.98. It lies in South-Western part of the Wardha Penganga-Wainganga plain.
Area	13584 Sq. km

Description	Details		
Boundaries	It is surrounded by Amravati and Wardha district to the north.		
	Chandrapur district to the east.		
Languages	Marathi, Hindi, Urdu, Kolami, Andh, Gondi, Telugu, Gujarati, Sindhi		
Spoken			
Population	Total: 2,772,348 ; Male: 1,419,965 Female: 1,352,383		
	[According to 2011 Census Report]		
Population	204 per sq.km		
Density			
Literacy Rate	82.82		
Rivers	Penganga , <u>Wardha</u>		
ULBs	17 Numbers		
Sub districts	7 Numbers		
Villages	2117 Numbers		
Tahsils	16 Numbers		
	Arni, Babhulgaon, Darwha ,Digras ,Ghatanji ,Kalamb ,Mahagaon ,Maregaon		
	Ner ,Pandharkawada (Kelapur) ,Pusad ,Ralegaon ,Umarkhed ,Wani		
	,Yavatmal ,Zari Jamani		
Pin code	445001		





Figure 1 Location of Yavatmal District

# 3.0 Waste Management Plan

According to the 2011 census, the population of India was 1.21 billion; of this 31% live in cities. It is further projected that by 2050 half of India's population will live in cities. With this increasing population, management of Municipal Solid Waste (MSW) in the country has emerged as a severe problem not only because of the environmental and aesthetic concerns but also because of the sheer quantities generated every day.

Solid waste management is among the basic essential services provided by municipal authorities in the country to keep cities clean. In Yavatmal District primary sources of solid waste are local households, commercial establishments, hospitals, hotels, restaurants, and markets. Local Bodies are responsible for collection, storage, segregation, transportation and disposal of all solid waste generated in the city. There are 17 Urban Local Body [ULB] in Yavatmal district.

## 3.1 Domestic Solid Waste Management Plan

Yavatmal district is having 17 ULB. As per collected data, total solid waste generation of Yavatmal district is 183.81MTD. Wherein, Dry Waste generation is 82.71MTD and Wet waste is 101.09MTD. It seems that Dry waste comprises of approximately 45% of total waste generated of the district and were else Wet waste contributes 55%. Total treated qty. of Solid waste comprises to 58.37MTD treated while 125.44MTD of waste is dumped daily. District have different types of MSW Processing facility like Vermicomposting, Pit composting, etc.

## 3.1.1 Collection and Transport

In line with the total Solid waste generated, District have 80-100 percent of collection system. All ULB's have facility of door to door collection of Solid waste. Some of the local bodies have not initiated Mechanical Road Sweeping facility however, district has 100 percent Manual Road sweeping facility too. The district has 80 - 100 percent segregated waste transport for all ULB's. Segregated wet waste is further utilized for composting.

### 3.2 C&D Waste Management Plan

The Construction and Demolition Waste [C&D Waste] generated by Yavatmal district is about 442.6MTA. No waste is recycled nor is disposed by landfilling without processing or filling low lying area. Total 442.6MTA of waste is dumped illegally in Yavtmal. There is 1 Storage Facilities for C&D Waste Storage at New Nawabpur M. Council. Non availability of data will not help in preparing ingenuous and executable plan for waste management of the district hence local bodies must ensure proper sampling and factual measurement of the various types of waste being generated. Issuance of Permissions by ULB is been already initiated. C & D Waste is not used in Sanitary landfill (for solid waste) as per Schedule III. No Municipal magistrates are appointed for taking penal action for non-compliance with C & D rules

## 3.3 Plastic Waste Management

Plastics are integral part of society and have varied application. Total Plastic waste generated by Yavatmal district is 0.45MTD.

Yavatmal have 100% door to door collection system and 70 - 100% of segregation system in its major ULBs. District have 2 Plastic Waste Collection Centre. No Authorization for waste collection centres is developed in District. District has no Plastic Manufacturer whereas, 5 Waste recyclers. For Treatment and recycling of generated plastic waste, there are no Pyrolysis Oil Plant. PW Management Rules, 2016 is implemented in the ULBs.

District has implemented the PW Management Rules, 2016 in its 6 ULB's resulting in Sealing of units producing < 50-micron plastic, Prohibiting sale of carry bags < 50 micron followed by Ban on Carry bags and other single use plastics as notified by State Government.

On other hand, there are no producers associated with ULB's to produce Plastic nor any Infrastructure is supported by Producers / Brand owners to ULBs.

There's no Implementation of Extended Producers Responsibility (EPR) through Producers / Brand owners in Yavatmal

# 3.4 Biomedical Waste Management

Bio-medical waste refers to any waste, which is generated during the diagnosis, treatment or immunisation of human beings or animals or research activities pertaining there to or in the production or testing of biological or in health camps, etc

Yavatmal district generate in total 332kg/d of BMW waste which is completely treated with its treatment facility provided.

Segrigation of waste is complying by the District.

### 3.5 Hazardous Waste Management

There are 24 Hazardous Waste generating industries in Yavatmal District from where 699.45 MT/Annum of Hazardous waste is generated. 19.87MT/A qty of waste is Incinierable waste while 290.68MT/A qty of waste is land-fillable waste. Based on the type of waste it is further sent for treatment i.e either landfilling or Recyclable/Utilizable waste. Due to unavailability of Hazarodus waste disposal site, the generated waste is sent to CHWTSDF of other district within state. 24 industries have linkage with TSDF.

### 3.6 E Waste Management

No Collection Centres are established by ULBs neither any ULBs have established by Producer under EPR scheme. There are no authorized E-Waste recyclers / Dismantler nor any Authorized E-Waste collectors. 1 Collection centre is established by ULB in District Citizens are not able to deposit or provide E-Waste through Toll-free Numbers in the District. The top class mobile companies have provided their collection centres from where the

discarded mobiles are collected. There is no E-waste recycler nor the local bodies have

linked up for same with anyone. To create awareness among the people The District administration arranges District level Awareness Campaigns

## 3.7 Action Plan

As per the above mentioned observation, it seems that almost all ULBs are handling solid waste generated as per the Municipal Solid waste Management Rules, however there are certain issues that needs to be addressed for 100% implementation of the rules as mentioned in **Table 2**.

Table 2 Action Plan for Solid Waste Management

Sectors	Gaps	Action Points	Priority
Domestic Solid Waste			
Quantification	■ Methodology for solid	Mechanism for graded weighing	Immediate
	waste quantification	system either through	
	should be ascertained	intermediate transfer station or at	
	<ul><li>Quantification based</li></ul>	the common receiving station to	
	on Income group,	be created. Usually one weigh	
	culture affluence and	bridge at any treatment / disposal	
	technology to be	location required	
	considered	Quadrate sampling methodology	
		to be adopted in order to reduce	
		quantity as well as quality	
Collection	■ Some of the places,	■ Ideally most proven method of	Short to
System&	efficiency of the	SWM is 3 Tier System with door	Mid Term
Transport	collection system is	to door, community and transfer	
System	not up to the mark	station approach	
		■ 100% efficiency to be achieved	
		■ Approximately 36 Ghanta Gadi	
		would be required	
Infrastructure	■ Mostly composting is	■ Intermediate / Transfer station	High
	the main treatment	based decentralized waste	
	methodology with	treatment facility to be evaluated	
	about 80% coverage	■ Additional 20% alternative	
		treatment such as bio-	
		Methanation can be explored	
Plastic Waste	■ Lack of SOP for not	• Strengthening surveillance of life	High
	only quantification but	cycle assessment for type and	&Immediate

Sectors	Gaps	Action Points	Priority
	also life cycle analysis	quantity of Plastic Waste	
	[LCA]	■ Effective EPR Policy	
	■ Limited understanding	■ Initiation of 100% compliance to	
	/ interpretation of EPR	PW Rules at the earliest	
	/ PRO		
	<ul> <li>Only two ULBs lacking</li> </ul>		
	implementation of PW		
	notification		
C&D Waste	■ 2-3 of the ULB need to	Minimum 1 such facility at each of	High
	establish C&D Waste	the ULB to be established	
	management system	System for utilization of recovered	
		material and processed C&D	
		waste to be effectively	
		implemented and monitored	
Biomedical	■ Rooting and effective	Regular Inventorization through	Very High&
Waste	collection within 48hrs	automatic / digital platform to be	Immediate
	from the time of	developed	
	generation to be	■ Up-gradation of existing facility to	
	effectively handled	meet 2016 CPCB norms	
	■ Treatment facility	Additional at least 1-2 facilities to	
	lacks implementation	cover the of umbrella zone along	
	of 2016 Notification in	with increasing burden on the	
	line with CPCB	existing coverage area to be	
	audited report	planned	
	<ul><li>Limited Inventorization</li></ul>	■ Collection mechanism to be	
		strengthen with additional vehicles	
		to cover vast area and scattered	
		HCF [miniscule quantity]	
Hazardous	■ Domestic HW being	■ Either decentralized 4 - 5 step	Very High&
Waste	mixed with solid waste	segregation practices to be	Immediate
	posing threat	initiated or at least advisory for	
	■ No separate handling	intermittent storage and collection	
	of domestic HW	of domestic HW to be initiated	
	■ Not effective	■ Inventory to be initiated and	
	segregation at source	maintained	

Sectors	Gaps	Action Points	Priority
E Waste	<ul><li>Lack of inventory</li></ul>	■ Detailed inventory for domestic e	Very High &
	■ Limited understanding	waste under 26 different	Immediate
	of E waste rule and	categories	
	management	■ Mass awareness campaign	
	■ Neither segregation	■ Every ULB to have at least one E	
	nor separate transfer /	waste management centre and	
	handling facility	minimum one collection / drop	
		centre in a radius of 25-30km	
		■ At least one e waste processing	
		unit in a district	

## 4.0 Water Quality Management Plan

There are no Rivers in Yavatmal district nor any coastline. ULB generate about 18.66MLD of sewage with no provision of STP leaving a deficit of 100%. On the other hand most of the deficit is accounted due to lack of sewage conveyance system which in most of the ULBs range to the tune of 100%. However it is also many a time the deficit as a representative of treatment capacity / capability. Even though MPCB has been eying to formulate policy w.r.t. reuse treated sewage as a regulation, lack of reuse conveyance system and more often than not due to the limited options of reutilization of treated sewage worsened with consistent output quality of treated sewage only leads to complicated disposal options.

#### Industrial waste is not estimated in District

Finally, it is quintessential as part of the ULBs to map HFL, demarcate and protect flood plains especially in light of the erratic precipitation witness in the recent years some of the ULBS have already included this features as their regulatory mandate though the irrigation department seems to be directly responsible for the same.

All the above needs to be combined with the effort of sensitization and awareness at all level in order to formulate and implement successful water quality management strategy though the same is limited to some of the number of ULBs as of now& a detailed Issue based management action plan is provided in **Table 3**.

 Table 3
 Action Plan for Water Quality Management

Sectors	Gaps	Action Points	Priority
Water	■ Limited information available	■ Thorough Mapping of	High
Resources	on mapping of surface water	resources to be taken up	
	resources in terms of	■ Extensive assessment of	
	quantity	quality to be done	
	■ Limited Inventorization of	<ul><li>Criticality indicators to be</li></ul>	

	quantity, usage, availability exploitation etc.  Limited Rejuvenation / remediation of water bodies	established for each water body/resource  Extend water quality monitoring network to include representativeness  Based on the criticality initiate Rejuvenation / remediation  Online Monitoring system for surface water bodies to be established  Protection methods to be developed for creative stoppage of dumping of solid waste in the surface water bodies	
Domestic	<ul> <li>Correlation between generation and treatment often misleading</li> <li>Water budgeting exercise often missing</li> <li>Computation of water footprint missing</li> <li>Surveillance /Inventorization in cradle to grave approach absolutely never applied</li> <li>Limited collection system and treatment facility especially in remote area</li> <li>Often polluting water resources</li> <li>No established reuse options / reuse network</li> </ul>	<ul> <li>Digital Platform to accommodate water budgeting / reuse potential</li> <li>Approximately 10MLD of STP needed</li> <li>In situ treatment for River stretches to be developed</li> <li>Strengthen the sewage collection network to cover 100% Population</li> <li>Policy for reuse / recycle of treated wastewater</li> </ul>	Very high & Immediate
Industrial	Industrial Effluent is not estimated.	<ul> <li>Data needs to be estimated.</li> <li>Digital compliance methodology to be developed</li> <li>Disposal system to be under constant surveillance</li> </ul>	High

# 5.0 Air Quality Management

As Yavatmal district being one of the most vibrant and outgrowing areas in Maharashtra, Air quality assessment and sectoral management needs are ought to be essentially planned and executed. Neither CPCB & MPCB through their NAMP & SAMP programme has set up 3 manual and no CAAQM stations across the district.

PM10 is Ambient Air is one of the prime reason of the concern and historically Yavatmal has been in the centre of controversy with regards its air quality management. An exceedance factor reveals as per the monitored data that needs immediate attention as is the case in most of the areas of India. In view of the same the priamafece of every ULB shall be to establish at least one such Ambient Air Monitoring Station and coordinate / collaborate with other monitoring organisation to provide for visory to general public towards health associations and risk of exposure.

Inventory and policy formulation action plan is stated in Table 4.

Table 4 Action Plan for Air Quality Management

Sectors	Gaps	Action Points	Priority
Air	■ No CAAQMS to	■ Emission inventory and source	High
	establish /	apportionment supported with dispersion	
	corroborate	and health based iterative process for	
	inferences	science based AQM strategy to be	
	■ Sectoral action plans	established	
	not effectively	■ Each ULB to have atleast one urban and	
	established	one rural CAAQMS or three manual	
		stations at least to include criteria	
		pollutants with minimum one location to	
		include parameters of 2009 CPCB	
		notification and meteorological data	
		including cloud cover	
		■ Fugitive emission control system for hot	
		spot emission control to be installed	
		■ Green barriers / Photo catalyst options to	
		be evaluated	
		Capacity building to be enhanced	

## 6.0 Mining Activity Management plan

Mining waste is the high-volume material that originates from the processes of excavation, dressing and further physical and chemical processing of wide range of metalliferous and non-metalliferous minerals by opencast and deep shaft methods. Beed district has Sand mining and stone mining activities carried out among its local bodies.

Yavatmal district has not estimated its mining activity details for any of its ULBs.

#### 7.0 Noise Action Plan

The goal of noise management is to maintain low noise exposures, such that human health and well-being are protected. The specific objectives of noise management are to develop criteria for the maximum safe noise exposure levels, and to promote noise assessment and control as part of environmental health programmes.

There is noise measuring devices with district administration to monitor the noise levels along with SPCBs. No any other data for Noise monitoring is collected in the district.

**Table 5** spells potential management plan that could be taken up on priority by ULBs.

**Action Points Priority** Sectors Gaps Noise Noise monitoring is not Noise mapping to be carried out **Immediate** carried out in the for zonation purposes at source district. control using physical or natural attenuation methods to be adopted the noise In path control methodologies usina noise absorbers creating zone inhibition / silence zone to be done • End of the pipe measures such as PEs acoustic enclosures etc. to be Event based noise control policy to be effectively implemented

**Table 5 Action Plan for Noise Pollution Management** 

#### 8.0 Conclusion

There seems to be vast data gaps and a detailed exercise to collate and validate data gathered through this process needs to be urgently taken up in addition to the adopting a holistic & inclusive consultative process of gathering information, collating & converging it in order to be able to device strategies of future. Also, it is equally important that projection for at least next 20 years be done in order to evaluate management plans for futuristic view to meet the objective of such vast exercise. Digital data availability needs to be one of the prime tasks of government & methods of its validation be created with scope for improvement in near future. The practise needs to be a continual one to be updated regularly in order to monitor progress and effectiveness of this process & shall be linked with financial allocations being designed to be promoted by government of the day. With regards to action plans, the priorities shall be aligned based on sustainability objectives.