MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 2402 0781 / 2401 0437

Fax: 2402 4068

Visit us at .

Website: http://mpcb.mah.nic.in

E-mail: mpcb@vsnl.net

RED/LSI

Consent No. BO/RO-Nagpur/AS(T)/EIC-NG-5996-1/E/CC-513

PN-6643-10

Kalpataru Point, 2nd, 3rd & 4th floor, Opp. Cineplanet, Near Sion Circle, Sion (E),

Mumbai - 400 022.

Date: 16/08/2012

Consent to Establish under Section 25 of the Water (Prevention & Control of pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorisation / Renewal of Authorisation under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW(M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Hindustan Polyamides & Fibres Ltd. (Expansion), D-9/1, D-9/2, D-15, MIDC Kurkumbh, Tal. Daund, Dist. Pune.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period upto - Commissioning of the Unit or five years which ever is earlier.

"Consent to Establish will be operational only after obtaining Environmental Clearance from competent authority by the applicant and subject to the compliance of conditions stipulated in an Environmental Clearance including conditions which may be more stringent, if stipulated by/in the Environmental Clearance."

2. The Consent is valid for the manufacture of -

Sr.	Products	Max. Qty.		
1	Ortho Tertiary Butyl Chemical Cyclo Hexyl Acetate			
2	Styrallyl Acetate			
3	Benzyl Salicylate			
4	3,3,5 Trimethyl Cyclohexanol	575 MT/M		
5	3,3,5 Trimethyl Cyclohexyl Salicylate			
6	Methyl 3-Oxo-2-Pentyl-Cyclopentane Acetate			
7	Hamber			
	By-Products			
1	Dilute Acetic Acid			
2	Low purity distilled product			
3	Lab Oil	-		
4	Carbon Powder			
5	Technical grade OTBCHA/STAC/Benzyl	─ 228 MT/M		
	salicylate/Hamber			
6	Recovered Methanol			
7	Technical grade Hexyl Salicylate			
	New Products			
1	MPO (3-Methyl-3Penten-2One)			
2	Hexyl Salicylate			
3	Other similar ingredient chemicals	375 MT/M		
4	Hexyl Cinnamic Aldehyde (HCA)			

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 38 M³.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 2 M³.

(iii) Trade Effluent:

<u>Treatment</u>: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment followed by Reverse Osmosis and Multiple Effect Evaporator as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the **ZERO DISCHARGE.**

- (iv) Trade Effluent Disposal: The treated trade effluent shall be recycled/reused in your process completely. In no case, the treated effluent shall be used on land for gardening purpose. Industry shall achieve ZERO DISCHARGE. In no case, trade effluent shall find its way to local Nalla. The connection of treated trade effluent from the industry to MIDC (CETP) drainage shall be disconnected.
- (v) **Sewage Effluent Treatment :** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

(1) Suspended Solids Not to exceed 100 mg/l. (2) BOD 3 days 27° C. Not to exceed 100 mg/l.

- (vi) **Sewage Effluent Disposal :** The treated domestic effluent shall be soaked into soak pit which shall be got cleaned periodically. Overflow if any, shall be used on land for gardening / plantation only.
- (vii) Non-Hazardous Solid Waste: NIL
- (viii) Other conditions: The industry shall monitor effluent quality regularly.
- 4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution)
 Cess Act, 1977 (to be referred as Cess Act) and Rules thereunder:

The daily water consumption for the following categories is as under:

(i) Domestic	 3	CMD
(ii) Industrial Processing	 41.5	CMD
(iii) Industrial Cooling/Boiler	 40	CMD
(iv) Agriculture/Gardening	 	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A) Control Equipment:

- 1. Dust collector of adequate capacity shall be provided to limit the air emissions.
- 2. Scrubber of adequate capacity shall be provided to limit the process emissions.
- 3. There shall not be any secondary (fugitive) emissions.

B) Standards for Emissions of Air Pollutants:

υ,	Otanidalas for Enni	3010110 01 7111 1 0114141110 1		
(i)	SPM/TPM	Not to exceed 15	0	mg/Nm ³
(ii)	SO ₂	Not to exceed 19	3 6	Kg/day
(iii)	HCĪ	Not to exceed 3	5	mg/Nm ³

C) Conditions for D.G. Set:

1. Noise from D.G.Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- 2. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure / acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 metres from acoustic enclosure/room and then average.
- 3. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
- 4. Industry should make efforts to bring down noise level due to D.G. set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- 5. Installation of D.G. set must be strictly in compliance with recommendations of D.G. set manufacturer.
- 6. A proper routine and preventive maintenance procedure for D.G. set should be set and followed in consultation with the D.G. manufacturer which would help to prevent noise levels of D.G. set from deteriorating with use.
- 7. D.G. set shall be operated only in case of power failure.
- 8. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. set.

(ii) The applicant shall observe the following fuel pattern :-

Sr.No.	Type of Fuel	Quantity
1]	F.O.	2 KL/day
2]	Diesel	100 lit/hrs

(iii) The applicant shall erect the chimney(s) of the following specifications:-

<u>Sr.No.</u>	Chimney attached to	<u>Height in mt.</u>
1.	Boiler (1 Nos.)	31.5
2.	D.G set (500 KVA)	5.0*
	(* above the height of build	ling where the DG set is installed)

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:

(i) The applicant shall handle hazardous wastes as specified below:

SI. Item No. of process generating HW as per Schedule-I		Type of Waste	Quantity (MT/M)	Disposal	
1.	34.3	ETP Sludge	2	CHWTSDF	
2.	20.3	Chemical residue	1.5	Taloja	
3	34.3	RO-Reject from MEE	45		

(ii) Treatment:

(iii) The authorisation is hereby granted to operate a facility for collection, storage, transport and disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. General Conditions:

 The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.

2. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by Sepetember end.

3. Solid Waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall

take necessary permissions from civic authorities for disposal to dumping ground.

4. The applicant shall provice for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.

5. The applicant shall not change or alter 'the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for

without previous written permission of the Board.

6. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal cr designated points and shall pay to the Board for the services rendered in this behalf.

7. The applicant shall make an application for renewal of the consent at least 60 days before the

date of expiry to the consent.

8. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

9. An inspection book shall be opened and made available to the Board's officers during their visit

to the applicant.

10. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

11. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

12. Neither storm water nor discharge from other premises shall be allowed to mix with the

effluents from the factory.

- 13. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 9. The applicant shall not take further steps towards implementation of the project before obtaining Environmental Clearance as per EIA notification, 2006 and amendments thereto. If any non-compliance of the conditions of consent to Establish observed, the Board will initiate appropriate legal action including forfeiture of bank guarantee, revocation of consent & further action.
- 10. This is issued with the recommendation of Consent Committee meeting held on 30.05.2012 and Consent Appraisal Committee meeting held on 03.07.2012 of the Board and with approval of the Hon'ble Chairman of the Board.
- 11. The applicant shall submit a resolution from Company's Board that they have carried out expansion activity without obtaining consent to Establish from the Board and violated the provisions of Environmental Laws and in future, they will not do such violations. If industry authority fails to submit the above said resolution within one month period, consent will be treated as cancelled.

- 12. The applicant shall obtain Consent to Operate before Actual Commencement for the production activity.
- **13.** This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.

14. The capital investment of above said expansion project is Rs. 25 Crs. and total C.I. of the industry is Rs. 81.89 Cr.

(Milind Mhaiskar) Member Secretary

To,

M/s. Hindustan Polyamides & Fibres Ltd., D-9/1, D-9/2, D-15, MIDC Kurkumbh, Tal. Daund, Dist. Pune.

Copy to:

RO-Pune / SRO-Pune-I/CAO/ Cess Branch/ Master File

Copy to: 1. Executive Engineer, MIDC, Mahad -He is directed to disconnect connection of treated trade effluent of above said industry to MIDC (CETP) drainage immediately.

2. Kurkumbh CETP, MIDC Kurkumbh, Dist. Pune – It is directed not to accept the trade effluent of above said industry for further treatment.

Received Consent fee of -

Amount	D.D. No.	Date	Drawn on
Rs.20,000/-	180249	04.06.2010	Citi Bank
Rs. 50,000/-	710674	17.02.2012	Citi Bank
Rs. 5,000/-	811863	01.03.2012	Citi Bank