MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023516

Website: http://mpcb.gov.in

E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th FI.

Opp. Cine Planet Cinema,

Near Sion Circle Sion (1)

Mumbai 400 022.

Red/L.S.I

Date of CA2)

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Elringklinger Automobile Components (I) Pvt. Ltd.
Plot No. G-2, MIDC, Ranjangaon,
Tal. Shirur, Dist.Pune 412 220

located in the area declared under the provisions of the Water Act. Air act and Authorization under the provisions of HW(M&H) Rules and american subject to the provisions of the Act and the Rules and the Dross that made further and subject to the following terms and conditions:

- 1. The Consent to Operate is granted for a period up to: 30/09/2015
- 2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Metal Gaskets	6,00,000	Nos/Month
2.	Composite gaskets	1,15,000	Nos/Month
3	Rubber gaskets	1,75,000	Nos/Month
4	Heatsheild	2,25,000	Nos/Month
5	Plastic Cam cover	45,000	Nos/Month

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 2.5 M³.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 11 M

(iii) Trade Effluent:

Treatment: The applicant shall provide comprehensive weatment consisting of primary / secondary and/or tertiary treatment as is warranted reference to influent quality and operate and maintain the same continuous as to achieve the quality of the treated effluent to the following standards:

Sr.no	Parameter	Limits
	pi1	Between 5 5 to 9 0
2	BOD	Not to exceed 30 mg/
3	COD	Not to exceed 250 mg/
4	Oil & Grease	Not to exceed him and the many
5	Suspended Solids	Not to exceed 100 mg/
3	TDS	Not to exceed 2100 mg
7	Sulphate	Not to exceed 1000 mg
8	Chloride	Not to exceed 600mg/l

- (iv) Trade Effluent Disposal: The metal bearing industrial effi segregated and reused back into process and remaining treated efficer on land for gardening. There shall not be any discharge outside the latte premises. The industry shall become member of CETP as and when process Industry shall provide necessary facilities to recycle the entire industrial entire back into the process in six months.
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

1.5	Suspended Solids	Not to exceed	" Abogo"	100 mg/l
(2)	BOD 3 days 27o C.	 Not to exceed	į.	100 mg/. 100 mg/.

- (vi) Sewage Effluent Disposal. The treated domestic effluent sha soak pit, which shall be got cleaned periodically. Overflow, if a on land for gardening / plantation only.
- (vii) Non-Hazardous Solid Wastes:

Type	Otv	LIOM	Diameter March
S. S. Cut Rieces			Disposal By sale
AL Cut Pieces			By sale By sale
Al. Coated Steel			By sale
			By sale
			By sale
Plastic Cups	2000.00	Nos./Y	By sale
	Type S. S. Cut Rieces Rubeer Lined Cut Pices Al. Cut Rieces Al. Coated Steel Pure Al. Rubber Waste Plastic Cups	S. S. Cut Rieces 187000.00 Rubeer Lined Cut Pices 202700.00 Al. Cut Rieces 139800.00 Al. Coafed Steel 112224.00 Pure Al. 101202.00 Rubber Waste 21600.00	S. S. Cut Rieces 187000.00 Kg/Annum Rubeer Lined Cut Pices 202700.00 Kg/Annum Al. Cut Rieces 139800.00 Kg/Annum Al. Coated Steel 112224.00 Kg/Annum Pure Al. 101202.00 Kg/Annum Rubber Waste 21600.00 Kg/Annum

(viii) Other Conditions: Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories (i) Domestic

(1) Domestic	19	
(ii) Industrial Processing		5.0 CMD 0.0 CMD
	1 - 5	5.0 CML
(iii) Industrial Cooling	11.	
(iv) Agriculture / Gardening		O O CIVILA
UV/ Agriculture / Gardening		10000

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT :

(i) The applicant shall install a comprehensive control system consisting control equipments as is warranted with reference to generation of each operate and maintain the same continuously so as to achieve the least of pollutants to the following standards:

a. Control Equipment:

- i) Fume extraction system followed by Dust collection system of sufficient capacity should be provided to all sources of SPM/TPM shall be operated property and continuously
- ii) The industry shall take all necessary precautions to control noise pollution in the industrial activities and also nuisance due to vibration generated due to hammering operations. The industry shall take suitable acoustic measures including shielding enclosures noise barriers etc. to control the noise levels within norms stipulated to avoided nuisance in the surrounding
- iii) There shall not be any secondary (Fugitive) emissions

6. Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an arous enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The actual enclosure/ acoustic treatment of the room should be designed for mixing 25 dB (A) insertion loss or for meeting the ambient noise standard whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss who done at different points at 0.5 meters from acoustic enclosure room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- I Industry should make efforts to bring down noise level due to DG set outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set 200 be set and followed in consultation with the DG manufacturer would help to prevent noise levels of DG set from deteriorating with
- g. D.G. Set shall be operated only in case of power failure
- h. The applicant should not cause any nuisance in the surrounding area of to operation of D.G. Set

Standards for Emissions of Air Pollutants:

		onatanto.		i iliyas III
(i)	SPM/TPM	Not to exceed	150	ma/Nm³
(ii)	So2	Not to exceed	28	⊥ Ko/dav
(iii)	Acid mist	Not to exceed	35	ko/dav

(i) The applicant shall observe the following fuel pattern:

Sr. No.	Type Of Fuel	Quantity	UOM
1	Diesel	60.0	Lii/hi
2	LPG	0.15	MI/M

(ii) The applicant shall erect the chimney(s) of the following specifications:-

S.No.	Stack Attached	Heigh	t
1	Degreasing	10.00	
2	Curing	10.00	- CT 160, 150 2
3	Wax Coating 2 Nos	10.00	1,10
4	Post Curing	10.00	
5	Washing line 2 Nos	10.00	
6	DG Set (320 KVA)	6.75	V
7	DG Set (320 KVA)	6.75	
8	DG Set (100 KVA)	6.75	
1		10 to	

- The applicant shall provide ports in the chimney/(s) and facilities such ladder, platform etc. for monitoring the air emissions and the same to open for inspection to/and for use of the Board's Staff The chimn was attached to various sources of emission shall be designated by high such as S-1, S-2, etc. and these shall be painted/ displayer to identification.
- (iv) The industry shall take adequate measures for control of noise we fix its own sources within the premises so as to maintain amount air tally standard in respect of noise to less than 75 dB(A) during day time and dB(A) during hight time. Day time is reckoned in between 6 as in said 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - (vi) Other Conditions:
 - 1) The industry should not cause any nuisance in surrounding area
 - 2) The industry should monitor stack emissions and ambient air quality.

 Regularly.

7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

(i) The Industry shall handle hazardous wastes as specified below.

S.No.	Hazardous Waste Category	Qty	UOM	Disposal
1	20.2 Spent solvents	18000.00	Litrs/Yr	CHWTSDF Ran angaon
2	5.1 Used /spent oil	1400.00	Litrs/Yr	Aurorised reprogessor
3	5.2 Wastes/residue containing oil	50.00	Kg/Yr	Ci WISDF Ranjandaon
4	5.2 Wastes/residue containing oil	8000.00	Kg/Yr	C-WISDF Ranjangagn
5	33.3 Discarded containers / barrels / liners	1000.00	Nos/Yr	Authorised reprocessor

The authorization is hereby granted to operate a facility for collection, storage, trans disposal of hazardous waste.

- The industry should comply with the HAZARDOUS WASTE HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008
- Whenever due to any accident or other unforeseen act or even occur or is apprehended to occur in excess of standards laid do information shall be forthwith Reported to Board, concerned Police office of Directorate of Health Services, Department of Explosives, Inspec of Factories and Local Body. In case of failure of pollution control equip the production process connected to it shall be stopped.
- The unit has to display and maintain the data online outside the factor ma gate in Marathi & English both on a 6'x4' display board in the manner and report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.
- It shall be ensured that the Hazardous waste is handled managed & disposed of strictly in accordance with the HAZARDOUS WASTE (MANAGEMENT) HANDLING & TRANSBOUNDRY MOVEMENT, RULES, 2008 and shown & submitted to the Board as & when asked for.

Industry shall comply with following additional conditions

- The applicant shall maintain good housekeeping and take a degree term for control of pollution from all sources so as not to cause n surrounding area / inhabitants
- The applicant shall bring in himum 33% of the available open land unde coverage/ tree plantation
- iii. Solid waste The non hazardous solid waste arising in the factory or sweepings, etc. he disposed of scientifically so as not to cause any mui pollution. The applicant shall take necessary permissions from thic for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient operate all pollution control facilities installed by he applicant to mai compliance with the terms and conditions of the consent. In the absence the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- The applicant shall provide facility for collection of environmental sample samples of trade and sewage effluents, air emissions and pazardous the Board staff at the terminal or designated points and s for the services rendered in this behalf.

 The applicant shall make an application for renewal of the cons
- days before the date of the expiry of the consent
- viii. The firm shall submit to this office, the 30th day of September Ever Environmental Statement Report for the financial year ending 11 the prescribed Form-V as pre the provisions of rule 14 of the En (Protection) (Second Amendment) Rules, 1992.

ix. As inspection book shall be opened and made available to the Board's of during their visit to the applicant.

x The applicant shall install a separate electric meter showing the consumption energy for operation of domestic and industrial efflient treatment of air pollution control system. A register showing consumption of enem of for treatment shall be maintained.

xi. Separate drainage system shall be provided for collection of trace and separate effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted to the pipes / sewers down-stream of the terminal manholes. No effluent shall fire its way other than in designed and provided collection System.

xii. Neither storm water nor discharge from other premises shall be allowed may with the effluents from the factory.

- 9. This is issued with approval of Consent Committee meeting of the Board held dtd. 15/03/2013.
- 10.You shall submit Bank Guarantee of Rs. 5/ Lakhs in favor of Regional Officer Pune within 15 days towards Operation & maintenance of pollution control system. The Bank Guarantee shall be valid up to 30/09/2015.

11. The Capital investment of the industry is Rs. 48.01% Crs

(Rajeev Kumar Mital 155) Member Secretari

To,

M/s. Elringklinger Automobile Components (I) Pvt. Ltd. Plot No. G-2, MIDC, Ranjangaon, Tal. Shirur, Dist. Pune 412 220 Copy to:

RO- MPCB Pune /SRO-MPCB Pune-II- They are directed to ensure the compliance of consent condition & obtain the BG of Rs. 5/- Lakh from the industry & submit the report within 1 month period.

CAO/Cess Branch/Master File

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	275100/-	04436	11/12/2012	Axis Bank