

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
 /4037124/4035273
 Fax : 24044532/4024068 /4023516
 Email : enquiry@mpcb.gov.in
 Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
 Scheme Road No. 8, Opp. Cine Planet Cinema, Near
 Sion Circle, Sion (E),
 Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-19912-13/18th CAC/CC-389
 Date- 13/01/2014

To,
 Behr India Pvt.Ltd.
 Gat no.626/1, 626/2, 622/1/0,
 Milestone, Pune-Nashik Road,
 vill Kuruli, Tal-Khed, Dist Pune.

Subject: Renewal of Consent under RED category.

- Ref : 1. Earlier Consent granted vide no. BO/APAE/TB-2/EIC no. PN-9678-11/O/CC-428 dtd 09/09/2011.
 2. Minutes of CAC meeting held on 06.01.2014

Your application: CR1310000053

Dated: 25/9/2013.

For: Renewal of Consent

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period from 01/11/2013 to 28/02/2015.
- The actual capital investment of the industry is Rs.13164 Crs. (As per C. A. Certificate submitted by industry)
- The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
1	HVAC	575000.00 Nos/Y
2	Parts of HVAC flat tube Evaporator	525000.00 Nos/Y
3	Parts of HVAC flat tube condenser	525000.00 Nos/Y
4	Parts of HVAC flat tube heater	525000.00 Nos/Y
5	Radiator	400000.00 Nos/Y
6	Charge Air Cooler	200000.00 Nos/Y
7	Visc clutch & Fan assembly	300000.00 Nos/Y
8	EGR	200000.00 Nos/Y

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Industrial Effluent			On land for reuse
2

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Process vents	17 Nos	As per Schedule -II
3.	DG set	4 nos	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Aluminium Steel, Plastic, MS Iron, Wood, Stainless Steel, Cardboard	60 MT/M	--	By Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	5.1 Used /spent oil	5.1	600	Lit/M	In-house	To authorised Reprocessor.
2	5.2 Wastes/residue containing oil	5.2	10.00	kg/day	--	CHWTSDF
3	11.5 Nocolor Flux waste	11.5	250	kg/day	--	CHWTSDF
4	35.1 Filters and filter material which have organic liquid	35.1	as replacement	--	--	CHWTSDF
5	33.3 Discarded containers / barrels / liners	33.3	50.00	No/m	--	To authorised Reprocessor.
6	Waste Batteries	--	50.00	Pcs/Y		To authorised Reprocessor.

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)
Member Secretary

Received Consent fee of:-

Sr. No.	Amount (Rs.)	Date
1	100000	10/10/2019

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 01 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pH	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Phosphate(as P)	5.0
06	Suspended Solids	100
07	COD	250
08	Chloride	600
09	Sulphate	1000

C) The treated effluent shall be disposed for further treatment in STP

2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 24 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27oC. | Not to exceed | 100 | mg/l. |

C] The treated sewage shall be recycled & reused to maximum for flushing fire fighting & remaining shall be disposed on land of 1.6 acres for gardening/irrigation

D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industrial effluent shall be treated to the extent of 95% of its expected life span. It shall be manufactured to meet the standards prescribed by the State Pollution Control Board.

- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	3.00
2.	Domestic purpose	30.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	7.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	DG set 1010 KVA		4.5	HSD	180 Lit/Hr	1%	86.4
2	DG Set 500 KVA		4.5	HSD	110 Lit/Hr	1%	52.8
3	DG Set 320 KVA		4.5	HSD	60 Lit/Hr	1%	28.8
4	DG Set 125 KVA		4.5	HSD	25 Lit/Hr	1%	12
5	Air Cooling (2 No)	Stack Provided	11.00 (each)	NA	NA	NA	NA
6	Fluxing (2 No)	Stack Provided	11.00 (each)	NA	NA	NA	NA
7	Drier (3 No)	Stack Provided	11.00 (each)	LPG / Natural Gas	80 Cum/Hr	NA	NA
8	Drying (2 No)	Stack Provided	11.00 (each)	LPG / Natural Gas	21 Cum/Hr	NA	NA
9	Preheating (2 No)	Stack Provided	11.00 (each)	LPG / Natural Gas	20 Cum/Hr	NA	NA
10	Oven (2 No)	Stack Provided	11.00 (each)	Electricity	NA	NA	NA
11	Air Cooling after de oiling (2 No)	Stack Provided	11.00 (each)	NA	NA	NA	NA
12	Static Cooling	Stack Provided	11.00	NA	NA	NA	NA
13	Behroxal & manifold brazing	Stack Provided	11.00	Electricity	NA	NA	NA

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter Not to exceed 150 µg/Nm³

4. The Applicant shall obtain necessary prior permission from the competent authority for the equipment with necessary specifications and operation manual for the equipment.

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 5/- Lakhs	15 Days	O & M of pollution control systems	28.02.2015	30.06.2015

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act 1986, and Environmental Protection Act, 1986 and industry specific standard under PP Rule 1986 which are available on www.mhctm.gov.in
- 14) The industry shall coordinate its environmental cell with qualified staff/personnel/agency

- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to