hone			POLLU							
ax	/4	010437/4020781 4037124/4035273 4044532/4024068 /4023516	MAHARASHTRA	Kalpataru Point, 3rd & 4th floor, Sion- Matung Scheme Road No. 8, Opp. Cine Planet Cinema, Nea Sion Circle, Sion (E),						
Email		nquiry@mpcb.gov.in		Mumbai - 400 022						
/isit A	t: <u>h</u>	ttp://mpcb.gov.in								
Cons	ent ord	ler No:- Format 1.0/	BOLCACC	anf Af CAC-1364						
	- 20/0	1/2014								
То,										
	EAT I	MIDC, Satpur,								
		Nashik.								
		ensent to Operate RED o		2						
Ref		•	l vide no. B	30/AS(T)/EIC No. NK-13828-13/0/CAC-						
		5328 Dtd. 29/07/2013. Minutes of CAC meeting	r hold on As	8/01/2014						
		minutes of one meeting								
Your	applic	cation								
		1/2013.	_							
				ler Section 26 of the Water (Prevention						
				r Section 21 of the Air (Prevention &						
				ization under Rule 5 of the Hazardous red and the consent is hereby granted						
mast suhi	es (MI,	the following terms and	l condition	ns and as detailed in the schedule I, II						
		nexed to this order:	.e conuntion	is and as accured in the schedule i, it						
1. T	he cons	ent is granted for a period	from 01/06/2	/2013.to 31/03/2014.						
				dustry is Rs. 309.80 Crs. (As per C.A.						
С	ertific	ate submitted by indust	ry) 🔨 🔨	Certificate submitted by industry)						
3. The Consent is valid for the manufacture of –										
3. T		<u>isent is valid for the ma</u>	nufacture,	of –						
3. T	Sr.	isent is valid for the ma Product / By-I	nufacture. roduct	of – Maximum Quantity in MT/M						
3. T		isent is valid for the ma Product / By-I Name	nufacture,	of – Maximum Quantity in MT/M						
3. T	Sr. Nó.	isent is valid for the ma Product / By-I	nufacture,	of –						
3. T	Sr. Nó. 1	nsent is valid for the ma Product / By-F Name Automotive Tyres	nufacture,	of – Maximum Quantity in MT/M 6,300						
	Sr. No. 1 2 3	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps	nufacture, roduct	of - Maximum Quantity in MT/M 6,300 720 210						
	Sr. No. 1 2 3 onditi	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF	nufacture roduct), 1974 Act	of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent:						
	Sr. No. 1 2 3 onditi Sr.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps	nufacture roduct), 1974 Act Permitte	of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to Disposal						
	Sr. No. 1 2 3 onditi	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF	nufacture roduct 2), 1974 Act Permitte quantity	of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to Disposal y of be achieved						
	Sr. No. 1 2 3 onditi Sr.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF	nufacture roduct), 1974 Act Permitte	of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to Disposal y of be achieved						
	Sr. No. 1 2 3 onditi Sr.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF	nufacture roduct ?), 1974 Act Permitte quantity discharg	Of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to be achieved y of ge Disposal As per						
	Sr. No. 1 2 3 onditi Sr. no.	Automotive Tyres Automotive Tyres Automotive Tyres Flaps ons under Water (P&CF Description Trade effluent	nufacture roduct ?), 1974 Act Permitte quantity discharg (CMD) 100	Of - Maximum Quantity in MT/M 6,300 720 210 210 tor discharge of effluent: ed Standards to be achieved ge Disposal As per Schedule –I						
	Sr. No. 1 2 3 onditi Sr. no.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description	nufacture roduct), 1974 Act Permitte quantity discharg (CMD)	Of - Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to be achieved ge Disposal As per On land for gardening Recycle for Toilet As per Schedule –I Recycle for Toilet						
	Sr. No. 1 2 3 onditi Sr. no. 1.	Automotive Tyres Automotive Tyres Automotive Tyres Flaps ons under Water (P&CF Description Trade effluent	nufacture roduct ?), 1974 Act Permitte quantity discharg (CMD) 100	Maximum Quantity in MT/M 6,300 720 210 210 tor discharge of effluent: ed Standards to y of be achieved Disposal ge As per On land for gardening As per Recycle for Toilet Schedule –I Flushing (75						
	Sr. No. 1 2 3 onditi Sr. no. 1.	Automotive Tyres Automotive Tyres Automotive Tyres Flaps ons under Water (P&CF Description Trade effluent	nufacture roduct ?), 1974 Act Permitte quantity discharg (CMD) 100	Maximum Quantity in MT/M 6,300 720 210 210 t for discharge of effluent: ed Standards to y of be achieved ge On land for As per On land for Schedule –I Recycle for Toilet Flushing (75 CMD), Cooling Tower (200 CMD) Tower (200 CMD)						
	Sr. No. 1 2 3 onditi Sr. no. 1.	Automotive Tyres Automotive Tyres Automotive Tyres Flaps ons under Water (P&CF Description Trade effluent	nufacture roduct ?), 1974 Act Permitte quantity discharg (CMD) 100	Maximum Quantity in MT/M 6,300 720 210 210 tor discharge of effluent: ed Standards to be achieved ge On land for gardening As per On land for gardening As per Recycle for Toilet Flushing (75 CMD), Cooling						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300	Maximum Quantity in MT/M 6,300 720 210 tor discharge of effluent: ed Standards to be achieved ge Disposal As per On land for gardening As per Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300	Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to y of be achieved ge On land for As per On land for Schedule –I Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening Standening						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2.	nsent is valid for the ma Product / By-I Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CP Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack /	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300	Maximum Quantity in MT/M 6,300 720 210 tor discharge of effluent: ed Standards to be achieved ge Disposal As per On land for gardening As per Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. Onditi Sr.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300	Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to ge Disposal As per On land for Schedule –I gardening As per Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening & Gardening						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. onditi Sr. no.	nsent is valid for the ma Product / By-I Name Automotive Tyres. Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source	nufacture roduct 2), 1974 Act Permitte quantity discharg (CMD) 100 300 A.ct, 1981 fo Number	Maximum Quantity in MT/M 6,300 720 210 tor discharge of effluent: ed Standards to y of be achieved ge On land for gardening As per On land for gardening As per Schedule -I Schedule -I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening or air emissions: Standards to be achieved						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. onditi Sr. no. 1. 2. 1.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source Boiler, furnace	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300 Act, 1981 fo Number 4	Maximum Quantity in MT/M 6,300 720 210 tor discharge of effluent: ed Standards to y of be achieved ge On land for Schedule -I gardening As per On land for Schedule -I gardening As per Recycle for Toilet Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening or air emissions: Tower (200 CMD) r of Stack Standards to be achieved As per Schedule -II As per Schedule -II As per Schedule -II						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. onditi Sr. no. 1. 2.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source Boiler, furnace Process vents	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300 Act, 1981 fo Number 4 9	Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to y of be achieved ge On land for As per On land for Schedule -I gardening As per Recycle for Toilet Schedule -I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening Standards to be achieved As per Schedule -II As per Schedule -II As per Schedule -II						
4. C	Sr. 1 2 3 onditi Sr. no. 1. 2. onditi Sr. no. 1. 2. onditi Sr. no. 1. 2. 3.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source Boiler, furnace Process vents DG set	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300 Act, 1981 fo Number 4 9 4	Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to y of be achieved ge On land for As per On land for Schedule –I gardening As per Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening Standards to be achieved As per Schedule -II As per Schedule –II As per Schedule -II As per Schedule –II As per Schedule -II						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. 3. 4.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source Boiler, furnace Process vents DG set	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300 Act, 1981 fo Number 4 9 4	Maximum Quantity in MT/M 6,300 720 210 tor discharge of effluent: ed Standards to y of be achieved ge On land for Schedule -I gardening As per On land for Schedule -I gardening As per Recycle for Toilet Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening or air emissions: Tower (200 CMD) r of Stack Standards to be achieved As per Schedule -II As per Schedule -II As per Schedule -II						
4. C	Sr. No. 1 2 3 onditi Sr. no. 1. 2. 3. 4.	nsent is valid for the ma Product / By-F Name Automotive Tyres Automotive Tubes Flaps ons under Water (P&CF Description Trade effluent Domestic effluent ons under Air (P& CP) A Description of stack / source Boiler, furnace Process vents DG set Incinerator	nufacture roduct), 1974 Act Permitte quantity discharg (CMD) 100 300 Act, 1981 fo Number 4 9 4	Maximum Quantity in MT/M 6,300 720 210 t for discharge of effluent: ed Standards to y of be achieved ge On land for As per On land for Schedule –I gardening As per Recycle for Toilet Schedule –I Flushing (75 CMD), Cooling Tower (200 CMD) & Gardening Standards to be achieved As per Schedule -II As per Schedule –II As per Schedule -II As per Schedule –II As per Schedule -II						

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal	
1	Used/spent oil	5.1	180	MT/A	-	CPCB Auth. Recycler	
2	Waste/residue containing oil	5.2	28	MT/A	-	CHWTSDF	į
3	Chemical containing resid from decontamination	33.1 🧚	120	MT/A	-	CHWTSDF	_
4	Discarded containers/ Barrels	33.3	19,188	Nos./A	-	Auth. Recycler	
	Liners/empty bags		37,424	Nos./A	-	Sale to Scrap dealer	
5	Toxic metal containing residue from water purification	34.2	24	МТ/А	-	CHWTSDF	

7. Conditions under Non Hazardous and disposal of non hazardous waste:

Sr. No.	Type of Waste	Quantity	Treatment	Disposal Method and its destination	
1	Empty Corrugated Boxes	21,393 Kg/M	-		
2	Broken PVC Container	341 Nos./M	-	Collected by Authorized	
3	Rubberized Fabric, Carcass, Steel Belt Fabric & Fabric	72,855 Kg/M	-	Agencies	
4	Scrap Rubber	2,56,054 Kg/M	-		
5	STP Sludge	2.0 MT/M	-		
6	Canteen Waste	3.2 MT/M	Composting	Used as Manure	
7	Boiler Ash	350 MT/M	-	Sale to Brick Manufacturer	
8	Cooling Tower Scale	10 MT/Yr	•	Landfill	

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. This consent is issued with the overriding effect on earlier Consent granted by the Board vide Consent No. BO/AS(T)/EIC No. NK-13828-13/O/CAC-6328 Dtd. 29/07/2013.
- 11. This Consent is issued pursuant to the decision of the Consent Appraisal Committee meeting held on 08/01/2014.

For and on behalf of the Maharashtra Pollution Control Board (Rajeev Kumar Mit Member Secret

Industry name, consent no & date

ĺ

Page 2

Sr. A No.	Amount(Rs.) I	DD. No.	Date	Draw	n On
1		20172	26/03/2013		Bank
		020171	26/03/2013		Bank
	ance tees of Rs. 7,22.8 newal of Consent to C		he Board will b	e consid	ered at the time of
to:		÷			
	nal Officer –Nashik		-		
-	are directed to ensu		-	ne conse	ent conditions.
	Accounts Officer, M AC desk- for record			rpcses.	
	· · · · · · · · · · · · · · · · · · ·		-		×.
		<u>Sche</u>	dule-I		
<u>rms & c</u>	onditions for complia	nce of Wate	er Pollution Cor	<u>ntrol</u> :	
	1	1			
					e skimmer for treatment for further treatment.
01 11	idusti iai emident. Aite	i skiiniini	g, emuent is sei		ior further treatment.
					t (ETP) to treat the trad
efflu	uent so as to achieve (the followi	ng standards p	rescribe	d by the Board or under E
	1986 and Rules made Parameters			time, wh	lichever is stringent. ndards prescribed by Boar
SI NU.	r al allietel S	Act,1986	- Charles		iny)
	I. Compulsory		Concentration		iting Concentration in mg
ļ	Parameters	mg/l, ex	cept for pH		ept for pH
01	рН	6.0-8.5			
02	Oil & Grease	10		·	
03	BOD (3 days 27oC)	100			
04	Total Dissolved Solids	2100		·	
	II Additional				· · · · · · · · · · · · · · · · · · ·
	Parameters	*	· · · · · · · · · · · · · · · · · · ·		
05	Suspended Solids	100			· · · · · · · · · · · · · · · · · · ·
06	COD	250		-156	······································
07	Chloride	600			
08	Sulphate	1000			
C) Th	e treated effluent shal	l be recvcl	ed 100 % for fl	ushing ('	75 CMD), cooling (200 CMI
	gardening (125 CMD)			.00	
A] A-		licotion -		.d.+h	www.ma. two.char.autt
	per your consent app h the design capacity o			ea the se	ewage treatment system
** 101	a the action capacity t				
					to treat the sewage so as t
				r EP Act,	1986 and Rules made the
un	der from time to time, (1) Suspended Solie		t is stringent. t to exceed	100	mg/l.
	(2) BOD 3 days 270		t to exceed	100	mg/l.
	.,				
	case the treatment sys				
	ndards and disposal pa blicable.	ath prescri	bed at Sr. No.1	B & C of s	schedule I shall be
app	maure.		C	<u>) 0</u>	
	name, consent no & date			\mathbf{V}	P
Industry r					
Industry i			N N	Y WY	
Industry r				Y mr	

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	900
2.	Domestic purpose	400
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	-
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	A Contraction of the second seco

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Dav
1	Carbon Mixing Section	4-Nos. Dust Collectors	1-mtr. above roof	-	-	-	-
2	Spray Booth	-	1-mtr. above roof	-	-	-	-
3	Boiler-I (16 MT/day)	Dust Collector&	30.5	FO	600 Lt/hr	4.5	1134
4	Boiler-II (12 MT/day)	Bag filter	30.5	Briquettes/ Briquettes+ Coal	25 TPD/ 20 TPD+ 5 TPD	0.2/ 0.2+ 0.7	100/ 130
5	Boiler-III (16 MT/day)		55	FO	565 Lt/hr	4.5	1068
6	Boiler-IV (22 MT/day)		55	Briquettes/ Briquettes+ Coal	105 TPD/ 84 TPD+ 21 TPD	0.2/ 0.2+ 0.7	420/ 546
7	D.G.Set (1720 KVA)	-	7.3	Diesel	0.33 Kl/day	1.0	5.775
8	D.G.Set (860 KVA)	-	9.4	Diesel	0.33 Kl/daý	1.0	5.775
9	D.G.Set (310 KVA)	-	7.6	Diesel	0.4 Kl/day	1.0	7.0
10	D.G.Set (125 KVA)	-	7.6	Diesel	0.33 Kl/day	1.0	5.775

Industry name, consent no & date

Page 4

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .	
SO_2 Process	Not to exceed	- mg/Nm ³	:

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).


Schedule-III Details of Bank Guarantees

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1		Rs. 5.0 Lakh		Towards compliance of interim direction conditions		30/09/2013

The applicant shall extend validity of the existing Bank Guarantee of Rs. 5.0 Lakh after expiry for the period upto 31/07/2014 towards 0&M of pollution control systems.


<u>Schedule-IV</u>

- General Conditions:
- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform, etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the



prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(M,H&TM) Rules 2008.which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every vear.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpch.gov.in</u>).
- 12) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30^{th} June of every year.
- 13) The shall constitute industry an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards **Environment Protection.**
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained, 17) Conditions for D.C. Set
- - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.



- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

i

Page 7

- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.
- 28) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.

-----0000-----

Industry name, consent no & date

1