## MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 022-25505928

Fax : 022-25505926

Email: sromumbai3@mpcb.gov.in

Visit At : http://mpcb.gov.in

Gaon Road, Near Jain Mandir, Govandi (E)

Raikar Chambers, A- Wing, 216, 2nd floor Deonar

Mumbai - 400088

Green/S.S.I

Date: 11 /Oet/2014

Consent No: MPCB/14/ 10273

Date 1. 11/11/2014

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal, of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Green India Eco Service Gala No. 84, Sectore-6, Mandala Scrap Market, Ghatkopar-Panvel Link road, Near Shi vaji Nagar, Govandi Mankhurd, Mumbai 400043

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 31.07.2022

2. The Consent is valid for

Sr. No.	Product Name	Maximum Quantity	UOM
	Segregation and sorting of : Aluminum/Plastic Scrap, M.S./HDPE drums &carboy, MS/SS Scrap, Garbage, PVC Cable, Wood, Glass, Raper, Jute scrap, Copper scrap, Corrugated boxes scrap etc.	As per order	

(Without any washing activity and chemical process/treatment. Without handling of any hazardous waste, waste/used oil, e-waste)

## 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 0.00M3.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.00M3.
- (iii) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate



1