MAHARASHTRA

Phone 4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At: http://mpcb.gov.in POLITION CONTROL BOARD Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-24310-15/CAC/CE C- 4270

Date- \$5/04/2015

Mercedes-Benz India Private Limited Plot No. E-3, MIDC Chakan, Phase-III, Kuruli and Nighoje, Tal:- Khed, Dist:- Pune

Subject:

Consent to 1st Operate with amalgamation of existing consent under

Ref

: 1. Earlier Consent granted vide no. BO/RO(Pune)/CAC-CELL/CC/CAC

10125 dtd 10.12.2013

2. Consent to Establish granted vide no. BO/RO(Pune)/CAC-CEND/CC/CAC-

10125 dtd 10.12.2013

3. Minutes of CAC meeting held on 15.04.2015

Your application: CO1503000025

Dated: 16.02.2015

For: Consent to 1st Operate with amalgamation of existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II III & IV annexed to this order:

- 1. The consent is granted for a period upto 30.09.2015
- The actual capital investment of the industry is Rs. 983.26 Crs. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr		Maximum Quantity in Nos/Year
1.	Assembly of Passenger Cars	40000
2.	Assembly of Commercial	900
	Vehicles (Bus body assembly)	
3.	Rainting of Cars	40000
4.	Spare parts Warehouse	

Conditions under Water (P&CP). 1974 Act for discharge of efflue

Sr.	Description	Permitted	Standards to	Disposal
no.		quantity of	be achieved	
,		discharge (CMD)		
1.	Trade effluent	221.0	As per Schedule –I	Recycle/On land for
2.	Domostis - CC		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	gardening 💃 🖟
4.	Domestic effluent	306.00	As per Schedule –I	On land for gardening .

Mercedes-Benz India Pvt. Ltd., SRO Pune-II/I/R/L/17328000

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be
no.	source		
1.	Boiler (Hot water	1	achieved
	generator)		As per Schedule -II
2.	Process vents	20	Ac G 1 1 1
3.	DG set	5	As per Schedule -II
4.	Incinerator	1	As per Schedule -II
		<u> L</u>	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

	is about Non Hazardous Wast	tes:		
Sr. no.	Type Of Waste	Quantity & UoM	Treatm ent	Disposal
1	Wood	20000	MT/A	By Sale
2	Rubber waste	30	MT/A	-
3	Used tyres	1000	Nos./A	By Sale
4	Garbage waste	606		By Sale
5	Cu scrap	16	MT/A	By Sale
6	Corrugated boxes	5500	MT/A	By Sale
7	Factory sweepings		MT/A	By Sale
8	Metal scrap	4000	MT/A \	By Sale
9	Al scrap	350	MT/A	By Sale
10	Plastic scrap	200	MT/A	By Sale
11		25	MT/A	By Sale
12	Domestic sludge	40	MT/A	By Sale
13	Broken glass waste	20	MT/A	By Sale
13	Canteen waste	280	MT/A	By Sale
				J Calc

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste	38			<u></u>	,00 for treatment a		
No.		Category	Quanti	ty UOM	Treatme:	Disposal		
1	Used /spent oil	5.1	55	MT/Yr		Sale to authorized		
2	Wastes/residue containing oil	5.2	66,	MT/Yr		reprocessor CHWTSDF		
3	Phosphate sludge	12.5	210	MT/Yr		Ranjangaon CHWTSDF		
4	Wastestresidues (not made with legetable or animal mate	23.1	1.5	MT/Yr		Ranjangaon CHWTSDF Ranjangaon		
5	Residues and wastes*	31.1	4	MT/Yr		Sale to :		
6	Wastes and residues	21.1	1000	MT/Yr	-	reprocessor CHW/SDF		
	Residues of platicisers	22.2	15:	MTAYE		Edijani la Edijani GEL 1808 - S		
8	Discarded containers / barrels / liners	33.3	5500; 0	Nos/Y _I		i je i podrednika Podrednika Podrednika		

Aercedes-Benz India Pvt. Ltd. SRO Pune:11/1/R/1/1512/2000

9	Discarded containers / barrels / liners	33.3	110	MT/Yr	-	Sale to authorized reprocessor / CHWTSDF
10	Chemical sludge from waste water treatment	34.3	300	MT/Yr	-	CHWTSDF Ranjangaon
11	E-waste	Schedul e IV - Sr. No.18	2	MT/Y	-	Sale to authorized reprocess

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent issued with overriding effect to earlier consent granted vide No. BO/RO(Pune)/CAC-CELL/CC/CAC-10125, dtd 10.12.2013
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Edllution Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of -

1000	cived Consent lee	: OI —	1 1 1 1 1 1	
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	571064/-	012659	16/2/2015	HDFC Bank
2	50000/-	012696	5/3/2015	HDFC Bank
~			, 0.0.2010	

Copy to:

1. Regional Officer -Pune. He is directed to release the existing BG of Rs. 10/Lakhs obtained against obtaining EC as industry has obtained the same. He
is also directed to release the BG of Rs. 2/- Lakhs obtained against
restricting effluent quantity upto 240 CMD as the effluent generation shown
by industry is below 240 CMD.

2. Sub-Regional Officer-Pune-II, MPCB, They are directed to ensure the

compliance of the consent conditions.

3. Chief Accounts Officer, MPCB, Mumbai.

4. CC/CAR desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 240 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards pro	escribed by Board (If any)	
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH		
01	рН	5.5-9.0	4	
03	BOD (3 days 27oC)	30		
02	Oil & Grease	10		
04	Total Dissolved Solids	2100		
05	·COD	250		
06	Suspended Solids	100		
07	Chloride	600		
08	Sulphate	1000		
09	Phosphate(as P)	5.0		

- C) Out of 221 CMD treated effluent generated 155 CMD of treated effluent from RO shall be recycled to paint process (70% of ETP output) & 66 CMD RO reject (30% of total ETP output) shall be used for gardening on land of 118 acres after mixing with treated water from STP.
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 230CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 50 mg/l. (2) BOD 3 days 27oC. Not to exceed 30 mg/l. (3) COD 3. Not to exceed 100 mg/l.

- C] Out of 306 CMD sewage effluent 6 CMD shall be reused for car washing, 66 CMD shall be reused for toilet flushing & remaining 234 CMD shall be for on land of 118 acres for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system of its pairs after experience as defined by manufacturer so as to ensure the compilance of standard and safety of the operation thereof.

Mercedes-Benz India Pvt Ltd., SRO Pune-II/I/R/L/17328000

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

ret	<u>urns in Form-I and other provisions as contained in the s</u>	said act.
	no. Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler	264
	feed	
2. 3.	Processing whereby water gets polluted &	348 476
J.	pollutants are easily biodegradable	470
4.	Gardening	100
con	ne Applicant shall provide Specific Water Pollution additions of EP Act,1986 and rule made there under from earance / CREP guidelines.	control system as per the time to time/ Environmental

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

As per your application, you have provided the Air pollution control (APC)system and

also erected following stack (s) and to observe the following fuel patternSr. Stack APC Height Type of Quantity $\overline{\mathrm{SO}_2}$ No. **Attached To** System in Mtrs. Fuel & UoM DG Set (82.5 1. Acoustic 6.5 HSD 80.00 1% 38.4 KVA) enclosur Ltr/Hr е provided 2. DG Set (1250 Acoustic 30 KVA) enclosur е provided DG Set (1010 3. Acoustic 30 KVA) enclosur provided 4. DG Set (1250 Acoustic 30 KVA) enclosur provided DG set (1500 5. Acoustic 30 HSD 190.00 1% 76.8 KVA) enclosur Ltr/Hr provided 6. Hot Water --Generator $\overline{7}$. Car Assembly Incinerat 3 Baking Oven or i.e., Thermal Vent 8. Car Primer Oxidizer 3 is Oven provided Incinerator for 9. 30 Oven **Exhaust** Car EC Oven Car EC Oven 10. 3 11. 3 12. Car Sealer 3 Oven Car Primer 3 Oven 14. Paint Mixing 3 Room **Exhaust** 15. Car Top Coat 3 Oven 16. Car Top Coat 3 Oven 17. Spot Repair 3 **Booth Vent** 18. Work deck 3 vent

Mercedes-Benz India Pvt. Ltd., SRO Pune-II/I/R/L/17328000

Page 6 of

19.	PT vent		3	1		т — —	
20.	EC vent	1	3	1			
21.	Paint Mixing	1	3	1	,	<u></u>	
.	Room		3	1			
ł	Exhaust				1	ļ	}
22.	Car Primer	1	3	1			
	Paint Booth						
	Vent						
23.	Car Base		3				
	Coat Paint			i			
	Booth Vent			}		ļ	
24.	Car Top Coat		3			 	
	Paint Booth		_				
	Vent						
25.	Panel		3			18 	
	Painting		_	ļ			
	Spray Booth						
	Vent						
26.	Cooling Zone	Ţ	3				
	Vent						
27.	Smoke		3				
	Canopy Vent						
					*		


2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate Not to exceed 150 mg/Nm^3 . matter

The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III **Details of Bank Guarantees**

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1	C to O (existing to be extended	5,00,000	15 days	Against operation and maintenance of pollution control systems	30.09.2015	28.02.2016

Land Board

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly if applicable.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than the designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to hix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy operation of domestic and industrial effluent treatment plants and account plants.