# MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At:

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No: - 1.0/BO/CAC-Cell/EIC No:-NG-12240-15/CAC-357

Date- 27/05/2015

To.

M/s. Uttam Galva Metallics Ltd., Bhugoan Link Road, Bhugoan, Tal. & Dist. Wardha.

Subject: Renewal of consent to operate with increased CI in RED Category.

1) Consent to operate granted no. BO/JD(APC)/Auto-renewal/FTS

No.120227FT0097/R/CAC-355 Dated 27.03.2012.

2) Minutes of CAC meeting held on 14.05.2015.

Your application:-CR1502000440.

Dated: 04.02.2015.

For: Renewal of consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- 1. The consent is granted for a period from 01.04.2015 to 30.06.2016.
- The actual capital investment of the industry is 2997.19 Cr. (Existing Rs. 1096 + Increased CI-Rs. 1901.19 Cr as per audited balance sheet submitted by industry).

3. The Consent is valid for the manufacture of -

e Cons	Product / By-Product Name	Maximum Quantity
1.	Metal from Blast Furnace (Captive consumption)	4,72,000 MT/A
2.	Sinters (Captive consumption)	7,68,000 MT/A
3.	Metallurgical coke	2,00,000 MT/A.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to	Disposal
no.	Trade effluent	1800	As per Schedule -I	Maximum reuse/ recycle in process and remaining on land for gardening/ irrigation
2.	Domestic effluent	73	As per Schedule –I	On land for gardening/irrigation

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

nditio Sr.	Description of stack / source	Number of	Standards to be achieved
no.	Blast Furnace	1	As per Schedule –II
1. 2.	Sinter Plant Main ESP	1	As per Schedule –II
3	Sinter Plant Tail ESP De-dusting system	1	As per Schedule –II
L	1 0 th 0 th 15050000	0	Page 1 of 10

M/s. Uttam Galva Metallics Ltd.,, SRO Nagpur II /1/R/L/56586000

Page 1 of 10

Sr.	Description of stack / source	Number of Stack	Standards to be achieved
no.		1	As per Schedule –II
4.	Coke Oven	1	As per Schedule –II
5.	Boiler Waste Heat Recovery Steam Generator	1	As per Schedule –II
6.	Waste Heat Recovery Steam Generals		
	(CPP)		

6. Conditions about Non Hazardous Wastes:

Sr.	ons about Non Ha Type Of Waste	Quantity & UoM	Treatment	Disposal
no.		1,58,267 MT/A		Landfill
$\frac{1}{2}$	Slag Machine	10,000 MT/A		By reuse in own sinter
2	returns	10,000 W17A		plant   By reuse in own sinter
3	Flue Dust	24,000 MT/A		plant
4	Fly Ash	12,000 MT/A		Sale to brick & cement mfg & landfill
	1 1y 1 x511			1 mig

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sı	l of hazardous w Type Of Waste	Categor	Quantit	UOM	Treatmen	Disposal
	Used/spent oil Oil residue	5.1	0.2	MT/M		Sale to authorized re- processor

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The industry shall conduct the Air Pollution Control equipment performance audit from reputed institute like IIT or NEERI within 3 months.
- 11. The applicant shall install online continuous stack emission monitoring system and online effluent quality monitoring systems at the outlet of effluent treatment plant for measurement of consented parameters by 30.06.2015 & to connect and upload the online emissions and effluent monitoring data at MPCB and CPCB server in time bound manner . Industry shall submit BG of 100 % of the cost of the online monitoring systems for ensuring timely installation of online monitoring systems by 30.06.2015. BG shall be discharged if industry installs the same. If the industry fails to install the same by 30.06.2015, the consent to operate will be withdrawn and the BG will be forfeited.

For and on behalf of the Maharashtra Pollution Control Board

> (P. K. Mirashe) Member Secretary

Received Consent fee of -

Rece	eived Consent fee o	of –		
Sr.	Amount (Rs.)	DD. No.	Date	Drawn On
1	Rs. 65,76,100/-	055104	27.01.2015	ICICI Bank
9	Rs. 1,29,68,880/-	072997	21.05.2015	PMC Bank
	165. 1,20,00,000			Page 2 of 16

M/s. Uttam Galva Metallics Ltd.,., SRO Nagpur II /I/R/L/56586000

Page 2 of 10

- 1. Regional Officer MPC Board, Nagpur. & Sub-Regional Officer, M.P.C. Board Nagpur-II- They are directed to ensure the compliance of the consent
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

M/s. Uttam Galva Metallics Ltd.,, SRO Nagpur II /I/R/L/56586000

Page 3 of 10

## Schedule-I Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time,

whichever is stringent.

chever Sr No.	is stringent.  Parameters	Standards prescribed by Board (Limiting Concentration in mg/l, except for pH)
01.	pН	5.5-9.0
02.	Suspended Solid	100
03.	BOD 3 days at 27°C	100
04.	C. O. D.	250
05.	Oil & Grease	10
06.	T. D. S.	2100
07.	Chlorides	600
08.	Sulphates	1000
09.	Chromium	0.1
10.	Total Chromium	2,0
11.	Total Metal	10
12.	Iron	5.0

- C] The treated effluent shall be used in the process to the maximum extend and remaining shall be used on land for gardening after confirming the above standards. There shall not be any discharge outside the premises.
- 2) A] As per your consent application, you have provided septic tank & soak pit for treatment of domestic effluent.
  - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent. mg/l.

100 Suspended Solids. Not to exceed mg/l. 100 BOD 3 days 27oC. Not to exceed **(2)** 

- C] The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any shall be used on land for gardening after confirming the above standards. There shall not be any discharge outside the premises.
- D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B &  $\mathrm{C}\xspace$  of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

M/s. Uttam Galva Metallics Ltd.,, SRO Nagpur II /I/R/L/\$6586000

Page 4 of 10

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

n the Sr.	e said act. Purpose for water consumed	Water consumption quantity (CMD)
no.		83
1.	Domestic purpose	3135
2.	Industrial Cooling, spraying in mine pits or	
	hoilar food	Nii
3.	Processing whereby water gets polluted &	1111
υ.	mollutants are easily biodegradable	<del></del>
	Processing whereby water gets polluted &	Nil
4.	pollutants are not easily biodegradable and	
	are toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

1/K/L/303g0UU

#### Schedule-II

# Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
	Blast Furnace	Bag	60	Coke	750		
1.	Diast i diliaco	filters		LDO	1		
2.	Sinter Plant	ESP	100	Waste			
۷.	exhaust gas de-			Flue Gas			
	dusting						
3.	Sinter Plant	ESP	50				
0.	De-dusting						
	system (Tail						
	ESP)			0.1	1	1-1-	
4.	Metallurgical	Cyclone	90	Coke			
	Coke Oven	Dust				"	
		collector	60	Coal	2150 T/day		
5.	Steam	ESP	00	Coar			
	Generating						
	Boiler	Bag	60	BF & CO			
6.	Waste Heat	filters		gas	*		
	Recovery	Hirers					
	Steam Generator					Ì	
	(CPP)						

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
  - a. Industry shall provide ESP, Bag Filter of sufficient capacity & operate continuously.
  - b. Fume extraction system followed by Dust Collection System of sufficient capacity shall be provided to mini blast furnace, raw material handling, coal crushing section etc and shall be operated properly and continuously.
  - c. There shall not be any secondary (Fugitive) emissions.
  - d. Exhaust fan of adequate capacity shall be provided to exhaust fan
  - 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

11	:ds:		50 mg/Nm <sup>3</sup> .
1	Particulate matter	Not to exceed	
	SO <sub>2</sub> from process	Not to exceed	50 PPM
	DOZIIOIII P	1	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s. Uttam Galva Metallics Ltd.,, SRO Nagpur II /I/R/L/56586000

## Schedule-III Details of Bank Guarantees

## **BG** Proposed

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Compliance Period	Validity Date 31.10.2016
1	C to R	Rs. 10 lakh	15 days	Towards operation and maintenance of pollution control systems	30.06.2016	
2	C to R	Industry shall submit BG of 100 % of the cost of the online monitorin g systems	15 days	Industry shall install online continuous stack emission monitoring system and online effluent quality monitoring systems at the outlet of effluent treatment plant for measurement of consented parameters & to connect and upload the online emissions and effluent monitoring data at MPCB and CPCB server in time bound manner		31.10.2016
3	C to R	Rs. 10/- Lakhs	15 days	To conduct the Air Pollution Control equipment performance audit from reputed institute like IIT or NEERI.		31.10.2016

m.h.

### Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- Industry should monitor treated domestic effluent & industrial effluent quality, stack emissions and ambient air quality monthly and submit the report of the same to the
- 4) The unit shall take necessary efforts regarding rain water harvesting every monsoon.
- 5) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall
- 7) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 9) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- with qualified Environmental an constitute industry shall staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

M/s. Uttam Galva Metallics Ltd.,, SRO Nagpur II /I/R/L/56586ρ00

- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
  - 19) The industry should not cause any nuisance in surrounding area.
  - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 21) The applicant shall maintain good housekeeping.
  - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
  - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
  - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

29) The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF, GoI vide No. F. No. J-11011/77/2005-IA-II(I) dated

30) The applicant shall operate all the continuous automatic ambient air to measure SO2, NOx and particulate matter and shall operate micro metrological monitoring station & same shall be directly connected to MPCB website http://mpcb.gov.in as well as to the respective Regional Office.

31) The industry shall comply with the notification issued by MoEF for utilization of fly ash from coal or lignite based thermal power plants dated 14th September, 1999 and

as amended on 3rd November, 2009. 32) Industry shall provide dry fly ash handling & collection system and utilize the fly ash as per the fly ash notification of the Govt. of India

33) Transportation of coal & fly ash shall be by closed system, Conveyor system wherever

-0000--