MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

Fax : 24044532

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No: -Format 1.0/BO/AS(T)/TN-5529-15/CC Cell/E/CC- 5885 Date- 18105 2015

To.

MANAGE LINE

M/s Classic Stripes Pvt. Ltd. (Unit-I), Survey No. 235/236, Village Gokhiwre, Goripada Ind. Estate, Vasai (E), Dist. Thane, Pin-401 208.

Subject: Renewal of Consent to Operate under RED/LSI category.

Ref.: 1. Minutes of CC meeting held on 22/04/2015.

Your application No. CR1501000333

Dated: 19/01/2015

For: Grant of Consent to Operate (150103FT0421)

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization/renewal under Rule 5 of the Hazardous Wastes (M, H & TM) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period upto commissioning or upto 5 years i.e. upto 31/03/2020 whichever is earlier.
- 2. The capital investment of the industry is Rs. 72.70 Crs (As per C.A. Certificate submitted by industry).
- 3. The Consent is valid for the manufacture of -

Sir Product/By Product Name No.	Maximum Quantity	: MOUE
1 Printing of plastic graphics (PVC Self Adhesive Materials)	1,50,000	Sq. Mtrs./M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description (Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
530.	Trade effluent	6.0	As per Schedule –I	100% Recycle/ reuse into process to achieve Zero discharge
	Domestic effluent	16.0	As per Schedule –I	For gardening purpose within premise

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
_ 1	DG Sets (2x500 KVA)	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

1) The Industry shall handle non-hazardous wastes as specified below:

*Siv No.	Type Of Waste	Quantity#	\$UOM\$	Town Disposal Town to Annual
1	STP Sludge & Canteen Waste	18	MT/A	Used as manure/ MSW Site
2	Paper Waste	8	MT/A	Sale to Scrap Merchant

"M/s Classic Stripes Pvt. Ltd." SRO Thane II/I/R/L/67913000

Page 1 of 6

- 7. Conditions under Hazardous Waste (M,H & TM) Rules, 2008 for treatment and disposal of hazardous waste:
 - 1) The Industry shall handle hazardous wastes as specified below.

Siv No.	Type Of Waste	Concrosiv	Quantity	uome:	Threat-	Disposite :
1	Used/ Spent Oil waste	5.1	1000	Ltrs/A	_	Auth. Recycler
2	Waste/ residues containing oil	5.2	50	Kg/A	-	CHWTSDF
3	Contaminated aromatic, aliphatic, naphthenic solvents	20.1	15	MT/A	-	CHWTSDF
4	Spent Solvents	20.2	1000	Ltrs/A	-	CHWTSDF/ Auth. Recycler
5	Process wastes & residues	21.1	15	MT/A	-	CHWŢŞDF
6	Residues of additives used in plastic manufacture	22.1	15.2	MT/A	-	CHWTSDF
7	Waste Residues	23.1	80	Kg/M	- ,	҈ С҉Ң҉Ѿ҈ҭSDF
8	Silicon containing process residues	27.1	35	MT/A	- 7	E HWTSDF
9	Discarded containers/ barrels/ liners	33.3	5	MT/A:		CHWTSDF
10	ETP sludge	34.3	200	Kg/M	* M	CHWTSDF
11	Spent Carbon	35.3	1	MITA *	_	CHWTSDF

- 8. The Board reserves the right to review, amend suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The industry shall intimate 15 days in advance prior to resuming production activity and get verified the operational conditions of pollution control systems from the Regional Officer, Thanke

11. This Consent is issued pursuant to the decision of the Consent Committee meeting held on 22/04/2015.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan, IAS) Member Secretary

Received Consent fee of -

St. A	Amount(Rs)	DDENGE	Dater	Drawn On
1	Rs. 2,25,100/-	004269	29/10/2014	Axis Bank
2	Rs. 40,000/-	004864	27/01/2015	Axis Bank

Copy to:

- 1. Regional Officer/ Sub-Regional Officer (Thane-II), M.P.C. Board, Thane.
 - They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk for record & website uploading purpose.

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided Effluent Treatment Plant (ETP) of the capacity 6 CMD consisting of primary, secondary & tertiary level treatment etc. for the treatment of 6.0 CMD industrial effluent. After treatment, treated effluent will be reused/ recycled 100% in the process so as to achieve Zero liquid discharge.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr. No.	Parameters	Standards prescribed by Board (If any) Limiting Concentration in mg/l, except for pH			
	I. Compulsory Parameters				
01	рН	5.5 to 9.0			
02	Oil & Grease	10 mg/l.			
03	BOD (3 days 27oC)	30 mg/l.			
	II Additional Parameters				
04	Suspended Solids	100 mg/l.			
05	COD	250 mg/l.			

- C) After treatment, treated effluent shall be reused/ recycled 100% into the process. There shall not be any discharge outside the factory's premise.
- 2) A] As per your consent application, you have provided full-fledged STP for the treatment of 16.0 CMD sewage. Treated sewage shall be applied on land for gardening purpose within premise. There shall not be any discharge outside the factory's premise.
 - B] The applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EPLACT 1986 and Rules made there under from time to time, whichever is stringent:
 - (1) Suspended Solids. Not to exceed

100 mg/l.

(2) BOD 3 days 27oC. Not to exceed

100 mg/l.

- C] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at Sr. No. (1) (B) & (C) of schedule-I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system and/or extension of paddition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1947 and as amended, by installing water meters, filing water Cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	20
2.	Domestic purpose	30
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
5.	Others i) Gardening	08

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

"M/s Classic Stripes Pvt. Ltd." SRO Thane II/I/R/L/67913000

Tuy

Page 3 of 6

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

No Sir	Stack Attached-To	AP@System	Heightane Mus	Aypex:	@652.63-5 100Me#-	S.4	\$02± 107±
1	D.G. Sets		6.5	HSD	2400 Ltrs/D	21	42
	(2x500 KVA)		(above the roof)	LPG	200 Ltrs/D	-	-

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
SO ₂ (D.G. Sets)	Not to exceed	42 Kg/day

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end on effection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

<u>Schedule-III</u> Details of Bank Guarantees

	,	<u> </u>			,
Sr.	Consent	Amt of BG Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed Period		Period	Date
1	Proposed	Rs. 5.0 Within 15 days		Upto	Upto
	for C to O		maintenance of pollution control systems	31/12/2017	30/04/2018
	- American				

The applicant shall furnish an irrevocable B.G. of Rs. 5.0 Lakh with the validity upto 30/04/2018 in the Regional Office, Thane within 15 days from the date of issuance of this Consent towards operation & maintenance of pollution control systems.

Mud

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- Industry should monitor effluent quality, stack emissions and ambient air quality
- monthly/quarterly. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform

etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted displayed to

facilitate identification.

Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be

6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control

production to abide by terms and conditions of this consent.

7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)

(Second Amendment) Rules, 1992.

The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision HW(MH&TM) 2008. which Rules contain the recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration

and landfill site/environment.

The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

11) An inspection book shall be opened and made available to the Board's officers during

- their visit to the applicant.

 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

"M/s Classic Stripes Pvt. Ltd." SRO Thane II/I/R/L/67913000

Page 5 of 6

17) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

f) D.G. Set shall be operated only in case of power failure.

- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

18) The industry should not cause any nuisance in surrounding area.

19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20) The applicant shall maintain good housekeeping,

21) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.

22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from tivic authorities for disposal of solid waste.

23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

consent of the Board.

24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).

26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.

27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

28) The industry shall recycle/reprocess/reuse/recover hazardous waste as per the provision contained in the HW(M,H & TM) Rules 2008, which can be recycled/processed/ reused/ recovered and only waste which has to be incinerated shall go to incineration and waste which cannot be used for land filling and cannot be recycled/ reprocessed etc. should go for that purpose in order to reduce load on incineration and landfill site/ environment.

----0000---

"M/s Classic Stripes Pvt. Ltd." SRO Thane II/I/R/L/67913000

Page 6 of 6