MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No:-1.0/BO/CAC-Cell/EIC No:-NK-18055-15/CAC - 660

Date-03|06|2015

M/s. Atlas Copco (I) Ltd.,

Plot No. 90, MIDC Satpur.

Tal. & Dist. Nashik.

Subject: Renewal of consent to operate with increased CI in RED category.

Ref

: 1. Consent to Operate granted vide no. Format 1.0/BO/CAC-Cell/EIC No. NK-15925-14/22th CAC/CC-5651 dtd. 12.06.2013.

2. Your application approved in CAC meeting held on 15.04.20]

Your application: CR1501000187.

Dated: 26.12.2014

For: Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period upto 01 03 20 to 28.02.2016.
- 2. The actual capital investment of the industry is Rs.88.78 Cr (Existing CI: Rs. 87.32 Cr + Increased CI- Rs. 1.46 Cr as per C.A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Si		
No.	Product/By-ProductName	Mecomum Quematav
1	Pneumatic Tools Breakers Rock Drill Puch and	1.04.500.00.31
	1085, muuskkaa 10018, KDT Hammere Lubricetere	
İ	Products Pneumatic Lubricators Pnoumatic	
1	Crawlers, Hydraulic Crawlers, Rlast Holo Daille	
	Water Rigs, Soil compactors Soil Roller & Tender Roller, Paver, Electric Poker, Pneumatic Poker,	
No.	Mechanical Poker, External Poker, Mining &	
	tunneling equipment, etc.	
	te: Industry shall not oneret !	

Industry shall not operate heat treatment and phosphating activity

4. Conditions under Water (P&CP), 1974 Act for disch

<u> Sin</u>	A Desautolitan	Remissed quentity	narge of effluent	:
1	Trade effluent	ofdischarge (CMD) -	be achieved	- Disposal
1	11 aue emuent	3.0	As per	100% recycle
2.	Domestic effluent	25	Schedule -I	
L		49	As per Schedule –I	On land for Gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Outur	JUID MICOL TAXA (~)		
SH	🕏 Description of stack /📜	Aumber of a	Standards to be:
41(0):	SOURCE SOURCE	A Sindle	# <u>archieved</u>
1	DG set (4 Nos.)	4	As per Schedule-II
2.	CTO Paint Booth (2 Nos.)	2	As per Schedule-II
3.	ADS Paint Booth Blower (2	2	As per Schedule-II
	Nos.)		
4.	RCE Paint Booth Blower (3	3	As per Schedule-II
	Nos.)		
5.	CTO Assembly Washing	1	As per Schedule-II
	booth		
6.	Canteen Kitchen Blower	1	As per Schedule-II
7.	RCE Shot Blasting unit	1	As per Schedule II

6. Conditions about Non Hazardous Wastes:

				Contract to the contract of th
	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Metal Scrap	1100 Kg/Month	(Authorized Recycler
2	Wood Scrap	11000 Kg/Month		Authorized Recycler
3	Trash Paper	3100 Kg/Month		Authorized Recycler
4	Plastic Scrap	2850 Kg/Month		Authorized Recycler
5	Empty Drums	480 Nos Month		Authorized Recycler

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

1200	a disposit of italia double grows						
	:: Type Of Waste	Ontego	Quanti	: UOM	Misethnie	Disposal	
1	Used/Spent Oil	5.1	500	Lit/M		Sale to	
						Authorized	
						Recycler	
2	Cotton Waste/Oil	5.2	1150	Kg/M		CHWTSDF	
	Soaked Saw dust						
3	Paint waste	21.1	800	Kg/M		CHWTSDF	
4	ETP Sludge	34.3	550	Kg/M		CHWTSDF	
5	Waste Filters	35.3	300	Kg/M		CHWTSDF	
6	Empty Paint tins	33.3	300	Nos./ M		CHWTSDF	
7	Scrap battery		100	Nos./Y		Sale to	
						Authorized	
						Recycler	
8	Scrap Thinner	21.1	200	Kg/ M		CHWTSDF	

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

my b

- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities
- 10. Industry shall monitor the performance of APC system provided to shot blasting unit for three months and submit the monitoring reports to MPCB.

For and on behalf of the Maharashtra Pollution/Control Board

> (P. K. Mirashe) Member Secretary

Received Consent fee of -

JSTA No.	Amount (RS)	i did ko.	Date:	Drawn On 💛 📜
1.	Rs. 1,00,100/-	105955	19.12.2014	HDFC Bank
2.	Rs. 15,000/-	9145063		HDFC Bank
3.	Rs. 25,000/-	Balance co 1.0/BO/CA dtd. 12.06.	C-Cell/EIC No	per previous consent to operate no. p.NK-15925-14/22th CAC/CC- 5651

Copy to:

- 1. Regional Officer -Nashik- He is directed to forfeit the BG of Rs. 5/- lakh obtained towards O&M of pollution control system as the JVS results are exceeding the consented standards and obtain top-up BG of Rs. 10/- lakh. It was also decided to release the BG of Rs. 2 lakhs obtained towards treatability study of combined treatment plant as industry has complied the same.
- 2. Sub-Regional Officer-Nashik MPCB; Nashik They are directed to ensure the compliance of the consent conditions.
- 3. Chief Accounts Officer, MPCB, Mumbai.
- 4. CC/CAC desk- for record & website updation purposes.

Schedule-I Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the combined treatment plant for trade effluent and sewage effluent with the design capacity of 32.5 CMD.
 - B] The Applicant shall operate the combined treatment plant for trade effluent and sewage effluent to treat the effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- 1		Standards prescribed by Boards
SEANO	Parameters	(Limiting Concentration in mg/l,
1000	5.00	except for pH)
01	pH	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Total Dissolved Solids	2100
05	Total Chromium	10
06	Suspended Solids	5.0
07	COD	100
08	Chloride	600
09	Sulphate	1000
10	Nickel	3
11	Iron	3

- C) The treated effluent 100% recycle in the process, cooling tower etc after confirming the above standards. In no case effluent shall find its way outside factory premises lindustry shall provide the arrangement to 100% recycle within three months.
- 2) Al As per your application, you have provided septic tank for sewage treatment and overflow of treated sewage mix in trade effluent and treated in ETR.
 - D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

M/s. Atlas Copco (I) Ltd., SRO Nasik/I/R/L/67685000

Page 4 of 9

Schedule-I Terms & conditions for compliance of Water Pollution Control:

- 1) Al As per your application, you have provided the combined treatment plant for trade effluent and sewage effluent with the design capacity of 32.5 CMD.
 - B] The Applicant shall operate the combined treatment plant for trade effluent and sewage effluent to treat the effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

		Standards prescribed by Boards
SENO	24 Parameters	(Limiting Concentration in mg/l.)
01	TT	except for pH).
01	pН	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Total Dissolved Solids	2100
05	Total Chromium	10
06	Suspended Solids	5.0
07	COD	100
08	Chloride	600
09	Sulphate	1000
10	Nickel	3
11	Iron	3

- C) The treated effluent 100% recycle in the process, cooling tower etc after confirming the above standards. In no case effluent shall find its way outside factory premises. Industry shall provide the arrangement to 100% recycle within three months.
- 2) Al As per your application, you have provided septic tank for sewage treatment and overflow of treated sewage mix in trade effluent and treated in ETR.
 - D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

7685000

St.	Purpose forware consumed	Water consumption quantity (CVD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	Nil
2.	Domestic purpose	37
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil
5	Gardening purposes	70

ol system time and the system of the system 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

M/s. Atlas Copco (I) Ltd., SRO Nasik/I/R/L/67685000

Page 5 of 9

Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

attern-							
St.	: Specie	_ AVPO	Maghi.		Quendity	30%	S0a
1005	Amerehed To	System:	im Mins:		*8310101At	1.55 ***	Ke/Day
1.	D.G Set (4.0	Acoustic	8.0	HSD	500	0.5	127.2
	Nos.)	Enclosur	Meter	·	Litr/Day		
		е	Each				
2.	CTO Paint	Filter	14.0	Electricity	 		
	Booth (2.0	media	Mtrs				
	Nos.)	scrubbin	each			97.00	
		g system				, EN	ļ
3.	ADS Paint	Filter	12.7	Electricity		M. M.	
	Booth (2.	media					
	Nos.)	scrubbin					
	·	g system					
4.	СТО	Filter	4.98	Electricity	Con Y		
	Assembly	media	-	* ^			
	washing	scrubbin	1		N.		
	Booth	g system					
5.	RCE Paint	Filter	14.8 each	Electricity*			
	Booth (3.	media			•		İ
	Nos.)	scrubbin					
		g system					
6.	Canteen		5.0	Electricity			
	Kitchen	9.	The state of the s				
	Blower		11/10				
7.	RCE Shot	Dust	8.2	Electricity			
	Blasting unit	collector	~ J	_			
		and bag					
	*	.filter					

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	NI-44- 1	170 07 0
matter	Not to exceed	150 mg/Nm ³ .

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

(1/67685000

Schedule-III Details of Bank Guarantees

BG History

Sn No	Consent (Offo D/O/R)	Amtiof BG	Amt of BG to be so for feited from BG	Purpose of BG forfeited
1	C to R (to be forfeited)	Rs. 5/- lakh	Rs. 5/- lakh	The JVS results are exceeding the consented standards

BG proposed

Sr- Nos	Consent (C to E/O/R)	- Amt of BG Imposed:	Silbuission Region	Purpose of BG	Complianc Validity are Period Date
1	C to R	Rs. 10/- lakh (top- up)	15 dyas	Towards O&M of pollution control system	28.02.2016 30.06.2016

M/s. Atlas Copco (I) Ltd., SRO Nasik/I/R/L/67685000

(V.)

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Tocal Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill-site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

mi /

- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacture, which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure.

- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

18) The industry should not cause any nuisance in surrounding area.19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

20) The applicant shall maintain good housekeeping.

21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

