MAHARASHTRA POLLUTION CONTROL BOARD

Kalpataru Point, 3rd & 4th floor, Sion- Matunga

Scheme Road No. 8, Opp. Cine Planet Cinema, Near

4010437/4020781 Phone:

/4037124/4035273

24044532/4024068 /4023516 Fax

enquiry@mpcb.gov.in Email http://mpcb.gov.in Visit At :

MAHARASHTRA Sion Circle, Sion (E). Mumbai - 400 022

Consent No: Format 1.0/BO/CAC-CELL/EIC No:-PN-26349-15/0/CAC- 427

8 /01/2016 Date-

To

M/s. Bridgestone India Pvt. Ltd., Plot No. A-43, MIDC Chakan, Phase II, Village-Sawardari, Tal-Khed, Pune 410501

Subject: Consent to 1st Operate (part) for expansion & Renewal of consent to Operate of unit with amalgamation of consents under Red category Ref:

1. Consent to Operate granted vide no. 1.0/BO/CAC-Cell/EIC No. PN-22658-14/CAC-2353 dtd. 02.03.2015 valid upto 30.09.2015

2. Consent to Establish granted vide no. BO/EIC No. PN-20675-14/CAC-Cell/CAC-2676 dtd. 10.03.2015

3. Consent to Establish granted vide No. BO/APAE/EIC No PN-7507-10/E- 05, dtd 01.01.2012.

4. Minutes of CAC meeting dtd 09.12.2015

You application: CR1508000375

Dated: 30.07.2015

For: Consent to 1st Operate (part) for expansion & Renewal of consent to Operate of

unit with amalgamation of consents

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period upto 30.09.2016
- 2. The actual capital investment of the industry is Rs. 2444.7651Cr

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity Nos./Y	Maximum Quantity MT/Y
	Steel Belt radial tire for PSR and TBR	43,75,000	1,00,587.5
2.	Inner tubes	7,70,000	3359.7
3.	Flaps	7,70,000	2310.4

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	379.0	As per Schedule -I	On land for gardening
2.	Domestic effluent	219.6	As per Schedule -I	On land for gardening

Bridgestone India Pvt., Ltd, SRO Pune-II/I/R/L/98291000

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boilers(3Nos.)	3	Ac non Calada III
2.	Process vents	10	As per Schedule -II
	2 TOCCSS VCHUS	19	As per Schedule -II

6. Conditions about Non Hazardous Waste

Sr. No.	Type of Waste	Quantity & UoM	Treatment	Disposal
1.	Scrap tyre, tube intermediate rubber	2.4MTD		Sale
2.	Steel scrap	1.22MTD		C-1-
3.	Wood scrap	2.01MTD		Sale
4.	Paper scrap	0.28MTD		Sale
5.	Waste cotton	1.08MTD		Sale
6.	Waste cotton bags, polythene bags and films	0.92MTD		Sale
7.	Canteen waste	0.8MTD	5 10 - 10 0	Piggery farms

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1.	Used/spent oil	5.1	838	LPD		Authorized
2.	Waste/ residue containing oil	5.2	49	Kg/Day	_	Reprocessor CHWTSDF
3.	Process waste residue and sludge	21.1	18	Kg/Day	_	CHWTSDF
4.	Chemical containing residue arising from decontamination	33.1	68	Kg/Day	_	CHWTSDF
5.	Doping sludge	33.1	6	Kg/Day	No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa	CHWTSDF
6.	Dusting sludge	33.1	80	Kg/Day		CHWTSDF
7.	Mold cleaning sludge	33.1	68	Kg/Day		CHWTSDF
8.	Discarded containers/barrels/liners contaminated with Hazardous waste/ chemicals	33.3	23	Kg/Day	-	CHWTSDF
9.	Chemical sludge from WW treatment plant	34.3	55	Kg/Day	-	CHWTSDF

- 8. This Board reserves the right to review, amend, suspend, revoke, etc. in this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollation Control Board

> (Dr. P. Anbalagan, IAS) Member Secretary

Received Consent fee of-

Amount (Rs.)	DD. No.	Date	Drawn On
Rs. 48,89,630/-	003200	22.07.2015	IDBI Bank
		P. 40.00.0001	Do 48 SO COOL

Copy to:

- RO-MPCB Pune, He is directed to return the existing BG of Rs. 2 lakh each obtained against submission of design details STP & ETP and APC system, as industry has submitted the same.
- 2. SRO Pune-II. They are directed to ensure the compliance of the consent conditions.

SHALSHING POLITICAL

- 3. CAO/Cess Branch/ Master File
- 4. Chief Accounts Officer, MPCB, Mumbai

Schedule-I

TERMS & CONDITIONS for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 400CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by Board or under EP Act,

1986 and Rules made there under from time to time, whiche

Sr. No.	Parameters	Standards as per EP Act,1986
1	рН	5.5 - 9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	Total Dissolved Solids	2100
	Suspended Solids	100
6	COD	250
7	Chloride	600
8	Sulphate	1000
		1000

- C) The treated effluent shall be disposed on land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises
- 2) A.] As per your consent application, you have provided the Sewage Treatment Plant (STP) with the design capacity of 250CMD.
 - B] The Applicant shall operate the Sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l
(2)	BOD 3 days 27°C.	Not to exceed	30	mg/l
(3)	COD	Not to exceed	100	mg/l

- C] The treated sewage shall be disposed off on land for gardening/irrigation purpose after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises
- D] In case the treatment is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system &/or extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	- as pose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1624
2.	Domestic purpose	268
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II TERMS & CONDITIONS for compliance of Air Pollution Control:

1. As per your application, you have provided the Air Pollution Control (APC) System & also erected following stack(s) & to observe the following fuel pattern-

	o erected followi	ng stack(s) & to	observe the foll			STEER	SATABLE.
No.	Stack Attached To	APC System	Height (m)	Type of Fuel	Quantity & UoM	S%	SO ₂ Kg/Day
1	Boiler No.1 (21TPH)	-	49	Gas LDO	956 m3/Hr		
2	Boiler No.1 (15TPH)	-	44	Gas	906 kg/Hr 382 m3/Hr	-	-
3	Boiler No.1 (6TPH)	-	(Common)	LDO	302 kg/Hr		
4	Banburry 1 dust collector 2 nos	itself is a dust collector	3 m	-	- 3	6	
5	Banburry 2 dust collector 2 nos	itself is a dust collector	3 m	-	600	-	
6	Banburry 3 dusct collector 3 nos	itself is a dust collector	3 m	7×1	0/2		-
7	Banburry 4 dust collector 2 nos	itself is a dust collector	3 m	- Ol,	-	-	-
8	Banburry 5 dust collector 2 nos	itself is a dust collector	3 m) -	-	-	-
9	Banburry 6 dust collector 3 nos	itself is a dust collector	. 3 m	-	-	-	-
10	Banburry 7 dust collector 2 nos	itself is a dust collector	3 m	-	-	-	
11	BB pigment 1, 2 dust collector 2 nos	itself is a dust collector	3 m	-	-	-	-
12	BB pigment 3, 4 dust collector 2 nos	itself is a dust collector	3 m	-	-	-	
13	BB pigment 5, 6 dust collector 2 nos	itself is a dust collector	3 m	-	-		+
14	Doping 1 PSR	itself is a dust collector	3 m	-	-		-
15	Doping 2 PSR	itself is a dust collector	3 m	-	-		-
16	Doping 3 TBR	itself is a dust collector	3 m			-	-
17	Doping 4 TBR	itself is a dust collector	3 m		7-1-1		-
18	Doping 5 TBR	itself is a dust collector	3 m				
19	Tube Extruder	itself is a dust collector	3 m				
20	Tube Splicer	itself is a dust collector	3 m	0	7	All	

Bridgestone India Pvt., Ltd, SRO Pune-II/I/R/L/98291000

Page 6 of 10

21 c	SR mold leaning nachine	itself is a dust collector	1 m			
------	-------------------------------	----------------------------	-----	--	--	--

- 2. The application shall provide specific Air Pollution Control equipments as per the conditions of EP Act, 1986 & rule made there under from time to time/ Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments).
- 3. The applicant shall operate & maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³
Matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/ alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III

Details of Bank Guarantees

Existing to be extended

	Consent (C to E/O/I	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1.	C to O (existing to be extended	Rs. 5/- Lakhs	15 Days	0 & M of pollution control systems	30.09.2016	31.01.2017
				Kmm	/	
				17)		6
					180,	,
				, X	(0)	
				00,		
				1011		
			00	10		
		1.4	18,			
		1821				
	Mal	9,				
	Mic					

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.

3) The applicant should monitor effluent quality, stack emissions & ambient air quality monthly/quarterly.

- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of Rule 14 of the Environment (Protection) (Second Amendment) Rules, 1982.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled/ processed/ reused/ recovered & only waste which has to be incinerated shall go to incinerator & waste which can be used for land filling & cannot be recycled/ reprocessed, etc. should go for that purpose, in order to reduce load on incineration & landfill site/ environment
- 9) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 & submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which is available on MPCB website(www.mpcb.gov.in).
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Bridgestone India Pvt., Ltd, SRO Pune-II/I/R/L/98291000

Page 9 of 10

- 16) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- g) D.G. Set shall be operated only in case of power failure
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The applicant shall maintain good housekeeping & should not cause any nuisance in surrounding area.
- 18) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year & number of trees planted by September end, with Environment Statement
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste
- 20) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/ without prior consent of the Board
- 21) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 22) The industry shall submit official e-mail address & any change will be duly informed to the MPCB
- 23) The industry shall achieve the National Ambient Air Quality Standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended

-----0000-----