MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: http://mpcb.mah.nic.in

E-mail: idair@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

By RPAD

No: BO/JD(APC)/SCN/TB.1-/CC-225

Date: -/02/2016

29/03/2016

To,

M/s. Nagpur Fastner Industries Ltd,

Plot No: T-40, MIDC Hingna, Dist: Nagpur – 440016.

Sub Refusal of renewal of Consent under Section 27 of the water (P&CP)Act, 1974 & and Section 21 of Air(P&CP) Act, 1981 & Hazardous Waste (MH&TM) Rules, 2008.

Ref. 1) Your application for grant of consent to Operate (Renewal) submitted dt: 06/05/2015 & received at HQ dt: 01/06/2015

- Earlier Consent to Operate granted vide No: BO/JD(APC)/EIC No NG-11085-14/R/ CC-0114, dt: 05/01/2015.
- 3) SCN for refusal issued dt: 27/11/2015 & reply received from industry vide dt: 29/11/2015.
- 4) Decision of CC meeting dt. 03/02/2016.

WHEREAS, you have applied for grant of renewal of consent under Section 26 of the Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundry Movement) Rules, 2008

ANDWHEREAS, it is obligatory on your part to provide, operate and maintain Water and Air pollution control system properly.

ANDWHEREAS, Board official visited your industry and it is noted that you have installed and operating Phosphating process units without obtaining valid consent from Board and JVS monitoring reports revels parameters exceeds consented limits.

ANDWHEREAS, it is further observed and noted that as per previous consent conditions, you have not submitted, 1) BG of RS, 5.0 Lakhs for operating phosphating unit and additional furnace without adequate APC, 2) BG of Rs, 2.0 Lakhs towards submission of Board resolution.

ANDWHEREAS, Board has issued SCN for refusal vides dt. 27/10/2015 for the above non compliances and you have submitted reply vide dt. 29/11/2015 without latest stack monitoring reports.

ANDWHEREAS. It is noted that you have fails to address the issue after repeated communications which shows your negligent attitude towards Environment Protections.

In view of this, your application for grant of consent to Operate (Renewal) is hereby refused under Section-27 of the Water (Prevention and Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention and Control of Pollution) Act, 1981

This is issued as per decision of Consent Committee Meeting dt. 03/02/2016/

(Dr.P.Anbalagan, IAS) Member Secretary

Copy to:-

- 1] Joint Director (APC), MPCB, Mumbai For information.
- 2] Regional Officer, MPCB, Nagpur You are hereby directed to issue appropriate directions to the
- 3] Sub-Regional Officer, MPCB, Nagpur-II- He is directed to ensure that final refusal is served to the industry and report compliance at the earliest.