

## MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No. AD-17237-15/CAC- 4679

Date- 04/04/2016

To,

M/s. Bajaj Auto Limited  
Plot No-A1,MIDC,Waluj, Aurangabad.

Subject: Renewal of Consent to Operate under RED category.

- Ref : 1. Earlier consent granted vide No. Format 1.0/ BO/CAC-Cell/EIC No. AD 16519-15/CAC/CC-6280, Dtd 27.05.2015  
2. Minutes of CAC meeting held on 02.02.2016

Your application: CR1509000064

Dated: 28.07.2015

For: Renewal of Consent to Operate.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period up to 30.09.2020.
- The actual capital investment of the industry is Rs.1712.61/- Crs. (As per C. A. Certificate submitted by industry)
- The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in Nos / year
1.	Manufacturing of motorized Two, Three & Four Wheelers	3000000 Vehicles/A
2.	MOTOR CARS AND OTHER MOTOR VEHICLES (LCV) & FOUR WHEELER	60000 Vehicles/A
3.	Spare Parts Warehouse Management and Distribution	—

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	2680	As per Schedule -I	100% Recycle in process
2.	Domestic effluent	2685	As per Schedule -I	On land for Horticulture application

- Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Thermo pack	4	As per Schedule -II
2.	HW Incinerator	2	As per Schedule -II
3.	Heat Clean Oven	3	As per Schedule -II
4.	WIE make Garbage Incinerator	1	As per Schedule -II
5.	DG Set (4000 KVA x 2)	2	As per Schedule -II
6.	DG Set (187 KVA x 2)	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Canteen Waste	5100 MT/Year	Nil	Bio Gas Plant
2	MS Scrap	41319 MT / Year	Nil	Sale to authorized party
3	Non Ferrous Scrap	4442 MT / Year	Nil	Sale to authorized party
4	Factory Rubbish	9230 MT / Year	Nil	Sale to authorized party
5	Grinding / Buffing Dust / Shot Blasting Dust	507 MT / Year	Nil	Sale to authorized party
6	Shot Blasting Dust	85 MT / Year	Nil	Sale to authorized party
7	STP Bio Mass	1400 MT / Year	Vermiculture	Composting


7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantit	UOM	Treatment	Disposal
1	Phosphate Sludge	12.5	380	MT/Year	Nil	CHWTSDF
2	ETP Chemical Sludge	34.3	1250	MT/Year	Nil	CHWTSDF
3	Incineration Ash	36.2	600	MT/Year	Nil	CHWTSDF
4	Spent Catalysts / Resins /Molecular Sieves	1.7	6	MT/Year	Nil	CHWTSDF
5	Waste Paint Sludge	21.1	1850	MT/Year	Incineration	Incineration
6	Discarded Chemical Containers	33.3	200000	Nos/Year	Nil	Sale to authorized recycler
7	Used Thinner / Solvent	20.2	100	M3/Year	Nil	Sale to authorized recycler
8	Cotton Handgloves stained with oil	5.2	500	MT/Year	Nil	Sale to authorized recycler
9	Oily Sludge / Slurry	3.1	110	MT/Year	Nil	Sale to authorized recycler
10	Used Oil / Spent Oil / Waste Oil	5.1	6000	M3/Year	Nil	Sale to authorized recycler
11	Broken Cement + Asbestos Roofing Sheets	15.2	180	MT/Year	Nil	CHWTSDF

As per schedule IV of HW						
1	Insulated Electrical Wire Scrap	7	1600	MT / Yea	Nil	Sale to authorized recycler
2	Waste Electrical & Electronic Assemblies, CR Tubes, Batteries, Computers & Modules	18	400	MT / Yea	Nil	Sale to authorized recycler
3	Scrap rejected electrical components from vehicle manufacturing and electrical installations	7	400	MT / Yea	Nil	Sale to authorized recycler

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. Industry shall discontinue the in house Incinerator facility.
10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Dr. P. Anbalagan, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	34,25,322/-	095676	20.07.2015	ICICI Bank
2	100/-	095677	20.07.2015	ICICI Bank
3	1,3,00,888/-	096122	13.02.2016	ICICI Bank

Copy to:

1. Regional Officer -Aurangabad. He is directed to release the existing BG's of Rs. 5/- Lakhs, Rs. 5/- Lakhs, Rs. 5/- Lakhs, Rs. 2/- Lakhs & Rs. 2/- Lakhs obtained against disposal of off-accumulated HW (Paint sludge) to either their Chakan facility or MEPL Ranjangaon, providing scientific storage facility for incinerator ash, upgrading their existing Incinerator as industry has decided to stop in-house incineration facility, carrying out treatability study of ETP & STP & submission details of treatment of RO reject waste water respectively as SRO has submitted compliance of the same.
2. Sub-Regional Officer- Aurangabad MPCB, Aurangabad. They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) the design capacity is not mentioned.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	<b>I. Compulsory Parameters</b>	<b>Limiting Concentration in mg/l, except for pH</b>
01	pH	5.5 - 9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Sulphate	1000
09	Phosphate(as P)	5.0

C) The treated Trade effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.

2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of **3200 CMD**.


B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l.
(2)	BOD 3 days 27°C.	Not to exceed	30	mg/l.
(3)	COD.	Not to exceed	100	mg/l.

C] The treated sewage shall be disposed on land of 423 acres for gardening/plantation only. There shall not be any discharge outside the factory premises.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Daily Water Consumption for the following categories is as under	Water consumption quantity (CMD)
1.	Domestic	3800
2.	Industrial Processing	2500
3.	Industrial Cooling	800

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Maharashtra Pollution Control Board

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1.	Thermopack (MCD A / B)	Stack	30	LPG	2500 Kg/Hr	Nil	
2.	Thermopack (PTCED)	Stack	30	LPG	1800 Kg/Hr	Nil	
3.	Thermopack (3Wh)	Stack	30	LPG	1800 Kg/Hr	Nil	
4.	HW Incinerator	Scrubbers & Stack	30	LPG	45 Kg/Hr	Nil	
5.	WIE make Garbage Incinerator	Stack	30	LPG	4 Kg/Hr	Nil	
6.	Heat Clean Oven (MCD)	Stack	12	LPG	90 Kg/Hr	Nil	
7.	Heat Clean Oven (3Wh)	Stack	12	LPG	25 Kg/Hr	Nil	
8.	DG Set (4000 KVA)	Stack	18	HSD	800 Kg/Hr	1	384
9.	DG Set (4000 KVA)	Stack	18	HSD	800 Kg/Hr	1	384
10.	DG Set (187 KVA)	Stack	17	HSD	25 Kg/Hr	1	12
11.	DG Set (187 KVA)	Stack	17	HSD	25 Kg/Hr	1	12
12.	Thermopack - 4wh	Stack	30	LPG	1200 kg/hr	Nil	
13.	HW Incinerator- 3wh/4wh	Scrubbers & Stack	30	LPG	100 kg/hr	Nil	
14.	Heat Clean Oven - 4wh	Stack	12	LPG	25 kg/hr	Nil	


2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------


4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended)	5/- Lakhs	15 Days	O & M of Pollution control systems	30.09.2020	31.01.2021
2	C to R	5/- Lakhs	15 Days	Against not to operate incinerator without permission of the Board.	30.09.2020	31.01.2021



#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3) The industry shall comply with the notification issued by MoEF for utilization of fly ash from coal or lignite based thermal power plants dated 14<sup>th</sup> September, 1999 and as amended on 3<sup>rd</sup> November, 2009.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

