# MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email : enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-26454-15/CAC-6144

Date- 10/05/2016

To,

Fax

Mercedes-Benz India Private Limited Plot No. E-3, MIDC Chakan, Phase-III, Kuruli and Nighoje, Tal:- Khed, Dist:- Pune

Subject: Renewal of Consent to Operate with increase in capital investment under RED category.

Ref

: 1. Earlier Consent granted vide no. Format 1.0/ BO/CAC-Cell/EIC No:-PN 24310-15/CAC/CAC-4270, dtd 15.04.2015

2. Minutes of CAC meeting held on 02.02.2016

Your application: CR1508000365

Dated: 01.08.2015

For: Renewal of Consent to Operate with increase in capital investment. under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- 1. The consent is granted for a period from 01.10.2015 up to 30.09.2020.
- 2. The actual capital investment of the industry is Rs. 1124.17/- Crs. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in Nos/Year
1.	Assembly of Passenger Cars	40000
2.	Painting of Cars	40000
3.	Spare parts Warehouse	

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	221.0	As per Schedule -I	Recycle/On land for gardening
2.	Domestic effluent	306.00	As per Schedule -I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler (Hot water generator)	1	As per Schedule -II
2.	Process vents	20	As per Schedule -II
3.	DG set	5	As per Schedule -II
4.	Incinerator	1	As per Schedule -II

Mercedes-Benz India Pvt. Ltd., SRO Pune-II/I/R/L/92843000

Page 1 of 10

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatm	
1	Wood	20000	ent	Disposal
2	Rubber waste	20000	MT/A	By Sale
3	Used tyres	30	MT/A	By Sale
4		1000	Nos./A	By Sale
	Garbage waste	606	MT/A	By Sale
5	Cu scrap	16	MT/A	By Sale
6	Corrugated boxes	5500	MT/A	
7	Factory sweepings	4000		By Sale
8	Metal scrap		MT/A	By Sale
9	Al scrap	350	MT/A	By Sale
10	Plastic scrap	200	MT/A	By Sale
		25	MT/A	By Sale
11	Domestic sludge	40	MT/A	By Sale
12	Broken glass waste	20	MT/A	By Sale
13	Canteen waste	280	MT/A	By Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No		Category	Quant	ity UO	M Treatme	Disposal
1	Used /spent oil	5.1	55	MT/Y	011	Sale to authorized
2	Wastes/residue containing oil	5.2	66	MT/Yr	-	reprocessor CHWTSDF
3	Phosphate sludge	12.5	210	MT/Yr		Ranjangaon CHWTSDF
4	Wastes/residues (not made with vegetable or animal mate	23.1	1.5	MT/Yr	-	Ranjangaon CHWTSDF Ranjangaon
5	Residues and wastes*	31.1	4	MT/Yr	-	Sale to authorized
6	Wastes and residues	21.1	1000	MT/Yr	-	reprocessor CHWTSDF
7	Residues of platicisers	22.2	15	MT/Yr	-	Ranjangaon CHWTSDF
3 %	Discarded containers / barrels / liners	33.3	5500	Nos/Yr	-	Ranjangaon Sale to authorized reprocessor / CHWTSDF
	Discarded containers / barrels / liners	33.3	110	MT/Yr	-	Sale to authorized reprocessor / CHWTSDF
0	Chemical sludge from waste water treatment	34.3	300	MT/Yr	-	CHWTSDF Ranjangaon
1	E-waste	Schedul e IV - Sr. No.18	2	MT/Y		Sale to authorized reprocess

Mercedes-Benz India Pvt. Ltd., SRO Pune-II/I/R/L/92843000

Page 2 of 10

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

# Received Consent fee of-

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	67,45,120/-	012966	29.07.2015	HDECK
2	2,82,000/-	013022	26.08.2015	HDFC Bank
3	44,96,680/-	013362	24.02.2016	HDFC Bank
Copy	to:		24.02.2016	HDFC Bank

- 1. Regional Officer-Pune. Sub-Regional Officer-Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

### Schedule-I

# Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 240 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	5.5-9.0
03	BOD (3 days 27oC)	30
02	Oil & Grease	10 20
04	Total Dissolved Solids	2100
	COD	250
06	Suspended Solids	100
	Chloride	600
18	Sulphate	1000
9	Phosphate(as P)	5.0

- C ) Out of 221 CMD treated effluent generated 155 CMD of treated effluent from RO shall be recycled to paint process (70% of ETP output) & 66 CMD RO reject (30% of total ETP output) shall be used for gardening on land of 118 acres after mixing with treated water from STP.
- A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 230CMD.
  - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 50 mg/l. (2) BOD 3 days 27oC. Not to exceed 30 mg/l. Not to exceed 100 mg/l.

- C] Out of 306 CMD sewage effluent 6 CMD shall be reused for car washing, 66 CMD shall be reused for toilet flushing & remaining 234 CMD shall be for on land of 118 acres for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

me

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	264
2.	Domestic purpose	348
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	476
4.	Gardening	100

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel patterns.

DI.		APC	Height	Туре	of	Quantity	S %	SO
No	The state of the s	System	in Mtrs.	Fuel	-	& UoM	5 %	SO <sub>2</sub>
1.	DG Set (82.5 KVA)	Acoustic enclosur e provided	6.5	HSD		80.00 Ltr/Hr	1%	38.4
2.	DG Set (1250 KVA)		30					
3.	DG Set (1010 KVA)	Acoustic enclosur e provided	30			20	10	
4.	DG Set (1250 KVA)	Acoustic enclosur e provided	30		2x	10/0		
5.	DG set (1500 KVA)	Acoustic enclosur e provided	30	HSD	2	190.00 Ltr/Hr	1%	76.8
6.	Hot Water Generator		30	1				
7.	Car Assembly Baking Oven Vent	Incinerat or i.e., Thermal	1/34	-		-	-	
3.	Car Primer Oven	Oxidizer is	3					
).	Incinerator for Oven Exhaust	provided	30					-
0.	Car EC Oven		3					
1.	Car EC Oven		3					**
2.	Car Sealer Oven		3				-	
3.	Car Primer Oven		3				-	-
4.	Paint Mixing Room Exhaust		3				**	
5.	Car Top Coat Oven		3					-
6.	Car Top Coat Oven		3				-	-
7.	Spot Repair Booth Vent	-4-11	3				-	
8.	Work deck vent		3			2 24		

my

19.	PT vent	3				-
20.	EC vent	3			**	4
21.	Paint Mixing Room Exhaust	3				
22.	Car Primer Paint Booth Vent	3				
23.	Car Base Coat Paint Booth Vent	3			-	
24.	Car Top Coat Paint Booth Vent	3			-	
25.	Panel Painting Spray Booth Vent	3		20	40	
26.	Cooling Zone Vent	3	201	V		-
27.	Smoke Canopy Vent	3	10			-

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate Not to exceed 150 mg/Nm³.

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
  any technological improvement or otherwise such variation (including the change of
  any control equipment, other in whole or in part is necessary).

# Schedule-III **Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O (existing to be extended	5,00,000	15 days	Against operation and maintenance of pollution control systems	30.09.2020	28.02.2020
				control systems		
			1	my		
					2031	0
				Sr.	1/2	
				CUL		
				Mr.		
			1111	10.		
			6011			
		Mil	).			
	3	921.				
	Ho					
1	Margi					
1	No.					

### Schedule-IV

## **General Conditions:**

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly if applicable.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

Tuy

- system. A register showing consumption of chemicals used for treatment shall be
- Conditions for D.G. Set 18)
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- 20) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set 23)
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of 26)
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- The industry should not cause any nuisance in surrounding area.
- The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m. 29)
- The applicant shall maintain good housekeeping.
- The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to
- The industry shall achieve the National Ambient Air Quality standards prescribed vide 36) Government of India, Notification dt. 16.11.2009 as amended.

