MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437

Fax: 24023516

Website: http://mpcb.gov.in
E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

Consent order No: - Format1.0/BO/CAC-cell/EIC-TN-5922-15/CE/CAC- 7807
Date-1410612016

To,

M/s. Horizon Projects Pvt. Ltd.,

Plot Bearing, S. No. 35, 36, 39, 77 Vill. Betawadi, Tal. & Dist. Thane

Subject: Consent to Establish for Construction of Residential development project with shops under ORANGE category.

Ref

- Environmental Clearance granted by Environment Department, GoM vide no. No. SEAC-2013/CR.371/TC-1 dated 11.12.2014.
- Your Application approved in 13th CAC meeting of 2015-2016 held on 25.01.2016.

Your application CE1506000639

Dated: 09.06.2015

For: Consent to Establish for Construction of Residential development project with shops under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The Consent to Establish is granted for a period up to: commissioning of the project or 5 years whichever is earlier.
- The proposed capital investment of the project is Rs. 390 Crs (As per C.A. Certificate submitted by project proponent).
- 3. The Consent to Establish is valid for Construction of residential development project with shops of M/s. Horizon Projects Pvt. Ltd. at Plot Bearing S. No. 35, 36, 39, 77 Vill. Betawadi, Tal. & Dist. Thane on Total Plot Area of 85,000 sq.m. and total construction BUA of 1,37,304.63 sq.m. including utilities and services as per construction commencement certificate issued by local body.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	NA	N.A.
2.	Domestic effluent	866	As per Schedule –I	Treated effluent shall be 60% i.e. 468 CMD recycled for flushing, 40 CMD for gardening and remaining shall be connected to the sewerage system provided by local body.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Blumbay Of Stack Standards to be

1	DG set (2 x 1000 KVA)	2	As Per Schedule -II
2	DG Set (1 x 630 KVA)	1	As Per Schedule

Conditions under Municipal Solid Waste (Management and Handling) Rule,2000 :

Sr. No.	Type Of Waste	Quantity	Treatment	Disposal
1	Wet Garbage	2323 kg/day	Organic Waste Convertor	use as manure
2	Dry Garbage	998 kg/day	-	Hand over to local body or sale for recycle
3	STP sludge	130 Kg/day	-	use as manure

Conditions under E-Waste (Management and Handling) Rule,2011:

Sr. No	. Type Of Waste	Quantity	Treatment	Disposal
1	E-waste	AS actual	Nil	Through authorized recyclers

 Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste

Sr. No. Type Of Waste	Quantity UOM	Treatment	Disposal	
There shall not be generation	n of any type of hazard	ous waste		393

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 11. The applicant shall submit an affidavit in prescribed format regarding compliance of conditions of Environmental Clearance and Consent to Establish.
- The applicant shall comply with the conditions stipulated in Environmental Clearance granted by Environment Department, GoM vide no. No. SEAC-2013/CR.371/TC-1 dated 11.12.2014.
- 13. PP shall submit Board Resolution from company Board, towards starting of construction work without obtaining consent to establish from the MPC Board thus violated the provisions of Environmental Laws and in future, they will not do such violations and BG of Rs. 2 lakh towards submission of Board resolution within one month of issue of consent.

For and on behalf of the Maharashtra Pollution Control Board

> Or. P. Anbalagan, IAS) Member Secretary

Received Consent fee of -

Sr. No	o. Amount(Rs.)	DD. No.	Date	Drawn On
1	7,80,100/-	731566	19.05.2015	Kotak Mahindra Bank

Copy to:

- 1. Regional Officer, Thane and Sub-Regional Officer MPCB, Thane-I
 - -- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to install 2 nos. of Sewage Treatment Plants (STPs)
 with the design capacity of 700 CMD for Sub Plot A and 255 CMD for Sub Plot C based on
 Rotating Media Bio Reactor (RMBR) Technology.
- B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board		
		Limiting Concentration in mg/I, except for pH		
01	BOD (3 days 27oC)	10		
02	Suspended Solids	10		
03	COD	50		
04	Residual Chlorine	1ppm		

- C) Treated effluent shall be 60% i.e. 468 CMD recycled for flushing, 40 CMD for gardening and remaining shall be connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure recycling of treated sewage and shall maintain the record with data logging system. Project Proponent shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. and shall install online monitoring system within 4 months time period.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	Fresh water 665 CMD
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. Stack Attached To No.		APC Height System Mtrs.		in Type Of Quantity Fuel		s%	
1	DG set (2 x 1000 KVA)	Acoustic enclosure	6.3* each	Diesel	164 lit/Hr	1	
2	DG Set (1 x 630 KVA)	Acoustic enclosure	5.1	Diesel	103 lit/Hr.	1	

^{*} Above roof of the building in which it is installed.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate	Not to exceed	150 mg/Nm ³ .	100
matter			

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period**	Purpose of BG	Compliance Period	Validity++
1	Consent to Establish (C to E)	Rs. 10 lakh	15 days from date of issue of consent	Toward compliance of EIA Notification, 2006 / EC and Consent to Establish condition.	COU or 5 years whichever is earlier	Validity of this consent + 4 months
2	Consent to Establish (C to E)	Rs. 02 lakh	15 days from date of issue of consent	Towards submission of the Board Resolution from company Board, towards starting of construction work without obtaining consent to establish from the MPC Board thus violated the provisions of Environmental Laws and in future, they will not do such violations	within one month of issue of consent.	Validity of this consent + 4 months

- ** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
- ++ The Bank Guarantee(s) shall be valid for a period upto: Validity of consent + 4 months

Schedule-IV

Conditions during construction phase:

- During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters. During construction phase, the ambient air and noise quality should be closely monitored to b achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF
 - approved laboratory.
- Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic b) treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set d) manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure. f)
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.