MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), MAHARASHTRA Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No. PN-25202-13/CAC-Q 886

Date- 45/2016 26/08/2016

To.

M/ s. Finolex Cables Limited (All divisions at Urse)

Gat No. 343, 344,346,372,373,374,375,376, 384

Village - Urse, Tal. Maval

Dist. Pune

Pin-410 506.

Subject: Consent to 1st Operate for Solar Power Generation and Renewal of existing consents by change in products & their quantities and by amalgamation of consents under RED category.

Ref

- : 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-9965-11/O/CC-CAC-318, dtd 22.02.2012.
 - 2. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-15515-12/O/CC-613, dtd 06.11.2012.
 - 3. Earlier Consent granted vide no. ROP/E-26/CC/UB/Pune/383/11, dtd 05.08.2011.
 - 4. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-15868-12/O/CC-868, dtd 01.03.2013.
 - 5. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-7073-10/O/CC-483, dtd 06.10.2012.
 - 6. Minutes of CAC meeting held on 25.01,2016

Your application: CR1506000268

Dated: 16.04.2015

For: Consent to 1st Operate for Solar Power Generation and Renewal of existing consents by change in products & their quantities by amalgamation of consents Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 as amended in 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period of 30.12.2018.
- 2. The capital investment of the industry is 543.43 Cr. (As per CA Certificate by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
NO	Electrical & communication Cables	36000 MT
		3600 MT
2	Co Axial Cables	28800MT
3	PVC Compound	30000 MT
1	Power & Control Cables	24000000 Nos
5	CFL& LED	8400000 Nos
3	Fluorescent Tubular Lamps	04000001100

	·	20000000 Nos
7	Switches & Accessories	3768 MT
8	Optic Fiber Cables	
9	Optic Fiber	3 Million KM
10	Captive Power Generation by DG Set	4.76 MW
11	Solar Power Generation	5 MW

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	As per Schedule –I	_
2.	Domestic effluent	80	As per Schedule -I	On land gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

	Description of stack /	Number of Stack	Standards to be achieved
	DG sets of capacity 1.6 MW	1	As per Schedule -II
2	DG sets of capacity 3.16 MW	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

	ions about Non Hazardo Type Of Waste	Quantity & UoM	Treatment	Disposal
Sr. no.	Cable Scrap	1300 MT/Annum	3	By sale to authorized Party
2	Wooden Scrap	400 MT/Annum		By sale to authorized Party
3	G.I. Scrap	70 MT/ Annum		By sale to authorized Party
4	M.S. Scrap	50 MT/ Annum		By sale to authorized Party
5	PCB Scrap	15716 pieces /		By sale to authorized Party
6	Ext. Glass Tube	5020248 pieces/Annum		By sale to authorized Party
7	Metal Scrap-	391680 pieces / Annum		By sale to authorized Party
8	Lumps of Extrusion Process	9.42 MT/ Annum		By sale to authorized Party
9	Silica Rods/ Tubes	8000 Kg/ Annum		By sale to authorized Party
10	Plastic Scrap-	1035149 pieces / Annum		By sale to authorized Party

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
No.	Spent Oil	5.1	48100	Lit/yr	-	Sold to authorized reprocessor

Finolex Cables Ltd (All Plants at Urse Division), SRo Pune II/i/R/L/66101762

Page 2 of 8

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent is issued with overriding effect to earlier consent granted vide No. BO/JD(APC)/EIC No. PN-15868-12/O/CC-868, dtd 01.03.2013, valid upto 31.12.2018
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P Anbalagan, IAS Member Secretary

Received Consent fee of-

eived Consent fee					
Amount(Rs.)	DD. No.	Date	Drawn On		
25,60,370/-	140666	06.04.2015	HDFC Bank Ltd		
	061579	19.03.2014	Central Bank of India		
	177888	26.08.2013	Central Bank of India		
	177716	25.07.2013	Central Bank of India		
	177719	25.07.2013	Central Bank of India		
	177717	25.07.2013	Central Bank of India		
	176017	27.10.2013	Central Bank of India		
	177718	25.07.2013	Central Bank of India		
	THE RESIDENCE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN THE OWNER, THE PERSON NAMED IN THE PE	25,60,370/- 140666 75,100/- 061579 1,15,000/- 177888 2,34,752/- 177716 9,00,000/- 177719 6,46,564/- 177717 6,52,705/- 176017	Amount(Rs.) DD. No. Date 25,60,370/- 140666 06.04.2015 75,100/- 061579 19.03.2014 1,15,000/- 177888 26.08.2013 2,34,752/- 177716 25.07.2013 9,00,000/- 177719 25.07.2013 6,46,564/- 177717 25.07.2013 6,52,705/- 176017 27.10.2013		

Copy to:

- 1. Regional Officer Pune and Sub-Regional Officer-Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you will provide the Sewage Treatment Plant (STP) with the design capacity of 80 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 50 mg/l.
(2) BOD 3 days 27oC. Not to exceed 30 mg/l.
(2) COD. Not to exceed 100 mg/l.

- C) The treated effluent shall be disposed on land for gardening -80 CMD
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	280
2.	Domestic purpose	100
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	NIL
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
5	Gardening	120

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂
1	D G Sets 1.6 MW		43 m	FO	500 L/Hr	0.00 25	48.5
2	D G Sets 3.16 MW		57 m	FO	1000L/Hr	0.00 25	48.5

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

chieve the level of	pollutants to the lol	lowing standards.	_
Particulate matter	Not to exceed	150 mg/Nm ³ .	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III **Details of Bank Guarantees**

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Complian	Validity
No.	(C to E/O/R)	Imposed	Period		ce Period	Date
1	C to O	Rs. 10/- Lakhs	15 days	O & M of pollution control systems	31.12.201	30.04.2019

Marashta Polition Control Board

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of 1) trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not 2) discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.

Industry should monitor effluent quality, stack emissions and ambient air quality 3)

monthly/quarterly.

The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform 4) etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

Whenever due to any accident or other unforeseen act or even, such emissions occur or is 5) apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipment's, the production process connected to it shall be stopped.

The applicant shall provide an alternate electric power source sufficient to operate all 6) pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production

to abide by terms and conditions of this consent.

The firm shall submit to this office, the 30th day of September every year, the Environmental 7) Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision 8)

contain in the HW(MH&TM) Rules 2008, which can be recycled

- /processed/reused/recovered and only waste which has to be incinerated shall go to 9) incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit 10) the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

An inspection book shall be opened and made available to the Board's officers during their 11)

visit to the applicant.

The applicant shall make an application for renewal of the consent at least 60 days 12)

before the date of the expiry of the consent.

Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and 13) Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

The industry shall constitute an Environmental cell with qualified staff/personnel/agency to 14) see the day to day compliance of consent condition towards Environment Protection.

Separate drainage system shall be provided for collection of trade and sewage effluents. 15) Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

Neither storm water nor discharge from other premises shall be allowed to mix with the 16) effluents from the factory.

The applicant shall install a separate meter showing the consumption of energy for operation 17) of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Conditions for D.G. Set 18)

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating a)
- the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ b) acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then
- Industry should make efforts to bring down noise level due to DG set, outside industrial c) premises, within ambient noise requirements by proper sitting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set d) manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed e) in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- D.G. Set shall be operated only in case of power failure. f)
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. g)
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise h) limit for generator sets run with diesel
- The industry should not cause any nuisance in surrounding area. 19)
- The industry shall take adequate measures for control of noise levels from its own sources 20) within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- The applicant shall maintain good housekeeping. 21)
- The applicant shall bring minimum 33% of the available open land under green coverage/ 22) plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of 23) scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- The applicant shall not change or alter the quantity, quality, the rate of discharge, 24) temperature or the mode of the effluent/emissions or hazardous wastes or control equipment's provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the
- The industry shall ensure that fugitive emissions from the activity are controlled so as to 25) maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries' obligation towards 26) consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to the 27) MPCB.
- The industry shall achieve the National Ambient Air Quality standards prescribed vide 28) Government of India, Notification dt. 16.11.2009 as amended.