MAHARASHTRA POLLUTION CONTROL BOARD

MAHARASHTRA

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in

Mumbai - 400 022

Sion Circle, Sion (E),

Kalpataru Point, 3rd & 4th floor, Sion- Matunga

Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:- PN-21445-14/CAC/CC- 9883 Date-

102/2015 26/08/20/6

To.

Endurance Technologies Ltd.,

Plot No. B - 20, Chakan Industrial Area, Vill - Nighoje, Tal - Khed, Dist - Pune.

Subject: Renewal of consent to Operate with increase in Capital Investment under RED category.

Ref

: 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-16562 13/O/CAC-10651, Dated 30.12.2013

2. Minutes of CAC meeting held on 02.02.2016

Your application: CR1509000255

Dated: 19.08.2015

For: Renewal of consent to Operate with increase in Capital Investment under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M. H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01/10/2015 to 30/09/2020.

2. The actual capital investment of the industry is Rs 87.45/- Crs. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/A
1	Machining of Automobile components [Cover cylinder head, K-1, K-2, K-60, Cover LH & RH, Crank case LH & RH and Cylinder block and Cylinder head etc.,]	10 Lakhs Nos./M
2	Painting of Automobile Components [Cover cylinder head, K-1, K-2, K-60, Cover LH & RH, Crank case LH & RH and Cylinder block and Cylinder head etc.,]	10 Lakhs Nos./M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	40	As per Schedule -I	Recycle in process
2.	Domestic effluent	45	As per Schedule -I	Recycle & excess used on land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set 2 Nos. (1500 KVA, 1000 KVA)	01	As per Schedule -II
2.	Shot Blasting m/c 3	01	As per Schedule -II

Endurance Technologies Ltd B-20, SRO Pune II/I/R/L/48550000

Page 1 of 9

	Shot Blasting m/c 4	01	As per Schedule -II
	Shot Blasting m/c 5	01	As per Schedule -II
5.	Shot Blasting m/c 6	01	As per Schedule -II
6.	Paint Kitchen Exhaust	01	As per Schedule -II
7.	Baking Oven No. 1	01	As per Schedule -II
8.	Baking Oven No. 4	01	As per Schedule -II
9.	Baking Oven No. 3	01	As per Schedule -II
10.	Dry Off oven	01	As per Schedule -II
11.	Paint Exhaust Blower No.1	01	As per Schedule -II
12.	Paint Exhaust Blower No.2	01	As per Schedule -II
13.	Paint Exhaust Blower No.3	01	As per Schedule -II
14.	Aquatherm Boiler Hot water generator	01	As per Schedule -II
15.	Degressing Tank Exhaust	01	As per Schedule -II
16.	Conversion Tank Exhaust (Pretreatment Plant)	01	As per Schedule -II
17.	DG Set (100 KVA)	01	As per Schedule -II
18.	Shot Blasting m/c 1	01	As per Schedule -II
19.	Shot Blasting m/c 2	01	As per Schedule -II

6. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used /spent oil	5.1	1500	Liters/ Year		Auth. reprocessor
2	Chemical sludge, oil and grease skimming residues	34.4	40	KL/Y	<u>-</u>	Auth. reprocessor
3	Waste coolant oil	5.1	6000	Ltrs/M	-	Auth. reprocessor
4	Chemical sludge from waste water treatment	34.3	125	Kg/D	-	CHWTSDF at Ranjangaon
5	Wastes/residue containing oil	5.2	100	Kg/day	-	CHWTSDF at Ranjangaon
6	Wastes and residues	21.1	530	Kg/day	-	CHWTSDF at Ranjangaon
7	Discarded containers / paint barrels / liners	33.3	3000	Nos/M	-	Sale to Auth. reprocessor

7. Non-Hazardous Solid Wastes:

Sr.No.	Type	Qty	UOM	Disposal
1	Metal Residue	12.17	MT/M	
2	MS Scrap	5.19	MT/M	Sale to Auth. Scrap
3	Scrap Garbage	3.60	MT/M	Vendor.
4	Plastic Scrap	0.02	MT/M	

Endurance Technologies Ltd B-20, SRO Pune II/I/R/L/48550000

Page 2 of 9

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date .	Drawn On
1	3,75,100/-	254651	14.07.2015	Corporation Bank
2	2,50,000/-	255271	18.02.2016	Corporation Bank
3	The balance co		of Rs. 52,083/-	with the Board as per

Copy to:

- Regional Officer Pune, and Sub-Regional Officer Pune-II MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Nglalaghtly bollny

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 40.0 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	5.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Suspended Solid	100
05	COD	250
06	TDS	2100
07	Sulphates	1000
08	Chlorides	600
09	Zinc (as Zn)	5.0
10	Total Metal	10.0

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- A] As per your application, you have provided the Sewage Treatment Plant (STP) with the design capacity of 45.0 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed 50 mg/l. (2) BOD 3 days 27oC. Not to exceed 30 mg/l. (3) COD. Not to exceed 100 mg/l.

- C] The treated sewage effluent shall be recycle in process on maximum extend & excess used on land for gardening
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Endurance Technologies Ltd B-20, SRO Pune II/I/R/L/48550000

Page 4 of 9

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	15.0
2.	Domestic purpose	60.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	45.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	6,-

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Nghalashira Pollition

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No.		APC System	Height in Mtrs.	Type of Fuel	Qty	UoM	S %	SO ₂ Kg/Day
1.	D.G. Set 2 Nos. (1500 KVA, 1000 KVA)		30.00	HSD	12480	Ltrs/Day	1 %	195 Kg/Day
2	Shot Blasting m/c 3	Dust	6.00	LPG	1800	Ltrs/Day		
3.	Shot Blasting m/c 4	collector	6.00	or PNG	1000	M3/D		
4.	Shot Blasting m/c 5		6.00	TNG	1000	M³/Day		
5.	Shot Blasting m/c 6	1	6.00			A		
6.	Paint Kitchen Exhausts		16.00			26		
7	Baking Oven No. 1		16.00	1		VO.		
8	Baking Oven No. 4		16.00	1 1	, 1	70		
9	Baking Oven No. 3		16.00			V		
10	Dry Off oven		16.00		100			
11	Paint Exhaust Blower No.1	Water curtain	14.00	3	110			
12	Paint Exhaust Blower No.2	system	14.00	(0)		-119		
13	Paint Exhaust Blower No.3		14.00	0				
14	Aquatherm Boiler Hot water generator		32.00					
15	Degressing Tank Exhausts	Fume extraction system	16.00		- 11			
16	Conversion Tank Exhausts (Pretreatment Plant)	3	16.00					
17	DG Set (100 KVA)	w	2.00					
18	Shot Blasting m/c 1	Dust	6.00					
19	Shot Blasting m/c 2	collector	6.00					

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
SO_2	Not to exceed	195.0 Kg/Day

- 3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act,1986 and rule made there under from time to time
- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
 any technological improvement or otherwise such variation (including the change of
 any control equipment, other in whole or in part is necessary)

NVV

Endurance Technologies Ltd B-20, SRO Pune II/I/R/L/48550000

Page 6 of 9

Schedule-III Details of Bank Guarantees

Existing BG to be extended

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5 Lakh	15 Days	Towards Operation & Maintenance of pollution control system.	30.09.2020	31.01.2021
				Mmy		6
					1809	
				an'i	30,	
				U.Co.		
			Illi	ilo.		
		2.4	80.			
		195/1	0)			
	Mah	91				
	Bur					

Endurance Technologies Ltd B-20, SRO Pune II/I/R/L/48550000

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be
- Conditions for D.G. Set 17)

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by

treating the room acoustically.

Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Industry should make efforts to bring down noise level due to DG set, outside industrial c) premises, within ambient noise requirements by proper sitting and control measures.

- Installation of DG Set must be strictly in compliance with recommendations of DG Set d) manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and e) followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure. f)

- The applicant should not cause any nuisance in the surrounding area due to operation of g) D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding h) noise limit for generator sets run with diesel

The industry should not cause any nuisance in surrounding area.

The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and

20) The applicant shall maintain good housekeeping.

The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).

The industry shall submit official e-mail address and any change will be duly informed to 26) the MPCB.

The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000----