MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437

Fax: 24023516

Website: http://mpcb.gov.in E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022

Consent order No: - Format1.0/BO/CAC-cell/PN-24355-15/CR/CAC-9979 Date-01/09/2016

To,

M/s Magarpatta Township Development and Construction Co. Ltd.,

"Magarpatta City Township",

S. No. 115, 116, 126-130, 138-148, 149 (P), 254, 288(P),

Hadapsar, Pune.

Subject: Renewal of Consent to Operate for Township (Residential cum SEZ for IT) project in RED category. Ref

- 1. EC accorded by MoEF vide no. 21-199/2006-IA.III dated 31.10.2006.
- 2. Consent to establish granted vide no. BO/RO(P&P)/392 dated 25.4.2006.
- 3. Consent to Operate granted vide no. BO/CAC-cell/EIC-PN-19702-13/R/CAC-4153 dated 03.05.2014 valid upto 31.01.2015.
- 4. Your Application approved in 15th CAC meeting of 2015-2016 held on 09.03.2016.

Your application CR1504000021

Dated: 31.01.2015

For: Renewal of Consent to Operate for Township (Residential cum SEZ for IT) project under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III& IV annexed to this order:

- 1. The Renewal of consent to operate is granted for a period upto 31.01.2017.
- 2. The capital investment of the project is Rs.1430.21 Crs. (As per CA certificate submitted by project proponent.)
- The Renewal of Consent to Operate is valid for Township (Residential cum SEZ for IT) project of M/s Magarpatta Township Development and Construction Co. Ltd. "Magarpatta City Township" at S. No. 115, 116, 126-130, 138-148, 149 (P), 254, 288(P), Hadapsar, Pune on total plot area of 15,94,102.29 sq.m. and total construction built up area of 7,37,200 sq.m. including services and utilities as per occupation certificate issued by local body..

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	NA ·
2.	Domestic effluent	4342	As per Schedule	Recycle& excess discharge to Municipal Sewer

M/s Magarpatta Township Development and Construction Co. Ltd., Magarpatta City Township

Page 1 of 6

Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No. Description of stack/ source		Capacity	Number Of Stack	Standards to be achieved
1	DG Set	1 x 50 KVA	1	As Per Schedule -II
2	DG Set	5 x 1250 KVA	5 As Per Schedule -II	
3	DG Set	5 x 125 KVA	A 5 As Per Schedule -II	
4	DG Set	8 x 160 KVA	VA 8 As Per Schedule -II	
5	DG Set	1 x 200 KVA	1	As Per Schedule -II
6	DG Set	3 x 250 KVA	3 As Per Schedule -II	
7	DG Set	58 x 380 KVA	58	As Per Schedule -II
8	DG Set	75 x 500 KVA	75	As Per Schedule -II
9	DG Set	9 x 750 KVA	9	As Per Schedule -II
10	DG Set	17 x 1010 KVA	17	As Per Schedule -II

5. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Biodegradable waste	7	T/Day	Biogas plant	Use as fuel
2	Non-Biodegradable	9	T/Day	- >	Sale for recycle or hand over to local body
3	STP Sludge		Kg/day	1200	Use as manure

6. Condition under E-Waste (Management & Handling) Rule, 2011;

B1011000000000	Type Of Waste	Quantity	MOU	Treatment	Disposal
No 1	E-Waste	As actual	MT/M	(Sale to Authorized recycler

 Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste.

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1.	5.1 Used/Spent Oil	8875	Lit/year		Sale to authorized reprocessor

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply with the conditions stipulated in Environmental Clearance granted by MoEF vide no. 21-199/2006-IA.III dated 31.10.2006.

For and on behalf of the Maharashtra Pollution Control Board

> (Dr. P. Anbalagan, IAS) Member Secretary

Received Consent fee of -

sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	8,83,542/-	516209	30.01.2015	Tamilnad Mercantile Bank Ltd
2	48,37,258/-	929082	22.06.2016	SBI

Copy to:

- 1. Regional Officer, Pune and Sub-Regional Officer, Pune-I, MPCB, Pune
 - -- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided three Sewage Treatment Plants (STPs) with the design capacity of 3 MLD, 1.5 MLD and 250 CMD.
 - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for ph
01	BOD (3 days 27oC)	10
02	Suspended Solids	10
03	COD	50
04	Residual Chlorine	1ppm

- C] The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body. In no case, effluent shall find its way to any water body directly/indirectly at any time. Project proponent shall provide flow meter to ensure 60% recycling of treated sewage and shall maintain the record with data logging system. Project Proponent shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit within 4 months.
- D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	6207

Bury

Schedule-II Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity	UoM	S
1	DG Set 01 No. (50 KVA)	Acoustic enclosure	1.5	Biogas	10	M3/hr	%
2	DG Set 05 Nos. (125KVA)		6	Diesel	55 each	Lit/hr	1
3	DG Set 08 Nos. (160 KVA)		2		36 each		
4	DG Set 01 No. (200 KVA)		6		50	7	
5	DG Set 03 Nos. (250 KVA)		2		55 each	10	
6	DG Set 58 Nos. (380 KVA)		6		89 each	3	
7	DG Set 75 Nos. (500 KVA)		6	- 30	105 each		
8	DG Set 09 Nos. (750 KVA)		6	de	121 each		
9	DG Set 17 Nos. (1010 KVA)		6	0,	150 each		
0	DG Set 05 Nos. (1250 KVA)		6		199 each		

^{*} Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Darticulate master			
Particulate matter	Not to exceed	150 mg/Nm ³	

- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5. Ambient noise level should be confirmed to prescribe standards both during day and night time. The ambient air and noise quality should be closely monitored during any construction phase in the premises.
- 6. Conditions for utilities like Kitchen, Eating Places:-
 - The kitchen shall be provided with exhaust system chimney with oil catcher connected a) to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through b) ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A). c)
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than d) the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

M/s Magarpatta Township Development and Construction Co. Ltd., "Magarpatta City Township"

Page 4 of 6

Schedule-III Details of Bank Guarantees

Sr. No.	(C to E/O/R)	Amt of BG Imposed	Submission Period**	Purpose of BG #	Compliance Period	Validity++
	Applicant sl	hall extend BG	as below:			
1.	Renewal of C to O	Rs. 10 lakh	15 days from date of issue of consent		Continuous	Validity of this consent + 4 months

- ** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
- ++ The Bank Guarantee(s) shall be valid for a period upto: Validity of consent + 4 months
- # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Applicant shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Applicant should make efforts to bring down noise level due to DG set, outside their premises, within ambient noise requirements by proper sitting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

--0000----