

**Polluted River Stretch Priority-III
(Kanhana River, State - Maharashtra)**

Latest Water Quality As per Assessment Targeted (Characteristics of River)

2170 - Kanhana River at U/s of M/s Vidarbha Paper Mills, Village- Sinora, Taluka- Parseoni, District- Nagpur.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality Criteria of Bathing
January	2017	8.5	8.0	4.6	17	34	Non Complying
	2018	7.92	7	4.0	58	120	Non Complying
	2019	8.64	7.85	3.4	22	110	Non Complying
February	2017	8	7.7	5.2	17	34	Non Complying
	2018	7.9	7.3	3.0	46	120	Complying
	2019	8.3	7.2	3.3	21	94	Non Complying
March	2017	8.0	6.6	6.4	17	27	Non Complying
	2018	7.7	6.63	3.0			Complying
	2019	8.65	6.48	3.4	21	85	Non Complying
April	2017	7.5	6.40	3.0	17	46	Complying
	2018	7.9	5.7	6.4	33	94	Non Complying
	2019	8	3.44	7.2	21	47	Non Complying
May	2017	8.2	6.40	3.2	17	94	Non Complying
	2018	8.6	5.5	6.1	46	140	Non Complying
	2019	8.74	8.63	3.4	21	94	Non Complying
June	2017	7.8	6.20	5.6	17	94	Non Complying
	2018	7.9	6.4	4.4	46	170	Non Complying
	2019	8.52	7.05	3.6	22	84	Non Complying
July	2017	7.7	6.08	4.6	31	58	Non Complying
	2018	7.69	5.9	5.1	33	220	Non Complying
	2019	8.47	7.59	3.6	17	70	Non Complying
August	2017	7.9	6.08	3.2	33	94	Non Complying
	2018	7.8	6.2	7.2	27	220	Non Complying
	2019	7.72	7.56	3.6	32	170	Non Complying
September	2017	8	6.3	3.0	58	120	Complying
	2018	8.1	6.05	6.9			Non Complying
	2019	7.16	5.41	5.8	170	900	Non Complying
October	2017	7.7	6.88	4.4	33	94	Non Complying
	2018	8.0	5.2	10.0	38	210	Non Complying
	2019	8.0	7.5	3.8	31	150	Non Complying
November	2017	6.73	5.13	7.8	58	120	Non Complying
	2018	8.4	6.8	5.2	21	170	Non Complying
	2019	8.5	7.8	3.4	32	170	Non Complying
December	2017	7.8	6	6.2	33	79	Non Complying
	2018	8.0	7.0	5.0	26	140	Non Complying

2171 - Kanhana River at D/s of M/s Vidarbha Paper Mills, Village- Sinora, Taluka- Parseoni, District- Nagpur.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality Criteria of Bathing
January	2017	8.5	8.0	6.8	46	170	Non Complying
	2018	7.82	6.8	5.8	79	220	Non Complying
	2019	8.59	7.6	3.5	34	240	Non Complying
February	2017	8	7.5	7	23	84	Non Complying
	2018	7.9	5.4	5.9	94	280	Non Complying
	2019	8.27	7	4.1	26	120	Non Complying
March	2017	8.0	6.2	7.8	22	40	Non Complying
	2018	7.9	6.59	3.2			Non Complying
	2019	8.71	5.85	4.4	22	110	Non Complying

April	2017	7.3	6.00	6.8	21	140	Non Complying
	2018	7.9	5.5	6.84	70	170	Non Complying
	2019	7.92	7.22	3.4	27	170	Non Complying
May	2017	8.1	4.30	9.4	21	140	Non Complying
	2018	8.9	5.7	6.9	94	280	Non Complying
	2019	8.7	8.21	4.8	27	130	Non Complying
June	2017	7.8	5.60	7.9	33	170	Non Complying
	2018	7.9	5.4	6.2	110	350	Non Complying
	2019	8.7	6.98	3.8	26	140	Non Complying
July	2017	7.6	5.78	7.0	33	110	Non Complying
	2018	7.8	5.3	6.2	60	280	Non Complying
	2019	8.39	6.85	3.8	33	150	Non Complying
August	2017	7.83	6.69	4.5	33	170	Non Complying
	2018	7.8	4.9	10.0	60	280	Non Complying
	2019	7.73	5.84	5.8	34	350	Non Complying
September	2017	7.9	6	4.2	79	220	Non Complying
	2018	8.05	5.94	9.8	60	280	Non Complying
	2019	7.4	4.33	21.0	40	540	Non Complying
October	2017	7.8	6.7	5.4	70	170	Non Complying
	2018	8.1	3.2	14.0	39	280	Non Complying
	2019	7.7	7.4	4.2	34	350	Non Complying
November	2017	7.67	4.93	12.0	79	220	Non Complying
	2018	8.5	6.2	7.0	70	280	Non Complying
	2019	8.5	7.0	4.8	39	280	Non Complying
December	2017	7.8	5.8	6.5	79	110	Non Complying
	2018	8.3	5.7	5.6	33	220	Non Complying

1909 - Kanhan River at D/s of Nagpur, Village- Agargaon, Taluka- Kuhl, District- Nagpur.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality Criteria of Bathing
January	2017	8.4	6.9	7.0	49.0	170.0	Non Complying
	2018	6.8	7.4	3.8	110.0	280	Non Complying
	2019	7.92	6.57	4.8	34.0	350	Non Complying
February	2017	7.6	6.5	9.4	49	110	Non Complying
	2018	7.4	6.9	4.8	110.0	280	Non Complying
	2019	8.06	6.58	3.5	39.0	280	Non Complying
March	2017	7.5	6.6	7.6	70.0	140.0	Non Complying
	2018	7.9	2.98	10.6	94.0	280	Non Complying
	2019						Dry
April	2017	8.1	5.9	6.2	120.0	430.0	Non Complying
	2018	7.4	5.6	10.1	140.0	350	Non Complying
	2019						Dry
May	2017	8.0	6.1	3.6	110.0	350.0	Non Complying
	2018	7.2	2	9.1	79.0	280	Non Complying
	2019						Dry
June	2017	8.7	5.0	12.0	130.0	350.0	Non Complying
	2018	7.7	5.44	7.3	94.0	280	Non Complying
	2019						Dry
July	2017	6.9	4	6.4	58.0	280.0	Non Complying
	2018	7.4	5.2	10.2	33	280	Non Complying
	2019	7.82	1.8	22	39	430	Non Complying
August	2017	7	5.9	4.2	110.0	280.0	Non Complying
	2018	7.64	6.32	12	27.0	240	Non Complying
	2019	8.06	4.86	8.6	110.0	920	Non Complying
September	2017	7.9	5.9	4.4	110.0	350.0	Non Complying
	2018	8.27	5.79	9.4	33.0	280	Non Complying
	2019	8.04	7.23	3.8	27.0	170	Non Complying
October	2017	7.6	5.66	6.9	110	280	Non Complying
	2018	7.5	6.2	4.8	39.0	350	Non Complying
	2019	7.9	7.4	3.8	170.0	540	Non Complying
November	2017	7.6	4.8	13.6	52.0	110.0	Non Complying
	2018	7.8	7.8	5.4	47.0	350	Non Complying
	2019	8.1	8.0	3.4	39.0	430	Non Complying
December	2017	8	5.7	6.8	12.0	110.0	Non Complying
	2018	8.1	7.3	5.8	33.0	220	Non Complying